



Full wwPDB EM Validation Report ⓘ

Mar 5, 2026 – 01:24 PM UTC

PDB ID : 6TNF / pdb_00006tnf
EMDB ID : EMD-10531
Title : Structure of monoubiquitinated FANCD2 in complex with FANCI and DNA
Authors : Alcon, P.; Shakeel, S.; Passmore, L.A.
Deposited on : 2019-12-07
Resolution : 3.80 Å(reported)
Based on initial models : 1UBQ, 3S4W

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	10198 (3.30 - 4.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1439	5% 72% 6% 22%
2	B	1338	6% 68% 7% 24%
3	C	76	26% 84% 16%
4	D	33	100% 85% 15%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	E	33	100% 94% 6%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 9559 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FANCD2.

Mol	Chain	Residues	Atoms				AltConf	Trace
1	A	1116	Total	C	N	O	0	0
			4469	2236	1117	1116		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1437	ALA	GLY	conflict	UNP F1NP22
A	1439	ARG	-	expression tag	UNP F1NP22

- Molecule 2 is a protein called Fanconi anemia complementation group I.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	B	1014	Total	C	N	O	0	0
			4061	2032	1015	1014		

- Molecule 3 is a protein called Polyubiquitin-C.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	C	76	Total	C	N	O	0	0
			304	152	76	76		


- Molecule 4 is a DNA chain called DNA (33-MER).

Mol	Chain	Residues	Atoms				AltConf	Trace
4	D	33	Total	C	O	P	0	0
			363	165	165	33		
4	E	33	Total	C	O	P	0	0
			362	165	164	33		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: FANCD2




- Molecule 2: Fanconi anemia complementation group I




- Molecule 3: Polyubiquitin-C



● Molecule 4: DNA (33-MER)



● Molecule 4: DNA (33-MER)



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	146245	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	70.0	Depositor
Minimum defocus (nm)	1800	Depositor
Maximum defocus (nm)	3500	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.108	Depositor
Minimum map value	-0.050	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.001	Depositor
Recommended contour level	0.0197	Depositor
Map size (Å)	476.99997, 476.99997, 476.99997	wwPDB
Map dimensions	450, 450, 450	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.06, 1.06, 1.06	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.53	0/4456	0.98	9/5547 (0.2%)
2	B	0.52	0/4043	0.94	4/5022 (0.1%)
3	C	0.49	0/303	0.79	0/377
All	All	0.53	0/8802	0.95	13/10946 (0.1%)

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	473	PRO	N-CA-C	-10.70	100.86	114.03
1	A	1354	THR	N-CA-C	-10.67	100.27	113.18
2	B	995	LEU	CA-C-N	-6.98	115.88	122.37
2	B	995	LEU	C-N-CA	-6.98	115.88	122.37
1	A	1342	CYS	N-CA-C	6.83	118.38	111.07
1	A	1143	LYS	N-CA-C	-6.57	103.23	112.17
2	B	1146	GLN	N-CA-C	-6.30	104.41	111.28
1	A	779	GLN	N-CA-C	-5.93	105.29	113.18
1	A	1291	LEU	N-CA-C	-5.73	105.18	111.82
1	A	568	SER	N-CA-C	5.26	116.52	108.42
1	A	1309	ALA	N-CA-C	-5.26	107.88	114.56
1	A	571	ASN	N-CA-C	-5.17	105.65	112.94
1	A	1145	MET	N-CA-C	-5.12	101.81	109.95

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4469	0	1152	37	0
2	B	4061	0	1058	53	0
3	C	304	0	87	6	0
4	D	363	0	265	8	0
4	E	362	0	265	3	0
All	All	9559	0	2827	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:248:ILE:O	1:A:252:LEU:N	2.24	0.70
2:B:287:ILE:O	2:B:291:LEU:N	2.26	0.69
2:B:1050:GLN:H	2:B:1065:ILE:H	1.39	0.68
1:A:731:CYS:O	1:A:735:CYS:N	2.28	0.67
1:A:472:CYS:O	1:A:475:GLU:N	2.28	0.66
2:B:231:GLU:O	2:B:235:SER:N	2.28	0.65
2:B:261:VAL:O	2:B:265:GLN:N	2.28	0.64
1:A:174:ASN:O	1:A:178:LEU:N	2.28	0.64
2:B:291:LEU:O	2:B:295:LEU:N	2.31	0.63
1:A:1046:SER:O	1:A:1050:ILE:N	2.29	0.63
2:B:288:GLY:O	2:B:292:ILE:N	2.30	0.62
1:A:137:SER:O	1:A:141:LEU:N	2.24	0.62
2:B:290:GLU:O	2:B:294:HIS:N	2.29	0.62
2:B:1047:GLU:O	2:B:1068:ARG:N	2.35	0.60
2:B:298:GLU:O	2:B:1122:GLN:N	2.35	0.59
2:B:945:GLU:O	2:B:949:ASN:N	2.36	0.59
2:B:233:ILE:O	2:B:237:PHE:N	2.36	0.59
2:B:232:GLY:O	2:B:236:PHE:N	2.35	0.58
2:B:203:SER:O	2:B:213:LEU:N	2.37	0.58
3:C:30:ILE:O	3:C:34:GLU:N	2.34	0.57
2:B:812:PHE:O	2:B:816:LEU:N	2.31	0.57
3:C:42:ARG:N	3:C:70:VAL:O	2.38	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1020:LYS:O	1:A:1024:ASN:N	2.37	0.56
2:B:126:SER:O	2:B:130:PHE:N	2.39	0.56
2:B:143:SER:H	2:B:151:LEU:H	1.53	0.56
1:A:1198:LYS:O	1:A:1201:GLU:N	2.39	0.56
2:B:522:VAL:O	2:B:526:ALA:N	2.38	0.55
2:B:1037:LEU:O	2:B:1040:SER:N	2.33	0.55
4:D:24:DN:H1'2	4:D:25:DN:OP2	2.08	0.54
2:B:292:ILE:C	2:B:295:LEU:H	2.15	0.54
2:B:1054:ALA:N	2:B:1061:GLN:O	2.42	0.53
2:B:474:LEU:C	2:B:476:LEU:N	2.64	0.53
1:A:584:MET:O	1:A:588:ALA:N	2.41	0.53
2:B:1050:GLN:H	2:B:1065:ILE:N	2.05	0.53
2:B:1098:VAL:O	2:B:1102:ILE:N	2.42	0.53
2:B:1049:ALA:H	2:B:1068:ARG:H	1.56	0.53
2:B:143:SER:O	2:B:151:LEU:N	2.41	0.53
2:B:194:VAL:O	2:B:198:VAL:N	2.39	0.53
1:A:399:ARG:O	1:A:403:GLU:N	2.41	0.52
2:B:111:LEU:O	2:B:116:ILE:N	2.28	0.52
4:D:35:DN:H2'2	4:D:35:DN:OP2	2.09	0.52
3:C:5:VAL:N	3:C:13:ILE:O	2.43	0.52
1:A:704:LEU:O	1:A:709:GLN:N	2.43	0.51
1:A:343:GLN:O	1:A:347:LYS:N	2.43	0.51
1:A:660:LEU:O	1:A:664:PHE:N	2.42	0.51
2:B:297:THR:H	2:B:302:ASP:N	2.09	0.51
1:A:1305:PHE:O	1:A:1308:LEU:N	2.43	0.51
2:B:946:ALA:O	2:B:950:VAL:N	2.38	0.51
2:B:931:GLN:O	2:B:935:ALA:N	2.43	0.50
1:A:689:ASN:O	1:A:691:ASP:N	2.43	0.50
2:B:1154:CYS:O	2:B:1156:ASP:N	2.44	0.50
1:A:1334:SER:O	1:A:1337:GLN:N	2.43	0.50
2:B:173:CYS:O	2:B:177:LEU:N	2.42	0.50
2:B:523:LEU:O	2:B:527:ILE:N	2.35	0.49
2:B:992:SER:C	2:B:995:LEU:H	2.20	0.49
1:A:388:LEU:O	1:A:393:SER:N	2.46	0.49
1:A:1178:PHE:O	1:A:1182:LEU:N	2.48	0.47
2:B:696:GLU:O	2:B:700:GLY:HA3	2.13	0.47
2:B:1041:PRO:O	2:B:1045:LEU:N	2.36	0.47
1:A:1342:CYS:O	1:A:1344:HIS:N	2.45	0.47
2:B:574:HIS:O	2:B:583:GLU:N	2.47	0.47
2:B:649:LEU:O	2:B:650:GLU:C	2.58	0.47
1:A:183:PHE:O	1:A:186:LEU:N	2.48	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:310:LEU:O	1:A:312:SER:N	2.46	0.47
1:A:1007:SER:O	1:A:1011:VAL:N	2.48	0.47
2:B:475:VAL:C	2:B:478:ASN:H	2.23	0.46
4:D:25:DN:P	4:D:25:DN:H2'2	2.55	0.46
2:B:1251:LYS:O	2:B:1253:ILE:N	2.47	0.46
2:B:1260:ILE:O	2:B:1263:TYR:N	2.48	0.45
2:B:243:ARG:C	2:B:246:GLU:H	2.24	0.45
3:C:1:MET:O	3:C:17:VAL:N	2.50	0.45
2:B:649:LEU:O	2:B:651:GLY:N	2.50	0.44
2:B:1207:TYR:O	2:B:1210:ILE:N	2.50	0.44
1:A:702:ASN:O	1:A:706:LEU:N	2.40	0.44
2:B:836:ARG:O	2:B:838:SER:N	2.45	0.44
1:A:428:SER:O	1:A:432:LYS:N	2.50	0.44
1:A:1126:SER:O	1:A:1130:ALA:N	2.51	0.44
1:A:1375:LEU:O	1:A:1379:HIS:N	2.43	0.44
4:D:26:DN:O5'	4:E:13:DN:H5''	2.18	0.43
2:B:1050:GLN:N	2:B:1067:SER:H	2.17	0.43
1:A:1305:PHE:O	1:A:1307:LYS:N	2.52	0.43
4:D:27:DN:H5'	4:E:12:DN:H5''	2.00	0.43
1:A:234:LEU:O	1:A:238:LEU:N	2.51	0.43
1:A:460:MET:O	1:A:464:ALA:N	2.46	0.43
1:A:1305:PHE:C	1:A:1308:LEU:H	2.27	0.43
2:B:472:ALA:C	2:B:474:LEU:N	2.77	0.43
4:D:25:DN:OP2	4:D:25:DN:O4'	2.37	0.43
1:A:1301:PHE:C	1:A:1304:ALA:H	2.23	0.42
2:B:1073:ILE:O	2:B:1077:LYS:CA	2.68	0.42
1:A:688:TYR:O	1:A:690:LEU:N	2.52	0.42
1:A:1320:HIS:O	1:A:1322:ASP:N	2.49	0.42
2:B:1150:PRO:O	2:B:1154:CYS:N	2.53	0.41
3:C:4:PHE:H	3:C:64:GLU:C	2.28	0.41
4:D:25:DN:H2'2	4:D:25:DN:OP1	2.20	0.41
1:A:776:LEU:O	1:A:778:LYS:N	2.42	0.41
3:C:45:PHE:N	3:C:48:LYS:O	2.53	0.41
2:B:812:PHE:C	2:B:815:THR:H	2.28	0.41
2:B:474:LEU:O	2:B:475:VAL:C	2.63	0.41
1:A:1031:ASN:O	1:A:1034:GLN:N	2.53	0.41
1:A:1356:HIS:O	1:A:1360:LEU:N	2.46	0.41
2:B:633:ILE:C	2:B:635:GLN:H	2.29	0.41
1:A:1037:ILE:O	1:A:1039:ASN:N	2.54	0.40
4:D:27:DN:C5'	4:E:12:DN:H5''	2.52	0.40
2:B:698:ASP:C	2:B:701:PHE:H	2.29	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1090/1439 (76%)	888 (82%)	196 (18%)	6 (1%)	21	54
2	B	978/1338 (73%)	802 (82%)	168 (17%)	8 (1%)	16	48
3	C	74/76 (97%)	56 (76%)	18 (24%)	0	100	100
All	All	2142/2853 (75%)	1746 (82%)	382 (18%)	14 (1%)	20	51

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	699	ILE
1	A	1144	PRO
2	B	1187	VAL
2	B	474	LEU
2	B	650	GLU
2	B	1155	VAL
1	A	1321	ARG
2	B	644	LEU
2	B	1059	ILE
2	B	493	LEU
1	A	1351	LEU
2	B	494	PRO
1	A	451	PRO
1	A	707	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1/1285 (0%)	1 (100%)	0	100	100
2	B	1/1184 (0%)	1 (100%)	0	100	100
All	All	2/2469 (0%)	2 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

66 non-standard protein/DNA/RNA residues are modelled in this entry.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-10531. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 225




Y Index: 225




Z Index: 225

6.2.2 Raw map



X Index: 225



Y Index: 225




Z Index: 225


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 228




Y Index: 229




Z Index: 199


6.3.2 Raw map



X Index: 228



Y Index: 234




Z Index: 234


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0197. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 109 nm³; this corresponds to an approximate mass of 99 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.263 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.263 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.80	-	-
Author-provided FSC curve	3.83	4.49	3.89
Unmasked-calculated*	6.73	8.12	6.97

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 6.73 differs from the reported value 3.8 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-10531 and PDB model 6TNF. Per-residue inclusion information can be found in section 3 on page 5.

9.1 Map-model overlay [i](#)


This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0197).

9.4 Atom inclusion [i](#)



At the recommended contour level, 81% of all backbone atoms, 78% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0197) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7840	0.4140
A	0.8670	0.4480
B	0.8420	0.4440
C	0.5890	0.4280
D	0.0050	-0.0030
E	0.0410	0.0660

