



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 15, 2026 – 10:58 AM UTC

PDB ID : 1TPW / pdb_00001tpw
Title : TRIOSEPHOSPHATE ISOMERASE DRINKS WATER TO KEEP HEALTHY
Authors : Zhang, Z.; Sugio, S.; Komives, E.A.; Liu, K.D.; Stock, A.M.; Narayana, N.; Xuong, Ng.H.; Knowles, J.R.; Petsko, G.A.; Ringe, D.
Deposited on : 1994-11-07
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	247	 68% 25% 6%
1	B	247	 74% 20%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4015 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called TRIOSEPHOSPHATE ISOMERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	245	Total	C	N	O	S	0	0	0
			1857	1178	325	348	6			
1	B	245	Total	C	N	O	S	0	0	0
			1857	1178	325	348	6			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	96	PRO	SER	conflict	UNP P00940
A	194	THR	SER	conflict	UNP P00940
B	96	PRO	SER	conflict	UNP P00940
B	194	THR	SER	conflict	UNP P00940

- Molecule 2 is PHOSPHOGLYCOLOHYDROXAMIC ACID (CCD ID: PGH) (formula: $C_2H_6NO_6P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			10	2	1	6	1		
2	B	1	Total	C	N	O	P	0	0
			10	2	1	6	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	140	Total	O	0	0
			140	140		
3	B	141	Total	O	0	0
			141	141		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: TRIOSEPHOSPHATE ISOMERASE

Chain A: 



• Molecule 1: TRIOSEPHOSPHATE ISOMERASE

Chain B: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	136.20Å 74.30Å 53.50Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	(Not available) – 1.90	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-1.90)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.202 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4015	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PGH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.20	12/1893 (0.6%)	1.81	39/2556 (1.5%)
1	B	1.17	12/1893 (0.6%)	1.79	38/2556 (1.5%)
All	All	1.18	24/3786 (0.6%)	1.80	77/5112 (1.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	95	HIS	CD2-NE2	-7.56	1.29	1.37
1	B	8	VAL	CA-CB	7.38	1.63	1.54
1	A	115	HIS	CD2-NE2	-7.28	1.29	1.37
1	B	115	HIS	CD2-NE2	-6.93	1.30	1.37
1	A	231	VAL	CA-CB	6.51	1.62	1.54
1	A	100	HIS	CD2-NE2	-6.48	1.30	1.37
1	B	184	VAL	CA-CB	6.18	1.62	1.54
1	A	248	HIS	CD2-NE2	-6.14	1.31	1.37
1	B	69	VAL	CA-CB	6.11	1.62	1.54
1	A	175	THR	CA-CB	6.05	1.62	1.53
1	B	185	HIS	CD2-NE2	-6.05	1.31	1.37
1	B	224	HIS	CD2-NE2	-6.04	1.31	1.37
1	B	26	HIS	CD2-NE2	-5.97	1.31	1.37
1	B	195	HIS	CD2-NE2	-5.89	1.31	1.37
1	B	100	HIS	CD2-NE2	-5.87	1.31	1.37
1	B	38	GLU	CA-CB	-5.83	1.45	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	224	HIS	CD2-NE2	-5.79	1.31	1.37
1	B	248	HIS	CD2-NE2	-5.79	1.31	1.37
1	A	138	ILE	CA-CB	5.77	1.62	1.54
1	B	147	THR	CA-CB	5.58	1.62	1.53
1	A	195	HIS	CD2-NE2	-5.26	1.32	1.37
1	A	11	ASN	CA-CB	5.26	1.59	1.53
1	A	185	HIS	CD2-NE2	-5.15	1.32	1.37
1	A	185	HIS	CG-ND1	-5.12	1.32	1.38

All (77) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	52	ARG	NE-CZ-NH2	-11.58	108.78	119.20
1	B	52	ARG	NE-CZ-NH1	10.63	132.13	121.50
1	A	68	LYS	N-CA-C	8.38	123.55	113.16
1	A	189	ARG	NE-CZ-NH2	-7.98	112.02	119.20
1	A	95	HIS	CB-CG-CD2	-7.54	121.39	131.20
1	A	203	SER	N-CA-C	7.40	121.55	112.23
1	B	17	ASP	CA-CB-CG	7.16	119.76	112.60
1	B	85	ASP	CA-CB-CG	6.98	119.58	112.60
1	B	198	ASP	CA-CB-CG	6.85	119.45	112.60
1	B	50	PHE	CA-C-O	-6.82	113.66	120.82
1	A	101	VAL	N-CA-C	-6.77	105.99	111.81
1	A	90	TRP	CG-CD2-CE3	6.71	140.61	133.90
1	B	68	LYS	N-CA-C	6.69	121.15	112.92
1	B	138	ILE	N-CA-C	6.58	117.77	111.91
1	A	224	HIS	N-CA-C	6.43	119.11	111.33
1	A	189	ARG	NE-CZ-NH1	6.32	127.82	121.50
1	A	17	ASP	CA-CB-CG	6.28	118.88	112.60
1	B	216	ASN	OD1-CG-ND2	-6.27	116.33	122.60
1	A	29	ASN	CA-CB-CG	6.21	118.81	112.60
1	A	182	GLN	OE1-CD-NE2	-6.14	116.46	122.60
1	A	151	ALA	N-CA-C	6.05	118.67	111.71
1	B	189	ARG	NE-CZ-NH2	-6.04	113.76	119.20
1	A	95	HIS	CB-CG-ND1	5.99	131.69	122.70
1	A	49	ASP	CA-CB-CG	5.96	118.56	112.60
1	B	172	THR	N-CA-C	5.89	119.65	112.23
1	B	50	PHE	CA-CB-CG	5.79	119.59	113.80
1	A	204	THR	N-CA-C	5.71	117.99	109.25
1	A	152	ASP	CA-CB-CG	5.67	118.27	112.60
1	B	7	PHE	CA-C-O	-5.67	114.23	120.30
1	A	211	SER	N-CA-C	5.66	119.39	111.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	184	VAL	CA-C-O	-5.62	114.70	120.71
1	A	169	ALA	N-CA-C	5.60	120.22	113.17
1	B	177	THR	CA-C-O	-5.57	114.75	120.87
1	A	12	TRP	CG-CD2-CE3	5.55	139.45	133.90
1	B	64	GLN	N-CA-C	5.54	119.65	113.01
1	A	90	TRP	CB-CG-CD1	-5.49	118.66	126.90
1	A	69	VAL	O-C-N	-5.49	114.84	121.10
1	A	135	GLU	CA-CB-CG	-5.46	103.17	114.10
1	B	165	GLU	CA-C-N	5.44	125.37	119.76
1	B	165	GLU	C-N-CA	5.44	125.37	119.76
1	A	124	ILE	N-CA-C	-5.42	99.16	106.85
1	B	184	VAL	N-CA-C	-5.41	105.11	111.00
1	B	195	HIS	CB-CG-CD2	-5.40	124.18	131.20
1	B	124	ILE	N-CA-C	-5.38	99.49	107.51
1	B	39	VAL	O-C-N	-5.38	117.53	123.18
1	B	26	HIS	CB-CG-CD2	-5.37	124.21	131.20
1	A	90	TRP	CE2-CD2-CG	-5.36	100.77	107.20
1	B	161	VAL	N-CA-C	-5.32	100.67	108.11
1	A	115	HIS	CB-CG-CD2	-5.31	124.29	131.20
1	B	216	ASN	CB-CG-ND2	5.31	124.37	116.40
1	B	8	VAL	CA-C-O	5.30	125.91	120.39
1	B	100	HIS	CB-CG-CD2	-5.30	124.31	131.20
1	B	189	ARG	NE-CZ-NH1	5.28	126.78	121.50
1	A	247	LYS	N-CA-C	-5.27	107.39	112.97
1	A	237	LYS	CA-C-N	5.25	125.56	119.47
1	A	237	LYS	C-N-CA	5.25	125.56	119.47
1	B	191	TRP	CE2-CD2-CG	-5.24	100.91	107.20
1	B	168	TRP	CB-CG-CD1	-5.23	119.06	126.90
1	A	157	TRP	CE2-CD2-CG	-5.20	100.96	107.20
1	A	248	HIS	CB-CG-CD2	-5.20	124.44	131.20
1	A	202	GLN	OE1-CD-NE2	-5.17	117.43	122.60
1	B	49	ASP	CA-CB-CG	5.16	117.76	112.60
1	A	74	PHE	CA-CB-CG	-5.14	108.66	113.80
1	A	100	HIS	CB-CG-CD2	-5.13	124.53	131.20
1	A	246	ALA	N-CA-C	5.13	121.72	110.80
1	B	23	GLU	CB-CG-CD	5.10	121.28	112.60
1	B	69	VAL	CA-C-N	5.09	124.88	119.28
1	B	69	VAL	C-N-CA	5.09	124.88	119.28
1	A	7	PHE	CA-CB-CG	5.07	118.87	113.80
1	A	32	LYS	N-CA-C	-5.06	100.26	108.41
1	A	157	TRP	CG-CD1-NE1	-5.05	103.63	110.20
1	A	12	TRP	CB-CG-CD1	-5.04	119.34	126.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	168	TRP	CG-CD1-NE1	-5.03	103.66	110.20
1	A	202	GLN	CG-CD-NE2	5.03	123.94	116.40
1	B	174	LYS	CA-CB-CG	-5.02	104.06	114.10
1	B	185	HIS	CA-CB-CG	5.02	118.82	113.80
1	B	90	TRP	CG-CD2-CE3	5.02	138.92	133.90

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	208	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1857	0	1865	25	0
1	B	1857	0	1865	28	0
2	A	10	0	4	0	0
2	B	10	0	4	0	0
3	A	140	0	0	3	0
3	B	141	0	0	5	0
All	All	4015	0	3738	53	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (53) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:45:SER:HA	1:B:48:LEU:HD22	1.62	0.80
1:B:211:SER:HB2	3:B:848:HOH:O	1.85	0.75
1:A:130:LYS:HA	1:A:167:VAL:HG22	1.69	0.73
1:B:52:ARG:O	1:B:52:ARG:HD3	1.89	0.72
1:B:213:THR:H	1:B:216:ASN:ND2	1.88	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:213:THR:H	1:B:216:ASN:HD21	1.35	0.71
1:B:141:LYS:HZ2	1:B:145:GLU:HG3	1.63	0.63
1:B:140:GLU:HB2	3:B:758:HOH:O	1.98	0.63
1:A:8:VAL:HG21	1:A:244:ILE:HA	1.80	0.63
1:A:108:LEU:HG	1:A:112:LYS:HE3	1.82	0.62
1:B:175:THR:HA	3:B:848:HOH:O	2.00	0.62
1:B:143:VAL:O	1:B:147:THR:HG23	2.02	0.60
1:B:169:ALA:HB1	3:B:848:HOH:O	2.02	0.60
1:A:130:LYS:HA	1:A:167:VAL:CG2	2.36	0.55
1:B:127:ILE:HD12	1:B:147:THR:HG22	1.87	0.55
1:B:216:ASN:HD22	1:B:217:CYS:N	2.05	0.54
1:B:141:LYS:NZ	1:B:145:GLU:HG3	2.23	0.52
1:A:194:THR:HG23	1:A:195:HIS:ND1	2.25	0.52
1:B:170:ILE:HD13	1:B:210:GLY:HA2	1.92	0.52
1:B:80:PRO:HB2	1:B:119:GLU:HG3	1.94	0.49
1:A:115:HIS:HD2	3:A:815:HOH:O	1.96	0.48
1:A:125:ALA:HB1	1:A:150:ILE:HD13	1.94	0.48
1:B:165:GLU:HB3	1:B:170:ILE:HD11	1.94	0.48
1:B:105:SER:O	1:B:109:ILE:HG12	2.14	0.47
1:A:213:THR:H	1:A:216:ASN:HD21	1.62	0.46
1:B:100:HIS:CE1	1:B:130:LYS:HE2	2.50	0.46
1:B:127:ILE:HD12	1:B:147:THR:CG2	2.46	0.46
1:B:127:ILE:HG21	1:B:147:THR:HG22	1.98	0.45
1:B:216:ASN:HD22	1:B:216:ASN:C	2.25	0.45
1:B:148:LYS:HE3	1:B:148:LYS:HB2	1.73	0.45
1:B:213:THR:N	1:B:216:ASN:HD21	2.11	0.45
1:A:131:LEU:HB2	1:A:168:TRP:HB3	2.00	0.44
1:A:127:ILE:HD11	1:A:188:LEU:HD21	1.99	0.43
1:A:150:ILE:O	1:A:154:VAL:HG23	2.18	0.43
1:A:208:TYR:O	1:A:229:PHE:HA	2.18	0.43
1:A:129:GLU:OE2	1:A:134:ARG:HD2	2.18	0.43
1:A:216:ASN:O	1:A:219:GLU:HG3	2.19	0.43
1:A:165:GLU:HB3	1:A:170:ILE:HD11	1.99	0.43
1:B:33:LEU:HG	1:B:244:ILE:HG21	2.01	0.43
1:A:56:ASP:OD1	1:A:58:LYS:HE2	2.19	0.42
1:A:127:ILE:HG12	3:A:761:HOH:O	2.19	0.42
1:A:164:TYR:CE2	1:A:184:VAL:HG11	2.54	0.42
1:A:134:ARG:NH2	1:A:180:GLN:HG2	2.35	0.42
1:B:189:ARG:NH2	1:B:204:THR:O	2.53	0.42
1:A:189:ARG:NH2	1:A:204:THR:O	2.51	0.42
1:A:67:TYR:HB3	3:A:838:HOH:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:127:ILE:HG22	1:B:146:GLN:HB3	2.03	0.41
1:A:212:VAL:HA	1:A:216:ASN:HD21	1.84	0.41
1:A:213:THR:H	1:A:216:ASN:ND2	2.19	0.41
1:B:115:HIS:HE1	3:B:831:HOH:O	2.04	0.41
1:A:4:ARG:NE	1:A:189:ARG:NH2	2.69	0.40
1:A:139:THR:O	1:A:143:VAL:HG22	2.21	0.40
1:B:100:HIS:NE2	1:B:130:LYS:HE2	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	243/247 (98%)	234 (96%)	7 (3%)	2 (1%)	16	8
1	B	243/247 (98%)	234 (96%)	9 (4%)	0	100	100
All	All	486/494 (98%)	468 (96%)	16 (3%)	2 (0%)	30	22

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	246	ALA
1	A	196	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	191/192 (100%)	177 (93%)	14 (7%)	13	6
1	B	191/192 (100%)	178 (93%)	13 (7%)	14	7
All	All	382/384 (100%)	355 (93%)	27 (7%)	13	7

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	LYS
1	A	58	LYS
1	A	86	ILE
1	A	96	PRO
1	A	141	LYS
1	A	175	THR
1	A	184	VAL
1	A	188	LEU
1	A	198	ASP
1	A	202	GLN
1	A	216	ASN
1	A	219	GLU
1	A	231	VAL
1	A	247	LYS
1	B	8	VAL
1	B	24	LEU
1	B	33	LEU
1	B	48	LEU
1	B	52	ARG
1	B	86	ILE
1	B	111	GLN
1	B	127	ILE
1	B	130	LYS
1	B	147	THR
1	B	183	GLU
1	B	184	VAL
1	B	216	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	202	GLN
1	A	216	ASN
1	A	248	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	53	GLN
1	B	100	HIS
1	B	115	HIS
1	B	179	GLN
1	B	216	ASN
1	B	223	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PGH	B	250	-	9,9,9	1.16	0	10,12,12	1.26	1 (10%)
2	PGH	A	250	-	9,9,9	0.75	0	10,12,12	1.17	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PGH	B	250	-	-	4/8/8/8	-
2	PGH	A	250	-	-	1/8/8/8	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	250	PGH	O2-N2-C1	-3.03	115.31	119.79
2	A	250	PGH	C2-C1-N2	-2.24	112.55	116.41

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	250	PGH	N2-C1-C2-O1P
2	B	250	PGH	C2-C1-N2-O2
2	B	250	PGH	O1-C1-N2-O2
2	B	250	PGH	O1-C1-C2-O1P
2	A	250	PGH	O1-C1-C2-O1P

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.