



wwPDB EM Validation Summary Report ⓘ

Mar 28, 2026 – 06:24 AM UTC

PDB ID : 7TR8 / pdb_00007tr8
EMDB ID : EMD-26082
Title : Cascade complex from type I-A CRISPR-Cas system
Authors : Hu, C.; Ni, D.; Nam, K.H.; Majumdar, S.; McLean, J.; Stahlberg, H.; Terns, M.; Ke, A.
Deposited on : 2022-01-28
Resolution : 3.60 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.









Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	12797 (3.10 - 4.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	572	
2	C	341	
3	D	108	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	E	108	
3	F	108	
3	G	108	
3	H	108	
4	I	336	
4	J	336	
4	K	336	
4	L	336	
4	M	336	
4	N	336	
4	O	336	
5	P	256	
6	Q	237	
7	R	45	

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 33581 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CRISPR-associated helicase Cas3.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	572	Total	C	N	O	S	0	0
			4307	2752	745	802	8		

There are 97 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	229	LYS	ARG	conflict	UNP A0A5C0XNV5
A	365	ALA	VAL	conflict	UNP A0A5C0XNV5
A	366	ALA	GLU	conflict	UNP A0A5C0XNV5
A	367	ALA	ASN	conflict	UNP A0A5C0XNV5
A	368	ALA	CYS	conflict	UNP A0A5C0XNV5
A	369	ALA	ILE	conflict	UNP A0A5C0XNV5
A	370	ALA	GLU	conflict	UNP A0A5C0XNV5
A	371	ALA	HIS	conflict	UNP A0A5C0XNV5
A	372	ALA	GLU	conflict	UNP A0A5C0XNV5
A	373	ALA	LYS	conflict	UNP A0A5C0XNV5
A	374	ALA	ILE	conflict	UNP A0A5C0XNV5
A	375	ALA	VAL	conflict	UNP A0A5C0XNV5
A	376	ALA	ARG	conflict	UNP A0A5C0XNV5
A	377	ALA	GLY	conflict	UNP A0A5C0XNV5
A	378	ALA	LEU	conflict	UNP A0A5C0XNV5
A	379	ALA	SER	conflict	UNP A0A5C0XNV5
A	380	ALA	GLU	conflict	UNP A0A5C0XNV5
A	381	ALA	LEU	conflict	UNP A0A5C0XNV5
A	382	ALA	MET	conflict	UNP A0A5C0XNV5
A	383	ALA	GLU	conflict	UNP A0A5C0XNV5
A	384	ALA	LYS	conflict	UNP A0A5C0XNV5
A	385	ALA	ILE	conflict	UNP A0A5C0XNV5
A	386	ALA	GLY	conflict	UNP A0A5C0XNV5
A	387	ALA	GLU	conflict	UNP A0A5C0XNV5
A	388	ALA	ASP	conflict	UNP A0A5C0XNV5
A	389	ALA	THR	conflict	UNP A0A5C0XNV5
A	390	ALA	VAL	conflict	UNP A0A5C0XNV5
A	391	ALA	VAL	conflict	UNP A0A5C0XNV5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	PHE	deletion	UNP A0A5C0XNV5
A	393	VAL	THR	conflict	UNP A0A5C0XNV5
A	451	PRO	-	insertion	UNP A0A5C0XNV5
A	?	-	ALA	deletion	UNP A0A5C0XNV5
A	517	LYS	-	expression tag	UNP A0A5C0XNV5
A	518	ALA	-	expression tag	UNP A0A5C0XNV5
A	519	ALA	-	expression tag	UNP A0A5C0XNV5
A	520	ALA	-	expression tag	UNP A0A5C0XNV5
A	521	ALA	-	expression tag	UNP A0A5C0XNV5
A	522	ALA	-	expression tag	UNP A0A5C0XNV5
A	523	ALA	-	expression tag	UNP A0A5C0XNV5
A	524	ALA	-	expression tag	UNP A0A5C0XNV5
A	525	ALA	-	expression tag	UNP A0A5C0XNV5
A	526	ALA	-	expression tag	UNP A0A5C0XNV5
A	527	ALA	-	expression tag	UNP A0A5C0XNV5
A	528	ALA	-	expression tag	UNP A0A5C0XNV5
A	529	ALA	-	expression tag	UNP A0A5C0XNV5
A	530	ALA	-	expression tag	UNP A0A5C0XNV5
A	531	ALA	-	expression tag	UNP A0A5C0XNV5
A	580	ALA	-	expression tag	UNP A0A5C0XNV5
A	581	ALA	-	expression tag	UNP A0A5C0XNV5
A	582	ALA	-	expression tag	UNP A0A5C0XNV5
A	583	ALA	-	expression tag	UNP A0A5C0XNV5
A	584	ALA	-	expression tag	UNP A0A5C0XNV5
A	585	ALA	-	expression tag	UNP A0A5C0XNV5
A	586	ALA	-	expression tag	UNP A0A5C0XNV5
A	587	ALA	-	expression tag	UNP A0A5C0XNV5
A	588	ALA	-	expression tag	UNP A0A5C0XNV5
A	589	ALA	-	expression tag	UNP A0A5C0XNV5
A	590	ALA	-	expression tag	UNP A0A5C0XNV5
A	591	ALA	-	expression tag	UNP A0A5C0XNV5
A	592	ALA	-	expression tag	UNP A0A5C0XNV5
A	593	ALA	-	expression tag	UNP A0A5C0XNV5
A	594	ALA	-	expression tag	UNP A0A5C0XNV5
A	595	ALA	-	expression tag	UNP A0A5C0XNV5
A	596	ALA	-	expression tag	UNP A0A5C0XNV5
A	597	ALA	-	expression tag	UNP A0A5C0XNV5
A	598	ALA	-	expression tag	UNP A0A5C0XNV5
A	599	ALA	-	expression tag	UNP A0A5C0XNV5
A	600	ALA	-	expression tag	UNP A0A5C0XNV5
A	601	ILE	-	expression tag	UNP A0A5C0XNV5
A	602	ASP	-	expression tag	UNP A0A5C0XNV5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	603	ALA	-	expression tag	UNP A0A5C0XNV5
A	604	LYS	-	expression tag	UNP A0A5C0XNV5
A	605	TYR	-	expression tag	UNP A0A5C0XNV5
A	606	TYR	-	expression tag	UNP A0A5C0XNV5
A	607	ASN	-	expression tag	UNP A0A5C0XNV5
A	608	SER	-	expression tag	UNP A0A5C0XNV5
A	609	GLU	-	expression tag	UNP A0A5C0XNV5
A	610	LEU	-	expression tag	UNP A0A5C0XNV5
A	611	ALA	-	expression tag	UNP A0A5C0XNV5
A	612	ALA	-	expression tag	UNP A0A5C0XNV5
A	613	ALA	-	expression tag	UNP A0A5C0XNV5
A	614	ALA	-	expression tag	UNP A0A5C0XNV5
A	615	ALA	-	expression tag	UNP A0A5C0XNV5
A	616	ALA	-	expression tag	UNP A0A5C0XNV5
A	617	ALA	-	expression tag	UNP A0A5C0XNV5
A	618	ALA	-	expression tag	UNP A0A5C0XNV5
A	619	ALA	-	expression tag	UNP A0A5C0XNV5
A	620	ALA	-	expression tag	UNP A0A5C0XNV5
A	621	ALA	-	expression tag	UNP A0A5C0XNV5
A	622	ALA	-	expression tag	UNP A0A5C0XNV5
A	623	ALA	-	expression tag	UNP A0A5C0XNV5
A	624	ALA	-	expression tag	UNP A0A5C0XNV5
A	625	ALA	-	expression tag	UNP A0A5C0XNV5
A	626	ALA	-	expression tag	UNP A0A5C0XNV5
A	627	ALA	-	expression tag	UNP A0A5C0XNV5
A	628	ALA	-	expression tag	UNP A0A5C0XNV5
A	629	ALA	-	expression tag	UNP A0A5C0XNV5

- Molecule 2 is a protein called Cas8.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	C	333	Total	C	N	O	S	0	0
			2662	1730	439	484	9		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	24	VAL	GLU	conflict	UNP Q8U338
C	64	SER	GLU	conflict	UNP Q8U338
C	110	LEU	VAL	conflict	UNP Q8U338
C	?	-	SER	deletion	UNP Q8U338
C	?	-	LEU	deletion	UNP Q8U338

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	GLY	deletion	UNP Q8U338

- Molecule 3 is a protein called Cas11a.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	D	107	Total	C	N	O	S	0	0
			856	550	144	160	2		
3	E	108	Total	C	N	O	S	0	0
			860	552	145	161	2		
3	F	107	Total	C	N	O	S	0	0
			856	550	144	160	2		
3	G	107	Total	C	N	O	S	0	0
			856	550	144	160	2		
3	H	107	Total	C	N	O	S	0	0
			856	550	144	160	2		

- Molecule 4 is a protein called Cas7a.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	I	335	Total	C	N	O	S	0	0
			2597	1655	450	487	5		
4	J	336	Total	C	N	O	S	0	0
			2603	1659	451	488	5		
4	K	336	Total	C	N	O	S	0	0
			2596	1656	448	487	5		
4	L	336	Total	C	N	O	S	0	0
			2597	1656	448	488	5		
4	M	336	Total	C	N	O	S	0	0
			2597	1656	448	488	5		
4	N	321	Total	C	N	O	S	0	0
			2494	1595	431	463	5		
4	O	274	Total	C	N	O	S	0	0
			2134	1370	364	396	4		

- Molecule 5 is a protein called Cas5a.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	P	240	Total	C	N	O	S	0	0
			1936	1266	315	349	6		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
P	?	-	THR	deletion	UNP A0A5C0XNV9

- Molecule 6 is a protein called CRISPR-associated endonuclease Cas3-HD.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	Q	237	Total	C	N	O	S	0	0
			1823	1167	314	329	13		

There are 23 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	?	-	LEU	deletion	UNP Q8U336
Q	217	ALA	-	expression tag	UNP Q8U336
Q	218	ALA	-	expression tag	UNP Q8U336
Q	219	ALA	-	expression tag	UNP Q8U336
Q	220	ALA	-	expression tag	UNP Q8U336
Q	221	ALA	-	expression tag	UNP Q8U336
Q	222	ALA	-	expression tag	UNP Q8U336
Q	223	ALA	-	expression tag	UNP Q8U336
Q	224	ALA	-	expression tag	UNP Q8U336
Q	225	ALA	-	expression tag	UNP Q8U336
Q	226	ALA	-	expression tag	UNP Q8U336
Q	227	ALA	-	expression tag	UNP Q8U336
Q	228	ALA	-	expression tag	UNP Q8U336
Q	229	ALA	-	expression tag	UNP Q8U336
Q	230	ALA	-	expression tag	UNP Q8U336
Q	231	ALA	-	expression tag	UNP Q8U336
Q	232	ALA	-	expression tag	UNP Q8U336
Q	233	ALA	-	expression tag	UNP Q8U336
Q	234	ALA	-	expression tag	UNP Q8U336
Q	235	ALA	-	expression tag	UNP Q8U336
Q	236	ALA	-	expression tag	UNP Q8U336
Q	237	ALA	-	expression tag	UNP Q8U336
Q	238	ALA	-	expression tag	UNP Q8U336

- Molecule 7 is a RNA chain called crRNA (45-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
7	R	45	Total	C	N	O	P	0	0
			949	427	166	312	44		


- Molecule 8 is NICKEL (II) ION (CCD ID: NI) (formula: Ni) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
8	Q	2	Total 2	Ni 2	0


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: CRISPR-associated helicase Cas3




• Molecule 2: Cas8










• Molecule 3: Cas11a






• Molecule 3: Cas11a





• Molecule 3: Cas11a




• Molecule 3: Cas11a




• Molecule 3: Cas11a







• Molecule 4: Cas7a




• Molecule 4: Cas7a




• Molecule 4: Cas7a








• Molecule 4: Cas7a




• Molecule 4: Cas7a




• Molecule 4: Cas7a







• Molecule 4: Cas7a




• Molecule 5: Cas5a



- Molecule 6: CRISPR-associated endonuclease Cas3-HD



- Molecule 7: crRNA (45-MER)



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	83559	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS TALOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.712	Depositor
Minimum map value	-0.353	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.024	Depositor
Recommended contour level	0.099	Depositor
Map size (Å)	418.2016, 418.2016, 418.2016	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.6336, 1.6336, 1.6336	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:
NI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.17	0/4379	0.48	0/5951
2	C	0.12	0/2723	0.31	0/3684
3	D	0.10	0/876	0.28	0/1188
3	E	0.09	0/880	0.23	0/1193
3	F	0.10	0/876	0.28	0/1188
3	G	0.10	0/876	0.26	0/1188
3	H	0.11	0/876	0.27	0/1188
4	I	0.10	0/2645	0.27	0/3583
4	J	0.09	0/2651	0.26	0/3592
4	K	0.09	0/2644	0.26	0/3584
4	L	0.09	0/2645	0.26	0/3585
4	M	0.09	0/2645	0.25	0/3585
4	N	0.10	0/2541	0.27	1/3445 (0.0%)
4	O	0.09	0/2173	0.25	0/2946
5	P	0.13	0/1977	0.37	0/2673
6	Q	0.12	0/1854	0.33	0/2502
7	R	0.21	0/1060	0.23	0/1649
All	All	0.12	0/34321	0.31	1/46724 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	N	153	GLY	N-CA-C	5.10	116.36	111.67

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4307	0	4415	136	0
2	C	2662	0	2668	93	0
3	D	856	0	860	28	0
3	E	860	0	863	9	0
3	F	856	0	860	17	0
3	G	856	0	860	17	0
3	H	856	0	860	8	0
4	I	2597	0	2628	81	0
4	J	2603	0	2635	74	0
4	K	2596	0	2621	68	0
4	L	2597	0	2624	63	0
4	M	2597	0	2624	53	0
4	N	2494	0	2524	60	0
4	O	2134	0	2168	44	0
5	P	1936	0	2018	74	0
6	Q	1823	0	1891	47	0
7	R	949	0	481	24	0
8	Q	2	0	0	0	0
All	All	33581	0	33600	808	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 808 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:351:ARG:HG3	1:A:352:ARG:H	1.39	0.88
4:N:270:ALA:O	4:N:304:ILE:HA	1.79	0.82
4:I:16:LEU:HG	4:I:251:GLY:HA3	1.62	0.80
2:C:110:LEU:HD21	2:C:154:LEU:HB3	1.62	0.79
4:I:50:ILE:HB	4:I:141:ILE:HB	1.65	0.79

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	568/572 (99%)	466 (82%)	91 (16%)	11 (2%)	6	33
2	C	329/341 (96%)	299 (91%)	30 (9%)	0	100	100
3	D	105/108 (97%)	100 (95%)	5 (5%)	0	100	100
3	E	106/108 (98%)	104 (98%)	2 (2%)	0	100	100
3	F	105/108 (97%)	98 (93%)	7 (7%)	0	100	100
3	G	105/108 (97%)	99 (94%)	6 (6%)	0	100	100
3	H	105/108 (97%)	104 (99%)	1 (1%)	0	100	100
4	I	333/336 (99%)	307 (92%)	24 (7%)	2 (1%)	21	54
4	J	334/336 (99%)	309 (92%)	25 (8%)	0	100	100
4	K	334/336 (99%)	322 (96%)	12 (4%)	0	100	100
4	L	334/336 (99%)	319 (96%)	15 (4%)	0	100	100
4	M	334/336 (99%)	314 (94%)	20 (6%)	0	100	100
4	N	317/336 (94%)	303 (96%)	14 (4%)	0	100	100
4	O	266/336 (79%)	255 (96%)	11 (4%)	0	100	100
5	P	234/256 (91%)	209 (89%)	24 (10%)	1 (0%)	30	61
6	Q	235/237 (99%)	211 (90%)	22 (9%)	2 (1%)	14	46
All	All	4144/4298 (96%)	3819 (92%)	309 (8%)	16 (0%)	31	61

5 of 16 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	43	THR
1	A	75	THR
1	A	427	VAL
1	A	453	PRO
1	A	455	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	422/427 (99%)	422 (100%)	0	100	100
2	C	282/292 (97%)	282 (100%)	0	100	100
3	D	91/91 (100%)	91 (100%)	0	100	100
3	E	91/91 (100%)	91 (100%)	0	100	100
3	F	91/91 (100%)	91 (100%)	0	100	100
3	G	91/91 (100%)	91 (100%)	0	100	100
3	H	91/91 (100%)	90 (99%)	1 (1%)	65	74
4	I	275/277 (99%)	275 (100%)	0	100	100
4	J	276/277 (100%)	276 (100%)	0	100	100
4	K	274/277 (99%)	274 (100%)	0	100	100
4	L	275/277 (99%)	275 (100%)	0	100	100
4	M	275/277 (99%)	275 (100%)	0	100	100
4	N	264/277 (95%)	264 (100%)	0	100	100
4	O	230/277 (83%)	230 (100%)	0	100	100
5	P	211/224 (94%)	211 (100%)	0	100	100
6	Q	191/191 (100%)	191 (100%)	0	100	100
All	All	3430/3528 (97%)	3429 (100%)	1 (0%)	100	100

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	H	83	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 23 such sidechains are listed below:

Mol	Chain	Res	Type
4	N	19	GLN
4	O	12	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	N	219	GLN
4	O	14	HIS
3	E	83	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
7	R	45/45 (100%)	14 (31%)	2 (4%)

5 of 14 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
7	R	2	U
7	R	4	G
7	R	6	A
7	R	9	A
7	R	15	U

All (2) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
7	R	1	A
7	R	18	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	531:ALA	C	580:ALA	N	37.43


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-26082. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 126



Y Index: 126




Z Index: 100


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.099. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 464 nm³; this corresponds to an approximate mass of 419 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.278 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-26082 and PDB model 7TR8. Per-residue inclusion information can be found in [section 3](#) on [page 10](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.099 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.099).

9.4 Atom inclusion [i](#)



At the recommended contour level, 87% of all backbone atoms, 76% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.099) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7550	 0.1220
A	 0.8080	 0.1940
C	 0.8390	 0.2480
D	 0.8790	 0.2520
E	 0.8610	 0.2080
F	 0.7520	 0.0780
G	 0.6030	 0.0070
H	 0.5050	 -0.0040
I	 0.8000	 0.1540
J	 0.8020	 0.1240
K	 0.7970	 0.1320
L	 0.7310	 0.0840
M	 0.6480	 0.0310
N	 0.6400	 0.0030
O	 0.6380	 -0.0050
P	 0.7730	 0.1100
Q	 0.8250	 0.2450
R	 0.8020	 0.1300

