



Full wwPDB EM Validation Report ⓘ

Mar 6, 2026 – 11:18 AM UTC

PDB ID : 8TS2 / pdb_00008ts2
EMDB ID : EMD-41588
Title : Cryo-EM structure of human MRS2 with EDTA
Authors : He, Z.; Mount, J.W.; Zhang, J.; Yuan, P.
Deposited on : 2023-08-10
Resolution : 2.95 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	13114 (2.45 - 3.45)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	486	
1	B	486	
1	C	486	
1	D	486	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	486	57% 5% 38%

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 24720 atoms, of which 12480 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Magnesium transporter MRS2 homolog, mitochondrial, Soluble cytochrome b562 fusion protein.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	301	Total	C	H	N	O	S	0	0
			4944	1576	2496	411	448	13		
1	B	301	Total	C	H	N	O	S	0	0
			4944	1576	2496	411	448	13		
1	C	301	Total	C	H	N	O	S	0	0
			4944	1576	2496	411	448	13		
1	D	301	Total	C	H	N	O	S	0	0
			4944	1576	2496	411	448	13		
1	E	301	Total	C	H	N	O	S	0	0
			4944	1576	2496	411	448	13		

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	61	MET	-	initiating methionine	UNP Q9HD23
A	438	TRP	MET	conflict	UNP P0ABE7
A	533	ILE	-	expression tag	UNP P0ABE7
A	534	GLN	-	expression tag	UNP P0ABE7
A	535	LYS	-	expression tag	UNP P0ABE7
A	536	TYR	-	expression tag	UNP P0ABE7
A	537	LEU	-	expression tag	UNP P0ABE7
A	538	SER	-	expression tag	UNP P0ABE7
A	539	ASN	-	expression tag	UNP P0ABE7
A	540	SER	-	expression tag	UNP P0ABE7
A	541	LEU	-	expression tag	UNP P0ABE7
A	542	GLU	-	expression tag	UNP P0ABE7
A	543	VAL	-	expression tag	UNP P0ABE7
A	544	LEU	-	expression tag	UNP P0ABE7
A	545	PHE	-	expression tag	UNP P0ABE7
A	546	GLN	-	expression tag	UNP P0ABE7
B	61	MET	-	initiating methionine	UNP Q9HD23
B	438	TRP	MET	conflict	UNP P0ABE7
B	533	ILE	-	expression tag	UNP P0ABE7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	534	GLN	-	expression tag	UNP P0ABE7
B	535	LYS	-	expression tag	UNP P0ABE7
B	536	TYR	-	expression tag	UNP P0ABE7
B	537	LEU	-	expression tag	UNP P0ABE7
B	538	SER	-	expression tag	UNP P0ABE7
B	539	ASN	-	expression tag	UNP P0ABE7
B	540	SER	-	expression tag	UNP P0ABE7
B	541	LEU	-	expression tag	UNP P0ABE7
B	542	GLU	-	expression tag	UNP P0ABE7
B	543	VAL	-	expression tag	UNP P0ABE7
B	544	LEU	-	expression tag	UNP P0ABE7
B	545	PHE	-	expression tag	UNP P0ABE7
B	546	GLN	-	expression tag	UNP P0ABE7
C	61	MET	-	initiating methionine	UNP Q9HD23
C	438	TRP	MET	conflict	UNP P0ABE7
C	533	ILE	-	expression tag	UNP P0ABE7
C	534	GLN	-	expression tag	UNP P0ABE7
C	535	LYS	-	expression tag	UNP P0ABE7
C	536	TYR	-	expression tag	UNP P0ABE7
C	537	LEU	-	expression tag	UNP P0ABE7
C	538	SER	-	expression tag	UNP P0ABE7
C	539	ASN	-	expression tag	UNP P0ABE7
C	540	SER	-	expression tag	UNP P0ABE7
C	541	LEU	-	expression tag	UNP P0ABE7
C	542	GLU	-	expression tag	UNP P0ABE7
C	543	VAL	-	expression tag	UNP P0ABE7
C	544	LEU	-	expression tag	UNP P0ABE7
C	545	PHE	-	expression tag	UNP P0ABE7
C	546	GLN	-	expression tag	UNP P0ABE7
D	61	MET	-	initiating methionine	UNP Q9HD23
D	438	TRP	MET	conflict	UNP P0ABE7
D	533	ILE	-	expression tag	UNP P0ABE7
D	534	GLN	-	expression tag	UNP P0ABE7
D	535	LYS	-	expression tag	UNP P0ABE7
D	536	TYR	-	expression tag	UNP P0ABE7
D	537	LEU	-	expression tag	UNP P0ABE7
D	538	SER	-	expression tag	UNP P0ABE7
D	539	ASN	-	expression tag	UNP P0ABE7
D	540	SER	-	expression tag	UNP P0ABE7
D	541	LEU	-	expression tag	UNP P0ABE7
D	542	GLU	-	expression tag	UNP P0ABE7
D	543	VAL	-	expression tag	UNP P0ABE7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	544	LEU	-	expression tag	UNP P0ABE7
D	545	PHE	-	expression tag	UNP P0ABE7
D	546	GLN	-	expression tag	UNP P0ABE7
E	61	MET	-	initiating methionine	UNP Q9HD23
E	438	TRP	MET	conflict	UNP P0ABE7
E	533	ILE	-	expression tag	UNP P0ABE7
E	534	GLN	-	expression tag	UNP P0ABE7
E	535	LYS	-	expression tag	UNP P0ABE7
E	536	TYR	-	expression tag	UNP P0ABE7
E	537	LEU	-	expression tag	UNP P0ABE7
E	538	SER	-	expression tag	UNP P0ABE7
E	539	ASN	-	expression tag	UNP P0ABE7
E	540	SER	-	expression tag	UNP P0ABE7
E	541	LEU	-	expression tag	UNP P0ABE7
E	542	GLU	-	expression tag	UNP P0ABE7
E	543	VAL	-	expression tag	UNP P0ABE7
E	544	LEU	-	expression tag	UNP P0ABE7
E	545	PHE	-	expression tag	UNP P0ABE7
E	546	GLN	-	expression tag	UNP P0ABE7

TYR
ILE
GLN
LYS
TYR
LEU
SER
ASN
SER
LEU
GLU
VAL
PHE
GLN

- Molecule 1: Magnesium transporter MRS2 homolog, mitochondrial, Soluble cytochrome b562 fusion protein

Chain C:  56% 6% 38%

MET VAL ALA GLY VAL HIS ARG PHE ARG THR SER ASP VAL SER GLN ALA THR LEU LEU SER V82 V88 F120 Q121 H122 R132 M135 R136 M137 T145 L152 Q161 R165 S172 GLY GLY GLN LEU VAL THR TYR P181 E185 E213 V219

T246 T250 E261 V270 P276 GLN VAL PHE GLU LYS MET SER GLN LEU LEU ASN I286 S330 V334 M335 M336 G345 L349 F352 M362 S366 L367 E368 E369 D370 H371 H372 I380 M383 G384 S385 F395 R398 Q399 LEU PRO PRO PRO MET

MET ALA SER LEU PRO LYS THR LEU LEU ALA ASP ARG SER MET SER LEU LEU ASN SER LEU SER ARG LEU LEU ASP PHE ALA ASP LEU GLU THR TRP LEU THR M361 N362 S366 L367 E368 E369 D370 H371 H372 I380 M383 G384 S385 F395 R398 Q399 LEU PRO PRO PRO MET

ALA LEU ASP ALA TYR PRO LYS THR PRO LYS LEU LEU ASP ARG SER MET SER LEU LEU ASP PHE ALA ASP LEU GLU THR TRP LEU THR M361 N362 S366 L367 E368 E369 D370 H371 H372 I380 M383 G384 S385 F395 R398 Q399 LEU PRO PRO PRO MET

THR ARG ASN ALA ILE GLN LYS TYR LEU LEU ASN SER MET SER LEU LEU ASP PHE ALA ASP LEU GLU THR TRP LEU THR M361 N362 S366 L367 E368 E369 D370 H371 H372 I380 M383 G384 S385 F395 R398 Q399 LEU PRO PRO PRO MET

- Molecule 1: Magnesium transporter MRS2 homolog, mitochondrial, Soluble cytochrome b562 fusion protein

Chain D:  56% 6% 38%

MET VAL ALA GLY VAL HIS ARG PHE ARG THR SER ASP VAL SER GLN ALA THR LEU LEU SER V82 V88 F120 Q121 H122 R132 M135 R136 M137 T145 L152 Q161 R165 S172 GLY GLY GLN LEU VAL THR TYR P181 E185 E213 V219

T246 T250 E261 V270 P276 GLN VAL PHE GLU LYS MET SER GLN LEU LEU ASN I286 S330 V334 M335 M336 G345 L349 F352 M361 N362 S366 L367 E368 E369 D370 H371 H372 I380 M381 F382 M383 G384 S385 R390 F395 R398 Q399 LEU ALA PRO

LEU PRO PRO MET MET ALA SER LEU LEU LYS THR LEU LEU ALA ASP ARG SER MET SER LEU LEU ASP PHE ALA ASP LEU GLU THR TRP LEU THR M361 N362 S366 L367 E368 E369 D370 H371 H372 I380 M381 F382 M383 G384 S385 R390 F395 R398 Q399 LEU ALA PRO


MET ARG ALA ALA LEU ASP ALA GLN LYS THR PRO PRO LYS LEU LEU ASP ARG SER MET SER LEU LEU ASP PHE ALA ASP LEU GLU THR TRP LEU THR M361 N362 S366 L367 E368 E369 D370 H371 H372 I380 M381 F382 M383 G384 S385 R390 F395 R398 Q399 LEU ALA PRO

GLN LEU LYS THR ASN TYR ILE GLN LYS THR LEU LEU SER MET SER LEU LEU ASP PHE ALA ASP LEU GLU THR TRP LEU THR M361 N362 S366 L367 E368 E369 D370 H371 H372 I380 M381 F382 M383 G384 S385 R390 F395 R398 Q399 LEU ALA PRO

- Molecule 1: Magnesium transporter MRS2 homolog, mitochondrial, Soluble cytochrome b562 fusion protein

Chain E:  57% 5% 38%

MET VAL ALA GLY VAL HIS ARG PHE ARG THR SER ASP VAL SER GLN ALA THR LEU LEU SER V82 V88 F120 Q121 H122 R132 M135 R136 M137 T145 L152 Q161 R165 S172 GLY GLY GLN LEU VAL THR TYR P181 E185 E213 V219



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C5	Depositor
Number of particles used	406358	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	49	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	120000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	6.347	Depositor
Minimum map value	-3.261	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.142	Depositor
Recommended contour level	0.6	Depositor
Map size (Å)	288.0, 288.0, 288.0	wwPDB
Map dimensions	240, 240, 240	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.2, 1.2, 1.2	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.17	0/2489	0.26	0/3358
1	B	0.17	0/2489	0.26	0/3358
1	C	0.17	0/2489	0.26	0/3358
1	D	0.17	0/2489	0.26	0/3358
1	E	0.17	0/2489	0.26	0/3358
All	All	0.17	0/12445	0.26	0/16790

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2448	2496	2494	15	0
1	B	2448	2496	2494	15	0
1	C	2448	2496	2494	16	0
1	D	2448	2496	2494	16	0
1	E	2448	2496	2494	15	0
All	All	12240	12480	12470	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:261:GLU:N	1:D:261:GLU:OE1	2.14	0.81
1:C:261:GLU:N	1:C:261:GLU:OE1	2.14	0.81
1:E:261:GLU:OE1	1:E:261:GLU:N	2.14	0.81
1:B:261:GLU:OE1	1:B:261:GLU:N	2.14	0.81
1:A:261:GLU:OE1	1:A:261:GLU:N	2.14	0.80
1:D:132:ARG:HD2	1:D:145:THR:HG22	1.92	0.52
1:C:132:ARG:HD2	1:C:145:THR:HG22	1.92	0.51
1:B:122:HIS:O	1:B:136:ARG:NH1	2.44	0.51
1:B:132:ARG:HD2	1:B:145:THR:HG22	1.92	0.51
1:C:122:HIS:O	1:C:136:ARG:NH1	2.44	0.51
1:A:132:ARG:HD2	1:A:145:THR:HG22	1.92	0.51
1:D:122:HIS:O	1:D:136:ARG:NH1	2.44	0.51
1:A:122:HIS:O	1:A:136:ARG:NH1	2.44	0.51
1:E:132:ARG:HD2	1:E:145:THR:HG22	1.92	0.51
1:C:135:MET:HE3	1:C:137:MET:HE2	1.94	0.50
1:E:122:HIS:O	1:E:136:ARG:NH1	2.44	0.50
1:D:135:MET:HE3	1:D:137:MET:HE2	1.94	0.50
1:B:135:MET:HE3	1:B:137:MET:HE2	1.94	0.49
1:E:135:MET:HE3	1:E:137:MET:HE2	1.94	0.49
1:A:135:MET:HE3	1:A:137:MET:HE2	1.94	0.48
1:E:345:GLY:O	1:E:349:LEU:HD23	2.16	0.46
1:D:395:PHE:CD2	1:D:395:PHE:C	2.93	0.46
1:B:395:PHE:CD2	1:B:395:PHE:C	2.94	0.46
1:C:345:GLY:O	1:C:349:LEU:HD23	2.16	0.46
1:D:345:GLY:O	1:D:349:LEU:HD23	2.16	0.46
1:E:395:PHE:CD2	1:E:395:PHE:C	2.93	0.46
1:A:345:GLY:O	1:A:349:LEU:HD23	2.16	0.46
1:A:395:PHE:CD2	1:A:395:PHE:C	2.93	0.46
1:C:395:PHE:CD2	1:C:395:PHE:C	2.93	0.46
1:A:88:VAL:HG12	1:A:152:LEU:CD2	2.47	0.45
1:B:88:VAL:HG12	1:B:152:LEU:CD2	2.47	0.45
1:C:88:VAL:HG12	1:C:152:LEU:CD2	2.47	0.45
1:C:362:ASN:ND2	1:D:362:ASN:OD1	2.43	0.45
1:B:345:GLY:O	1:B:349:LEU:HD23	2.16	0.45
1:C:161:GLN:OE1	1:C:165:ARG:NH1	2.50	0.44
1:E:161:GLN:OE1	1:E:165:ARG:NH1	2.50	0.44
1:D:88:VAL:HG12	1:D:152:LEU:CD2	2.47	0.44
1:E:88:VAL:HG12	1:E:152:LEU:CD2	2.47	0.44
1:D:88:VAL:HG12	1:D:152:LEU:HD22	1.99	0.44
1:E:88:VAL:HG12	1:E:152:LEU:HD22	1.99	0.44
1:A:161:GLN:OE1	1:A:165:ARG:NH1	2.50	0.44
1:B:161:GLN:OE1	1:B:165:ARG:NH1	2.50	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:161:GLN:OE1	1:D:165:ARG:NH1	2.50	0.44
1:C:88:VAL:HG12	1:C:152:LEU:HD22	1.99	0.44
1:A:88:VAL:HG12	1:A:152:LEU:HD22	1.99	0.43
1:B:88:VAL:HG12	1:B:152:LEU:HD22	1.99	0.43
1:B:246:THR:O	1:B:250:ILE:HD13	2.19	0.42
1:A:246:THR:O	1:A:250:ILE:HD13	2.19	0.42
1:C:246:THR:O	1:C:250:ILE:HD13	2.19	0.42
1:D:185:GLU:HG2	1:D:270:VAL:HG22	2.02	0.42
1:A:120:PHE:O	1:A:136:ARG:NH1	2.53	0.42
1:C:185:GLU:HG2	1:C:270:VAL:HG22	2.02	0.42
1:E:246:THR:O	1:E:250:ILE:HD13	2.19	0.42
1:B:219:VAL:O	1:B:219:VAL:HG12	2.20	0.42
1:E:120:PHE:O	1:E:136:ARG:NH1	2.53	0.41
1:B:185:GLU:HG2	1:B:270:VAL:HG22	2.02	0.41
1:D:120:PHE:O	1:D:136:ARG:NH1	2.53	0.41
1:E:219:VAL:O	1:E:219:VAL:HG12	2.20	0.41
1:D:246:THR:O	1:D:250:ILE:HD13	2.19	0.41
1:A:352:PHE:HE2	1:A:385:SER:N	2.19	0.41
1:C:120:PHE:O	1:C:136:ARG:NH1	2.53	0.41
1:D:330:SER:O	1:D:334:VAL:HG23	2.21	0.41
1:A:185:GLU:HG2	1:A:270:VAL:HG22	2.02	0.41
1:B:120:PHE:O	1:B:136:ARG:NH1	2.53	0.41
1:B:330:SER:O	1:B:334:VAL:HG23	2.21	0.41
1:E:185:GLU:HG2	1:E:270:VAL:HG22	2.02	0.41
1:C:219:VAL:O	1:C:219:VAL:HG12	2.20	0.41
1:C:352:PHE:HE2	1:C:385:SER:N	2.19	0.41
1:A:330:SER:O	1:A:334:VAL:HG23	2.21	0.41
1:D:352:PHE:HE2	1:D:385:SER:N	2.19	0.41
1:D:219:VAL:O	1:D:219:VAL:HG12	2.20	0.41
1:E:352:PHE:HE2	1:E:385:SER:N	2.19	0.40
1:A:219:VAL:O	1:A:219:VAL:HG12	2.20	0.40
1:B:352:PHE:HE2	1:B:385:SER:N	2.19	0.40
1:E:383:MET:N	1:E:383:MET:SD	2.94	0.40
1:C:330:SER:O	1:C:334:VAL:HG23	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	295/486 (61%)	292 (99%)	3 (1%)	0	100	100
1	B	295/486 (61%)	292 (99%)	3 (1%)	0	100	100
1	C	295/486 (61%)	292 (99%)	3 (1%)	0	100	100
1	D	295/486 (61%)	292 (99%)	3 (1%)	0	100	100
1	E	295/486 (61%)	292 (99%)	3 (1%)	0	100	100
All	All	1475/2430 (61%)	1460 (99%)	15 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	274/432 (63%)	272 (99%)	2 (1%)	76	87
1	B	274/432 (63%)	272 (99%)	2 (1%)	76	87
1	C	274/432 (63%)	272 (99%)	2 (1%)	76	87
1	D	274/432 (63%)	272 (99%)	2 (1%)	76	87
1	E	274/432 (63%)	272 (99%)	2 (1%)	76	87
All	All	1370/2160 (63%)	1360 (99%)	10 (1%)	73	87

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	213	GLU
1	A	336	MET
1	B	213	GLU
1	B	336	MET
1	C	213	GLU
1	C	336	MET
1	D	213	GLU
1	D	336	MET
1	E	213	GLU
1	E	336	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	122	HIS
1	A	288	HIS
1	B	122	HIS
1	B	288	HIS
1	B	298	ASN
1	C	122	HIS
1	C	288	HIS
1	D	122	HIS
1	D	288	HIS
1	D	298	ASN
1	E	122	HIS
1	E	288	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-41588. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 120




Y Index: 120




Z Index: 120


6.2.2 Raw map



X Index: 120



Y Index: 120




Z Index: 120


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 127




Y Index: 126




Z Index: 92


6.3.2 Raw map



X Index: 127



Y Index: 127




Z Index: 92


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.6. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 97 nm³; this corresponds to an approximate mass of 88 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.339 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.339 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.95	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.30	3.72	3.35

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.30 differs from the reported value 2.95 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-41588 and PDB model 8TS2. Per-residue inclusion information can be found in section [3](#) on page [7](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.6 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.6).

9.4 Atom inclusion [i](#)



At the recommended contour level, 85% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.6) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8400	0.5130
A	0.8470	0.5180
B	0.8470	0.5130
C	0.8470	0.5120
D	0.8450	0.5080
E	0.8510	0.5150

