



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 04:03 AM UTC

PDB ID : 1TT7 / pdb_00001tt7
Title : Crystal structure of Bacillus subtilis protein yhfP
Authors : Min, T.; Gorman, J.; Shapiro, L.; Burley, S.K.; New York SGX Research
Center for Structural Genomics (NYSGXRC)
Deposited on : 2004-06-22
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	330	12% 79% 18% .
1	B	330	17% 80% 17% .
1	C	330	21% 77% 20% .
1	D	330	18% 80% 16% .
1	E	330	11% 80% 16% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	330	14% 78% 19%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 14777 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called YHFP.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	329	Total	C	N	O	S	Se	0	0	0
			2436	1533	414	484	1	4			
1	B	329	Total	C	N	O	S	Se	0	0	0
			2436	1533	414	484	1	4			
1	C	329	Total	C	N	O	S	Se	0	0	0
			2436	1533	414	484	1	4			
1	D	329	Total	C	N	O	S	Se	0	0	0
			2436	1533	414	484	1	4			
1	E	329	Total	C	N	O	S	Se	0	0	0
			2436	1533	414	484	1	4			
1	F	329	Total	C	N	O	S	Se	0	0	0
			2437	1533	414	485	1	4			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	126	MSE	MET	modified residue	UNP O07615
A	170	MSE	MET	modified residue	UNP O07615
A	278	MSE	MET	modified residue	UNP O07615
A	288	MSE	MET	modified residue	UNP O07615
B	126	MSE	MET	modified residue	UNP O07615
B	170	MSE	MET	modified residue	UNP O07615
B	278	MSE	MET	modified residue	UNP O07615
B	288	MSE	MET	modified residue	UNP O07615
C	126	MSE	MET	modified residue	UNP O07615
C	170	MSE	MET	modified residue	UNP O07615
C	278	MSE	MET	modified residue	UNP O07615
C	288	MSE	MET	modified residue	UNP O07615
D	126	MSE	MET	modified residue	UNP O07615
D	170	MSE	MET	modified residue	UNP O07615
D	278	MSE	MET	modified residue	UNP O07615
D	288	MSE	MET	modified residue	UNP O07615
E	126	MSE	MET	modified residue	UNP O07615

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	170	MSE	MET	modified residue	UNP O07615
E	278	MSE	MET	modified residue	UNP O07615
E	288	MSE	MET	modified residue	UNP O07615
F	126	MSE	MET	modified residue	UNP O07615
F	170	MSE	MET	modified residue	UNP O07615
F	278	MSE	MET	modified residue	UNP O07615
F	288	MSE	MET	modified residue	UNP O07615


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	25	Total O 25 25	0	0
2	B	26	Total O 26 26	0	0
2	C	29	Total O 29 29	0	0
2	D	19	Total O 19 19	0	0
2	E	30	Total O 30 30	0	0
2	F	31	Total O 31 31	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: YHFP



• Molecule 1: YHFP





• Molecule 1: YHFP









• Molecule 1: YHFP



• Molecule 1: YHFP



• Molecule 1: YHFP



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	102.22Å 133.55Å 166.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.70 20.00 – 2.70	Depositor EDS
% Data completeness (in resolution range)	98.7 (20.00-2.70) 98.4 (20.00-2.70)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.07 (at 2.71Å)	Xtriage
Refinement program	REFMAC 5.2.0003	Depositor
R, R_{free}	0.187 , 0.262 (Not available) , 0.306	Depositor DCC
R_{free} test set	3148 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	32.5	Xtriage
Anisotropy	0.828	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 25.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.85	EDS
Total number of atoms	14777	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.98% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/2468	0.81	0/3343
1	B	0.44	0/2468	0.86	3/3343 (0.1%)
1	C	0.43	0/2468	0.83	1/3343 (0.0%)
1	D	0.43	0/2468	0.81	1/3343 (0.0%)
1	E	0.43	0/2468	0.82	0/3343
1	F	0.43	0/2469	0.81	0/3343
All	All	0.43	0/14809	0.82	5/20058 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	40	TYR	N-CA-C	6.35	118.80	108.26
1	B	41	SER	N-CA-C	5.69	118.67	109.86
1	B	258	VAL	N-CA-C	5.60	120.99	109.34
1	B	61	TYR	N-CA-C	5.05	120.97	109.81
1	D	218	TRP	N-CA-C	5.01	119.75	113.43

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2436	0	2462	33	0
1	B	2436	0	2462	36	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	2436	0	2462	37	0
1	D	2436	0	2462	38	0
1	E	2436	0	2462	32	0
1	F	2437	0	2462	33	0
2	A	25	0	0	1	0
2	B	26	0	0	1	0
2	C	29	0	0	0	0
2	D	19	0	0	1	0
2	E	30	0	0	0	0
2	F	31	0	0	0	0
All	All	14777	0	14772	205	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (205) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:68:ASP:HB3	1:F:126:MSE:HE1	1.57	0.86
1:D:66:GLY:HA3	1:D:101:GLY:H	1.43	0.83
1:E:68:ASP:HB3	1:E:126:MSE:HE1	1.63	0.81
1:D:245:VAL:O	1:D:246:SER:HB3	1.83	0.79
1:C:257:THR:O	1:C:258:VAL:HB	1.85	0.75
1:A:66:GLY:HA3	1:A:101:GLY:H	1.52	0.75
1:F:39:ALA:HA	1:F:330:LEU:HB2	1.71	0.72
1:D:160:THR:HG23	1:D:323:GLN:HG3	1.72	0.72
1:B:257:THR:O	1:B:259:TYR:N	2.22	0.72
1:C:57:ILE:HD12	1:C:58:VAL:H	1.55	0.72
1:C:66:GLY:HA3	1:C:100:GLY:HA3	1.73	0.70
1:F:39:ALA:O	1:F:40:TYR:HB2	1.90	0.69
1:A:261:PHE:HB3	1:D:245:VAL:HG21	1.77	0.67
1:D:218:TRP:O	1:D:219:GLN:HB3	1.93	0.67
1:D:13:ASN:HD22	1:D:13:ASN:H	1.40	0.66
1:F:67:ILE:O	1:F:68:ASP:HB2	1.97	0.65
1:C:159:ALA:O	1:C:160:THR:HB	1.96	0.65
1:C:160:THR:HG23	1:C:323:GLN:HG3	1.78	0.64
1:E:66:GLY:HA3	1:E:101:GLY:H	1.63	0.64
1:D:310:THR:N	1:D:311:PRO:HD2	2.13	0.63
1:C:68:ASP:HA	1:C:90:THR:HG22	1.82	0.62
1:C:305:VAL:HG13	1:C:309:GLU:HB2	1.81	0.61
1:B:41:SER:HB3	1:B:328:VAL:H	1.65	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:41:SER:CB	1:B:328:VAL:H	2.13	0.60
1:B:160:THR:HG23	1:B:323:GLN:HG3	1.84	0.60
1:F:66:GLY:HA3	1:F:100:GLY:HA3	1.84	0.60
1:B:66:GLY:HA3	1:B:100:GLY:HA3	1.85	0.59
1:F:61:TYR:N	1:F:62:PRO:HD2	2.18	0.59
1:D:69:ALA:HB2	1:D:101:GLY:HA3	1.83	0.58
1:C:67:ILE:O	1:C:68:ASP:HB2	2.03	0.58
1:B:91:SER:HB2	1:B:274:VAL:HA	1.85	0.58
1:C:50:ALA:HA	1:C:57:ILE:HD13	1.86	0.57
1:D:159:ALA:O	1:D:160:THR:HB	2.04	0.57
1:A:317:ILE:O	1:A:318:LEU:HB2	2.05	0.56
1:C:149:PRO:O	1:D:118:GLN:HB2	2.05	0.56
1:D:10:ALA:O	2:D:335:HOH:O	2.18	0.55
1:D:148:SER:HB2	1:D:151:LYS:HD3	1.88	0.55
1:C:246:SER:HB3	1:C:271:ILE:HB	1.89	0.55
1:A:69:ALA:HB3	1:A:89:ALA:HB3	1.89	0.55
1:D:41:SER:HA	1:D:328:VAL:H	1.72	0.55
1:D:66:GLY:C	1:D:68:ASP:H	2.15	0.55
1:B:61:TYR:N	1:B:62:PRO:HD2	2.22	0.54
1:D:159:ALA:O	1:D:160:THR:CB	2.54	0.54
1:F:182:THR:HG22	1:F:184:ASN:H	1.72	0.54
1:D:41:SER:HB3	1:D:126:MSE:HB3	1.89	0.54
1:E:66:GLY:C	1:E:68:ASP:H	2.16	0.54
1:C:317:ILE:O	1:C:318:LEU:HB3	2.08	0.53
1:B:307:LEU:HD12	1:B:330:LEU:HD22	1.90	0.53
1:F:67:ILE:O	1:F:68:ASP:CB	2.57	0.53
1:B:310:THR:N	1:B:311:PRO:CD	2.72	0.53
1:C:40:TYR:HB3	1:C:126:MSE:HG3	1.91	0.53
1:E:142:LEU:HD23	1:E:269:LEU:HD12	1.91	0.52
1:C:178:VAL:HB	1:C:196:ALA:HA	1.91	0.52
1:C:212:ALA:HA	1:C:257:THR:HG21	1.91	0.52
1:F:296:GLN:O	1:F:298:LEU:N	2.43	0.52
1:C:305:VAL:O	1:C:328:VAL:HA	2.10	0.52
1:A:39:ALA:O	1:A:40:TYR:HB2	2.10	0.51
1:A:61:TYR:O	1:A:63:LEU:HB2	2.10	0.51
1:E:159:ALA:O	1:E:160:THR:HB	2.09	0.51
1:A:110:GLY:HA2	1:A:113:LEU:HD12	1.93	0.51
1:D:305:VAL:HG22	1:D:309:GLU:HB2	1.93	0.51
1:B:41:SER:HA	1:B:328:VAL:HB	1.91	0.51
1:B:44:ASN:HD22	1:B:45:TYR:H	1.58	0.51
1:C:69:ALA:HB2	1:C:101:GLY:HA3	1.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:66:GLY:C	1:A:68:ASP:H	2.18	0.50
1:A:137:LEU:HD23	1:A:271:ILE:HG23	1.93	0.50
1:D:69:ALA:HB3	1:D:89:ALA:HB3	1.93	0.50
1:E:211:LYS:O	1:E:212:ALA:HB3	2.11	0.50
1:F:69:ALA:HB2	1:F:101:GLY:HA3	1.92	0.50
1:F:166:ILE:HG12	1:F:300:ILE:HD13	1.93	0.50
1:A:69:ALA:HB2	1:A:101:GLY:HA3	1.94	0.50
1:E:61:TYR:N	1:E:62:PRO:HD3	2.25	0.50
1:E:157:THR:HA	1:E:181:SER:HB3	1.94	0.50
1:B:317:ILE:O	1:B:318:LEU:HB2	2.12	0.49
1:E:160:THR:HG23	1:E:323:GLN:HG3	1.93	0.49
1:E:69:ALA:HB2	1:E:101:GLY:HA3	1.93	0.49
1:E:69:ALA:HB3	1:E:89:ALA:HB3	1.93	0.49
1:F:69:ALA:HB3	1:F:89:ALA:HB3	1.94	0.49
1:A:178:VAL:HB	1:A:196:ALA:HA	1.95	0.49
1:B:159:ALA:O	1:B:160:THR:HB	2.13	0.49
1:B:308:GLU:O	1:B:309:GLU:HB3	2.13	0.49
1:A:61:TYR:O	1:A:62:PRO:C	2.55	0.49
1:D:183:GLY:HA2	1:D:202:ARG:HD2	1.95	0.49
1:B:275:TYR:HB3	1:C:80:ARG:HD2	1.95	0.48
1:A:91:SER:HB3	1:A:274:VAL:HA	1.94	0.48
1:F:216:GLN:HB3	1:F:238:GLN:HG2	1.95	0.48
1:C:157:THR:HA	1:C:181:SER:HB3	1.94	0.48
1:B:305:VAL:O	1:B:328:VAL:HA	2.14	0.48
1:D:147:LEU:HD21	1:D:220:GLY:HA3	1.95	0.48
1:B:154:VAL:HB	1:B:171:LEU:HD21	1.96	0.47
1:C:317:ILE:HG23	1:C:322:ILE:HD12	1.95	0.47
1:D:49:LEU:HB2	1:D:57:ILE:HD12	1.96	0.47
1:E:185:ARG:H	1:E:185:ARG:HH11	1.61	0.47
1:E:211:LYS:O	1:E:212:ALA:CB	2.62	0.47
1:D:137:LEU:HD23	1:D:271:ILE:HG23	1.95	0.47
1:E:137:LEU:HD23	1:E:271:ILE:HG23	1.96	0.47
1:A:200:ILE:HG23	1:A:204:ASP:HB2	1.96	0.47
1:F:319:GLN:HB3	1:F:320:ASN:H	1.56	0.47
1:E:91:SER:HB3	1:E:274:VAL:HA	1.96	0.47
1:F:5:PHE:HB2	1:F:104:GLU:HB2	1.97	0.47
1:A:87:VAL:HG21	1:A:113:LEU:HB3	1.96	0.46
1:B:218:TRP:O	1:B:219:GLN:HB3	2.15	0.46
1:C:50:ALA:HA	1:C:57:ILE:CD1	2.45	0.46
1:A:185:ARG:C	1:A:187:ALA:H	2.24	0.46
1:A:202:ARG:HG2	2:A:348:HOH:O	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:215:LYS:H	1:F:215:LYS:HD3	1.81	0.46
1:E:305:VAL:HG22	1:E:309:GLU:HB3	1.98	0.46
1:F:234:LEU:HD21	1:F:268:LEU:HD13	1.97	0.46
1:C:135:ALA:O	1:C:139:VAL:HG23	2.16	0.46
1:F:168:VAL:HG13	1:F:178:VAL:HG11	1.98	0.46
1:D:202:ARG:HH22	1:D:225:VAL:HG21	1.81	0.46
1:A:157:THR:HA	1:A:181:SER:HB3	1.97	0.46
1:E:138:SER:O	1:E:142:LEU:HG	2.15	0.45
1:D:41:SER:HB2	1:D:327:ILE:HG23	1.98	0.45
1:D:123:LYS:O	1:D:127:VAL:HG23	2.17	0.45
1:F:39:ALA:O	1:F:40:TYR:CB	2.62	0.45
1:D:66:GLY:HA3	1:D:101:GLY:N	2.20	0.45
1:E:110:GLY:HA2	1:E:113:LEU:HD12	1.98	0.45
1:C:110:GLY:HA2	1:C:113:LEU:HD12	1.99	0.45
1:B:234:LEU:HD21	1:B:268:LEU:HD13	1.98	0.45
1:E:159:ALA:O	1:E:160:THR:CB	2.65	0.45
1:F:137:LEU:HD23	1:F:271:ILE:HG23	1.97	0.45
1:A:5:PHE:HB2	1:A:104:GLU:HB2	1.99	0.45
1:D:41:SER:CB	1:D:126:MSE:HB3	2.46	0.45
1:D:225:VAL:HG13	1:D:249:THR:O	2.17	0.45
1:A:147:LEU:HD21	1:A:220:GLY:HA3	1.99	0.44
1:B:157:THR:HG21	2:B:339:HOH:O	2.16	0.44
1:E:310:THR:N	1:E:311:PRO:CD	2.80	0.44
1:F:305:VAL:HG13	1:F:309:GLU:HB2	1.99	0.44
1:C:155:LEU:HD11	1:C:157:THR:HG23	1.98	0.44
1:B:308:GLU:O	1:B:309:GLU:CB	2.65	0.44
1:B:138:SER:O	1:B:142:LEU:HG	2.17	0.44
1:C:155:LEU:HD12	1:C:233:LEU:HD21	2.00	0.44
1:B:36:ILE:HG13	1:B:73:VAL:HA	2.00	0.44
1:B:142:LEU:HD23	1:B:269:LEU:HD12	1.99	0.44
1:C:91:SER:HB3	1:C:274:VAL:HA	2.00	0.44
1:D:234:LEU:HD21	1:D:268:LEU:HD13	1.99	0.44
1:E:185:ARG:O	1:E:186:GLU:HB2	2.18	0.44
1:B:215:LYS:H	1:B:215:LYS:HD2	1.82	0.44
1:A:234:LEU:HD21	1:A:268:LEU:HD13	2.00	0.44
1:C:211:LYS:HB3	1:C:214:SER:HB3	2.00	0.44
1:F:178:VAL:HB	1:F:196:ALA:HA	1.99	0.44
1:A:316:ASP:HA	1:A:321:ARG:HD2	2.00	0.43
1:D:61:TYR:N	1:D:62:PRO:HD3	2.33	0.43
1:E:317:ILE:HG13	1:E:318:LEU:H	1.83	0.43
1:A:94:LEU:HD21	1:A:108:VAL:HB	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:61:TYR:N	1:E:62:PRO:CD	2.81	0.43
1:A:258:VAL:HA	1:A:261:PHE:HD2	1.84	0.43
1:D:8:LEU:HD21	1:D:314:LEU:HD11	2.01	0.43
1:E:74:VAL:HG23	1:E:75:SER:H	1.82	0.43
1:B:69:ALA:HB2	1:B:101:GLY:HA3	1.99	0.43
1:E:166:ILE:HG12	1:E:300:ILE:HD13	1.99	0.43
1:D:110:GLY:HA2	1:D:113:LEU:HD12	2.00	0.43
1:B:137:LEU:HD23	1:B:271:ILE:HG23	1.99	0.43
1:F:66:GLY:HA3	1:F:101:GLY:H	1.84	0.43
1:A:66:GLY:HA2	1:A:102:LEU:HG	2.01	0.43
1:B:94:LEU:HD21	1:B:108:VAL:HB	2.01	0.43
1:C:216:GLN:HB3	1:C:238:GLN:HG2	2.01	0.43
1:E:260:PRO:O	1:E:264:ARG:HB2	2.18	0.43
1:F:135:ALA:O	1:F:139:VAL:HG23	2.18	0.43
1:A:40:TYR:HA	1:A:328:VAL:O	2.18	0.43
1:D:225:VAL:HG22	1:D:249:THR:HB	2.01	0.43
1:B:142:LEU:HB3	1:B:147:LEU:HG	2.00	0.42
1:F:305:VAL:O	1:F:328:VAL:HA	2.19	0.42
1:A:257:THR:C	1:A:259:TYR:H	2.27	0.42
1:A:135:ALA:O	1:A:139:VAL:HG23	2.19	0.42
1:D:297:LEU:O	1:D:300:ILE:HG22	2.19	0.42
1:B:160:THR:HA	1:B:190:TYR:HE2	1.85	0.42
1:D:296:GLN:O	1:D:298:LEU:N	2.49	0.42
1:E:226:GLY:HA2	1:E:230:LEU:HD12	2.00	0.42
1:F:110:GLY:HA2	1:F:113:LEU:HD12	2.01	0.42
1:B:110:GLY:HA2	1:B:113:LEU:HD12	2.02	0.42
1:C:123:LYS:O	1:C:127:VAL:HG23	2.20	0.42
1:E:78:ASP:HA	1:E:79:PRO:HD3	1.85	0.42
1:A:233:LEU:O	1:A:237:ILE:HG12	2.20	0.42
1:C:234:LEU:HD21	1:C:268:LEU:HD13	2.01	0.42
1:F:157:THR:HB	1:F:223:ASP:HA	2.02	0.42
1:E:94:LEU:HD21	1:E:108:VAL:HB	2.02	0.41
1:C:41:SER:HB2	1:C:327:ILE:HG23	2.01	0.41
1:D:7:ALA:HB3	1:D:24:ILE:HD13	2.02	0.41
1:F:218:TRP:O	1:F:219:GLN:HB3	2.18	0.41
1:B:66:GLY:HA3	1:B:101:GLY:H	1.86	0.41
1:C:159:ALA:HB3	1:C:182:THR:HG23	2.02	0.41
1:C:190:TYR:O	1:C:194:LEU:HG	2.20	0.41
1:F:42:GLY:HA3	1:F:325:ARG:NH1	2.35	0.41
1:D:245:VAL:O	1:D:246:SER:CB	2.60	0.41
1:F:142:LEU:HD23	1:F:269:LEU:HD12	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:128:TYR:CZ	1:A:297:LEU:HD21	2.56	0.41
1:C:61:TYR:N	1:C:62:PRO:CD	2.84	0.41
1:B:61:TYR:N	1:B:62:PRO:CD	2.82	0.41
1:B:171:LEU:HG	1:B:176:TYR:HB2	2.03	0.41
1:D:244:ALA:HB1	1:D:271:ILE:HD13	2.02	0.41
1:C:142:LEU:HD23	1:C:269:LEU:HD12	2.03	0.41
1:E:155:LEU:HD21	1:E:200:ILE:HD11	2.02	0.41
1:A:215:LYS:H	1:A:215:LYS:HD2	1.86	0.41
1:F:65:LEU:O	1:F:102:LEU:HB2	2.20	0.41
1:A:310:THR:N	1:A:311:PRO:CD	2.84	0.40
1:E:197:SER:O	1:E:198:GLU:HB2	2.21	0.40
1:E:245:VAL:HB	1:E:246:SER:H	1.71	0.40
1:C:296:GLN:O	1:C:298:LEU:N	2.54	0.40
1:F:219:GLN:HB3	1:F:219:GLN:HE21	1.64	0.40
1:A:142:LEU:HB3	1:A:147:LEU:HG	2.03	0.40
1:B:159:ALA:C	1:B:161:GLY:H	2.28	0.40
1:C:254:VAL:HB	1:F:256:ALA:HB3	2.03	0.40
1:B:316:ASP:HA	1:B:321:ARG:HH11	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	327/330 (99%)	295 (90%)	22 (7%)	10 (3%)	3	8
1	B	327/330 (99%)	282 (86%)	36 (11%)	9 (3%)	4	9
1	C	327/330 (99%)	280 (86%)	36 (11%)	11 (3%)	3	7
1	D	327/330 (99%)	287 (88%)	26 (8%)	14 (4%)	2	4
1	E	327/330 (99%)	285 (87%)	31 (10%)	11 (3%)	3	7
1	F	327/330 (99%)	285 (87%)	25 (8%)	17 (5%)	1	3

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1962/1980 (99%)	1714 (87%)	176 (9%)	72 (4%)	2 6

All (72) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	61	TYR
1	A	62	PRO
1	A	67	ILE
1	A	258	VAL
1	B	258	VAL
1	C	258	VAL
1	D	67	ILE
1	D	245	VAL
1	E	67	ILE
1	E	212	ALA
1	E	258	VAL
1	F	40	TYR
1	F	67	ILE
1	F	68	ASP
1	F	297	LEU
1	F	319	GLN
1	A	209	THR
1	A	249	THR
1	B	67	ILE
1	B	245	VAL
1	C	210	LEU
1	C	215	LYS
1	C	245	VAL
1	D	160	THR
1	D	246	SER
1	D	258	VAL
1	E	210	LEU
1	F	94	LEU
1	F	258	VAL
1	A	105	TYR
1	B	42	GLY
1	B	94	LEU
1	C	67	ILE
1	C	68	ASP
1	D	75	SER
1	E	14	ALA
1	E	245	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	207	ASP
1	A	92	TYR
1	B	14	ALA
1	B	105	TYR
1	C	105	TYR
1	C	150	GLU
1	C	296	GLN
1	C	297	LEU
1	D	17	VAL
1	D	19	VAL
1	D	41	SER
1	E	105	TYR
1	F	105	TYR
1	F	245	VAL
1	F	250	GLY
1	A	19	VAL
1	A	40	TYR
1	B	13	ASN
1	B	19	VAL
1	C	19	VAL
1	D	105	TYR
1	D	257	THR
1	D	297	LEU
1	E	19	VAL
1	E	160	THR
1	E	309	GLU
1	F	19	VAL
1	F	212	ALA
1	D	62	PRO
1	F	38	VAL
1	F	62	PRO
1	F	209	THR
1	E	61	TYR
1	F	66	GLY
1	D	317	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	261/258 (101%)	250 (96%)	11 (4%)	26	55
1	B	261/258 (101%)	249 (95%)	12 (5%)	24	51
1	C	261/258 (101%)	248 (95%)	13 (5%)	22	48
1	D	261/258 (101%)	250 (96%)	11 (4%)	26	55
1	E	261/258 (101%)	243 (93%)	18 (7%)	14	34
1	F	261/258 (101%)	246 (94%)	15 (6%)	18	43
All	All	1566/1548 (101%)	1486 (95%)	80 (5%)	21	48

All (80) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	LEU
1	A	49	LEU
1	A	57	ILE
1	A	63	LEU
1	A	108	VAL
1	A	147	LEU
1	A	200	ILE
1	A	230	LEU
1	A	300	ILE
1	A	307	LEU
1	A	308	GLU
1	B	4	LEU
1	B	20	HIS
1	B	31	LYS
1	B	36	ILE
1	B	44	ASN
1	B	61	TYR
1	B	63	LEU
1	B	67	ILE
1	B	108	VAL
1	B	147	LEU
1	B	233	LEU
1	B	296	GLN
1	C	3	THR
1	C	52	LYS
1	C	57	ILE
1	C	63	LEU
1	C	108	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	147	LEU
1	C	157	THR
1	C	171	LEU
1	C	182	THR
1	C	233	LEU
1	C	278	MSE
1	C	315	LYS
1	C	317	ILE
1	D	13	ASN
1	D	22	LYS
1	D	63	LEU
1	D	67	ILE
1	D	108	VAL
1	D	147	LEU
1	D	157	THR
1	D	219	GLN
1	D	297	LEU
1	D	305	VAL
1	D	307	LEU
1	E	8	LEU
1	E	22	LYS
1	E	35	LEU
1	E	57	ILE
1	E	59	ARG
1	E	67	ILE
1	E	74	VAL
1	E	108	VAL
1	E	147	LEU
1	E	155	LEU
1	E	185	ARG
1	E	230	LEU
1	E	245	VAL
1	E	258	VAL
1	E	271	ILE
1	E	307	LEU
1	E	308	GLU
1	E	319	GLN
1	F	6	GLN
1	F	11	GLU
1	F	35	LEU
1	F	63	LEU
1	F	108	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	147	LEU
1	F	150	GLU
1	F	171	LEU
1	F	207	ASP
1	F	211	LYS
1	F	219	GLN
1	F	257	THR
1	F	258	VAL
1	F	297	LEU
1	F	307	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	GLN
1	A	216	GLN
1	B	6	GLN
1	B	217	GLN
1	B	229	GLN
1	C	216	GLN
1	D	13	ASN
1	D	216	GLN
1	D	219	GLN
1	D	229	GLN
1	D	238	GLN
1	E	6	GLN
1	E	9	GLN
1	E	56	ASN
1	E	238	GLN
1	E	323	GLN
1	F	217	GLN
1	F	219	GLN
1	F	229	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	325/330 (98%)	0.94	39 (12%) 9 7	8, 27, 52, 86	0
1	B	325/330 (98%)	1.11	56 (17%) 4 3	8, 26, 57, 78	0
1	C	325/330 (98%)	1.21	68 (20%) 2 2	8, 27, 65, 91	0
1	D	325/330 (98%)	1.26	61 (18%) 3 3	12, 32, 66, 85	0
1	E	325/330 (98%)	0.85	35 (10%) 11 9	7, 23, 55, 72	0
1	F	325/330 (98%)	0.93	45 (13%) 6 5	7, 22, 48, 72	0
All	All	1950/1980 (98%)	1.05	304 (15%) 5 4	7, 26, 59, 91	0

All (304) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	308	GLU	5.8
1	C	42	GLY	5.7
1	C	318	LEU	5.6
1	E	207	ASP	5.4
1	B	207	ASP	5.4
1	E	62	PRO	5.1
1	D	42	GLY	5.0
1	C	62	PRO	5.0
1	C	48	GLY	4.9
1	B	43	ILE	4.9
1	C	207	ASP	4.8
1	B	41	SER	4.7
1	D	43	ILE	4.7
1	B	209	THR	4.5
1	F	208	GLY	4.5
1	D	66	GLY	4.4
1	E	320	ASN	4.4
1	C	151	LYS	4.4
1	B	319	GLN	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	43	ILE	4.3
1	D	207	ASP	4.3
1	A	14	ALA	4.3
1	D	62	PRO	4.3
1	B	42	GLY	4.3
1	F	33	GLY	4.2
1	A	13	ASN	4.2
1	B	62	PRO	4.2
1	E	39	ALA	4.1
1	B	14	ALA	4.1
1	C	66	GLY	4.1
1	C	160	THR	4.1
1	C	39	ALA	4.0
1	D	327	ILE	4.0
1	F	67	ILE	4.0
1	A	39	ALA	3.9
1	D	250	GLY	3.9
1	A	258	VAL	3.9
1	C	13	ASN	3.9
1	E	209	THR	3.8
1	C	297	LEU	3.8
1	F	186	GLU	3.8
1	F	246	SER	3.7
1	D	225	VAL	3.7
1	D	186	GLU	3.7
1	D	2	SER	3.6
1	E	11	GLU	3.6
1	F	61	TYR	3.6
1	B	208	GLY	3.6
1	C	14	ALA	3.6
1	E	257	THR	3.5
1	C	19	VAL	3.5
1	E	14	ALA	3.4
1	A	3	THR	3.4
1	B	309	GLU	3.4
1	F	18	SER	3.4
1	D	35	LEU	3.4
1	F	3	THR	3.3
1	A	250	GLY	3.3
1	B	97	SER	3.3
1	D	159	ALA	3.3
1	C	220	GLY	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	131	ALA	3.3
1	C	70	ALA	3.2
1	F	219	GLN	3.2
1	A	146	GLY	3.2
1	B	246	SER	3.2
1	D	59	ARG	3.2
1	D	148	SER	3.1
1	D	246	SER	3.1
1	B	184	ASN	3.1
1	A	318	LEU	3.1
1	D	183	GLY	3.1
1	B	131	ALA	3.1
1	F	225	VAL	3.1
1	B	61	TYR	3.0
1	F	320	ASN	3.0
1	A	62	PRO	3.0
1	D	226	GLY	3.0
1	C	61	TYR	3.0
1	B	183	GLY	3.0
1	A	184	ASN	3.0
1	C	118	GLN	3.0
1	D	279	ASP	3.0
1	F	57	ILE	3.0
1	E	20	HIS	2.9
1	A	16	ASP	2.9
1	D	3	THR	2.9
1	A	11	GLU	2.9
1	E	33	GLY	2.9
1	B	18	SER	2.9
1	C	320	ASN	2.9
1	F	207	ASP	2.9
1	C	250	GLY	2.9
1	C	257	THR	2.9
1	B	31	LYS	2.9
1	B	298	LEU	2.9
1	C	18	SER	2.9
1	B	24	ILE	2.9
1	C	189	ASP	2.9
1	B	69	ALA	2.9
1	B	307	LEU	2.9
1	C	67	ILE	2.8
1	B	226	GLY	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	182	THR	2.8
1	B	160	THR	2.8
1	B	171	LEU	2.8
1	A	174	ARG	2.8
1	F	31	LYS	2.8
1	C	32	ASP	2.8
1	C	103	SER	2.8
1	F	66	GLY	2.8
1	A	207	ASP	2.8
1	C	104	GLU	2.8
1	D	104	GLU	2.8
1	F	93	GLU	2.8
1	F	323	GLN	2.8
1	C	246	SER	2.8
1	B	3	THR	2.8
1	C	304	GLU	2.8
1	D	209	THR	2.8
1	C	174	ARG	2.8
1	A	279	ASP	2.7
1	F	32	ASP	2.7
1	C	185	ARG	2.7
1	E	61	TYR	2.7
1	C	330	LEU	2.7
1	C	148	SER	2.7
1	E	309	GLU	2.7
1	E	300	ILE	2.7
1	D	298	LEU	2.7
1	B	20	HIS	2.7
1	A	247	GLY	2.7
1	F	38	VAL	2.7
1	F	39	ALA	2.7
1	F	178	VAL	2.7
1	F	209	THR	2.7
1	F	249	THR	2.7
1	B	279	ASP	2.7
1	C	291	ASP	2.7
1	F	210	LEU	2.6
1	C	54	GLY	2.6
1	D	251	GLY	2.6
1	A	7	ALA	2.6
1	B	70	ALA	2.6
1	D	187	ALA	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	21	VAL	2.6
1	C	38	VAL	2.6
1	C	3	THR	2.6
1	F	319	GLN	2.6
1	C	317	ILE	2.6
1	E	318	LEU	2.6
1	F	297	LEU	2.6
1	E	150	GLU	2.6
1	B	40	TYR	2.6
1	F	250	GLY	2.6
1	D	53	ALA	2.6
1	E	159	ALA	2.6
1	F	7	ALA	2.6
1	E	151	LYS	2.5
1	C	186	GLU	2.5
1	B	225	VAL	2.5
1	E	2	SER	2.5
1	C	4	LEU	2.5
1	C	59	ARG	2.5
1	D	253	GLU	2.5
1	B	39	ALA	2.5
1	B	56	ASN	2.5
1	D	16	ASP	2.5
1	A	186	GLU	2.5
1	F	304	GLU	2.5
1	C	77	ASN	2.5
1	E	208	GLY	2.5
1	B	53	ALA	2.5
1	B	13	ASN	2.4
1	A	298	LEU	2.4
1	A	327	ILE	2.4
1	B	317	ILE	2.4
1	D	318	LEU	2.4
1	E	307	LEU	2.4
1	C	16	ASP	2.4
1	A	52	LYS	2.4
1	A	222	VAL	2.4
1	B	245	VAL	2.4
1	D	212	ALA	2.4
1	B	59	ARG	2.4
1	F	185	ARG	2.4
1	B	314	LEU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	262	ILE	2.4
1	B	75	SER	2.4
1	C	2	SER	2.4
1	D	75	SER	2.4
1	E	186	GLU	2.4
1	C	226	GLY	2.4
1	C	227	GLY	2.4
1	C	324	GLY	2.4
1	F	62	PRO	2.4
1	E	63	LEU	2.4
1	F	300	ILE	2.4
1	F	13	ASN	2.4
1	C	20	HIS	2.4
1	D	308	GLU	2.4
1	F	279	ASP	2.4
1	D	10	ALA	2.4
1	D	61	TYR	2.4
1	D	325	ARG	2.4
1	A	24	ILE	2.4
1	D	248	LEU	2.4
1	E	210	LEU	2.4
1	D	103	SER	2.4
1	E	198	GLU	2.4
1	E	31	LYS	2.4
1	B	174	ARG	2.4
1	B	185	ARG	2.4
1	A	4	LEU	2.3
1	D	11	GLU	2.3
1	E	75	SER	2.3
1	D	185	ARG	2.3
1	B	313	ALA	2.3
1	F	318	LEU	2.3
1	D	90	THR	2.3
1	D	299	THR	2.3
1	F	257	THR	2.3
1	B	186	GLU	2.3
1	C	215	LYS	2.3
1	D	31	LYS	2.3
1	D	83	GLU	2.3
1	A	15	ASP	2.3
1	C	296	GLN	2.3
1	F	226	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	63	LEU	2.3
1	C	329	LYS	2.3
1	B	16	ASP	2.3
1	D	64	ILE	2.3
1	D	13	ASN	2.3
1	B	325	ARG	2.3
1	E	197	SER	2.3
1	D	297	LEU	2.3
1	A	60	GLU	2.2
1	D	304	GLU	2.2
1	A	61	TYR	2.2
1	B	44	ASN	2.2
1	E	184	ASN	2.2
1	F	95	GLY	2.2
1	A	17	VAL	2.2
1	C	315	LYS	2.2
1	D	14	ALA	2.2
1	E	22	LYS	2.2
1	C	223	ASP	2.2
1	D	51	GLY	2.2
1	F	4	LEU	2.2
1	C	58	VAL	2.2
1	D	245	VAL	2.2
1	A	104	GLU	2.2
1	B	93	GLU	2.2
1	F	259	TYR	2.2
1	C	210	LEU	2.2
1	D	15	ASP	2.2
1	F	102	LEU	2.2
1	B	19	VAL	2.2
1	A	286	GLU	2.2
1	C	253	GLU	2.2
1	D	45	TYR	2.2
1	B	315	LYS	2.2
1	B	250	GLY	2.2
1	B	103	SER	2.2
1	C	214	SER	2.2
1	D	12	LYS	2.1
1	A	54	GLY	2.1
1	D	247	GLY	2.1
1	A	114	VAL	2.1
1	D	28	ASP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	74	VAL	2.1
1	F	14	ALA	2.1
1	A	173	LYS	2.1
1	C	44	ASN	2.1
1	C	102	LEU	2.1
1	C	7	ALA	2.1
1	E	7	ALA	2.1
1	A	185	ARG	2.1
1	C	303	ARG	2.1
1	C	208	GLY	2.1
1	D	206	TYR	2.1
1	C	24	ILE	2.1
1	A	203	GLU	2.1
1	B	308	GLU	2.1
1	C	187	ALA	2.1
1	E	242	SER	2.1
1	E	185	ARG	2.1
1	E	253	GLU	2.1
1	F	150	GLU	2.0
1	D	228	LYS	2.0
1	A	210	LEU	2.0
1	B	318	LEU	2.0
1	B	55	GLY	2.0
1	C	241	GLY	2.0
1	D	36	ILE	2.0
1	E	321	ARG	2.0
1	C	27	GLU	2.0
1	B	215	LYS	2.0
1	A	249	THR	2.0
1	D	102	LEU	2.0
1	F	184	ASN	2.0
1	A	19	VAL	2.0
1	C	305	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.