



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 08:42 AM UTC

PDB ID : 6TTY / pdb_00006tty
Title : Structure of ClpP from Staphylococcus aureus (apo, closed state)
Authors : Malik, I.T.; Pereira, R.; Vielberg, M.-T.; Mayer, C.; Straetener, J.; Thomy, D.; Famulla, K.; Castro, H.C.; Sass, P.; Groll, M.; Broetz-Oesterheldt, H.
Deposited on : 2019-12-30
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtrriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION






The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.












Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	203	 92% • 6%
1	B	203	 91% • 6%
1	C	203	 85% 7% 8%
1	D	203	 89% • 6%
1	E	203	 90% • 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	203	 90% 6%
1	G	203	 88% 6% 6%
1	H	203	 85% 11% 6%
1	I	203	 4% 90% 8% 6%
1	J	203	 3% 89% 5% 6%
1	K	203	 1% 87% 6% 6%
1	L	203	 2% 92% 5% 6%
1	M	203	 2% 89% 6% 6%
1	N	203	 3% 88% 6% 6%

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 22646 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-dependent Clp protease proteolytic subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	191	1483	931	255	290	7	0	1	0
1	B	191	1480	930	254	289	7	0	1	0
1	C	187	1444	910	246	282	6	0	1	0
1	D	191	1478	928	254	290	6	0	1	0
1	E	190	1467	922	252	287	6	0	0	0
1	F	191	1481	935	249	290	7	0	1	0
1	G	191	1478	928	254	290	6	0	1	0
1	H	181	1400	884	236	274	6	0	1	0
1	I	199	1564	984	267	306	7	0	3	0
1	J	190	1475	928	252	288	7	0	2	0
1	K	190	1476	928	252	290	6	0	2	0
1	L	193	1502	948	256	292	6	0	1	0
1	M	190	1467	922	252	287	6	0	0	0
1	N	191	1478	928	254	290	6	0	1	0

There are 112 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	196	TRP	-	expression tag	UNP A0A077UUA2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	197	SER	-	expression tag	UNP A0A077UUA2
A	198	HIS	-	expression tag	UNP A0A077UUA2
A	199	PRO	-	expression tag	UNP A0A077UUA2
A	200	GLN	-	expression tag	UNP A0A077UUA2
A	201	PHE	-	expression tag	UNP A0A077UUA2
A	202	GLU	-	expression tag	UNP A0A077UUA2
A	203	LYS	-	expression tag	UNP A0A077UUA2
B	196	TRP	-	expression tag	UNP A0A077UUA2
B	197	SER	-	expression tag	UNP A0A077UUA2
B	198	HIS	-	expression tag	UNP A0A077UUA2
B	199	PRO	-	expression tag	UNP A0A077UUA2
B	200	GLN	-	expression tag	UNP A0A077UUA2
B	201	PHE	-	expression tag	UNP A0A077UUA2
B	202	GLU	-	expression tag	UNP A0A077UUA2
B	203	LYS	-	expression tag	UNP A0A077UUA2
C	196	TRP	-	expression tag	UNP A0A077UUA2
C	197	SER	-	expression tag	UNP A0A077UUA2
C	198	HIS	-	expression tag	UNP A0A077UUA2
C	199	PRO	-	expression tag	UNP A0A077UUA2
C	200	GLN	-	expression tag	UNP A0A077UUA2
C	201	PHE	-	expression tag	UNP A0A077UUA2
C	202	GLU	-	expression tag	UNP A0A077UUA2
C	203	LYS	-	expression tag	UNP A0A077UUA2
D	196	TRP	-	expression tag	UNP A0A077UUA2
D	197	SER	-	expression tag	UNP A0A077UUA2
D	198	HIS	-	expression tag	UNP A0A077UUA2
D	199	PRO	-	expression tag	UNP A0A077UUA2
D	200	GLN	-	expression tag	UNP A0A077UUA2
D	201	PHE	-	expression tag	UNP A0A077UUA2
D	202	GLU	-	expression tag	UNP A0A077UUA2
D	203	LYS	-	expression tag	UNP A0A077UUA2
E	196	TRP	-	expression tag	UNP A0A077UUA2
E	197	SER	-	expression tag	UNP A0A077UUA2
E	198	HIS	-	expression tag	UNP A0A077UUA2
E	199	PRO	-	expression tag	UNP A0A077UUA2
E	200	GLN	-	expression tag	UNP A0A077UUA2
E	201	PHE	-	expression tag	UNP A0A077UUA2
E	202	GLU	-	expression tag	UNP A0A077UUA2
E	203	LYS	-	expression tag	UNP A0A077UUA2
F	196	TRP	-	expression tag	UNP A0A077UUA2
F	197	SER	-	expression tag	UNP A0A077UUA2
F	198	HIS	-	expression tag	UNP A0A077UUA2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	199	PRO	-	expression tag	UNP A0A077UUA2
F	200	GLN	-	expression tag	UNP A0A077UUA2
F	201	PHE	-	expression tag	UNP A0A077UUA2
F	202	GLU	-	expression tag	UNP A0A077UUA2
F	203	LYS	-	expression tag	UNP A0A077UUA2
G	196	TRP	-	expression tag	UNP A0A077UUA2
G	197	SER	-	expression tag	UNP A0A077UUA2
G	198	HIS	-	expression tag	UNP A0A077UUA2
G	199	PRO	-	expression tag	UNP A0A077UUA2
G	200	GLN	-	expression tag	UNP A0A077UUA2
G	201	PHE	-	expression tag	UNP A0A077UUA2
G	202	GLU	-	expression tag	UNP A0A077UUA2
G	203	LYS	-	expression tag	UNP A0A077UUA2
H	196	TRP	-	expression tag	UNP A0A077UUA2
H	197	SER	-	expression tag	UNP A0A077UUA2
H	198	HIS	-	expression tag	UNP A0A077UUA2
H	199	PRO	-	expression tag	UNP A0A077UUA2
H	200	GLN	-	expression tag	UNP A0A077UUA2
H	201	PHE	-	expression tag	UNP A0A077UUA2
H	202	GLU	-	expression tag	UNP A0A077UUA2
H	203	LYS	-	expression tag	UNP A0A077UUA2
I	196	TRP	-	expression tag	UNP A0A077UUA2
I	197	SER	-	expression tag	UNP A0A077UUA2
I	198	HIS	-	expression tag	UNP A0A077UUA2
I	199	PRO	-	expression tag	UNP A0A077UUA2
I	200	GLN	-	expression tag	UNP A0A077UUA2
I	201	PHE	-	expression tag	UNP A0A077UUA2
I	202	GLU	-	expression tag	UNP A0A077UUA2
I	203	LYS	-	expression tag	UNP A0A077UUA2
J	196	TRP	-	expression tag	UNP A0A077UUA2
J	197	SER	-	expression tag	UNP A0A077UUA2
J	198	HIS	-	expression tag	UNP A0A077UUA2
J	199	PRO	-	expression tag	UNP A0A077UUA2
J	200	GLN	-	expression tag	UNP A0A077UUA2
J	201	PHE	-	expression tag	UNP A0A077UUA2
J	202	GLU	-	expression tag	UNP A0A077UUA2
J	203	LYS	-	expression tag	UNP A0A077UUA2
K	196	TRP	-	expression tag	UNP A0A077UUA2
K	197	SER	-	expression tag	UNP A0A077UUA2
K	198	HIS	-	expression tag	UNP A0A077UUA2
K	199	PRO	-	expression tag	UNP A0A077UUA2
K	200	GLN	-	expression tag	UNP A0A077UUA2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
K	201	PHE	-	expression tag	UNP A0A077UUA2
K	202	GLU	-	expression tag	UNP A0A077UUA2
K	203	LYS	-	expression tag	UNP A0A077UUA2
L	196	TRP	-	expression tag	UNP A0A077UUA2
L	197	SER	-	expression tag	UNP A0A077UUA2
L	198	HIS	-	expression tag	UNP A0A077UUA2
L	199	PRO	-	expression tag	UNP A0A077UUA2
L	200	GLN	-	expression tag	UNP A0A077UUA2
L	201	PHE	-	expression tag	UNP A0A077UUA2
L	202	GLU	-	expression tag	UNP A0A077UUA2
L	203	LYS	-	expression tag	UNP A0A077UUA2
M	196	TRP	-	expression tag	UNP A0A077UUA2
M	197	SER	-	expression tag	UNP A0A077UUA2
M	198	HIS	-	expression tag	UNP A0A077UUA2
M	199	PRO	-	expression tag	UNP A0A077UUA2
M	200	GLN	-	expression tag	UNP A0A077UUA2
M	201	PHE	-	expression tag	UNP A0A077UUA2
M	202	GLU	-	expression tag	UNP A0A077UUA2
M	203	LYS	-	expression tag	UNP A0A077UUA2
N	196	TRP	-	expression tag	UNP A0A077UUA2
N	197	SER	-	expression tag	UNP A0A077UUA2
N	198	HIS	-	expression tag	UNP A0A077UUA2
N	199	PRO	-	expression tag	UNP A0A077UUA2
N	200	GLN	-	expression tag	UNP A0A077UUA2
N	201	PHE	-	expression tag	UNP A0A077UUA2
N	202	GLU	-	expression tag	UNP A0A077UUA2
N	203	LYS	-	expression tag	UNP A0A077UUA2

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	145	Total O 145 145	0	0
2	B	138	Total O 138 138	0	0
2	C	134	Total O 134 134	0	0
2	D	140	Total O 140 140	0	0
2	E	138	Total O 138 138	0	0
2	F	139	Total O 139 139	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	G	145	Total 145	O 145	0	0
2	H	145	Total 145	O 145	0	0
2	I	138	Total 138	O 138	0	0
2	J	123	Total 123	O 123	0	0
2	K	142	Total 142	O 142	0	0
2	L	164	Total 164	O 164	0	0
2	M	131	Total 131	O 131	0	0
2	N	151	Total 151	O 151	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain A: 




- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain B: 




- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain C: 




- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain D: 




- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain E: 




- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain F:  90% 6%




• Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain G:  88% 6% 6%




• Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain H:  85% 11%




• Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain I:  4% 90% 8% 8%




• Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain J:  3% 89% 5% 6%




• Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain K:  1% 87% 6% 6%




• Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain L:  2% 92% 5%




- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain M:  2% 89% 6%



- Molecule 1: ATP-dependent Clp protease proteolytic subunit

Chain N:  3% 88% 6% 6%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	95.19Å 99.25Å 107.47Å 105.22° 101.27° 117.70°	Depositor
Resolution (Å)	30.00 – 1.90 30.00 – 1.90	Depositor EDS
% Data completeness (in resolution range)	87.4 (30.00-1.90) 87.4 (30.00-1.90)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.43 (at 1.91Å)	Xtrriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.173 , 0.217 0.174 , 0.221	Depositor DCC
R_{free} test set	10750 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	26.4	Xtrriage
Anisotropy	0.036	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 39.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.012 for -h,-k,h+k+l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	22646	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.20% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.73	1/1502 (0.1%)	0.88	0/2028
1	B	0.77	0/1502	0.92	1/2028 (0.0%)
1	C	0.67	0/1465	0.89	1/1978 (0.1%)
1	D	0.74	2/1500 (0.1%)	0.91	1/2026 (0.0%)
1	E	0.73	1/1486 (0.1%)	0.90	1/2007 (0.0%)
1	F	0.72	1/1504 (0.1%)	0.89	0/2031
1	G	0.78	4/1500 (0.3%)	0.92	1/2026 (0.0%)
1	H	0.68	0/1421	0.90	1/1918 (0.1%)
1	I	0.68	0/1594	0.90	2/2153 (0.1%)
1	J	0.71	2/1500 (0.1%)	0.91	1/2025 (0.0%)
1	K	0.67	0/1501	0.92	1/2027 (0.0%)
1	L	0.66	0/1527	0.91	2/2064 (0.1%)
1	M	0.67	1/1486 (0.1%)	0.92	1/2007 (0.0%)
1	N	0.72	1/1500 (0.1%)	0.93	1/2026 (0.0%)
All	All	0.71	13/20988 (0.1%)	0.91	14/28344 (0.0%)

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	142	HIS	C-O	-7.82	1.15	1.24
1	J	81	ILE	C-O	-6.43	1.16	1.24
1	D	143	ILE	C-O	-6.35	1.16	1.24
1	N	82	GLN	C-O	-6.06	1.17	1.24
1	J	24	LEU	C-O	-5.83	1.17	1.24
1	G	162	ILE	C-O	-5.59	1.17	1.24
1	G	83	HIS	C-O	-5.50	1.17	1.24
1	F	81	ILE	C-O	-5.28	1.18	1.24
1	A	83	HIS	C-O	-5.25	1.17	1.24
1	G	164	LYS	C-O	-5.21	1.18	1.24
1	E	141	ASN	C-O	-5.18	1.18	1.24
1	G	81	ILE	C-O	-5.13	1.18	1.24
1	M	190	MET	C-O	-5.04	1.17	1.24

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	J	83	HIS	N-CA-C	8.24	120.35	111.36
1	N	83	HIS	N-CA-C	7.50	119.54	111.36
1	E	83	HIS	N-CA-C	7.28	119.29	111.36
1	K	14	GLY	N-CA-C	7.12	119.40	111.85
1	M	14	GLY	N-CA-C	6.84	119.79	110.69
1	I	84	ILE	N-CA-C	6.25	117.28	110.21
1	L	83	HIS	N-CA-C	6.22	118.14	111.36
1	C	84	ILE	N-CA-C	6.14	117.97	109.80
1	B	83	HIS	N-CA-C	5.87	117.68	111.28
1	G	83	HIS	N-CA-C	5.84	117.65	111.28
1	D	83	HIS	N-CA-C	5.40	117.25	111.36
1	L	84	ILE	N-CA-C	5.40	116.98	109.80
1	I	83	HIS	N-CA-C	5.31	117.15	111.36
1	H	83	HIS	N-CA-C	5.00	116.81	111.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1483	0	1499	3	0
1	B	1480	0	1500	4	0
1	C	1444	0	1462	10	0
1	D	1478	0	1496	7	0
1	E	1467	0	1485	4	0
1	F	1481	0	1500	5	0
1	G	1478	0	1496	9	0
1	H	1400	0	1418	3	0
1	I	1564	0	1570	9	0
1	J	1475	0	1499	7	0
1	K	1476	0	1496	7	0
1	L	1502	0	1517	4	0
1	M	1467	0	1485	5	0
1	N	1478	0	1496	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	145	0	0	1	0
2	B	138	0	0	1	0
2	C	134	0	0	1	0
2	D	140	0	0	1	0
2	E	138	0	0	1	0
2	F	139	0	0	0	0
2	G	145	0	0	1	0
2	H	145	0	0	1	0
2	I	138	0	0	4	0
2	J	123	0	0	1	0
2	K	142	0	0	1	0
2	L	164	0	0	1	0
2	M	131	0	0	2	0
2	N	151	0	0	1	0
All	All	22646	0	20919	70	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (70) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:89:GLN:HG3	1:D:111:LYS:HB3	1.53	0.91
1:H:93:ILE:HG22	1:H:115:LEU:HD12	1.64	0.79
1:M:93:ILE:HG22	1:M:115:LEU:HD12	1.68	0.74
1:G:134:THR:HG21	2:L:302:HOH:O	1.88	0.72
1:N:71:VAL:HG22	1:N:99:MET:HE3	1.72	0.72
1:D:71:VAL:HG22	1:D:99:MET:HE3	1.73	0.71
1:J:10:THR:O	1:J:10:THR:HG23	1.89	0.70
1:L:71:VAL:HG22	1:L:99:MET:HE3	1.74	0.69
1:F:71:VAL:HG22	1:F:99:MET:HE3	1.76	0.68
1:G:71:VAL:HG22	1:G:99:MET:HE3	1.78	0.66
1:K:71:VAL:HG22	1:K:99:MET:HE3	1.76	0.66
1:G:95:MET:HG3	2:G:385:HOH:O	1.96	0.66
1:C:79:ASP:HB3	1:D:115:LEU:HD23	1.78	0.65
1:G:93:ILE:HG22	1:G:115:LEU:HD12	1.78	0.65
1:I:95[A]:MET:SD	2:I:302:HOH:O	2.56	0.63
1:F:93:ILE:HG22	1:F:115:LEU:HD12	1.80	0.62
1:G:155:SER:CB	1:G:162:ILE:HD12	2.30	0.62
1:F:134:THR:HG21	2:M:301:HOH:O	2.00	0.61
1:A:134:THR:HG21	2:K:302:HOH:O	2.00	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:93:ILE:HG22	1:E:115:LEU:HD12	1.84	0.59
1:I:79:ASP:HB3	1:J:115:LEU:HD13	1.89	0.55
2:B:302:HOH:O	1:J:134:THR:HG21	2.06	0.54
2:A:305:HOH:O	1:K:134:THR:HG21	2.08	0.54
1:J:10:THR:O	1:J:10:THR:CG2	2.53	0.54
1:B:93:ILE:HG22	1:B:115:LEU:HD12	1.89	0.54
1:C:134:THR:HG21	2:I:306:HOH:O	2.08	0.53
1:I:71:VAL:HG22	1:I:99:MET:HE3	1.90	0.53
2:I:403:HOH:O	1:J:31:MET:HB3	2.07	0.53
1:I:95[A]:MET:HE2	1:I:97:ALA:HB2	1.91	0.53
1:K:93:ILE:HG22	1:K:115:LEU:HD12	1.91	0.52
1:E:134:THR:HG21	2:N:315:HOH:O	2.10	0.52
1:J:93:ILE:HG22	1:J:115:LEU:HD12	1.92	0.51
1:L:192:PRO:O	1:L:195:LYS:HB2	2.10	0.51
1:A:93:ILE:HG22	1:A:115:LEU:HD12	1.93	0.51
1:D:134:THR:HG23	2:D:301:HOH:O	2.10	0.50
1:B:71:VAL:HG22	1:B:99:MET:HE3	1.94	0.50
2:E:303:HOH:O	1:N:134:THR:HG21	2.14	0.48
1:H:8:ILE:HG22	1:H:9:GLU:HG3	1.95	0.48
1:I:42:ASN:HB3	2:I:403:HOH:O	2.12	0.48
1:N:93:ILE:HG22	1:N:115:LEU:HD12	1.96	0.48
1:C:93:ILE:HG22	1:C:115:LEU:HD12	1.96	0.47
1:L:79:ASP:HB3	1:M:115:LEU:HD13	1.96	0.47
1:G:155:SER:HB2	1:G:162:ILE:HD12	1.97	0.47
1:F:79:ASP:HB3	1:G:115:LEU:HD13	1.96	0.47
1:I:52:GLN:HG3	1:I:86:PRO:HD3	1.97	0.46
1:H:76:ALA:HB1	1:I:93:ILE:HD12	1.96	0.46
1:N:10:THR:HG22	1:N:15:GLU:HB3	1.97	0.46
1:N:78:TYR:O	1:N:82:GLN:HG2	2.16	0.45
1:B:50:PHE:CE1	1:C:23:ARG:HG2	2.52	0.45
1:D:134:THR:HG21	2:H:302:HOH:O	2.16	0.45
1:C:142:HIS:HD2	2:C:414:HOH:O	2.00	0.44
1:I:154:LEU:HD23	1:I:165:ILE:HD12	2.00	0.44
1:K:105:ALA:O	1:K:157:ARG:HD2	2.17	0.43
1:F:142:HIS:HE1	1:G:119:GLU:OE1	2.01	0.43
1:J:142:HIS:HD2	2:J:415:HOH:O	2.00	0.43
1:M:31:MET:HE2	2:M:416:HOH:O	2.18	0.43
1:B:79:ASP:HB3	1:C:115:LEU:HD13	2.01	0.42
1:I:40:VAL:O	1:I:44:ILE:HG12	2.19	0.42
1:D:83:HIS:CE1	1:E:190:MET:HE3	2.54	0.42
1:M:65:ASN:HB2	1:M:93:ILE:HG13	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:56:SER:HB2	1:E:85:LYS:HD2	2.01	0.41
1:C:16:ARG:NH2	1:D:4:ILE:O	2.44	0.41
1:K:4:ILE:HD12	1:K:21:TYR:HE2	1.85	0.41
1:C:28:ARG:HG2	1:C:51:LEU:HD22	2.02	0.41
1:C:106:ALA:HA	1:C:157:ARG:HD2	2.03	0.41
1:K:85:LYS:HA	1:L:195:LYS:HD3	2.03	0.41
1:A:115:LEU:HD13	1:G:79:ASP:HB3	2.03	0.41
1:C:113:PHE:HB3	1:C:190:MET:HG3	2.03	0.40
1:K:4:ILE:CG2	1:K:20:ILE:HG22	2.52	0.40
1:M:11:THR:HG23	1:M:13:ARG:H	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	190/203 (94%)	188 (99%)	2 (1%)	0	100	100
1	B	190/203 (94%)	187 (98%)	3 (2%)	0	100	100
1	C	184/203 (91%)	180 (98%)	4 (2%)	0	100	100
1	D	190/203 (94%)	186 (98%)	4 (2%)	0	100	100
1	E	188/203 (93%)	186 (99%)	2 (1%)	0	100	100
1	F	188/203 (93%)	184 (98%)	4 (2%)	0	100	100
1	G	190/203 (94%)	186 (98%)	4 (2%)	0	100	100
1	H	178/203 (88%)	173 (97%)	5 (3%)	0	100	100
1	I	200/203 (98%)	196 (98%)	3 (2%)	1 (0%)	24	16
1	J	190/203 (94%)	185 (97%)	5 (3%)	0	100	100
1	K	190/203 (94%)	185 (97%)	5 (3%)	0	100	100
1	L	190/203 (94%)	186 (98%)	4 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	M	188/203 (93%)	186 (99%)	2 (1%)	0	100	100
1	N	190/203 (94%)	183 (96%)	6 (3%)	1 (0%)	24	16
All	All	2646/2842 (93%)	2591 (98%)	53 (2%)	2 (0%)	48	40

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	I	12	ASN
1	N	3	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	160/171 (94%)	160 (100%)	0	100	100
1	B	160/171 (94%)	159 (99%)	1 (1%)	78	81
1	C	156/171 (91%)	156 (100%)	0	100	100
1	D	160/171 (94%)	158 (99%)	2 (1%)	61	61
1	E	158/171 (92%)	158 (100%)	0	100	100
1	F	161/171 (94%)	161 (100%)	0	100	100
1	G	160/171 (94%)	159 (99%)	1 (1%)	78	81
1	H	152/171 (89%)	150 (99%)	2 (1%)	61	61
1	I	170/171 (99%)	170 (100%)	0	100	100
1	J	160/171 (94%)	159 (99%)	1 (1%)	78	81
1	K	160/171 (94%)	159 (99%)	1 (1%)	78	81
1	L	163/171 (95%)	163 (100%)	0	100	100
1	M	158/171 (92%)	157 (99%)	1 (1%)	78	81
1	N	160/171 (94%)	158 (99%)	2 (1%)	61	61
All	All	2238/2394 (94%)	2227 (100%)	11 (0%)	81	84

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	99	MET
1	D	89	GLN
1	D	157	ARG
1	G	162	ILE
1	H	4	ILE
1	H	189	VAL
1	J	4	ILE
1	K	26	LYS
1	M	95	MET
1	N	39	ASN
1	N	189	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	151	ASN
1	C	42	ASN
1	C	117	ASN
1	D	2	ASN
1	D	65	ASN
1	E	39	ASN
1	E	151	ASN
1	F	42	ASN
1	F	54	GLN
1	F	142	HIS
1	F	151	ASN
1	G	54	GLN
1	G	65	ASN
1	H	117	ASN
1	H	151	ASN
1	H	166	GLN
1	I	12	ASN
1	I	42	ASN
1	I	82	GLN
1	I	151	ASN
1	I	166	GLN
1	I	200	GLN
1	K	151	ASN
1	L	42	ASN
1	L	54	GLN
1	M	54	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	M	65	ASN
1	M	82	GLN
1	M	117	ASN
1	N	151	ASN
1	N	166	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	191/203 (94%)	-0.24	0 100 100	13, 24, 37, 44	1 (0%)
1	B	191/203 (94%)	-0.28	2 (1%) 79 82	16, 24, 36, 45	1 (0%)
1	C	187/203 (92%)	-0.21	2 (1%) 78 80	16, 25, 38, 48	1 (0%)
1	D	191/203 (94%)	-0.20	2 (1%) 79 82	16, 24, 44, 68	1 (0%)
1	E	190/203 (93%)	-0.27	1 (0%) 87 89	17, 24, 34, 45	0
1	F	191/203 (94%)	-0.21	1 (0%) 87 89	15, 24, 37, 64	1 (0%)
1	G	191/203 (94%)	-0.31	0 100 100	15, 24, 35, 47	1 (0%)
1	H	181/203 (89%)	-0.38	1 (0%) 85 87	15, 21, 33, 44	1 (0%)
1	I	199/203 (98%)	-0.07	8 (4%) 42 45	11, 24, 52, 97	3 (1%)
1	J	190/203 (93%)	-0.11	6 (3%) 50 54	17, 25, 44, 91	2 (1%)
1	K	190/203 (93%)	-0.30	2 (1%) 78 80	13, 24, 37, 59	2 (1%)
1	L	193/203 (95%)	-0.19	4 (2%) 63 67	15, 24, 37, 56	1 (0%)
1	M	190/203 (93%)	-0.23	5 (2%) 57 61	19, 25, 43, 83	0
1	N	191/203 (94%)	-0.12	7 (3%) 45 48	15, 25, 49, 95	1 (0%)
All	All	2666/2842 (93%)	-0.22	41 (1%) 72 75	11, 24, 40, 97	16 (0%)

All (41) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	K	3	LEU	5.2
1	L	2	ASN	5.0
1	N	2	ASN	4.7
1	E	3	LEU	4.4
1	J	11	THR	4.2
1	M	14	GLY	3.8
1	H	4	ILE	3.8
1	N	3	LEU	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	N	11	THR	3.6
1	M	3	LEU	3.6
1	J	10	THR	3.5
1	D	3	LEU	3.5
1	L	11	THR	3.5
1	N	14	GLY	3.3
1	N	12	ASN	3.3
1	F	196	TRP	3.3
1	L	199	PRO	3.2
1	I	13	ARG	3.2
1	J	3	LEU	3.0
1	C	16	ARG	2.8
1	I	17	ALA	2.7
1	J	14	GLY	2.7
1	M	191	VAL	2.7
1	I	196	TRP	2.7
1	N	13	ARG	2.7
1	M	13	ARG	2.6
1	J	15	GLU	2.6
1	B	2	ASN	2.5
1	M	11	THR	2.5
1	J	13	ARG	2.5
1	I	11	THR	2.4
1	B	3	LEU	2.4
1	K	13	ARG	2.4
1	I	12	ASN	2.3
1	L	198	HIS	2.3
1	N	10	THR	2.3
1	I	15	GLU	2.2
1	D	4	ILE	2.2
1	I	10	THR	2.2
1	I	8	ILE	2.2
1	C	23	ARG	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.