



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 02:50 PM UTC

PDB ID : 7TTF / pdb_00007ttf
Title : Tubulin-RB3_SLD in complex with compound 12k
Authors : White, S.W.; Yun, M.
Deposited on : 2022-02-01
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	438	2% 84% 13% .
1	C	438	3% 85% 11% ..
2	B	433	2% 90% 7% ..
2	D	433	2% 87% 12%
3	E	143	3% 79% 7% 14%

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 14849 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	425	Total	C	N	O	S	0	0	0
			3326	2108	565	631	22			
1	C	427	Total	C	N	O	S	0	0	0
			3343	2118	568	635	22			

- Molecule 2 is a protein called Tubulin beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	423	Total	C	N	O	S	0	0	0
			3319	2086	565	641	27			
2	D	431	Total	C	N	O	S	0	1	0
			3376	2117	576	656	27			

- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	123	Total	C	N	O	S	0	0	0
			1010	626	184	197	3			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
E	3	MET	-	initiating methionine	UNP P63043
E	4	ALA	-	expression tag	UNP P63043
E	14	ALA	CYS	engineered mutation	UNP P63043
E	20	TRP	PHE	engineered mutation	UNP P63043

- Molecule 4 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 32	C 10	N 5	O 14	P 3	0	0
4	C	1	Total 32	C 10	N 5	O 14	P 3	0	0
4	D	1	Total 32	C 10	N 5	O 14	P 3	0	0

- Molecule 5 is SULFATE ION (CCD ID: SO4) (formula: O_4S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	D	1	Total	O	S	0	0
			5	4	1		
5	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	B	1	Total	C	N	O	P	0	0
			28	10	5	11	2		

- Molecule 7 is 7-methoxy-4-[2-(methylamino)-6,7-dihydro-5H-cyclopenta[d]pyrimidin-4-yl]-3,4-dihydroquinoxalin-2(1H)-one (CCD ID: JV9) (formula: $C_{17}H_{19}N_5O_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	B	1	Total	C	N	O	0	0
			24	17	5	2		
7	D	1	Total	C	N	O	0	0
			24	17	5	2		

- Molecule 8 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 9 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	C	1	Total 1	Mg 1	0	0


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	80	Total 80	O 80	0	0
10	B	49	Total 49	O 49	0	0
10	C	57	Total 57	O 57	0	0
10	D	62	Total 62	O 62	0	0
10	E	13	Total 13	O 13	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tubulin alpha-1B chain




- Molecule 1: Tubulin alpha-1B chain




- Molecule 2: Tubulin beta chain



● Molecule 2: Tubulin beta chain



● Molecule 3: Stathmin-4



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	65.69Å 126.41Å 250.06Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.55 – 2.10 45.55 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.9 (45.55-2.10) 100.0 (45.55-2.10)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.68 (at 2.10Å)	Xtriage
Refinement program	PHENIX 1.14_3260	Depositor
R, R_{free}	0.194 , 0.238 0.193 , 0.235	Depositor DCC
R_{free} test set	6004 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	37.5	Xtriage
Anisotropy	0.824	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 50.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	14849	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: JV9, SO4, GDP, GOL, MG, GTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/3400	0.51	0/4615
1	C	0.31	0/3417	0.51	0/4637
2	B	0.33	0/3391	0.51	0/4592
2	D	0.34	0/3453	0.53	0/4679
3	E	0.24	0/1021	0.40	0/1357
All	All	0.32	0/14682	0.51	0/19880

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3326	0	3242	36	0
1	C	3343	0	3262	33	0
2	B	3319	0	3202	20	0
2	D	3376	0	3238	36	0
3	E	1010	0	1019	8	0
4	A	32	0	12	0	0
4	C	32	0	12	0	0
4	D	32	0	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	10	0	0	0	0
5	B	15	0	0	0	0
5	D	10	0	0	0	0
6	B	28	0	12	0	0
7	B	24	0	0	0	0
7	D	24	0	0	0	0
8	B	6	0	8	0	0
9	C	1	0	0	0	0
10	A	80	0	0	2	0
10	B	49	0	0	0	0
10	C	57	0	0	0	0
10	D	62	0	0	0	0
10	E	13	0	0	0	0
All	All	14849	0	14019	124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:1:MET:N	2:D:129:CYS:SG	2.47	0.86
1:A:209:ILE:HG23	1:A:230:LEU:HD23	1.73	0.70
1:A:133:GLN:OE1	1:A:251:ASP:HB2	1.93	0.69
1:C:269:LEU:HD12	1:C:384:ILE:HD12	1.75	0.69
1:A:30:ILE:HG12	1:A:36:MET:HE2	1.76	0.66
2:B:293:MET:HE3	2:B:313:VAL:HG11	1.78	0.65
1:C:271:THR:HG22	1:C:301:GLN:HA	1.78	0.65
2:D:42:LEU:HD23	2:D:243:PRO:HG2	1.79	0.63
2:D:310:TYR:CE1	2:D:367:PHE:HZ	2.17	0.63
2:D:170:MET:HE2	2:D:377:LEU:HD21	1.81	0.62
2:D:170:MET:HG3	2:D:377:LEU:HD11	1.80	0.61
1:C:169:PHE:HE2	1:C:238:ILE:HD12	1.66	0.61
2:D:293:MET:HE3	2:D:367:PHE:HB2	1.82	0.60
2:B:1:MET:N	2:B:129:CYS:SG	2.64	0.60
1:C:133:GLN:HE22	1:C:242:LEU:HD23	1.65	0.59
1:C:213:CYS:HA	1:C:217:LEU:HD12	1.84	0.59
2:D:263:LEU:HD21	2:D:421:GLU:HG3	1.83	0.59
2:B:1:MET:HG3	2:B:131:GLN:HG3	1.85	0.57
1:C:320:ARG:HA	1:C:356:ASN:O	2.05	0.56
2:D:60:VAL:HG11	2:D:86:ARG:HG3	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:97:GLU:HG3	2:D:1:MET:HG2	1.88	0.55
1:C:406:HIS:CG	2:D:261:PRO:HD3	2.42	0.54
1:A:90:GLU:H	1:A:90:GLU:CD	2.16	0.54
1:A:278:ALA:HA	1:A:369:ALA:HB2	1.90	0.54
1:C:274:PRO:HB3	1:C:286:LEU:HD12	1.89	0.53
2:D:134:GLN:HA	2:D:165:ASN:O	2.09	0.53
2:B:292:GLN:HG2	2:B:298:ASN:CG	2.35	0.52
1:A:158:SER:OG	1:A:166:LYS:NZ	2.32	0.51
1:A:76:ASP:HA	1:A:79:ARG:HG2	1.91	0.51
1:C:71:GLU:HB2	1:C:98:ASP:HB3	1.93	0.51
1:A:70:LEU:HD21	1:A:114:ILE:HD13	1.93	0.51
2:D:169:VAL:HA	2:D:202:ILE:O	2.11	0.50
1:A:265:ILE:HG21	1:A:313:MET:HE1	1.93	0.50
1:C:278:ALA:HA	1:C:369:ALA:HB2	1.93	0.50
1:A:346:TRP:CD1	1:A:346:TRP:H	2.29	0.49
1:A:105:ARG:HD2	10:A:645:HOH:O	2.12	0.49
1:C:247:ALA:HB2	1:C:357:TYR:HE2	1.78	0.49
2:D:299:MET:HE3	2:D:305:PRO:HG3	1.95	0.49
1:C:210:TYR:CE1	1:C:222:PRO:HD2	2.48	0.49
1:C:217:LEU:HD21	1:C:368:LEU:HD23	1.94	0.49
1:C:166:LYS:HE2	1:C:197:HIS:O	2.13	0.48
2:B:267:MET:HG2	2:B:374:ILE:HD13	1.95	0.48
2:D:64:ILE:HD13	2:D:120:VAL:HG22	1.95	0.48
1:A:319:TYR:HB3	1:A:323:VAL:HG21	1.95	0.48
2:D:104:GLY:O	2:D:109:GLY:HA3	2.14	0.47
2:D:117:LEU:O	2:D:121:ARG:HG3	2.14	0.47
2:B:290:THR:HG22	2:B:333:VAL:HG21	1.96	0.47
1:C:209:ILE:HG22	1:C:227:LEU:HD22	1.95	0.47
2:D:293:MET:HE3	2:D:367:PHE:HD2	1.79	0.47
2:B:331:LEU:HD12	2:B:331:LEU:HA	1.79	0.47
1:A:217:LEU:HD21	1:A:368:LEU:HD23	1.96	0.46
2:B:169:VAL:HA	2:B:202:ILE:O	2.16	0.46
1:A:204:VAL:HG11	1:A:231:ILE:HG12	1.97	0.46
2:D:40:SER:OG	2:D:42:LEU:HB2	2.16	0.46
3:E:55:GLU:O	3:E:59:GLU:HG2	2.15	0.46
1:A:25:CYS:SG	1:A:86:LEU:HD11	2.56	0.45
2:B:36:TYR:CD1	2:B:44:LEU:HD21	2.51	0.45
1:A:336:LYS:HD3	3:E:24:LEU:HD13	1.98	0.45
2:D:395:LEU:HD23	2:D:395:LEU:HA	1.85	0.45
1:A:192:HIS:CG	1:A:421:ALA:HA	2.52	0.45
1:A:234:ILE:HD12	1:A:272:TYR:HB2	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:244:PHE:CG	1:A:358:GLN:HG3	2.52	0.45
1:A:167:LEU:HG	1:A:200:CYS:HB3	1.98	0.44
1:A:210:TYR:CZ	1:A:222:PRO:HD2	2.52	0.44
1:C:133:GLN:NE2	1:C:242:LEU:HD23	2.33	0.44
2:D:290:THR:HG22	2:D:333:VAL:HG11	2.00	0.44
1:A:214:ARG:HG2	1:A:219:ILE:O	2.18	0.44
2:B:11:GLN:HG3	2:B:72:THR:HG21	2.00	0.44
1:C:401:LYS:HG3	2:D:344:TRP:CE3	2.52	0.44
2:D:152:ILE:HG23	2:D:164:MET:HG2	2.00	0.44
2:B:94:GLN:CD	1:C:1:MET:HE3	2.43	0.43
2:D:392:LYS:HB3	2:D:395:LEU:HD12	2.00	0.43
1:A:133:GLN:HE22	1:A:251:ASP:HA	1.83	0.43
1:A:213:CYS:O	1:A:217:LEU:HB2	2.17	0.43
2:B:94:GLN:O	1:C:2:ARG:HD2	2.18	0.43
2:D:106:TYR:OH	2:D:407:GLU:OE2	2.36	0.43
2:B:94:GLN:HG3	1:C:1:MET:HG2	2.00	0.43
1:C:252:LEU:HD23	1:C:252:LEU:HA	1.80	0.43
2:D:163:ILE:HG21	2:D:250:LEU:HB3	1.99	0.43
3:E:140:LYS:HE2	3:E:140:LYS:HB3	1.70	0.43
2:B:6:HIS:CD2	2:B:21:TRP:HE1	2.37	0.43
2:B:67:ASP:O	2:B:92:PHE:HA	2.18	0.43
1:A:253:THR:HG23	10:A:654:HOH:O	2.19	0.43
1:A:36:MET:HE1	1:A:49:PHE:CE2	2.54	0.42
1:C:241:SER:HB3	1:C:250:VAL:H	1.84	0.42
2:B:290:THR:HG23	2:B:330:MET:SD	2.59	0.42
1:A:245:ASP:HB3	3:E:15:THR:CG2	2.49	0.42
1:C:306:ASP:O	1:C:309:HIS:HB2	2.19	0.42
1:C:187:SER:HB3	1:C:391:LEU:HD21	2.01	0.42
1:C:370:LYS:NZ	1:C:372:GLN:OE1	2.53	0.42
1:A:76:ASP:OD1	1:A:79:ARG:HD2	2.19	0.42
1:A:167:LEU:HD23	1:A:202:PHE:HE2	1.85	0.42
1:A:348:PRO:HB3	3:E:27:PRO:HD3	2.01	0.42
2:B:245:GLN:H	2:B:245:GLN:HG2	1.71	0.41
2:D:80:PRO:O	2:D:81:PHE:HB2	2.19	0.41
2:B:396:HIS:CE1	2:B:397:TRP:CE2	3.07	0.41
2:B:104:GLY:O	2:B:109:GLY:HA3	2.20	0.41
1:C:205:ASP:CB	1:C:303:VAL:HA	2.50	0.41
2:B:272:PRO:HD3	2:B:284:LEU:HD11	2.02	0.41
2:D:143:THR:HG23	2:D:147:MET:HE2	2.03	0.41
2:D:267:MET:HE3	2:D:267:MET:HB2	1.91	0.41
1:A:21:TRP:CE3	1:A:63:PRO:HB3	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:115:ILE:HD13	1:C:152:LEU:HG	2.03	0.41
1:C:266:HIS:O	1:C:266:HIS:CD2	2.74	0.41
1:C:308:ARG:HE	1:C:308:ARG:HB2	1.76	0.41
1:A:36:MET:HE3	1:A:61:HIS:CD2	2.56	0.41
2:D:293:MET:HG2	2:D:367:PHE:HB2	2.03	0.41
1:A:21:TRP:CZ3	1:A:63:PRO:HB3	2.56	0.41
2:D:81:PHE:O	2:D:84:ILE:HG22	2.21	0.41
2:D:179:VAL:HG21	2:D:394:PHE:CZ	2.56	0.41
2:D:289:LEU:HD12	2:D:363:MET:HE3	2.02	0.41
2:D:293:MET:HB3	2:D:293:MET:HE2	1.80	0.41
1:C:106:GLY:O	1:C:111:GLY:HA3	2.22	0.40
1:C:231:ILE:O	1:C:235:VAL:HG23	2.21	0.40
2:D:140:GLY:O	2:D:181:GLU:HG2	2.21	0.40
1:A:69:ASP:O	1:A:94:THR:HA	2.21	0.40
1:C:23:LEU:HA	1:C:23:LEU:HD12	1.85	0.40
3:E:128:LYS:HD2	3:E:128:LYS:HA	1.85	0.40
1:A:2:ARG:HB3	1:A:133:GLN:NE2	2.37	0.40
2:D:1:MET:SD	2:D:131:GLN:HA	2.61	0.40
3:E:58:GLU:O	3:E:62:LYS:HG3	2.21	0.40
1:A:8:HIS:HB3	1:A:13:GLY:O	2.21	0.40
2:D:145:SER:HB2	2:D:188:SER:OG	2.22	0.40
3:E:76:ARG:HA	3:E:76:ARG:HD3	1.95	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	419/438 (96%)	409 (98%)	10 (2%)	0	100	100
1	C	421/438 (96%)	415 (99%)	6 (1%)	0	100	100
2	B	419/433 (97%)	409 (98%)	9 (2%)	1 (0%)	43	44

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	D	430/433 (99%)	421 (98%)	9 (2%)	0	100	100
3	E	119/143 (83%)	119 (100%)	0	0	100	100
All	All	1808/1885 (96%)	1773 (98%)	34 (2%)	1 (0%)	48	50

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	175	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	359/369 (97%)	357 (99%)	2 (1%)	78	86
1	C	361/369 (98%)	357 (99%)	4 (1%)	65	74
2	B	364/374 (97%)	360 (99%)	4 (1%)	65	74
2	D	369/374 (99%)	367 (100%)	2 (0%)	81	88
3	E	107/126 (85%)	107 (100%)	0	100	100
All	All	1560/1612 (97%)	1548 (99%)	12 (1%)	73	81

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	256	GLN
2	B	69	GLU
2	B	72	THR
2	B	292	GLN
2	B	333	VAL
1	C	48	SER
1	C	71	GLU
1	C	241	SER
1	C	269	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	72	THR
2	D	293	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	GLN
1	A	15	GLN
1	A	31	GLN
1	A	256	GLN
2	B	11	GLN
2	B	89	ASN
2	B	94	GLN
2	B	227	HIS
2	B	335	ASN
2	B	426	GLN
1	C	61	HIS
1	C	393	HIS
1	C	406	HIS
2	D	11	GLN
2	D	83	GLN
2	D	134	GLN
2	D	195	ASN
3	E	18	GLN
3	E	64	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 15 ligands modelled in this entry, 1 is monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GTP	C	501	9	33,34,34	0.90	1 (3%)	50,54,54	1.72	10 (20%)
8	GOL	B	506	-	5,5,5	0.68	0	5,5,5	1.23	0
5	SO4	B	505	-	4,4,4	0.20	0	6,6,6	0.44	0
6	GDP	B	501	-	29,30,30	1.07	2 (6%)	45,47,47	1.65	9 (20%)
5	SO4	D	504	-	4,4,4	0.26	0	6,6,6	0.18	0
7	JV9	B	502	-	27,27,27	3.52	10 (37%)	35,39,39	2.62	13 (37%)
5	SO4	B	503	-	4,4,4	0.25	0	6,6,6	0.09	0
4	GTP	A	501	-	33,34,34	1.01	1 (3%)	50,54,54	1.58	8 (16%)
5	SO4	A	503	-	4,4,4	0.26	0	6,6,6	0.35	0
5	SO4	A	502	-	4,4,4	0.23	0	6,6,6	0.09	0
5	SO4	B	504	-	4,4,4	0.22	0	6,6,6	0.07	0
5	SO4	D	503	-	4,4,4	0.24	0	6,6,6	0.06	0
4	GTP	D	501	-	33,34,34	0.85	1 (3%)	50,54,54	1.67	11 (22%)
7	JV9	D	502	-	27,27,27	3.38	9 (33%)	35,39,39	2.33	13 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GTP	C	501	9	-	6/22/38/38	0/3/3/3
8	GOL	B	506	-	-	0/4/4/4	-
6	GDP	B	501	-	-	6/16/32/32	0/3/3/3
7	JV9	B	502	-	-	2/7/26/26	0/4/4/4
4	GTP	A	501	-	-	2/22/38/38	0/3/3/3
7	JV9	D	502	-	-	2/7/26/26	0/4/4/4
4	GTP	D	501	-	-	6/22/38/38	0/3/3/3

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	502	JV9	C07-N08	11.09	1.43	1.34
7	D	502	JV9	C02-N24	8.76	1.45	1.35
7	D	502	JV9	C07-N08	8.73	1.41	1.34
7	D	502	JV9	C05-N04	7.95	1.48	1.37
7	B	502	JV9	C05-N04	7.11	1.47	1.37
7	B	502	JV9	C02-N24	7.05	1.43	1.35
7	D	502	JV9	C23-N24	5.02	1.48	1.39
7	B	502	JV9	C15-C11	4.91	1.54	1.50
7	B	502	JV9	C23-N24	4.83	1.48	1.39
7	B	502	JV9	C16-N04	4.32	1.47	1.40
7	D	502	JV9	C15-C11	4.09	1.53	1.50
7	D	502	JV9	C03-C02	3.81	1.56	1.51
7	B	502	JV9	C03-C02	3.66	1.56	1.51
6	B	501	GDP	PB-O1B	3.28	1.60	1.50
7	D	502	JV9	C16-N04	3.08	1.45	1.40
6	B	501	GDP	PA-O1A	2.64	1.60	1.50
7	D	502	JV9	O01-C02	-2.44	1.18	1.23
7	D	502	JV9	C13-C12	2.13	1.55	1.51
7	B	502	JV9	C22-C23	2.12	1.42	1.39
4	A	501	GTP	C6-N1	-2.10	1.34	1.38
7	B	502	JV9	C13-C12	2.10	1.55	1.51
4	C	501	GTP	C6-N1	-2.08	1.35	1.38
7	B	502	JV9	O01-C02	-2.07	1.19	1.23
4	D	501	GTP	PG-O2G	2.01	1.62	1.54

All (64) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	502	JV9	C09-N08-C07	-7.34	114.74	123.59
7	B	502	JV9	C14-C15-C11	6.10	108.18	103.84
4	C	501	GTP	C5-C4-N3	-5.52	119.60	128.39
7	D	502	JV9	C09-N08-C07	-5.43	117.04	123.59
4	D	501	GTP	C5-C4-N3	-5.41	119.78	128.39
4	C	501	GTP	C2-N3-C4	5.09	121.07	112.30
4	D	501	GTP	C2-N3-C4	4.95	120.82	112.30
4	A	501	GTP	C5-C4-N3	-4.93	120.54	128.39
7	B	502	JV9	C15-C11-N10	4.83	129.53	123.41
4	A	501	GTP	C2-N3-C4	4.81	120.59	112.30
6	B	501	GDP	C5-C4-N3	-4.81	120.73	128.39
7	D	502	JV9	N08-C07-N06	4.58	121.36	116.96
6	B	501	GDP	C2-N3-C4	4.45	119.97	112.30
7	D	502	JV9	C15-C11-N10	4.37	128.94	123.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	502	JV9	N10-C07-N06	-4.26	119.28	126.26
7	D	502	JV9	C23-N24-C02	-4.24	119.38	124.45
4	C	501	GTP	N9-C4-N3	4.12	134.19	125.95
4	D	501	GTP	N9-C4-N3	4.09	134.13	125.95
4	A	501	GTP	N9-C4-N3	4.07	134.08	125.95
7	D	502	JV9	C14-C15-C11	4.01	106.69	103.84
6	B	501	GDP	N9-C4-N3	3.76	133.46	125.95
7	B	502	JV9	N08-C07-N10	3.64	120.46	116.96
7	D	502	JV9	C12-C11-N10	-3.51	121.52	125.50
7	B	502	JV9	N08-C07-N06	3.43	120.26	116.96
7	B	502	JV9	C12-C11-N10	-3.36	121.69	125.50
4	C	501	GTP	O2B-PB-O3B	3.17	115.84	107.27
7	B	502	JV9	C14-C13-C12	3.14	107.51	103.57
7	D	502	JV9	N10-C07-N06	-3.13	121.13	126.26
7	B	502	JV9	C16-N04-C05	3.08	124.89	119.21
4	C	501	GTP	C8-N7-C5	3.05	109.69	104.26
7	B	502	JV9	C15-C11-C12	-3.05	108.78	111.25
4	D	501	GTP	C2-N1-C6	-3.02	119.64	125.11
7	D	502	JV9	C14-C13-C12	2.98	107.31	103.57
7	D	502	JV9	C12-C05-N06	-2.96	118.09	122.60
6	B	501	GDP	C8-N7-C5	2.94	109.51	104.26
4	D	501	GTP	C8-N7-C5	2.89	109.41	104.26
4	A	501	GTP	C8-N7-C5	2.87	109.37	104.26
7	B	502	JV9	C07-N06-C05	2.86	123.18	113.99
7	D	502	JV9	C16-N04-C05	2.60	124.01	119.21
7	D	502	JV9	C13-C12-C11	-2.60	107.56	110.67
7	B	502	JV9	C12-C05-N06	-2.56	118.69	122.60
4	C	501	GTP	C5'-C4'-C3'	-2.56	106.00	115.21
4	C	501	GTP	C2-N1-C6	-2.45	120.67	125.11
7	D	502	JV9	C07-N06-C05	2.43	121.79	113.99
4	C	501	GTP	C4-C5-N7	-2.43	106.82	110.67
4	D	501	GTP	O2B-PB-O3B	2.42	113.82	107.27
6	B	501	GDP	C6-C5-N7	2.40	134.65	130.29
4	A	501	GTP	N9-C8-N7	-2.36	109.03	113.40
6	B	501	GDP	C2-N1-C6	-2.30	120.94	125.11
4	C	501	GTP	C6-C5-N7	2.27	134.41	130.29
4	D	501	GTP	O6-C6-C5	-2.26	120.57	126.53
4	A	501	GTP	O6-C6-C5	-2.22	120.66	126.53
4	A	501	GTP	C6-C5-N7	2.20	134.29	130.29
4	D	501	GTP	C5-C6-N1	2.15	118.73	113.25
4	D	501	GTP	N9-C8-N7	-2.13	109.44	113.40
7	D	502	JV9	C15-C11-C12	-2.12	109.53	111.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	502	JV9	C23-N24-C02	-2.12	121.92	124.45
4	C	501	GTP	N9-C8-N7	-2.11	109.49	113.40
6	B	501	GDP	N9-C8-N7	-2.10	109.50	113.40
4	D	501	GTP	C4-C5-N7	-2.09	107.36	110.67
6	B	501	GDP	O2A-PA-O1A	-2.06	102.88	112.44
6	B	501	GDP	C4-C5-N7	-2.06	107.41	110.67
4	D	501	GTP	C6-C5-N7	2.05	134.01	130.29
4	A	501	GTP	O5'-C5'-C4'	-2.02	102.12	108.99

There are no chirality outliers.

All (24) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	C	501	GTP	PB-O3B-PG-O3G
4	C	501	GTP	C5'-O5'-PA-O3A
4	C	501	GTP	C5'-O5'-PA-O1A
4	C	501	GTP	C5'-O5'-PA-O2A
4	D	501	GTP	PB-O3B-PG-O2G
4	D	501	GTP	C5'-O5'-PA-O3A
4	D	501	GTP	C5'-O5'-PA-O1A
4	D	501	GTP	C5'-O5'-PA-O2A
6	B	501	GDP	C5'-O5'-PA-O3A
6	B	501	GDP	C5'-O5'-PA-O1A
6	B	501	GDP	C5'-O5'-PA-O2A
7	B	502	JV9	C12-C05-N04-C03
7	B	502	JV9	N06-C05-N04-C03
7	D	502	JV9	N06-C05-N04-C03
7	D	502	JV9	C12-C05-N04-C03
6	B	501	GDP	PB-O3A-PA-O2A
4	A	501	GTP	PG-O3B-PB-O1B
4	D	501	GTP	C4'-C5'-O5'-PA
4	C	501	GTP	PB-O3B-PG-O2G
4	D	501	GTP	PB-O3B-PG-O3G
6	B	501	GDP	C4'-C5'-O5'-PA
6	B	501	GDP	PB-O3A-PA-O1A
4	C	501	GTP	C4'-C5'-O5'-PA
4	A	501	GTP	PB-O3A-PA-O2A


There are no ring outliers.

No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand JV9 B 502




Bond lengths



Bond angles




Torsions





Rings

Ligand GTP A 501



Ligand GTP D 501





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	425/438 (97%)	0.04	9 (2%) 63 66	34, 53, 85, 105	0
1	C	427/438 (97%)	0.14	11 (2%) 57 60	34, 55, 86, 108	0
2	B	423/433 (97%)	0.06	10 (2%) 59 62	33, 51, 88, 109	0
2	D	431/433 (99%)	0.07	10 (2%) 61 64	31, 48, 86, 110	1 (0%)
3	E	123/143 (86%)	0.31	5 (4%) 41 43	48, 65, 92, 107	0
All	All	1829/1885 (97%)	0.09	45 (2%) 58 61	31, 53, 88, 110	1 (0%)

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	169	PHE	4.6
3	E	45	PRO	4.2
2	D	92	PHE	4.1
2	D	281	TYR	3.8
2	B	430	ALA	3.7
1	C	281	ALA	3.7
1	C	37	PRO	3.7
2	B	284	LEU	3.5
1	A	37	PRO	3.5
2	B	294	PHE	3.2
2	D	367	PHE	3.0
1	A	346	TRP	2.9
2	B	292	GLN	2.9
2	D	293	MET	2.7
1	A	1	MET	2.6
2	D	73	MET	2.6
3	E	32	VAL	2.5
2	B	81	PHE	2.5
2	B	55	THR	2.5
1	A	340	SER	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	283	ALA	2.5
1	C	349	THR	2.4
3	E	139	LEU	2.4
1	A	332	ILE	2.4
1	C	269	LEU	2.4
1	A	334	THR	2.4
2	D	284	LEU	2.3
2	D	72	THR	2.2
1	C	141	PHE	2.1
1	A	437	VAL	2.1
1	C	357	TYR	2.1
2	D	294	PHE	2.1
1	C	360	PRO	2.1
2	B	274	THR	2.1
1	A	341	ILE	2.1
1	C	247	ALA	2.1
2	B	323	MET	2.1
3	E	140	LYS	2.1
2	B	72	THR	2.0
3	E	9	ILE	2.0
2	B	293	MET	2.0
1	C	300	ASN	2.0
1	C	245	ASP	2.0
1	A	336	LYS	2.0
2	D	429	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	SO4	D	504	5/5	0.63	0.14	98,99,104,105	0
5	SO4	A	503	5/5	0.75	0.16	113,125,127,127	0
5	SO4	B	505	5/5	0.76	0.09	115,118,124,125	0
5	SO4	B	503	5/5	0.82	0.07	93,94,105,105	0
8	GOL	B	506	6/6	0.84	0.14	51,62,64,64	0
5	SO4	B	504	5/5	0.85	0.12	90,98,102,109	0
5	SO4	A	502	5/5	0.86	0.09	93,94,100,103	0
5	SO4	D	503	5/5	0.91	0.08	74,80,82,86	0
7	JV9	D	502	24/24	0.93	0.08	35,46,50,50	0
7	JV9	B	502	24/24	0.93	0.08	29,48,56,64	0
6	GDP	B	501	28/28	0.97	0.05	31,40,45,46	0
4	GTP	D	501	32/32	0.97	0.05	27,36,60,82	0
4	GTP	A	501	32/32	0.98	0.05	33,40,45,49	0
4	GTP	C	501	32/32	0.98	0.05	33,45,53,55	0
9	MG	C	502	1/1	0.98	0.06	50,50,50,50	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around JV9 D 502:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JV9 B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GDP B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around GTP D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GTP A 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.