



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 07:36 PM UTC

PDB ID : 3TUY / pdb_00003tuy
Title : Phosphorylated Light Chain Domain of Scallop smooth Muscle Myosin
Authors : Kumar, V.S.S.; O'Neill-hennessey, E.; Reshetnikova, L.; Brown, J.H.; Robinson, H.; Szent-Gyorgyi, A.G.; Cohen, C.
Deposited on : 2011-09-19
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	69	 74% 22% .
1	D	69	 70% 29% .
2	B	161	 2% 63% 22% . 12%
2	E	161	 6% 53% 26% 11% . 9%
3	C	156	 76% 18% . .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	156	3% 65% 28%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 6059 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Myosin heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	69	Total	C	N	O	S	0	0	0
			606	396	115	93	2			
1	D	69	Total	C	N	O	S	0	0	0
			606	396	115	93	2			

- Molecule 2 is a protein called Myosin regulatory light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	141	Total	C	N	O	S	0	0	0
			1135	718	183	223	11			
2	E	146	Total	C	N	O	P	S	0	0
			1176	742	189	233	1	11		

- Molecule 3 is a protein called Myosin essential light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	152	Total	C	N	O	S	0	0	0
			1210	764	192	247	7			
3	F	151	Total	C	N	O	S	0	0	0
			1198	755	191	245	7			

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Mg	0	0
			1	1		
4	E	1	Total	Mg	0	0
			1	1		

- Molecule 5 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	1	Total 1	Ca 1	0	0
5	F	1	Total 1	Ca 1	0	0

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	14	Total 14	O 14	0	0
6	B	35	Total 35	O 35	0	0
6	C	32	Total 32	O 32	0	0
6	D	6	Total 6	O 6	0	0
6	E	16	Total 16	O 16	0	0
6	F	21	Total 21	O 21	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Myosin heavy chain

Chain A: 




- Molecule 1: Myosin heavy chain

Chain D: 




- Molecule 2: Myosin regulatory light chain

Chain B: 



- Molecule 2: Myosin regulatory light chain

Chain E: 




- Molecule 3: Myosin essential light chain

Chain C:

76%

18%




• Molecule 3: Myosin essential light chain

Chain F:

3%

65%

28%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	50.95Å 69.23Å 79.50Å 77.20° 85.99° 73.44°	Depositor
Resolution (Å)	48.83 – 2.50 48.83 – 2.50	Depositor EDS
% Data completeness (in resolution range)	93.4 (48.83-2.50) 93.4 (48.83-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.71 (at 2.51Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6.4_486)	Depositor
R, R_{free}	0.200 , 0.252 (Not available) , 0.247	Depositor DCC
R_{free} test set	2000 reflections (5.78%)	wwPDB-VP
Wilson B-factor (Å ²)	40.3	Xtriage
Anisotropy	0.262	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 31.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6059	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, MG, SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.61	0/619	0.84	0/829
1	D	0.55	0/619	0.79	0/829
2	B	0.57	0/1153	0.90	4/1540 (0.3%)
2	E	0.54	1/1185 (0.1%)	0.88	2/1584 (0.1%)
3	C	0.57	0/1233	0.88	2/1658 (0.1%)
3	F	0.52	0/1220	0.91	6/1640 (0.4%)
All	All	0.56	1/6029 (0.0%)	0.88	14/8080 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	123	ASP	C-N	6.17	1.41	1.33

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	14	PHE	N-CA-C	7.73	119.61	111.03
3	F	135	LEU	N-CA-C	7.35	123.42	111.37
2	B	36	ARG	CA-C-N	6.15	133.28	121.54
2	B	36	ARG	C-N-CA	6.15	133.28	121.54
3	C	101	ILE	N-CA-C	-5.83	100.08	108.42
3	F	24	ARG	CB-CA-C	-5.82	101.21	110.81
3	F	98	GLN	N-CA-C	5.79	119.12	107.41
2	E	139	VAL	CB-CA-C	5.68	119.03	110.63
3	F	135	LEU	CB-CA-C	-5.65	101.45	110.84
2	B	37	ASP	CB-CA-C	-5.32	99.83	110.42
3	C	116	ARG	N-CA-C	5.19	117.87	110.24
3	F	21	TRP	N-CA-C	5.19	118.87	112.54
2	B	36	ARG	N-CA-C	-5.11	105.70	112.24
3	F	3	LEU	N-CA-C	5.08	117.71	110.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	606	0	649	14	0
1	D	606	0	649	9	0
2	B	1135	0	1118	28	0
2	E	1176	0	1153	68	0
3	C	1210	0	1134	21	0
3	F	1198	0	1125	35	0
4	B	1	0	0	0	0
4	E	1	0	0	0	0
5	C	1	0	0	0	0
5	F	1	0	0	0	0
6	A	14	0	0	2	0
6	B	35	0	0	0	0
6	C	32	0	0	1	0
6	D	6	0	0	0	0
6	E	16	0	0	2	0
6	F	21	0	0	0	0
All	All	6059	0	5828	165	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (165) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:17:LEU:HD21	2:B:86:SER:CB	1.62	1.27
2:B:17:LEU:CD2	2:B:86:SER:HB2	1.67	1.22
2:E:13:VAL:HA	2:E:16:ARG:NH2	1.55	1.20
3:C:5:GLN:HA	3:C:5:GLN:HE21	1.06	1.11
2:E:13:VAL:HG12	2:E:16:ARG:HH21	1.21	1.04
2:B:37:ASP:HB3	2:B:39:PHE:H	1.27	0.95
2:E:13:VAL:CG1	2:E:16:ARG:NH2	2.30	0.95

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:13:VAL:CA	2:E:16:ARG:NH2	2.30	0.94
2:E:13:VAL:CG1	2:E:16:ARG:HH21	1.81	0.94
2:E:150:VAL:O	2:E:153:ILE:HG22	1.73	0.88
2:B:17:LEU:CD2	2:B:86:SER:CB	2.39	0.88
3:C:5:GLN:HA	3:C:5:GLN:NE2	1.89	0.88
2:E:150:VAL:C	2:E:153:ILE:HG22	1.98	0.88
3:C:5:GLN:HE22	3:C:8:ILE:HD12	1.36	0.88
2:E:150:VAL:O	2:E:153:ILE:CG2	2.26	0.83
2:E:150:VAL:HA	2:E:153:ILE:CG2	2.09	0.83
2:E:150:VAL:HA	2:E:153:ILE:HG22	1.60	0.83
2:E:41:ASP:HB2	2:E:44:ASP:OD2	1.78	0.83
2:B:17:LEU:HD22	2:B:86:SER:HA	1.64	0.80
6:A:25:HOH:O	2:B:156:SER:HB3	1.82	0.80
2:E:150:VAL:CA	2:E:153:ILE:HG22	2.12	0.79
2:E:13:VAL:HA	2:E:16:ARG:CZ	2.11	0.79
2:E:13:VAL:HG12	2:E:16:ARG:NH2	1.94	0.76
2:E:57:ASP:OD2	2:E:59:LYS:HB2	1.87	0.75
3:C:5:GLN:HE21	3:C:5:GLN:CA	1.94	0.74
3:F:73:GLU:HA	3:F:76:MET:HE2	1.70	0.73
2:B:17:LEU:HD22	2:B:86:SER:CA	2.20	0.72
3:F:102:SER:C	3:F:104:ALA:H	2.01	0.69
3:C:2:LYS:HG3	3:C:3:LEU:N	2.07	0.69
3:C:146:LYS:O	3:C:150:THR:HG23	1.93	0.69
2:E:13:VAL:HA	2:E:16:ARG:HH21	1.53	0.67
3:F:146:LYS:O	3:F:150:THR:HG23	1.94	0.67
2:E:68:ALA:CB	2:E:76:MET:HE1	2.24	0.67
2:E:13:VAL:HG13	2:E:16:ARG:NH2	2.11	0.66
1:A:821:LEU:HD21	1:A:827:TRP:CE2	2.31	0.65
3:F:106:LEU:O	3:F:109:VAL:HG22	1.97	0.65
2:B:17:LEU:CD2	2:B:86:SER:CA	2.74	0.65
2:B:17:LEU:HD21	2:B:86:SER:HB2	0.77	0.65
2:E:68:ALA:HB3	2:E:76:MET:HE1	1.79	0.64
3:C:73:GLU:HA	3:C:76:MET:HE2	1.80	0.64
2:E:42:ILE:HD12	2:E:42:ILE:H	1.63	0.64
2:E:63:ALA:O	2:E:66:LYS:HB3	1.99	0.63
1:A:834:LYS:HE2	2:B:24:GLU:CD	2.24	0.62
3:C:5:GLN:NE2	3:C:8:ILE:HD12	2.12	0.62
2:B:68:ALA:HB2	2:B:80:ILE:HD11	1.82	0.62
3:F:34:GLY:O	3:F:38:ARG:HG3	2.00	0.61
2:E:41:ASP:HB3	2:E:43:ASN:H	1.64	0.61
3:F:73:GLU:HA	3:F:76:MET:CE	2.31	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:91:GLU:HG3	2:B:150:VAL:CG1	2.31	0.60
1:D:777:ARG:HH21	3:F:88:GLU:CD	2.10	0.60
1:D:778:LEU:O	1:D:782:ILE:HG12	2.02	0.60
2:E:67:GLU:O	2:E:68:ALA:O	2.20	0.60
2:E:153:ILE:O	2:E:154:LYS:HB2	1.99	0.60
2:E:118:LEU:HD12	2:E:134:PHE:HZ	1.67	0.59
1:A:836:LEU:O	1:A:837:LEU:HB2	2.00	0.59
3:F:19:ASP:O	3:F:23:GLY:O	2.21	0.59
3:F:3:LEU:CD1	3:F:73:GLU:HG2	2.32	0.59
2:B:110:ASN:HB3	2:B:112:GLU:OE2	2.01	0.58
2:E:12:ASN:HD22	2:E:15:ALA:H	1.50	0.58
1:D:836:LEU:HD11	2:E:52:LEU:HD21	1.84	0.58
2:B:91:GLU:HG3	2:B:150:VAL:HG12	1.86	0.58
1:A:784:MET:HG2	3:C:45:ARG:HD2	1.86	0.58
2:E:40:ILE:HG12	2:E:72:LEU:HD13	1.84	0.58
2:E:54:ARG:HH11	2:E:54:ARG:HG3	1.69	0.57
3:C:30:ALA:O	3:C:33:ILE:HG13	2.04	0.57
3:F:102:SER:O	3:F:104:ALA:N	2.38	0.57
2:E:13:VAL:HG13	2:E:16:ARG:HH22	1.70	0.57
3:F:133:GLU:HB3	3:F:137:GLY:HA2	1.87	0.56
2:E:16:ARG:CG	2:E:16:ARG:O	2.53	0.56
2:E:153:ILE:O	2:E:154:LYS:CB	2.54	0.56
2:E:150:VAL:HA	2:E:153:ILE:HG21	1.84	0.56
1:D:792:TYR:CD2	3:F:151:GLY:HA2	2.42	0.55
3:F:101:ILE:HD13	3:F:102:SER:N	2.22	0.55
3:F:24:ARG:HG2	3:F:24:ARG:O	2.07	0.55
2:E:40:ILE:CD1	2:E:45:LEU:HD13	2.36	0.54
2:E:118:LEU:HD12	2:E:134:PHE:CZ	2.43	0.54
2:E:150:VAL:O	2:E:153:ILE:HG23	2.06	0.53
3:F:102:SER:C	3:F:104:ALA:N	2.63	0.53
1:A:821:LEU:HD21	1:A:827:TRP:CD2	2.44	0.53
2:E:68:ALA:O	2:E:76:MET:HE2	2.09	0.53
2:E:76:MET:O	2:E:80:ILE:HG23	2.08	0.53
2:B:35:ASN:HB2	2:B:37:ASP:HB2	1.91	0.53
2:E:14:PHE:HE2	2:E:75:THR:HG22	1.74	0.53
3:C:69:LEU:HB3	3:C:70:PRO:HD3	1.91	0.52
2:E:148:ARG:HH11	2:E:148:ARG:HG3	1.74	0.52
2:B:20:LYS:HA	2:B:23:GLN:HE21	1.73	0.52
3:F:120:GLU:O	3:F:124:GLU:HB2	2.10	0.52
1:A:821:LEU:C	1:A:821:LEU:HD23	2.35	0.52
1:A:770:LEU:HD23	1:A:770:LEU:O	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:109:VAL:HG23	3:F:110:LEU:N	2.26	0.51
2:E:21:LEU:O	2:E:25:MET:HG3	2.11	0.51
1:D:769:ASN:HB3	1:D:772:GLU:HB2	1.93	0.51
2:B:138:PRO:HG3	2:B:148:ARG:HG2	1.93	0.51
3:F:81:GLY:HA3	3:F:86:TYR:CZ	2.46	0.50
3:C:132:GLN:HG2	6:C:164:HOH:O	2.12	0.50
3:F:81:GLY:HA3	3:F:86:TYR:OH	2.11	0.50
3:C:141:TYR:O	3:C:145:VAL:HG23	2.11	0.50
1:A:834:LYS:N	1:A:835:PRO:CD	2.76	0.49
2:E:12:ASN:ND2	2:E:15:ALA:H	2.10	0.49
2:E:73:ASN:ND2	2:E:76:MET:H	2.10	0.49
2:B:17:LEU:HD11	2:B:86:SER:HB3	1.94	0.49
1:D:834:LYS:N	1:D:835:PRO:CD	2.76	0.49
2:E:91:GLU:HG2	2:E:150:VAL:HG12	1.92	0.49
3:F:61:LYS:HE2	3:F:63:LEU:HD21	1.93	0.49
1:A:817:LYS:HG3	2:B:88:THR:HG22	1.95	0.49
3:C:132:GLN:HE21	3:C:132:GLN:HB3	1.49	0.49
3:F:101:ILE:HD13	3:F:102:SER:H	1.78	0.49
1:A:805:ARG:HD2	6:A:74:HOH:O	2.14	0.48
2:B:16:ARG:HB3	2:B:17:LEU:HD23	1.96	0.48
2:B:57:ASP:OD2	2:B:59:LYS:HB3	2.14	0.48
2:E:150:VAL:CA	2:E:153:ILE:CG2	2.81	0.48
3:C:61:LYS:HD2	3:C:63:LEU:HD21	1.97	0.47
2:E:141:GLY:N	6:E:177:HOH:O	2.48	0.47
2:E:42:ILE:HD12	2:E:42:ILE:N	2.27	0.47
2:E:78:LEU:HD12	2:E:78:LEU:HA	1.75	0.46
2:E:11:SEP:O	2:E:11:SEP:OG	2.33	0.46
1:D:783:SER:HA	1:D:786:GLN:OE1	2.15	0.46
2:E:60:GLU:O	2:E:64:MET:HG2	2.16	0.46
2:E:34:GLN:H	2:E:44:ASP:HB3	1.81	0.46
1:A:784:MET:O	1:A:787:ALA:HB3	2.17	0.45
2:E:123:ASP:OD2	3:F:24:ARG:NH1	2.48	0.45
2:B:83:ASP:OD2	3:F:60:GLU:HG3	2.17	0.45
2:E:13:VAL:CB	2:E:16:ARG:NH2	2.80	0.45
2:E:72:LEU:H	2:E:76:MET:HG2	1.81	0.45
2:B:69:PRO:HD2	2:B:76:MET:SD	2.56	0.45
2:B:66:LYS:HD3	2:B:66:LYS:HA	1.76	0.44
3:F:136:GLU:HB2	3:F:138:ASN:ND2	2.33	0.44
2:B:17:LEU:CD2	2:B:86:SER:HA	2.39	0.44
2:E:154:LYS:HD3	2:E:154:LYS:HA	1.72	0.44
1:A:800:LYS:HE2	1:A:804:GLN:NE2	2.32	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:834:LYS:HE2	2:B:24:GLU:OE1	2.18	0.44
3:F:134:ASP:OD1	3:F:134:ASP:C	2.61	0.44
3:F:69:LEU:N	3:F:70:PRO:HD2	2.33	0.44
3:C:61:LYS:HG2	3:C:62:SER:N	2.33	0.43
2:B:146:TYR:O	2:B:150:VAL:HG23	2.19	0.43
2:E:145:ASP:OD2	2:E:148:ARG:HG3	2.18	0.43
2:E:66:LYS:O	2:E:67:GLU:C	2.61	0.43
2:E:59:LYS:HE2	2:E:59:LYS:HB3	1.86	0.43
2:E:16:ARG:O	2:E:16:ARG:HG2	2.17	0.43
2:E:59:LYS:C	6:E:165:HOH:O	2.61	0.43
3:F:36:VAL:HG11	3:F:68:PHE:CZ	2.53	0.43
3:C:42:ILE:HG13	3:C:44:PRO:HD3	2.00	0.42
2:E:146:TYR:HA	2:E:149:PHE:HB3	2.00	0.42
1:D:796:LYS:HA	1:D:796:LYS:HD2	1.71	0.42
2:E:108:LYS:HD3	2:E:145:ASP:HA	2.01	0.42
3:F:103:GLY:HA3	3:F:133:GLU:OE2	2.19	0.42
2:E:55:THR:HA	2:E:56:PRO:HD3	1.76	0.42
2:E:57:ASP:O	2:E:61:LEU:HG	2.20	0.42
3:F:2:LYS:HB3	3:F:3:LEU:H	1.58	0.42
2:E:71:PRO:HG2	2:E:73:ASN:H	1.84	0.42
3:F:106:LEU:HD12	3:F:106:LEU:HA	1.83	0.42
3:C:69:LEU:HD12	3:C:69:LEU:O	2.19	0.41
3:F:133:GLU:HG2	3:F:139:VAL:HG13	2.03	0.41
3:C:3:LEU:HA	3:C:3:LEU:HD12	1.84	0.41
2:B:91:GLU:HG3	2:B:150:VAL:HG11	2.01	0.41
3:F:82:THR:O	3:F:83:TYR:C	2.63	0.41
1:D:816:ARG:O	1:D:820:VAL:HG23	2.21	0.41
3:F:145:VAL:O	3:F:149:MET:HG3	2.21	0.41
2:E:48:MET:HE2	2:E:52:LEU:HD11	2.02	0.40
2:E:72:LEU:HD23	2:E:72:LEU:HA	1.78	0.40
3:C:23:GLY:O	3:C:24:ARG:C	2.64	0.40
1:A:781:ILE:HG21	3:C:89:ALA:HB2	2.03	0.40
2:E:31:MET:HE3	2:E:31:MET:HB2	1.98	0.40
3:F:106:LEU:O	3:F:107:ARG:C	2.62	0.40
3:F:133:GLU:HA	3:F:138:ASN:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	67/69 (97%)	67 (100%)	0	0	100	100
1	D	67/69 (97%)	67 (100%)	0	0	100	100
2	B	139/161 (86%)	133 (96%)	6 (4%)	0	100	100
2	E	144/161 (89%)	131 (91%)	9 (6%)	4 (3%)	4	6
3	C	150/156 (96%)	148 (99%)	1 (1%)	1 (1%)	18	34
3	F	149/156 (96%)	139 (93%)	8 (5%)	2 (1%)	9	18
All	All	716/772 (93%)	685 (96%)	24 (3%)	7 (1%)	12	24

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	E	68	ALA
2	E	71	PRO
3	F	97	GLY
3	F	103	GLY
3	C	25	ASP
2	E	54	ARG
2	E	67	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	64/64 (100%)	57 (89%)	7 (11%)	6	13

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	64/64 (100%)	56 (88%)	8 (12%)	4	9
2	B	126/139 (91%)	109 (86%)	17 (14%)	4	8
2	E	129/139 (93%)	108 (84%)	21 (16%)	2	4
3	C	129/133 (97%)	116 (90%)	13 (10%)	7	15
3	F	128/133 (96%)	121 (94%)	7 (6%)	19	40
All	All	640/672 (95%)	567 (89%)	73 (11%)	5	12

All (73) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	771	GLU
1	A	788	HIS
1	A	793	LEU
1	A	805	ARG
1	A	820	VAL
1	A	821	LEU
1	A	837	LEU
2	B	20	LYS
2	B	22	MET
2	B	45	LEU
2	B	52	LEU
2	B	54	ARG
2	B	55	THR
2	B	58	ASP
2	B	59	LYS
2	B	62	THR
2	B	72	LEU
2	B	75	THR
2	B	79	SER
2	B	109	LEU
2	B	112	GLU
2	B	118	LEU
2	B	135	LYS
2	B	156	SER
3	C	5	GLN
3	C	12	LYS
3	C	24	ARG
3	C	33	ILE
3	C	49	VAL
3	C	62	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	101	ILE
3	C	105	GLU
3	C	109	VAL
3	C	132	GLN
3	C	135	LEU
3	C	142	GLU
3	C	153	TYR
1	D	780	LYS
1	D	788	HIS
1	D	800	LYS
1	D	805	ARG
1	D	809	SER
1	D	817	LYS
1	D	822	ARG
1	D	834	LYS
2	E	12	ASN
2	E	13	VAL
2	E	17	LEU
2	E	21	LEU
2	E	23	GLN
2	E	40	ILE
2	E	41	ASP
2	E	49	PHE
2	E	55	THR
2	E	58	ASP
2	E	65	LEU
2	E	67	GLU
2	E	72	LEU
2	E	73	ASN
2	E	78	LEU
2	E	85	LEU
2	E	88	THR
2	E	91	GLU
2	E	103	GLU
2	E	107	LYS
2	E	154	LYS
3	F	12	LYS
3	F	49	VAL
3	F	66	GLU
3	F	76	MET
3	F	101	ILE
3	F	127	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	F	150	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	802	GLN
2	B	23	GLN
2	B	35	ASN
2	B	96	ASN
3	C	5	GLN
3	C	98	GLN
3	C	132	GLN
3	C	138	ASN
2	E	12	ASN
2	E	19	GLN
2	E	34	GLN
2	E	73	ASN
2	E	96	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SEP	E	11	2	8,9,10	1.59	1 (12%)	7,12,14	1.37	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SEP	E	11	2	-	5/6/8/10	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	11	SEP	P-O1P	3.47	1.61	1.50

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	11	SEP	OG-CB-CA	3.04	111.10	108.14

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	11	SEP	N-CA-CB-OG
2	E	11	SEP	C-CA-CB-OG
2	E	11	SEP	CB-OG-P-O1P
2	E	11	SEP	CB-OG-P-O2P
2	E	11	SEP	CB-OG-P-O3P

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	11	SEP	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	69/69 (100%)	-0.34	0 100 100	25, 36, 61, 70	0
1	D	69/69 (100%)	-0.18	0 100 100	32, 43, 79, 84	0
2	B	141/161 (87%)	-0.22	3 (2%) 63 59	28, 40, 63, 76	0
2	E	145/161 (90%)	0.34	10 (6%) 23 20	32, 55, 93, 102	0
3	C	152/156 (97%)	-0.29	0 100 100	28, 41, 60, 73	0
3	F	151/156 (96%)	0.01	4 (2%) 57 52	29, 47, 94, 106	0
All	All	727/772 (94%)	-0.08	17 (2%) 61 57	25, 43, 81, 106	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	16	ARG	4.5
2	B	156	SER	3.4
2	E	156	SER	3.0
2	E	68	ALA	2.8
2	B	17	LEU	2.6
3	F	135	LEU	2.5
2	E	13	VAL	2.5
3	F	143	GLU	2.5
2	E	154	LYS	2.4
2	E	42	ILE	2.3
2	E	65	LEU	2.3
2	E	40	ILE	2.3
3	F	2	LYS	2.2
3	F	100	PHE	2.1
2	E	15	ALA	2.1
2	E	16	ARG	2.1
2	E	55	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SEP	E	11	10/11	0.60	0.13	94,99,106,118	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MG	E	162	1/1	0.91	0.07	67,67,67,67	0
5	CA	F	157	1/1	0.91	0.10	52,52,52,52	0
5	CA	C	157	1/1	0.94	0.09	59,59,59,59	0
4	MG	B	162	1/1	0.97	0.08	35,35,35,35	0

6.5 Other polymers [i](#)

There are no such residues in this entry.