



wwPDB X-ray Structure Validation Summary Report ⓘ

Apr 25, 2026 – 11:26 PM EDT

PDB ID : 4TUB / pdb_00004tub
Title : Crystal structure of tRNA-Thr bound to Codon ACC-C on the Ribosome
Authors : Fagan, C.E.; Dunham, C.M.
Deposited on : 2014-06-24
Resolution : 3.60 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1747 (3.70-3.50)
Clashscore	190562	1827 (3.70-3.50)
Ramachandran outliers	187476	1773 (3.70-3.50)
Sidechain outliers	187428	1772 (3.70-3.50)
RSRZ outliers	180081	1745 (3.70-3.50)
RNA backbone	3983	1014 (4.14-3.06)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	QA	1522	 2% 51% 39% 9%
1	XA	1522	 % 51% 38% 9%
2	QB	256	 3% 46% 38% 8% 7%
2	XB	256	 % 43% 39% 9% 7%












Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	QC	239	
3	XC	239	
4	QD	209	
4	XD	209	
5	QE	162	
5	XE	162	
6	QF	101	
6	XF	101	
7	QG	156	
7	XG	156	
8	QH	138	
8	XH	138	
9	QI	128	
9	XI	128	
10	QJ	105	
10	XJ	105	
11	QK	129	
11	XK	129	
12	QL	132	
12	XL	132	
13	QM	126	
13	XM	126	
14	QN	61	
14	XN	61	
15	QO	89	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	XO	89	
16	QP	88	
16	XP	88	
17	QQ	105	
17	XQ	105	
18	QR	88	
18	XR	88	
19	QS	93	
19	XS	93	
20	QT	106	
20	XT	106	
21	QU	27	
21	XU	27	
22	QV	77	
22	XV	77	
23	QX	25	
23	XX	25	
24	QY	17	
24	XY	17	
25	RA	2915	
25	YA	2915	
26	RB	122	
26	YB	122	
27	RD	276	
27	YD	276	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
28	RE	206	
28	YE	206	
29	RF	210	
29	YF	210	
30	RG	182	
30	YG	182	
31	RH	180	
31	YH	180	
32	RI	148	
32	YI	148	
33	RN	140	
33	YN	140	
34	RO	122	
34	YO	122	
35	RP	150	
35	YP	150	
36	RQ	141	
36	YQ	141	
37	RR	118	
37	YR	118	
38	RS	112	
38	YS	112	
39	RT	146	
39	YT	146	
40	RU	118	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
40	YU	118	
41	RV	101	
41	YV	101	
42	RW	113	
42	YW	113	
43	RX	96	
43	YX	96	
44	RY	110	
44	YY	110	
45	RZ	206	
45	YZ	206	
46	R0	85	
46	Y0	85	
47	R1	98	
47	Y1	98	
48	R2	72	
48	Y2	72	
49	R3	60	
49	Y3	60	
50	R4	71	
50	Y4	71	
51	R5	60	
51	Y5	60	
52	R6	54	
52	Y6	54	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
53	R7	49	
53	Y7	49	
54	R8	65	
54	Y8	65	
55	R9	37	
55	Y9	37	
56	Z5	3	
56	Z6	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
57	MG	R5	101	-	-	-	X
57	MG	RA	3256	-	-	-	X
57	MG	YA	3194	-	-	-	X

2 Entry composition

There are 59 unique types of molecules in this entry. The entry contains 292320 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	QA	1500	Total	C	N	O	P	0	0	0
			32247	14353	5981	10414	1499			
1	XA	1500	Total	C	N	O	P	0	0	0
			32249	14354	5984	10412	1499			

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	QB	237	Total	C	N	O	S	0	0	0
			1924	1228	344	347	5			
2	XB	237	Total	C	N	O	S	0	0	0
			1924	1228	344	347	5			

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	QC	205	Total	C	N	O	S	0	0	0
			1605	1011	313	280	1			
3	XC	205	Total	C	N	O	S	0	0	0
			1605	1011	313	280	1			

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	QD	208	Total	C	N	O	S	0	0	0
			1703	1066	339	291	7			
4	XD	208	Total	C	N	O	S	0	0	0
			1703	1066	339	291	7			

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	QE	151	Total	C	N	O	S	0	0	0
			1155	729	218	204	4			
5	XE	151	Total	C	N	O	S	0	0	0
			1155	729	218	204	4			

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	QF	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			
6	XF	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	QG	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			
7	XG	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	QH	138	Total	C	N	O	S	0	0	0
			1116	705	215	193	3			
8	XH	138	Total	C	N	O	S	0	0	0
			1116	705	215	193	3			

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	QI	127	Total	C	N	O		0	0	0
			1010	639	197	174				
9	XI	127	Total	C	N	O		0	0	0
			1010	639	197	174				

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	QJ	99	Total	C	N	O	S	0	0	0
			801	504	157	139	1			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	XJ	99	Total	C	N	O	S	0	0	0
			801	504	157	139	1			

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	QK	119	Total	C	N	O	S	0	0	0
			885	549	168	165	3			
11	XK	119	Total	C	N	O	S	0	0	0
			885	549	168	165	3			

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	QL	125	Total	C	N	O	S	0	0	0
			975	614	196	164	1			
12	XL	125	Total	C	N	O	S	0	0	0
			975	614	196	164	1			

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	QM	121	Total	C	N	O	S	0	0	0
			964	597	199	166	2			
13	XM	121	Total	C	N	O	S	0	0	0
			964	597	199	166	2			

- Molecule 14 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	QN	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			
14	XN	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	QO	88	Total	C	N	O	S	0	0	0
			734	459	147	126	2			
15	XO	88	Total	C	N	O	S	0	0	0
			734	459	147	126	2			

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	QP	84	Total	C	N	O	S	0	0	0
			705	446	140	118	1			
16	XP	84	Total	C	N	O	S	0	0	0
			705	446	140	118	1			

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	QQ	100	Total	C	N	O	S	0	0	0
			834	534	155	143	2			
17	XQ	100	Total	C	N	O	S	0	0	0
			834	534	155	143	2			

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
18	QR	70	Total	C	N	O	0	0	0
			574	367	112	95			
18	XR	70	Total	C	N	O	0	0	0
			574	367	112	95			

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	QS	84	Total	C	N	O	S	0	0	0
			674	430	126	116	2			
19	XS	84	Total	C	N	O	S	0	0	0
			674	430	126	116	2			

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	QT	99	Total	C	N	O	S	0	0	0
			763	470	162	129	2			
20	XT	99	Total	C	N	O	S	0	0	0
			763	470	162	129	2			

- Molecule 21 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
21	QU	25	Total	C	N	O	0	0	0
			217	134	52	31			
21	XU	25	Total	C	N	O	0	0	0
			217	134	52	31			

- Molecule 22 is a RNA chain called P-site tRNA f-Met.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	QV	77	Total	C	N	O	P	0	0	0
			1644	732	297	538	77			
22	XV	77	Total	C	N	O	P	0	0	0
			1644	732	297	538	77			

- Molecule 23 is a RNA chain called messenger RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	QX	9	Total	C	N	O	P	0	0	0
			191	86	36	60	9			
23	XX	10	Total	C	N	O	P	0	0	0
			213	96	41	66	10			

- Molecule 24 is a RNA chain called A-site tRNA Thr.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	QY	16	Total	C	N	O	P	0	0	0
			344	153	62	113	16			
24	XY	16	Total	C	N	O	P	0	0	0
			344	153	62	113	16			

- Molecule 25 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	RA	2882	Total	C	N	O	P	0	0	0
			62071	27627	11611	19952	2881			
25	YA	2882	Total	C	N	O	P	0	0	0
			62071	27627	11611	19952	2881			

- Molecule 26 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	RB	120	Total	C	N	O	P	0	0	0
			2573	1146	476	832	119			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	YB	120	Total	C	N	O	P	0	0	0
			2573	1146	476	832	119			

- Molecule 27 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	RD	272	Total	C	N	O	S	0	0	0
			2115	1335	420	357	3			
27	YD	272	Total	C	N	O	S	0	0	0
			2115	1335	420	357	3			

- Molecule 28 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	RE	205	Total	C	N	O	S	0	0	0
			1568	991	300	271	6			
28	YE	205	Total	C	N	O	S	0	0	0
			1568	991	300	271	6			

- Molecule 29 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	RF	202	Total	C	N	O	S	0	0	0
			1585	1011	297	275	2			
29	YF	202	Total	C	N	O	S	0	0	0
			1585	1011	297	275	2			

- Molecule 30 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	RG	181	Total	C	N	O	S	0	0	0
			1474	942	268	260	4			
30	YG	181	Total	C	N	O	S	0	0	0
			1474	942	268	260	4			

- Molecule 31 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	RH	170	Total	C	N	O	S	0	0	0
			1307	829	245	232	1			
31	YH	170	Total	C	N	O	S	0	0	0
			1307	829	245	232	1			

- Molecule 32 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	RI	146	Total	C	N	O	S	0	0	0
			1136	726	201	208	1			
32	YI	146	Total	C	N	O	S	0	0	0
			1136	726	201	208	1			

- Molecule 33 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	RN	138	Total	C	N	O	S	0	0	0
			1104	712	206	182	4			
33	YN	138	Total	C	N	O	S	0	0	0
			1104	712	206	182	4			

- Molecule 34 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	RO	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			
34	YO	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

- Molecule 35 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	RP	150	Total	C	N	O	S	0	0	0
			1145	712	232	198	3			
35	YP	150	Total	C	N	O	S	0	0	0
			1145	712	232	198	3			

- Molecule 36 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	RQ	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			
36	YQ	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			

- Molecule 37 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	RR	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			
37	YR	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			

- Molecule 38 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	RS	111	Total	C	N	O	S	0	0	0
			882	556	176	150				
38	YS	111	Total	C	N	O	S	0	0	0
			882	556	176	150				

- Molecule 39 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	RT	137	Total	C	N	O	S	0	0	0
			1141	710	234	196	1			
39	YT	137	Total	C	N	O	S	0	0	0
			1141	710	234	196	1			

- Molecule 40 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
40	RU	117	Total	C	N	O	S	0	0	0
			964	610	202	151	1			
40	YU	117	Total	C	N	O	S	0	0	0
			964	610	202	151	1			

- Molecule 41 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
41	RV	101	Total	C	N	O	S	0	0	0
			779	501	142	135	1			
41	YV	101	Total	C	N	O	S	0	0	0
			779	501	142	135	1			

- Molecule 42 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	RW	113	Total	C	N	O	S	0	0	0
			900	566	177	155	2			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	YW	113	Total	C	N	O	S	0	0	0
			900	566	177	155	2			

- Molecule 43 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	RX	92	Total	C	N	O		0	0	0
			725	471	131	123				
43	YX	92	Total	C	N	O		0	0	0
			725	471	131	123				

- Molecule 44 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	RY	102	Total	C	N	O	S	0	0	0
			785	505	150	125	5			
44	YY	102	Total	C	N	O	S	0	0	0
			785	505	150	125	5			

- Molecule 45 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	RZ	183	Total	C	N	O	S	0	0	0
			1461	933	260	265	3			
45	YZ	183	Total	C	N	O	S	0	0	0
			1461	933	260	265	3			

- Molecule 46 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	R0	82	Total	C	N	O	S	0	0	0
			648	401	138	108	1			
46	Y0	82	Total	C	N	O	S	0	0	0
			647	401	137	108	1			

- Molecule 47 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	R1	97	Total	C	N	O	S	0	0	0
			763	481	150	131	1			
47	Y1	97	Total	C	N	O	S	0	0	0
			763	481	150	131	1			

- Molecule 48 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	R2	69	Total	C	N	O	S	0	0	0
			581	358	118	104	1			
48	Y2	69	Total	C	N	O	S	0	0	0
			581	358	118	104	1			

- Molecule 49 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
49	R3	59	Total	C	N	O	0	0	0
			469	298	90	81			
49	Y3	59	Total	C	N	O	0	0	0
			469	298	90	81			

- Molecule 50 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	R4	71	Total	C	N	O	S	0	0	0
			581	364	108	104	5			
50	Y4	71	Total	C	N	O	S	0	0	0
			581	364	108	104	5			

- Molecule 51 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	R5	59	Total	C	N	O	S	0	0	0
			459	288	90	76	5			
51	Y5	58	Total	C	N	O	S	0	0	0
			454	285	89	75	5			

- Molecule 52 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
52	R6	49	Total	C	N	O	S	0	0	0
			424	264	87	69	4			
52	Y6	49	Total	C	N	O	S	0	0	0
			424	264	87	69	4			

- Molecule 53 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	R7	49	Total	C	N	O	S	0	0	0
			430	263	108	57	2			
53	Y7	49	Total	C	N	O	S	0	0	0
			430	263	108	57	2			

- Molecule 54 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
54	R8	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			
54	Y8	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			

- Molecule 55 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
55	R9	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			
55	Y9	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			

- Molecule 56 is a RNA chain called CC-Puro.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
56	Z5	3	Total	C	N	O	P	0	0	0
			74	40	13	19	2			
56	Z6	3	Total	C	N	O	P	0	0	0
			74	40	13	19	2			

- Molecule 57 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	QA	80	Total	Mg	0	0
			80	80		
57	QE	1	Total	Mg	0	0
			1	1		
57	QF	1	Total	Mg	0	0
			1	1		
57	QM	1	Total	Mg	0	0
			1	1		
57	QV	2	Total	Mg	0	0
			2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	QX	2	Total 2	Mg 2	0	0
57	QY	1	Total 1	Mg 1	0	0
57	RA	326	Total 326	Mg 326	0	0
57	RB	5	Total 5	Mg 5	0	0
57	RE	2	Total 2	Mg 2	0	0
57	RF	1	Total 1	Mg 1	0	0
57	RP	1	Total 1	Mg 1	0	0
57	RR	1	Total 1	Mg 1	0	0
57	R0	1	Total 1	Mg 1	0	0
57	R5	1	Total 1	Mg 1	0	0
57	XA	110	Total 110	Mg 110	0	0
57	XB	1	Total 1	Mg 1	0	0
57	XD	1	Total 1	Mg 1	0	0
57	XF	1	Total 1	Mg 1	0	0
57	XV	2	Total 2	Mg 2	0	0
57	XX	1	Total 1	Mg 1	0	0
57	YA	356	Total 356	Mg 356	0	0
57	YB	4	Total 4	Mg 4	0	0
57	YD	1	Total 1	Mg 1	0	0
57	YE	2	Total 2	Mg 2	0	0
57	YP	3	Total 3	Mg 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	YQ	1	Total	Mg	0	0
			1	1		
57	YU	1	Total	Mg	0	0
			1	1		
57	YY	1	Total	Mg	0	0
			1	1		
57	Y0	3	Total	Mg	0	0
			3	3		
57	Y1	1	Total	Mg	0	0
			1	1		
57	Y3	1	Total	Mg	0	0
			1	1		
57	Y5	1	Total	Mg	0	0
			1	1		
57	Y7	1	Total	Mg	0	0
			1	1		

- Molecule 58 is PAROMOMYCIN (CCD ID: PAR) (formula: C₂₃H₄₅N₅O₁₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
58	QA	1	Total	C	N	O	0	0
			42	23	5	14		
58	XA	1	Total	C	N	O	0	0
			42	23	5	14		


- Molecule 59 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
59	QD	1	Total 1	Zn 1	0	0
59	QN	1	Total 1	Zn 1	0	0
59	XD	1	Total 1	Zn 1	0	0
59	XN	1	Total 1	Zn 1	0	0


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 16S rRNA












• Molecule 2: 30S ribosomal protein S2




• Molecule 3: 30S ribosomal protein S3




• Molecule 3: 30S ribosomal protein S3




• Molecule 4: 30S ribosomal protein S4




• Molecule 4: 30S ribosomal protein S4




• Molecule 5: 30S ribosomal protein S5





- Molecule 5: 30S ribosomal protein S5



- Molecule 6: 30S ribosomal protein S6




- Molecule 6: 30S ribosomal protein S6




- Molecule 7: 30S ribosomal protein S7





- Molecule 7: 30S ribosomal protein S7









- Molecule 8: 30S ribosomal protein S8




- Molecule 8: 30S ribosomal protein S8




- Molecule 9: 30S ribosomal protein S9




- Molecule 9: 30S ribosomal protein S9





- Molecule 10: 30S ribosomal protein S10







• Molecule 10: 30S ribosomal protein S10




• Molecule 11: 30S ribosomal protein S11




• Molecule 11: 30S ribosomal protein S11




• Molecule 12: 30S ribosomal protein S12




- Molecule 12: 30S ribosomal protein S12




- Molecule 13: 30S ribosomal protein S13




- Molecule 13: 30S ribosomal protein S13



- Molecule 14: 30S ribosomal protein S14 type Z




- Molecule 14: 30S ribosomal protein S14 type Z




- Molecule 15: 30S ribosomal protein S15

Chain QO: 



- Molecule 15: 30S ribosomal protein S15

Chain XO: 




- Molecule 16: 30S ribosomal protein S16

Chain QP: 




- Molecule 16: 30S ribosomal protein S16

Chain XP: 



- Molecule 17: 30S ribosomal protein S17

Chain QQ: 



- Molecule 17: 30S ribosomal protein S17

Chain XQ: 




- Molecule 18: 30S ribosomal protein S18

Chain QR: 





- Molecule 18: 30S ribosomal protein S18

Chain XR: 





- Molecule 19: 30S ribosomal protein S19

Chain QS: 




- Molecule 19: 30S ribosomal protein S19

Chain XS: 




- Molecule 20: 30S ribosomal protein S20


Chain QT: 




- Molecule 20: 30S ribosomal protein S20




- Molecule 21: 30S ribosomal protein Thx



- Molecule 21: 30S ribosomal protein Thx



- Molecule 22: P-site tRNA f-Met



- Molecule 22: P-site tRNA f-Met





- Molecule 23: messenger RNA



- Molecule 23: messenger RNA









Molecule 25: 23S rRNA

Chain YA: 50% 39% 10%






A1128	U1060	C974A	A900	U811	G726	G	A590	G512	A423	C336	G270T	G94
A1129	U1061	G975	A901	C812	A727	G	C591	A513	G424	A340	C270U	G95
U1130	G1062	A983	U905	U813	G728	C	G592	A514	G425	G341	G270V	G96
	G1063	A984	U906	C814	G729	C	G593	A515	C426	A221	G270W	
C1135	U1065	C985	U907	G818	C730	C	C595	C517	U427	A222	U270Z	U99
G1136	U1066			A819	C731	A	G596	G518	A428	G224	C271A	G101
G1137	A1067	G993	A910	G823	A734	C	U597	U519	A432	A225	G271B	G102
G1138	G1068	C994	A911	G824	U740	G	G598	G520	C433	G226	U271C	A103
G1139	C995	A986	C914	A824	G741	C	G599	C527	G442	A227	G271	C106
U1140	A1070			C825	G742	C	G600	A528	A443	A228	G272	
U1141	G1071	G1003	A917	U826	G743	C	A603	G530	U350	A229	G273	G117
U1142	C1072	C1004	A918	U827	G744	C	G604	G531	C444	U230		G118
A1142A	A1073	C1005	A919	U828			G605	C532	C445	G231	G274	G119
A1143	C1076	C1006	G920	U829	U747	G	U606	A532	G446	A232	G275	U120
G1144	A1077	C1007	G921	G831	G748	C	U607	A533	U447	A233	A276	G121
C1145	U1082	G1008	U922	U832	G756	C	G608	G540	U448	C234	C277	
	U1083	C1009	C923	U833	U757		A609	U534	A357	U235	U278	G125
G1151	A1084	A1010	A926	C834	C753		G609A	U534	U358	C236	C279	A126
C1152	U1085	G1017	G932	G843			A655	C537	C451	C237		A127
C1153	U1086	G1018	A933	G844	A761		G656	G539	C455	A241	C287	C128
G1154	A1087	U1019	C936	A849	A764		G657	G540	C456	G242	C288	C129
A1155	U1088	A1020	U937	G855	G771		G658	C541	A457	U243		G131
	U1089	A1021	G938	C856	G772		G659	C542	C458	C246	G247	A140
G1169	U1090	G1022	G938	C857	G773		G660	C546	G463	G248	C297	A141
G1170	G1091	U1023		U858	U774		G661	A547	A466	G249	G298	G142
C1092	G1024	G1025	A941	U859	G775		G662	G549	A467	G250	G299	
G1093	G1026	G942	G942	U860	G776		G663	C552	C469	A251	A300	A149
U1094	U1027	U943	G943	U861	A774		G664	C553	A470	G252		C153
A1095	A1028	G944	G944	G862	G775		U626	U554	A471	C253	U305	C154
A1096	A1029	G945	G945	G863	G776		G627	G556	G473	G259	U306	G155
U1097	A1030	G946	G946	G864	G780		G628	G561	A479		U307	U161
U1098	G1033	G947	G947	G865	A781		G629	U562	A480	C263	G308	U
G1099	U1034	G948	G948	G866	A782		G630	G563	A481	C264	G309	U
U1101	U1035	G949	G949	U871	A783		A631	G564	A482	A265	A310	U
C1102	G1036	G950	G950	G878	A784		A632	U566	A483	G266	A311	G171
A1103		G951	G951	A878	G785		A633	A567	G491	U269	A312	A181
C1104		G952	G952	G879	G786		G634	U568	A492	A270	A313	
				G880	A788			U569	A493		G315	C184
				G881	A789		A637	G570	G494		C316	U185
				G882	C790		G638	A571		G270E	A320	
				G883	C791		U639	A572		U270F	G321	G188
				C884	G792		C640	G573		C270G	A322	G189
				C885	A793		G702	C574		C270H	G323	A190
				C886	G794			A575		G270I	A324	A191
				A887	C795		C645	G500		G270J	G325	C192
				C888	C796		A646	A501		C270K	G326	
				C889	C797		G647	A502		U270L		A195
				A890	G797		G648	U504		U270M	G329	A196
				G892	A802		G651	C581		G270N	A330	
								G583		U270O	A331	A199
				A886	G805		A654	A586		C270P	A332	
				C887	C806		G654A	C587		G270Q	G333	G214
				A899	G807		G	U588		C270R	C334	G215
					G808			C589		G270S	C335	A216






• Molecule 26: 5S rRNA








• Molecule 27: 50S ribosomal protein L2




• Molecule 28: 50S ribosomal protein L3





• Molecule 28: 50S ribosomal protein L3







• Molecule 29: 50S ribosomal protein L4




• Molecule 29: 50S ribosomal protein L4




• Molecule 30: 50S ribosomal protein L5









• Molecule 30: 50S ribosomal protein L5




• Molecule 31: 50S ribosomal protein L6




• Molecule 31: 50S ribosomal protein L6




- Molecule 32: 50S ribosomal protein L9




- Molecule 32: 50S ribosomal protein L9




- Molecule 33: 50S ribosomal protein L13




- Molecule 33: 50S ribosomal protein L13




- Molecule 34: 50S ribosomal protein L14




- Molecule 34: 50S ribosomal protein L14




- Molecule 35: 50S ribosomal protein L15




- Molecule 35: 50S ribosomal protein L15




- Molecule 36: 50S ribosomal protein L16




• Molecule 36: 50S ribosomal protein L16




• Molecule 37: 50S ribosomal protein L17





• Molecule 37: 50S ribosomal protein L17





• Molecule 38: 50S ribosomal protein L18





- Molecule 38: 50S ribosomal protein L18



- Molecule 39: 50S ribosomal protein L19




- Molecule 39: 50S ribosomal protein L19




- Molecule 40: 50S ribosomal protein L20







- Molecule 40: 50S ribosomal protein L20




- Molecule 41: 50S ribosomal protein L21



- Molecule 41: 50S ribosomal protein L21




- Molecule 42: 50S ribosomal protein L22




- Molecule 42: 50S ribosomal protein L22

Chain YW:




- Molecule 43: 50S ribosomal protein L23

Chain RX:




- Molecule 43: 50S ribosomal protein L23

Chain YX:




- Molecule 44: 50S ribosomal protein L24


Chain RY:




- Molecule 44: 50S ribosomal protein L24

Chain YY:







• Molecule 45: 50S ribosomal protein L25




• Molecule 45: 50S ribosomal protein L25




• Molecule 46: 50S ribosomal protein L27




• Molecule 46: 50S ribosomal protein L27







- Molecule 47: 50S ribosomal protein L28




- Molecule 47: 50S ribosomal protein L28




- Molecule 48: 50S ribosomal protein L29





- Molecule 48: 50S ribosomal protein L29



- Molecule 49: 50S ribosomal protein L30



- Molecule 49: 50S ribosomal protein L30




- Molecule 53: 50S ribosomal protein L34





- Molecule 53: 50S ribosomal protein L34




- Molecule 54: 50S ribosomal protein L35




- Molecule 54: 50S ribosomal protein L35




- Molecule 55: 50S ribosomal protein L36




- Molecule 55: 50S ribosomal protein L36



● Molecule 56: CC-Puro



● Molecule 56: CC-Puro



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	208.99Å 444.57Å 616.42Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	69.39 – 3.60 69.39 – 3.60	Depositor EDS
% Data completeness (in resolution range)	96.9 (69.39-3.60) 96.9 (69.39-3.60)	Depositor EDS
R_{merge}	0.19	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.40 (at 3.41Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, R_{free}	0.217 , 0.259 0.218 , 0.259	Depositor DCC
R_{free} test set	34831 reflections (4.60%)	wwPDB-VP
Wilson B-factor (Å ²)	87.0	Xtriage
Anisotropy	0.260	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 97.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.25$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	292320	wwPDB-VP
Average B, all atoms (Å ²)	101.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PAR, ZN, PPU, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	QA	0.18	0/36098	0.38	1/56341 (0.0%)
1	XA	0.20	0/36101	0.39	4/56346 (0.0%)
2	QB	0.40	0/1959	0.87	4/2642 (0.2%)
2	XB	0.40	0/1959	0.89	4/2642 (0.2%)
3	QC	0.44	0/1629	0.87	1/2195 (0.0%)
3	XC	0.49	0/1629	0.85	1/2195 (0.0%)
4	QD	0.52	1/1733 (0.1%)	0.94	4/2318 (0.2%)
4	XD	0.51	0/1733	0.96	5/2318 (0.2%)
5	QE	0.50	0/1171	0.99	5/1576 (0.3%)
5	XE	0.60	1/1171 (0.1%)	0.96	4/1576 (0.3%)
6	QF	0.46	0/856	0.80	0/1154
6	XF	0.51	0/856	0.87	0/1154
7	QG	0.43	0/1276	0.85	0/1709
7	XG	0.46	0/1276	0.88	2/1709 (0.1%)
8	QH	0.44	0/1136	0.93	2/1527 (0.1%)
8	XH	0.47	0/1136	0.92	4/1527 (0.3%)
9	QI	0.42	0/1029	0.90	1/1379 (0.1%)
9	XI	0.43	0/1029	0.90	2/1379 (0.1%)
10	QJ	0.44	0/814	0.92	2/1095 (0.2%)
10	XJ	0.52	2/814 (0.2%)	1.03	6/1095 (0.5%)
11	QK	0.50	0/900	0.94	3/1213 (0.2%)
11	XK	0.52	0/900	0.93	0/1213
12	QL	0.59	1/991 (0.1%)	1.23	9/1327 (0.7%)
12	XL	0.60	0/991	1.29	13/1327 (1.0%)
13	QM	0.42	0/974	0.97	0/1303
13	XM	0.47	0/974	0.97	1/1303 (0.1%)
14	QN	0.49	0/501	0.96	1/664 (0.2%)
14	XN	0.57	0/501	1.04	3/664 (0.5%)
15	QO	0.45	0/745	0.80	0/992
15	XO	0.50	0/745	0.89	0/992
16	QP	0.48	0/721	0.94	2/970 (0.2%)
16	XP	0.48	0/721	0.88	1/970 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
17	QQ	0.42	0/847	0.85	2/1131 (0.2%)
17	XQ	0.43	0/847	0.83	0/1131
18	QR	0.44	0/579	0.89	0/768
18	XR	0.48	0/579	0.85	1/768 (0.1%)
19	QS	0.45	0/689	0.99	3/926 (0.3%)
19	XS	0.47	0/689	1.01	6/926 (0.6%)
20	QT	0.46	0/765	0.97	2/1007 (0.2%)
20	XT	0.44	0/765	0.98	4/1007 (0.4%)
21	QU	0.38	0/221	0.80	0/288
21	XU	0.37	0/221	0.82	0/288
22	QV	0.16	0/1836	0.31	0/2859
22	XV	0.18	0/1836	0.36	0/2859
23	QX	0.17	0/213	0.30	0/329
23	XX	0.49	0/238	0.62	0/368
24	QY	0.27	0/384	0.32	0/597
24	XY	0.27	0/384	0.48	0/597
25	RA	0.21	0/69521	0.40	2/108529 (0.0%)
25	YA	0.23	0/69521	0.42	3/108529 (0.0%)
26	RB	0.29	0/2878	0.51	0/4490
26	YB	0.35	0/2878	0.59	1/4490 (0.0%)
27	RD	0.64	0/2165	1.07	9/2919 (0.3%)
27	YD	0.72	1/2165 (0.0%)	1.29	30/2919 (1.0%)
28	RE	0.62	0/1601	1.35	29/2160 (1.3%)
28	YE	0.63	0/1601	1.35	29/2160 (1.3%)
29	RF	0.58	1/1620 (0.1%)	1.05	8/2194 (0.4%)
29	YF	0.62	0/1620	1.19	19/2194 (0.9%)
30	RG	0.41	0/1499	0.91	0/2016
30	YG	0.51	0/1499	0.91	2/2016 (0.1%)
31	RH	0.58	0/1332	1.22	14/1802 (0.8%)
31	YH	0.58	0/1332	1.22	15/1802 (0.8%)
32	RI	0.56	2/1151 (0.2%)	1.01	4/1558 (0.3%)
32	YI	0.57	1/1151 (0.1%)	0.98	5/1558 (0.3%)
33	RN	0.52	0/1131	1.01	2/1525 (0.1%)
33	YN	0.58	0/1131	1.00	3/1525 (0.2%)
34	RO	0.55	0/943	0.98	3/1269 (0.2%)
34	YO	0.60	0/943	0.97	0/1269
35	RP	0.57	0/1162	1.16	8/1544 (0.5%)
35	YP	0.74	0/1162	1.25	6/1544 (0.4%)
36	RQ	0.71	0/1143	1.36	19/1527 (1.2%)
36	YQ	0.71	0/1143	1.32	19/1527 (1.2%)
37	RR	0.55	0/982	0.99	1/1312 (0.1%)
37	YR	0.56	0/982	1.04	3/1312 (0.2%)
38	RS	0.43	0/892	0.88	0/1187

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
38	YS	0.53	0/892	1.14	7/1187 (0.6%)
39	RT	0.53	0/1155	0.98	3/1542 (0.2%)
39	YT	0.57	0/1155	1.04	7/1542 (0.5%)
40	RU	0.53	0/982	1.04	6/1306 (0.5%)
40	YU	0.65	0/982	1.07	2/1306 (0.2%)
41	RV	0.47	0/790	0.97	4/1057 (0.4%)
41	YV	0.58	0/790	1.00	2/1057 (0.2%)
42	RW	0.64	0/911	0.98	0/1220
42	YW	0.60	0/911	1.01	0/1220
43	RX	0.59	0/739	0.95	4/993 (0.4%)
43	YX	0.60	0/739	1.00	1/993 (0.1%)
44	RY	0.54	0/798	1.07	6/1064 (0.6%)
44	YY	0.60	0/798	1.09	5/1064 (0.5%)
45	RZ	0.40	0/1493	0.88	8/2026 (0.4%)
45	YZ	0.39	0/1493	0.93	4/2026 (0.2%)
46	R0	0.55	0/657	0.99	3/874 (0.3%)
46	Y0	0.61	0/656	0.98	1/872 (0.1%)
47	R1	0.56	0/770	0.97	0/1022
47	Y1	0.58	0/770	0.95	1/1022 (0.1%)
48	R2	0.48	0/583	0.99	2/771 (0.3%)
48	Y2	0.60	0/583	1.32	8/771 (1.0%)
49	R3	0.46	0/474	0.91	0/635
49	Y3	0.53	0/474	0.86	0/635
50	R4	0.47	0/594	1.24	10/795 (1.3%)
50	Y4	0.48	0/594	1.16	6/795 (0.8%)
51	R5	0.65	0/473	1.22	6/639 (0.9%)
51	Y5	0.68	0/468	1.15	4/632 (0.6%)
52	R6	0.53	0/431	1.01	2/575 (0.3%)
52	Y6	0.56	0/431	1.00	2/575 (0.3%)
53	R7	0.63	0/438	1.05	2/575 (0.3%)
53	Y7	0.69	0/438	1.02	3/575 (0.5%)
54	R8	0.79	0/525	1.40	9/691 (1.3%)
54	Y8	0.79	0/525	1.39	9/691 (1.3%)
55	R9	0.35	0/310	0.81	0/407
55	Y9	0.46	0/310	0.81	0/407
56	Z5	0.46	0/40	0.62	0/60
56	Z6	0.45	0/40	0.62	0/60
All	All	0.35	10/316522 (0.0%)	0.64	464/473223 (0.1%)

The worst 5 of 10 bond length outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	XE	101	ILE	C-N	9.71	1.47	1.33
32	YI	53	ALA	C-N	7.67	1.44	1.33
29	RF	199	TRP	CA-C	6.71	1.61	1.52
32	RI	53	ALA	C-N	6.42	1.42	1.33
32	RI	145	VAL	C-N	-6.27	1.24	1.33

The worst 5 of 464 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
50	R4	39	CYS	N-CA-C	-13.56	95.99	112.54
29	RF	197	ASP	N-CA-C	12.49	124.63	111.14
28	RE	58	ARG	N-CA-C	-11.79	95.26	113.89
28	YE	58	ARG	N-CA-C	-11.78	95.27	113.89
48	Y2	5	GLU	N-CA-C	-11.57	99.65	113.88

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	QA	32247	0	16278	547	0
1	XA	32249	0	16279	560	0
2	QB	1924	0	1975	67	0
2	XB	1924	0	1975	95	0
3	QC	1605	0	1668	52	0
3	XC	1605	0	1668	63	0
4	QD	1703	0	1765	108	0
4	XD	1703	0	1762	51	0
5	QE	1155	0	1213	49	0
5	XE	1155	0	1213	52	0
6	QF	843	0	857	18	0
6	XF	843	0	857	34	0
7	QG	1257	0	1296	39	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	XG	1257	0	1296	26	0
8	QH	1116	0	1177	43	0
8	XH	1116	0	1177	32	0
9	QI	1010	0	1037	49	0
9	XI	1010	0	1037	50	0
10	QJ	801	0	849	53	0
10	XJ	801	0	849	61	0
11	QK	885	0	904	35	0
11	XK	885	0	904	29	0
12	QL	975	0	1062	104	0
12	XL	975	0	1062	98	0
13	QM	964	0	1034	68	0
13	XM	964	0	1034	48	0
14	QN	492	0	529	32	0
14	XN	492	0	529	20	0
15	QO	734	0	771	19	0
15	XO	734	0	771	18	0
16	QP	705	0	725	17	0
16	XP	705	0	725	24	0
17	QQ	834	0	904	25	0
17	XQ	834	0	904	17	0
18	QR	574	0	644	11	0
18	XR	574	0	644	24	0
19	QS	674	0	699	96	0
19	XS	674	0	699	43	0
20	QT	763	0	861	32	0
20	XT	763	0	861	69	0
21	QU	217	0	234	13	0
21	XU	217	0	234	5	0
22	QV	1644	0	835	21	0
22	XV	1644	0	836	18	0
23	QX	191	0	99	1	0
23	XX	213	0	110	3	0
24	QY	344	0	173	3	0
24	XY	344	0	173	14	0
25	RA	62071	0	31290	1025	0
25	YA	62071	0	31290	990	0
26	RB	2573	0	1306	58	0
26	YB	2573	0	1306	78	0
27	RD	2115	0	2195	108	0
27	YD	2115	0	2195	330	0
28	RE	1568	0	1634	296	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
28	YE	1568	0	1634	288	0
29	RF	1585	0	1632	83	0
29	YF	1585	0	1632	197	0
30	RG	1474	0	1535	112	0
30	YG	1474	0	1535	73	0
31	RH	1307	0	1382	233	0
31	YH	1307	0	1382	233	0
32	RI	1136	0	1223	108	0
32	YI	1136	0	1223	70	0
33	RN	1104	0	1180	51	0
33	YN	1104	0	1180	56	0
34	RO	933	0	996	29	0
34	YO	933	0	996	28	0
35	RP	1145	0	1228	118	0
35	YP	1145	0	1227	117	0
36	RQ	1122	0	1179	173	0
36	YQ	1122	0	1179	184	0
37	RR	968	0	1033	52	0
37	YR	968	0	1033	43	0
38	RS	882	0	943	53	0
38	YS	882	0	943	168	0
39	RT	1141	0	1202	72	0
39	YT	1141	0	1202	58	0
40	RU	964	0	1022	37	0
40	YU	964	0	1021	61	0
41	RV	779	0	852	26	0
41	YV	779	0	852	47	0
42	RW	900	0	964	29	0
42	YW	900	0	964	28	0
43	RX	725	0	778	34	0
43	YX	725	0	778	27	0
44	RY	785	0	878	53	0
44	YY	785	0	878	41	0
45	RZ	1461	0	1493	44	0
45	YZ	1461	0	1493	65	0
46	R0	648	0	672	28	0
46	Y0	647	0	668	41	0
47	R1	763	0	848	33	0
47	Y1	763	0	848	37	0
48	R2	581	0	629	24	0
48	Y2	581	0	629	77	0
49	R3	469	0	518	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
49	Y3	469	0	518	16	0
50	R4	581	0	575	235	0
50	Y4	581	0	577	66	0
51	R5	459	0	480	79	0
51	Y5	454	0	475	40	0
52	R6	424	0	450	41	0
52	Y6	424	0	450	38	0
53	R7	430	0	480	20	0
53	Y7	430	0	480	23	0
54	R8	517	0	582	133	0
54	Y8	517	0	582	108	0
55	R9	307	0	338	13	0
55	Y9	307	0	338	19	0
56	Z5	74	0	51	13	0
56	Z6	74	0	51	8	0
57	QA	80	0	0	0	0
57	QE	1	0	0	0	0
57	QF	1	0	0	0	0
57	QM	1	0	0	0	0
57	QV	2	0	0	0	0
57	QX	2	0	0	0	0
57	QY	1	0	0	0	0
57	R0	1	0	0	0	0
57	R5	1	0	0	0	0
57	RA	326	0	0	0	0
57	RB	5	0	0	0	0
57	RE	2	0	0	0	0
57	RF	1	0	0	0	0
57	RP	1	0	0	0	0
57	RR	1	0	0	0	0
57	XA	110	0	0	0	0
57	XB	1	0	0	0	0
57	XD	1	0	0	0	0
57	XF	1	0	0	0	0
57	XV	2	0	0	0	0
57	XX	1	0	0	0	0
57	Y0	3	0	0	0	0
57	Y1	1	0	0	0	0
57	Y3	1	0	0	0	0
57	Y5	1	0	0	0	0
57	Y7	1	0	0	0	0
57	YA	356	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
57	YB	4	0	0	0	0
57	YD	1	0	0	0	0
57	YE	2	0	0	0	0
57	YP	3	0	0	0	0
57	YQ	1	0	0	0	0
57	YU	1	0	0	0	0
57	YY	1	0	0	0	0
58	QA	42	0	45	4	0
58	XA	42	0	45	2	0
59	QD	1	0	0	0	0
59	QN	1	0	0	0	0
59	XD	1	0	0	0	0
59	XN	1	0	0	0	0
All	All	292320	0	198405	8613	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

The worst 5 of 8613 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
31:RH:127:GLU:CG	31:RH:128:PRO:HD3	1.35	1.53
31:YH:127:GLU:CG	31:YH:128:PRO:HD3	1.36	1.52
32:RI:144:VAL:O	32:RI:145:VAL:HG12	1.22	1.36
4:QD:9:CYS:SG	4:QD:22:LYS:CE	2.22	1.28
32:YI:144:VAL:O	32:YI:145:VAL:HG22	1.22	1.28

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	QB	235/256 (92%)	174 (74%)	44 (19%)	17 (7%)	1	10
2	XB	235/256 (92%)	178 (76%)	42 (18%)	15 (6%)	1	12
3	QC	203/239 (85%)	163 (80%)	34 (17%)	6 (3%)	3	25
3	XC	203/239 (85%)	171 (84%)	29 (14%)	3 (2%)	8	37
4	QD	206/209 (99%)	178 (86%)	19 (9%)	9 (4%)	2	18
4	XD	206/209 (99%)	176 (85%)	25 (12%)	5 (2%)	4	29
5	QE	149/162 (92%)	136 (91%)	9 (6%)	4 (3%)	4	27
5	XE	149/162 (92%)	134 (90%)	13 (9%)	2 (1%)	9	39
6	QF	99/101 (98%)	95 (96%)	4 (4%)	0	100	100
6	XF	99/101 (98%)	94 (95%)	5 (5%)	0	100	100
7	QG	153/156 (98%)	136 (89%)	15 (10%)	2 (1%)	9	39
7	XG	153/156 (98%)	138 (90%)	13 (8%)	2 (1%)	9	39
8	QH	136/138 (99%)	121 (89%)	14 (10%)	1 (1%)	18	51
8	XH	136/138 (99%)	120 (88%)	12 (9%)	4 (3%)	3	26
9	QI	125/128 (98%)	103 (82%)	17 (14%)	5 (4%)	2	20
9	XI	125/128 (98%)	97 (78%)	24 (19%)	4 (3%)	3	24
10	QJ	97/105 (92%)	75 (77%)	19 (20%)	3 (3%)	3	25
10	XJ	97/105 (92%)	79 (81%)	13 (13%)	5 (5%)	1	15
11	QK	117/129 (91%)	101 (86%)	14 (12%)	2 (2%)	7	35
11	XK	117/129 (91%)	101 (86%)	14 (12%)	2 (2%)	7	35
12	QL	123/132 (93%)	85 (69%)	24 (20%)	14 (11%)	0	4
12	XL	123/132 (93%)	85 (69%)	24 (20%)	14 (11%)	0	4
13	QM	119/126 (94%)	95 (80%)	15 (13%)	9 (8%)	1	9
13	XM	119/126 (94%)	94 (79%)	16 (13%)	9 (8%)	1	9
14	QN	58/61 (95%)	50 (86%)	4 (7%)	4 (7%)	1	11
14	XN	58/61 (95%)	46 (79%)	6 (10%)	6 (10%)	0	5
15	QO	86/89 (97%)	80 (93%)	5 (6%)	1 (1%)	10	41
15	XO	86/89 (97%)	80 (93%)	4 (5%)	2 (2%)	5	30
16	QP	82/88 (93%)	73 (89%)	8 (10%)	1 (1%)	10	41
16	XP	82/88 (93%)	71 (87%)	10 (12%)	1 (1%)	10	41
17	QQ	98/105 (93%)	91 (93%)	5 (5%)	2 (2%)	6	32
17	XQ	98/105 (93%)	88 (90%)	10 (10%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
18	QR	68/88 (77%)	56 (82%)	9 (13%)	3 (4%)	2	18
18	XR	68/88 (77%)	61 (90%)	6 (9%)	1 (2%)	8	37
19	QS	82/93 (88%)	55 (67%)	16 (20%)	11 (13%)	0	3
19	XS	82/93 (88%)	54 (66%)	18 (22%)	10 (12%)	0	4
20	QT	97/106 (92%)	76 (78%)	15 (16%)	6 (6%)	1	12
20	XT	97/106 (92%)	75 (77%)	17 (18%)	5 (5%)	1	15
21	QU	23/27 (85%)	19 (83%)	3 (13%)	1 (4%)	2	18
21	XU	23/27 (85%)	18 (78%)	4 (17%)	1 (4%)	2	18
27	RD	270/276 (98%)	226 (84%)	32 (12%)	12 (4%)	2	18
27	YD	270/276 (98%)	205 (76%)	46 (17%)	19 (7%)	1	10
28	RE	203/206 (98%)	120 (59%)	41 (20%)	42 (21%)	0	1
28	YE	203/206 (98%)	120 (59%)	41 (20%)	42 (21%)	0	1
29	RF	200/210 (95%)	171 (86%)	19 (10%)	10 (5%)	1	16
29	YF	200/210 (95%)	143 (72%)	37 (18%)	20 (10%)	0	5
30	RG	179/182 (98%)	139 (78%)	26 (14%)	14 (8%)	1	8
30	YG	179/182 (98%)	143 (80%)	24 (13%)	12 (7%)	1	11
31	RH	168/180 (93%)	94 (56%)	36 (21%)	38 (23%)	0	0
31	YH	168/180 (93%)	94 (56%)	36 (21%)	38 (23%)	0	0
32	RI	144/148 (97%)	99 (69%)	31 (22%)	14 (10%)	0	6
32	YI	144/148 (97%)	106 (74%)	21 (15%)	17 (12%)	0	4
33	RN	136/140 (97%)	104 (76%)	20 (15%)	12 (9%)	0	7
33	YN	136/140 (97%)	109 (80%)	16 (12%)	11 (8%)	1	8
34	RO	120/122 (98%)	109 (91%)	9 (8%)	2 (2%)	7	35
34	YO	120/122 (98%)	108 (90%)	10 (8%)	2 (2%)	7	35
35	RP	148/150 (99%)	112 (76%)	25 (17%)	11 (7%)	1	9
35	YP	148/150 (99%)	111 (75%)	22 (15%)	15 (10%)	0	5
36	RQ	139/141 (99%)	95 (68%)	30 (22%)	14 (10%)	0	5
36	YQ	139/141 (99%)	98 (70%)	25 (18%)	16 (12%)	0	4
37	RR	116/118 (98%)	106 (91%)	5 (4%)	5 (4%)	2	18
37	YR	116/118 (98%)	99 (85%)	11 (10%)	6 (5%)	1	15
38	RS	109/112 (97%)	76 (70%)	22 (20%)	11 (10%)	0	5

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
38	YS	109/112 (97%)	62 (57%)	29 (27%)	18 (16%)	0	2
39	RT	135/146 (92%)	107 (79%)	16 (12%)	12 (9%)	0	7
39	YT	135/146 (92%)	108 (80%)	17 (13%)	10 (7%)	1	9
40	RU	115/118 (98%)	102 (89%)	9 (8%)	4 (4%)	3	23
40	YU	115/118 (98%)	101 (88%)	12 (10%)	2 (2%)	7	35
41	RV	99/101 (98%)	82 (83%)	11 (11%)	6 (6%)	1	13
41	YV	99/101 (98%)	79 (80%)	12 (12%)	8 (8%)	1	8
42	RW	111/113 (98%)	99 (89%)	8 (7%)	4 (4%)	2	22
42	YW	111/113 (98%)	100 (90%)	9 (8%)	2 (2%)	6	34
43	RX	90/96 (94%)	77 (86%)	11 (12%)	2 (2%)	5	30
43	YX	90/96 (94%)	82 (91%)	6 (7%)	2 (2%)	5	30
44	RY	100/110 (91%)	71 (71%)	13 (13%)	16 (16%)	0	2
44	YY	100/110 (91%)	70 (70%)	18 (18%)	12 (12%)	0	4
45	RZ	181/206 (88%)	128 (71%)	33 (18%)	20 (11%)	0	5
45	YZ	181/206 (88%)	135 (75%)	28 (16%)	18 (10%)	0	6
46	R0	80/85 (94%)	65 (81%)	14 (18%)	1 (1%)	9	39
46	Y0	80/85 (94%)	73 (91%)	7 (9%)	0	100	100
47	R1	95/98 (97%)	75 (79%)	11 (12%)	9 (10%)	0	6
47	Y1	95/98 (97%)	72 (76%)	17 (18%)	6 (6%)	1	12
48	R2	67/72 (93%)	54 (81%)	9 (13%)	4 (6%)	1	13
48	Y2	67/72 (93%)	46 (69%)	12 (18%)	9 (13%)	0	3
49	R3	57/60 (95%)	52 (91%)	3 (5%)	2 (4%)	3	23
49	Y3	57/60 (95%)	53 (93%)	3 (5%)	1 (2%)	6	34
50	R4	69/71 (97%)	22 (32%)	21 (30%)	26 (38%)	0	0
50	Y4	69/71 (97%)	35 (51%)	15 (22%)	19 (28%)	0	0
51	R5	57/60 (95%)	33 (58%)	9 (16%)	15 (26%)	0	0
51	Y5	56/60 (93%)	46 (82%)	8 (14%)	2 (4%)	2	22
52	R6	47/54 (87%)	23 (49%)	13 (28%)	11 (23%)	0	0
52	Y6	47/54 (87%)	22 (47%)	17 (36%)	8 (17%)	0	2
53	R7	47/49 (96%)	45 (96%)	1 (2%)	1 (2%)	5	31
53	Y7	47/49 (96%)	43 (92%)	3 (6%)	1 (2%)	5	31

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
54	R8	62/65 (95%)	36 (58%)	14 (23%)	12 (19%)	0	1
54	Y8	62/65 (95%)	36 (58%)	14 (23%)	12 (19%)	0	1
55	R9	35/37 (95%)	35 (100%)	0	0	100	100
55	Y9	35/37 (95%)	31 (89%)	4 (11%)	0	100	100
All	All	11469/12128 (95%)	9009 (79%)	1610 (14%)	850 (7%)	1	9

5 of 850 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	QB	236	TYR
3	QC	12	LEU
3	QC	190	ARG
4	QD	28	SER
4	QD	33	MET

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	QB	205/220 (93%)	169 (82%)	36 (18%)	2	12
2	XB	205/220 (93%)	181 (88%)	24 (12%)	5	25
3	QC	159/188 (85%)	147 (92%)	12 (8%)	12	39
3	XC	159/188 (85%)	145 (91%)	14 (9%)	9	33
4	QD	180/181 (99%)	154 (86%)	26 (14%)	3	18
4	XD	180/181 (99%)	155 (86%)	25 (14%)	3	19
5	QE	116/123 (94%)	102 (88%)	14 (12%)	5	23
5	XE	116/123 (94%)	100 (86%)	16 (14%)	3	20
6	QF	90/90 (100%)	79 (88%)	11 (12%)	5	23
6	XF	90/90 (100%)	78 (87%)	12 (13%)	4	21
7	QG	126/127 (99%)	115 (91%)	11 (9%)	9	34
7	XG	126/127 (99%)	112 (89%)	14 (11%)	6	27

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
8	QH	119/119 (100%)	105 (88%)	14 (12%)	5	24
8	XH	119/119 (100%)	106 (89%)	13 (11%)	6	27
9	QI	98/99 (99%)	80 (82%)	18 (18%)	1	10
9	XI	98/99 (99%)	77 (79%)	21 (21%)	1	7
10	QJ	89/92 (97%)	75 (84%)	14 (16%)	2	15
10	XJ	89/92 (97%)	74 (83%)	15 (17%)	2	13
11	QK	90/99 (91%)	79 (88%)	11 (12%)	5	23
11	XK	90/99 (91%)	81 (90%)	9 (10%)	7	30
12	QL	104/109 (95%)	87 (84%)	17 (16%)	2	15
12	XL	104/109 (95%)	86 (83%)	18 (17%)	2	12
13	QM	97/101 (96%)	73 (75%)	24 (25%)	1	4
13	XM	97/101 (96%)	79 (81%)	18 (19%)	1	10
14	QN	49/50 (98%)	40 (82%)	9 (18%)	1	10
14	XN	49/50 (98%)	42 (86%)	7 (14%)	3	19
15	QO	79/80 (99%)	72 (91%)	7 (9%)	9	33
15	XO	79/80 (99%)	68 (86%)	11 (14%)	3	19
16	QP	72/74 (97%)	62 (86%)	10 (14%)	3	19
16	XP	72/74 (97%)	66 (92%)	6 (8%)	10	35
17	QQ	95/97 (98%)	86 (90%)	9 (10%)	8	32
17	XQ	95/97 (98%)	88 (93%)	7 (7%)	13	39
18	QR	61/77 (79%)	50 (82%)	11 (18%)	2	11
18	XR	61/77 (79%)	50 (82%)	11 (18%)	2	11
19	QS	73/80 (91%)	58 (80%)	15 (20%)	1	8
19	XS	73/80 (91%)	56 (77%)	17 (23%)	1	5
20	QT	76/82 (93%)	66 (87%)	10 (13%)	4	21
20	XT	76/82 (93%)	66 (87%)	10 (13%)	4	21
21	QU	20/22 (91%)	20 (100%)	0	100	100
21	XU	20/22 (91%)	20 (100%)	0	100	100
27	RD	214/218 (98%)	170 (79%)	44 (21%)	1	8
27	YD	214/218 (98%)	173 (81%)	41 (19%)	1	9
28	RE	165/166 (99%)	125 (76%)	40 (24%)	1	5

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
28	YE	165/166 (99%)	125 (76%)	40 (24%)	1	5
29	RF	161/166 (97%)	126 (78%)	35 (22%)	1	7
29	YF	161/166 (97%)	138 (86%)	23 (14%)	3	19
30	RG	155/156 (99%)	135 (87%)	20 (13%)	4	22
30	YG	155/156 (99%)	131 (84%)	24 (16%)	2	16
31	RH	142/148 (96%)	111 (78%)	31 (22%)	1	7
31	YH	142/148 (96%)	112 (79%)	30 (21%)	1	7
32	RI	122/124 (98%)	98 (80%)	24 (20%)	1	8
32	YI	122/124 (98%)	91 (75%)	31 (25%)	0	4
33	RN	117/119 (98%)	94 (80%)	23 (20%)	1	8
33	YN	117/119 (98%)	93 (80%)	24 (20%)	1	8
34	RO	100/100 (100%)	91 (91%)	9 (9%)	9	33
34	YO	100/100 (100%)	85 (85%)	15 (15%)	3	17
35	RP	116/116 (100%)	85 (73%)	31 (27%)	0	3
35	YP	116/116 (100%)	78 (67%)	38 (33%)	0	2
36	RQ	111/111 (100%)	95 (86%)	16 (14%)	3	18
36	YQ	111/111 (100%)	94 (85%)	17 (15%)	3	16
37	RR	101/101 (100%)	81 (80%)	20 (20%)	1	8
37	YR	101/101 (100%)	80 (79%)	21 (21%)	1	7
38	RS	87/88 (99%)	67 (77%)	20 (23%)	1	6
38	YS	87/88 (99%)	73 (84%)	14 (16%)	2	15
39	RT	120/127 (94%)	101 (84%)	19 (16%)	2	15
39	YT	120/127 (94%)	94 (78%)	26 (22%)	1	7
40	RU	93/94 (99%)	79 (85%)	14 (15%)	3	17
40	YU	93/94 (99%)	79 (85%)	14 (15%)	3	17
41	RV	82/82 (100%)	63 (77%)	19 (23%)	1	5
41	YV	82/82 (100%)	66 (80%)	16 (20%)	1	9
42	RW	92/92 (100%)	73 (79%)	19 (21%)	1	7
42	YW	92/92 (100%)	76 (83%)	16 (17%)	2	12
43	RX	74/78 (95%)	61 (82%)	13 (18%)	2	12
43	YX	74/78 (95%)	59 (80%)	15 (20%)	1	8

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
44	RY	85/91 (93%)	56 (66%)	29 (34%)	0	1
44	YY	85/91 (93%)	62 (73%)	23 (27%)	0	3
45	RZ	162/179 (90%)	141 (87%)	21 (13%)	4	21
45	YZ	162/179 (90%)	141 (87%)	21 (13%)	4	21
46	R0	65/67 (97%)	58 (89%)	7 (11%)	6	28
46	Y0	65/67 (97%)	57 (88%)	8 (12%)	4	23
47	R1	82/83 (99%)	74 (90%)	8 (10%)	7	31
47	Y1	82/83 (99%)	69 (84%)	13 (16%)	2	15
48	R2	64/67 (96%)	48 (75%)	16 (25%)	0	4
48	Y2	64/67 (96%)	57 (89%)	7 (11%)	6	27
49	R3	51/52 (98%)	43 (84%)	8 (16%)	2	15
49	Y3	51/52 (98%)	44 (86%)	7 (14%)	3	20
50	R4	63/63 (100%)	48 (76%)	15 (24%)	1	5
50	Y4	63/63 (100%)	43 (68%)	20 (32%)	0	2
51	R5	51/52 (98%)	40 (78%)	11 (22%)	1	7
51	Y5	51/52 (98%)	37 (72%)	14 (28%)	0	3
52	R6	48/52 (92%)	32 (67%)	16 (33%)	0	2
52	Y6	48/52 (92%)	34 (71%)	14 (29%)	0	2
53	R7	42/42 (100%)	35 (83%)	7 (17%)	2	14
53	Y7	42/42 (100%)	35 (83%)	7 (17%)	2	14
54	R8	54/55 (98%)	40 (74%)	14 (26%)	0	4
54	Y8	54/55 (98%)	39 (72%)	15 (28%)	0	3
55	R9	34/34 (100%)	30 (88%)	4 (12%)	5	24
55	Y9	34/34 (100%)	31 (91%)	3 (9%)	9	33
All	All	9702/10066 (96%)	8045 (83%)	1657 (17%)	2	13

5 of 1657 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
7	XG	27	ILE
28	YE	17	ASP
50	Y4	57	GLU
9	XI	56	LEU
7	XG	13	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 84 such sidechains are listed below:

Mol	Chain	Res	Type
16	XP	13	HIS
29	YF	169	ASN
19	XS	14	HIS
27	YD	166	GLN
37	YR	13	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	QA	1498/1522 (98%)	279 (18%)	43 (2%)
1	XA	1498/1522 (98%)	283 (18%)	37 (2%)
22	QV	76/77 (98%)	21 (27%)	1 (1%)
22	XV	76/77 (98%)	13 (17%)	1 (1%)
23	QX	8/25 (32%)	2 (25%)	0
23	XX	9/25 (36%)	1 (11%)	0
24	QY	15/17 (88%)	2 (13%)	0
24	XY	15/17 (88%)	1 (6%)	0
25	RA	2879/2915 (98%)	607 (21%)	50 (1%)
25	YA	2879/2915 (98%)	607 (21%)	56 (1%)
26	RB	119/122 (97%)	22 (18%)	2 (1%)
26	YB	119/122 (97%)	27 (22%)	1 (0%)
56	Z5	1/3 (33%)	0	0
56	Z6	1/3 (33%)	0	0
All	All	9193/9362 (98%)	1865 (20%)	191 (2%)

5 of 1865 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	QA	9	G
1	QA	32	A
1	QA	39	G
1	QA	47	C
1	QA	48	C

5 of 191 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	XA	485	G
25	YA	271(B)	G
1	XA	687	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	XA	1397	C
25	YA	637	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
56	PPU	Z6	101	56,25	37,40,41	2.58	8 (21%)	47,57,60	2.55	15 (31%)
56	PPU	Z5	101	56,25	37,40,41	2.58	8 (21%)	47,57,60	2.56	15 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
56	PPU	Z6	101	56,25	-	2/25/43/44	0/4/4/4
56	PPU	Z5	101	56,25	-	2/25/43/44	0/4/4/4

The worst 5 of 16 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
56	Z5	101	PPU	O-C	9.63	1.41	1.23
56	Z6	101	PPU	O-C	9.60	1.41	1.23
56	Z6	101	PPU	C9-N6	-6.23	1.31	1.45
56	Z5	101	PPU	C9-N6	-6.22	1.32	1.45
56	Z5	101	PPU	C-N3'	5.87	1.46	1.34

The worst 5 of 30 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
56	Z5	101	PPU	C3'-N3'-C	-8.53	110.23	123.20
56	Z6	101	PPU	C3'-N3'-C	-8.51	110.26	123.20
56	Z6	101	PPU	C2'-C1'-N9	-5.95	98.51	113.30
56	Z5	101	PPU	C2'-C1'-N9	-5.95	98.52	113.30
56	Z6	101	PPU	C5-C4-N3	-4.96	119.88	126.72

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
56	Z5	101	PPU	O-C-CA-N
56	Z6	101	PPU	O-C-CA-N
56	Z5	101	PPU	N3'-C-CA-N
56	Z6	101	PPU	N3'-C-CA-N

There are no ring outliers.

2 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
56	Z6	101	PPU	6	0
56	Z5	101	PPU	12	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 924 ligands modelled in this entry, 922 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
58	PAR	XA	1710	-	44,45,45	1.42	6 (13%)	63,67,67	1.24	4 (6%)
58	PAR	QA	1681	-	44,45,45	1.42	7 (15%)	63,67,67	1.32	7 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
58	PAR	XA	1710	-	-	7/18/94/94	0/4/4/4
58	PAR	QA	1681	-	-	7/18/94/94	0/4/4/4

The worst 5 of 13 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
58	QA	1681	PAR	C52-C42	3.22	1.58	1.52
58	XA	1710	PAR	C52-C42	3.13	1.58	1.52
58	QA	1681	PAR	O54-C14	3.10	1.49	1.41
58	XA	1710	PAR	O54-C14	2.97	1.49	1.41
58	QA	1681	PAR	C11-C21	2.86	1.57	1.52

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
58	QA	1681	PAR	C14-O54-C54	5.17	123.82	113.72
58	XA	1710	PAR	O33-C14-C24	4.95	116.17	108.08
58	XA	1710	PAR	C14-O54-C54	3.82	121.17	113.72
58	QA	1681	PAR	O54-C54-C64	3.38	112.56	106.07
58	QA	1681	PAR	O33-C14-C24	3.02	113.02	108.08

There are no chirality outliers.

5 of 14 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
58	QA	1681	PAR	C44-C54-C64-N64
58	QA	1681	PAR	O54-C54-C64-N64
58	XA	1710	PAR	C44-C54-C64-N64
58	XA	1710	PAR	O43-C43-C53-O53
58	XA	1710	PAR	C33-C43-C53-O53


There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
58	XA	1710	PAR	2	0
58	QA	1681	PAR	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	QA	1500/1522 (98%)	0.35	38 (2%) 58 34	40, 98, 191, 460	0
1	XA	1500/1522 (98%)	0.27	21 (1%) 73 46	37, 88, 192, 384	0
2	QB	237/256 (92%)	0.65	8 (3%) 48 27	91, 151, 229, 303	0
2	XB	237/256 (92%)	0.55	2 (0%) 82 58	71, 131, 209, 300	0
3	QC	205/239 (85%)	0.58	9 (4%) 39 22	79, 138, 213, 261	0
3	XC	205/239 (85%)	0.23	5 (2%) 59 34	53, 95, 150, 275	0
4	QD	208/209 (99%)	0.83	23 (11%) 10 8	59, 105, 170, 323	0
4	XD	208/209 (99%)	0.60	16 (7%) 19 13	43, 92, 156, 208	0
5	QE	151/162 (93%)	0.64	11 (7%) 21 14	66, 112, 178, 228	0
5	XE	151/162 (93%)	0.35	2 (1%) 75 48	44, 86, 140, 204	0
6	QF	101/101 (100%)	0.27	1 (0%) 79 54	48, 92, 135, 211	0
6	XF	101/101 (100%)	0.38	0 100 100	47, 96, 150, 271	0
7	QG	155/156 (99%)	0.46	7 (4%) 38 21	86, 136, 192, 401	0
7	XG	155/156 (99%)	0.42	2 (1%) 75 48	63, 118, 165, 229	0
8	QH	138/138 (100%)	0.57	8 (5%) 29 17	66, 110, 155, 278	0
8	XH	138/138 (100%)	0.57	7 (5%) 33 19	62, 104, 145, 170	0
9	QI	127/128 (99%)	1.16	25 (19%) 3 3	82, 153, 208, 251	0
9	XI	127/128 (99%)	1.05	18 (14%) 6 6	56, 131, 179, 246	0
10	QJ	99/105 (94%)	1.04	11 (11%) 10 8	101, 158, 246, 398	0
10	XJ	99/105 (94%)	0.85	9 (9%) 15 11	60, 121, 205, 240	0
11	QK	119/129 (92%)	0.51	7 (5%) 28 17	60, 100, 188, 269	0
11	XK	119/129 (92%)	0.28	3 (2%) 58 34	37, 93, 164, 272	0
12	QL	125/132 (94%)	0.87	15 (12%) 9 7	47, 91, 145, 263	0
12	XL	125/132 (94%)	0.75	17 (13%) 7 6	42, 72, 139, 285	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	QM	121/126 (96%)	0.96	12 (9%) 13 10	91, 151, 204, 320	0
13	XM	121/126 (96%)	0.77	8 (6%) 24 15	58, 116, 178, 305	0
14	QN	60/61 (98%)	1.34	15 (25%) 2 2	88, 128, 188, 195	0
14	XN	60/61 (98%)	0.86	11 (18%) 3 4	49, 90, 129, 159	0
15	QO	88/89 (98%)	0.20	0 100 100	41, 92, 137, 169	0
15	XO	88/89 (98%)	0.48	0 100 100	56, 97, 143, 170	0
16	QP	84/88 (95%)	1.06	10 (11%) 9 8	62, 95, 137, 206	0
16	XP	84/88 (95%)	1.17	10 (11%) 9 8	74, 110, 158, 267	0
17	QQ	100/105 (95%)	0.56	3 (3%) 52 30	57, 99, 132, 165	0
17	XQ	100/105 (95%)	0.67	5 (5%) 34 19	68, 112, 143, 168	0
18	QR	70/88 (79%)	0.21	0 100 100	64, 101, 147, 191	0
18	XR	70/88 (79%)	0.37	1 (1%) 73 46	62, 104, 164, 181	0
19	QS	84/93 (90%)	0.67	2 (2%) 59 34	100, 157, 204, 241	0
19	XS	84/93 (90%)	0.40	3 (3%) 46 26	66, 121, 190, 335	0
20	QT	99/106 (93%)	0.83	6 (6%) 27 16	55, 101, 164, 255	0
20	XT	99/106 (93%)	1.45	27 (27%) 1 2	80, 141, 215, 265	0
21	QU	25/27 (92%)	1.50	9 (36%) 1 1	95, 140, 198, 248	0
21	XU	25/27 (92%)	1.41	6 (24%) 2 2	76, 110, 159, 180	0
22	QV	77/77 (100%)	0.22	1 (1%) 75 48	38, 106, 168, 231	0
22	XV	77/77 (100%)	0.06	1 (1%) 75 48	42, 84, 137, 180	0
23	QX	9/25 (36%)	1.23	3 (33%) 1 1	63, 86, 158, 171	0
23	XX	10/25 (40%)	1.67	3 (30%) 1 1	47, 69, 148, 219	0
24	QY	16/17 (94%)	0.49	1 (6%) 26 16	87, 115, 167, 175	0
24	XY	16/17 (94%)	0.34	0 100 100	68, 95, 153, 191	0
25	RA	2882/2915 (98%)	0.08	37 (1%) 75 48	27, 74, 249, 510	0
25	YA	2882/2915 (98%)	0.07	39 (1%) 73 46	27, 69, 246, 557	0
26	RB	120/122 (98%)	0.55	3 (2%) 58 34	90, 127, 170, 210	0
26	YB	120/122 (98%)	0.01	1 (0%) 82 58	61, 90, 124, 152	0
27	RD	272/276 (98%)	0.38	14 (5%) 33 19	22, 61, 105, 222	0
27	YD	272/276 (98%)	0.51	12 (4%) 39 22	22, 61, 105, 185	0
28	RE	205/206 (99%)	0.81	11 (5%) 31 18	39, 83, 168, 336	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
28	YE	205/206 (99%)	0.73	12 (5%) 28 17	31, 91, 177, 273	0
29	RF	202/210 (96%)	0.31	4 (1%) 65 38	23, 99, 171, 216	0
29	YF	202/210 (96%)	0.39	4 (1%) 65 38	32, 78, 149, 227	0
30	RG	181/182 (99%)	0.68	7 (3%) 43 24	92, 150, 197, 231	0
30	YG	181/182 (99%)	0.51	9 (4%) 34 19	61, 98, 160, 244	0
31	RH	170/180 (94%)	0.86	8 (4%) 36 20	102, 193, 270, 361	0
31	YH	170/180 (94%)	0.87	14 (8%) 17 12	53, 105, 164, 210	0
32	RI	146/148 (98%)	1.03	24 (16%) 4 5	67, 125, 195, 258	0
32	YI	146/148 (98%)	0.64	8 (5%) 30 18	48, 123, 189, 271	0
33	RN	138/140 (98%)	0.67	10 (7%) 21 14	51, 93, 154, 202	0
33	YN	138/140 (98%)	0.73	8 (5%) 29 17	47, 92, 157, 220	0
34	RO	122/122 (100%)	0.40	1 (0%) 82 58	48, 80, 114, 148	0
34	YO	122/122 (100%)	0.12	1 (0%) 82 58	27, 64, 103, 120	0
35	RP	150/150 (100%)	0.63	10 (6%) 24 15	28, 99, 159, 288	0
35	YP	150/150 (100%)	0.76	12 (8%) 18 13	31, 90, 162, 231	0
36	RQ	141/141 (100%)	1.31	29 (20%) 2 3	54, 102, 180, 226	0
36	YQ	141/141 (100%)	0.95	23 (16%) 4 5	35, 73, 140, 222	0
37	RR	118/118 (100%)	0.24	2 (1%) 69 41	29, 70, 104, 138	0
37	YR	118/118 (100%)	0.80	8 (6%) 23 15	51, 91, 139, 190	0
38	RS	111/112 (99%)	0.88	8 (7%) 21 14	81, 120, 204, 273	0
38	YS	111/112 (99%)	0.70	6 (5%) 31 18	66, 101, 156, 201	0
39	RT	137/146 (93%)	0.69	8 (5%) 29 17	50, 91, 188, 276	0
39	YT	137/146 (93%)	0.70	14 (10%) 12 10	51, 89, 212, 242	0
40	RU	117/118 (99%)	0.44	2 (1%) 69 41	35, 81, 155, 298	0
40	YU	117/118 (99%)	0.64	9 (7%) 19 13	40, 81, 152, 243	0
41	RV	101/101 (100%)	0.48	2 (1%) 65 38	55, 114, 183, 398	0
41	YV	101/101 (100%)	0.71	6 (5%) 28 17	44, 111, 174, 335	0
42	RW	113/113 (100%)	0.40	4 (3%) 47 27	36, 63, 115, 296	0
42	YW	113/113 (100%)	0.42	7 (6%) 26 16	37, 74, 134, 258	0
43	RX	92/96 (95%)	0.58	5 (5%) 31 18	51, 77, 128, 164	0
43	YX	92/96 (95%)	0.49	3 (3%) 49 28	37, 73, 112, 140	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
44	RY	102/110 (92%)	1.22	13 (12%) 8 7	55, 119, 185, 325	0
44	YY	102/110 (92%)	0.95	15 (14%) 6 5	42, 92, 162, 273	0
45	RZ	183/206 (88%)	1.05	17 (9%) 14 10	104, 153, 230, 292	0
45	YZ	183/206 (88%)	0.80	11 (6%) 27 17	55, 116, 202, 300	0
46	R0	82/85 (96%)	0.88	8 (9%) 13 10	48, 88, 127, 238	0
46	Y0	82/85 (96%)	0.47	4 (4%) 35 20	44, 71, 99, 142	0
47	R1	97/98 (98%)	0.99	13 (13%) 7 6	37, 80, 161, 290	0
47	Y1	97/98 (98%)	0.80	8 (8%) 17 12	39, 75, 176, 210	0
48	R2	69/72 (95%)	0.63	6 (8%) 16 11	63, 105, 160, 274	0
48	Y2	69/72 (95%)	0.71	6 (8%) 16 11	47, 80, 151, 219	0
49	R3	59/60 (98%)	0.47	0 100 100	63, 97, 155, 205	0
49	Y3	59/60 (98%)	0.52	3 (5%) 33 19	55, 89, 162, 293	0
50	R4	71/71 (100%)	0.98	6 (8%) 16 12	150, 244, 350, 423	0
50	Y4	71/71 (100%)	0.69	3 (4%) 40 22	69, 162, 340, 411	0
51	R5	59/60 (98%)	0.71	3 (5%) 33 19	40, 77, 216, 261	0
51	Y5	58/60 (96%)	0.83	7 (12%) 8 7	44, 97, 231, 342	0
52	R6	49/54 (90%)	1.20	6 (12%) 8 7	119, 194, 264, 286	0
52	Y6	49/54 (90%)	1.11	8 (16%) 4 5	115, 171, 260, 295	0
53	R7	49/49 (100%)	0.49	4 (8%) 17 12	27, 54, 110, 166	0
53	Y7	49/49 (100%)	0.55	4 (8%) 17 12	32, 51, 111, 180	0
54	R8	64/65 (98%)	1.12	12 (18%) 3 3	42, 82, 134, 223	0
54	Y8	64/65 (98%)	1.12	11 (17%) 4 4	35, 68, 120, 229	0
55	R9	37/37 (100%)	2.12	17 (45%) 0 1	134, 200, 317, 510	0
55	Y9	37/37 (100%)	2.51	23 (62%) 0 0	134, 206, 322, 404	0
56	Z5	2/3 (66%)	0.68	0 100 100	50, 50, 50, 60	0
56	Z6	2/3 (66%)	0.33	0 100 100	38, 38, 38, 41	0
All	All	20878/21490 (97%)	0.46	995 (4%) 35 20	22, 92, 205, 557	0

The worst 5 of 995 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
55	R9	14	CYS	7.0
7	XG	5	ARG	6.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
36	YQ	80	GLU	6.2
53	R7	48	LYS	6.1
14	XN	2	ALA	6.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
56	PPU	Z5	101	37/38	0.93	0.13	45,47,48,48	0
56	PPU	Z6	101	37/38	0.94	0.12	36,37,38,38	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
57	MG	YA	3193	1/1	0.26	0.23	56,56,56,56	0
57	MG	RA	3289	1/1	0.34	0.29	26,26,26,26	0
57	MG	RA	3059	1/1	0.37	0.22	10,10,10,10	0
57	MG	YA	3194	1/1	0.39	0.41	60,60,60,60	0
57	MG	XX	101	1/1	0.41	0.28	57,57,57,57	0
57	MG	YA	3175	1/1	0.44	0.27	63,63,63,63	0
57	MG	XA	1632	1/1	0.48	0.14	58,58,58,58	0
57	MG	QA	1656	1/1	0.49	0.23	63,63,63,63	0
57	MG	QA	1624	1/1	0.49	0.18	77,77,77,77	0
57	MG	YA	3146	1/1	0.51	0.26	98,98,98,98	0
57	MG	XA	1627	1/1	0.51	0.22	98,98,98,98	0
57	MG	RA	3277	1/1	0.52	0.26	59,59,59,59	0
57	MG	YA	3339	1/1	0.52	0.31	78,78,78,78	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	YP	201	1/1	0.53	0.23	66,66,66,66	0
57	MG	XA	1659	1/1	0.57	0.22	105,105,105,105	0
57	MG	XA	1686	1/1	0.58	0.30	72,72,72,72	0
57	MG	YA	3153	1/1	0.59	0.23	52,52,52,52	0
57	MG	QA	1669	1/1	0.60	0.15	59,59,59,59	0
57	MG	XA	1705	1/1	0.60	0.23	52,52,52,52	0
57	MG	YA	3158	1/1	0.60	0.30	76,76,76,76	0
57	MG	YE	302	1/1	0.60	0.26	49,49,49,49	0
57	MG	QV	101	1/1	0.60	0.19	50,50,50,50	0
57	MG	YA	3274	1/1	0.61	0.35	60,60,60,60	0
57	MG	QA	1617	1/1	0.61	0.28	38,38,38,38	0
57	MG	QA	1622	1/1	0.63	0.18	70,70,70,70	0
57	MG	YA	3196	1/1	0.63	0.16	90,90,90,90	0
57	MG	YA	3291	1/1	0.64	0.18	71,71,71,71	0
57	MG	YA	3176	1/1	0.64	0.16	89,89,89,89	0
57	MG	RA	3202	1/1	0.66	0.22	55,55,55,55	0
57	MG	RA	3154	1/1	0.67	0.16	26,26,26,26	0
57	MG	YA	3294	1/1	0.67	0.21	62,62,62,62	0
57	MG	YA	3333	1/1	0.67	0.30	69,69,69,69	0
57	MG	RA	3243	1/1	0.67	0.23	84,84,84,84	0
57	MG	RA	3256	1/1	0.67	0.58	78,78,78,78	0
57	MG	RA	3160	1/1	0.67	0.21	82,82,82,82	0
57	MG	YA	3082	1/1	0.68	0.28	51,51,51,51	0
57	MG	YA	3296	1/1	0.68	0.19	48,48,48,48	0
57	MG	YA	3298	1/1	0.68	0.19	55,55,55,55	0
57	MG	YA	3117	1/1	0.68	0.32	49,49,49,49	0
57	MG	YA	3206	1/1	0.68	0.23	70,70,70,70	0
57	MG	XA	1675	1/1	0.68	0.17	59,59,59,59	0
57	MG	QA	1648	1/1	0.68	0.19	71,71,71,71	0
57	MG	XA	1635	1/1	0.69	0.27	58,58,58,58	0
57	MG	YA	3182	1/1	0.69	0.12	62,62,62,62	0
57	MG	QA	1613	1/1	0.69	0.22	40,40,40,40	0
57	MG	RA	3203	1/1	0.69	0.20	70,70,70,70	0
57	MG	RA	3209	1/1	0.69	0.20	59,59,59,59	0
57	MG	RA	3009	1/1	0.70	0.21	52,52,52,52	0
57	MG	YA	3112	1/1	0.70	0.24	44,44,44,44	0
57	MG	YQ	201	1/1	0.70	0.23	61,61,61,61	0
57	MG	RA	3102	1/1	0.71	0.14	38,38,38,38	0
57	MG	RA	3201	1/1	0.71	0.25	65,65,65,65	0
57	MG	XA	1677	1/1	0.71	0.14	81,81,81,81	0
57	MG	QA	1639	1/1	0.71	0.19	67,67,67,67	0
57	MG	YA	3320	1/1	0.71	0.22	63,63,63,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	YA	3086	1/1	0.72	0.32	51,51,51,51	0
57	MG	XA	1684	1/1	0.72	0.26	56,56,56,56	0
57	MG	YA	3338	1/1	0.73	0.14	89,89,89,89	0
57	MG	XA	1694	1/1	0.73	0.21	69,69,69,69	0
57	MG	QA	1604	1/1	0.73	0.26	47,47,47,47	0
57	MG	RA	3189	1/1	0.73	0.23	58,58,58,58	0
57	MG	YP	202	1/1	0.73	0.15	52,52,52,52	0
57	MG	QA	1663	1/1	0.73	0.18	55,55,55,55	0
57	MG	YA	3137	1/1	0.74	0.30	51,51,51,51	0
57	MG	YA	3006	1/1	0.74	0.24	22,22,22,22	0
57	MG	YA	3353	1/1	0.74	0.24	66,66,66,66	0
57	MG	XA	1648	1/1	0.74	0.20	59,59,59,59	0
57	MG	XA	1695	1/1	0.74	0.17	78,78,78,78	0
57	MG	QA	1635	1/1	0.74	0.19	58,58,58,58	0
57	MG	RA	3171	1/1	0.74	0.14	57,57,57,57	0
57	MG	QA	1676	1/1	0.75	0.18	63,63,63,63	0
57	MG	RA	3286	1/1	0.75	0.34	57,57,57,57	0
57	MG	QM	201	1/1	0.75	0.14	104,104,104,104	0
57	MG	RA	3062	1/1	0.75	0.11	61,61,61,61	0
57	MG	YA	3183	1/1	0.75	0.17	47,47,47,47	0
57	MG	YA	3189	1/1	0.75	0.36	51,51,51,51	0
57	MG	RA	3068	1/1	0.75	0.14	47,47,47,47	0
57	MG	QA	1665	1/1	0.75	0.19	55,55,55,55	0
57	MG	YU	201	1/1	0.75	0.25	62,62,62,62	0
57	MG	QA	1658	1/1	0.76	0.25	62,62,62,62	0
57	MG	R5	101	1/1	0.76	0.53	162,162,162,162	0
57	MG	YA	3204	1/1	0.76	0.17	75,75,75,75	0
57	MG	XA	1680	1/1	0.76	0.17	65,65,65,65	0
57	MG	QA	1666	1/1	0.76	0.14	50,50,50,50	0
57	MG	RA	3185	1/1	0.76	0.29	60,60,60,60	0
57	MG	RA	3117	1/1	0.76	0.12	65,65,65,65	0
57	MG	RA	3144	1/1	0.76	0.27	60,60,60,60	0
57	MG	QA	1626	1/1	0.76	0.15	65,65,65,65	0
57	MG	YA	3305	1/1	0.76	0.25	53,53,53,53	0
57	MG	YA	3167	1/1	0.77	0.22	43,43,43,43	0
57	MG	YA	3342	1/1	0.77	0.15	56,56,56,56	0
57	MG	QA	1673	1/1	0.77	0.22	63,63,63,63	0
57	MG	QA	1645	1/1	0.77	0.15	73,73,73,73	0
57	MG	YA	3181	1/1	0.77	0.14	52,52,52,52	0
57	MG	QA	1641	1/1	0.77	0.15	59,59,59,59	0
57	MG	XA	1628	1/1	0.77	0.18	36,36,36,36	0
57	MG	XF	201	1/1	0.77	0.15	65,65,65,65	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	YA	3308	1/1	0.78	0.13	72,72,72,72	0
57	MG	RA	3215	1/1	0.78	0.14	33,33,33,33	0
57	MG	YA	3166	1/1	0.78	0.16	51,51,51,51	0
57	MG	RA	3072	1/1	0.78	0.25	52,52,52,52	0
57	MG	RA	3132	1/1	0.78	0.13	52,52,52,52	0
57	MG	XA	1697	1/1	0.78	0.20	47,47,47,47	0
57	MG	YA	3283	1/1	0.78	0.19	64,64,64,64	0
57	MG	YE	301	1/1	0.78	0.20	28,28,28,28	0
57	MG	RA	3258	1/1	0.78	0.23	48,48,48,48	0
57	MG	YA	3133	1/1	0.78	0.13	71,71,71,71	0
57	MG	XA	1708	1/1	0.78	0.21	33,33,33,33	0
57	MG	RA	3205	1/1	0.78	0.18	59,59,59,59	0
57	MG	RA	3044	1/1	0.78	0.24	65,65,65,65	0
57	MG	YY	201	1/1	0.78	0.12	45,45,45,45	0
57	MG	RA	3210	1/1	0.79	0.20	68,68,68,68	0
57	MG	YA	3135	1/1	0.79	0.12	43,43,43,43	0
57	MG	YA	3240	1/1	0.79	0.34	43,43,43,43	0
57	MG	YA	3024	1/1	0.79	0.25	28,28,28,28	0
57	MG	YA	3277	1/1	0.79	0.29	80,80,80,80	0
57	MG	XA	1612	1/1	0.79	0.25	68,68,68,68	0
57	MG	RA	3135	1/1	0.79	0.19	64,64,64,64	0
57	MG	RA	3130	1/1	0.79	0.34	59,59,59,59	0
57	MG	YA	3295	1/1	0.79	0.18	47,47,47,47	0
57	MG	YA	3162	1/1	0.79	0.08	70,70,70,70	0
57	MG	QA	1634	1/1	0.79	0.24	58,58,58,58	0
57	MG	YA	3127	1/1	0.79	0.14	54,54,54,54	0
57	MG	YA	3198	1/1	0.79	0.18	62,62,62,62	0
57	MG	RA	3075	1/1	0.80	0.11	58,58,58,58	0
57	MG	YA	3159	1/1	0.80	0.13	44,44,44,44	0
57	MG	YA	3073	1/1	0.80	0.35	38,38,38,38	0
57	MG	RA	3176	1/1	0.80	0.10	28,28,28,28	0
57	MG	YA	3210	1/1	0.80	0.20	40,40,40,40	0
57	MG	YA	3214	1/1	0.80	0.24	89,89,89,89	0
57	MG	XA	1692	1/1	0.80	0.20	58,58,58,58	0
57	MG	RA	3112	1/1	0.80	0.15	58,58,58,58	0
57	MG	RA	3138	1/1	0.80	0.19	61,61,61,61	0
57	MG	RA	3281	1/1	0.80	0.14	53,53,53,53	0
57	MG	RA	3190	1/1	0.80	0.20	69,69,69,69	0
57	MG	RA	3163	1/1	0.80	0.23	27,27,27,27	0
57	MG	RA	3299	1/1	0.80	0.20	53,53,53,53	0
57	MG	RB	205	1/1	0.80	0.15	61,61,61,61	0
57	MG	RA	3218	1/1	0.80	0.14	48,48,48,48	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	RA	3226	1/1	0.81	0.28	60,60,60,60	0
57	MG	YA	3315	1/1	0.81	0.24	50,50,50,50	0
57	MG	YA	3100	1/1	0.81	0.18	59,59,59,59	0
57	MG	QA	1627	1/1	0.81	0.13	69,69,69,69	0
57	MG	XA	1638	1/1	0.81	0.19	39,39,39,39	0
57	MG	YA	3118	1/1	0.81	0.31	58,58,58,58	0
57	MG	RA	3314	1/1	0.81	0.25	59,59,59,59	0
57	MG	RA	3315	1/1	0.81	0.10	67,67,67,67	0
57	MG	RA	3118	1/1	0.81	0.23	62,62,62,62	0
57	MG	QX	101	1/1	0.81	0.20	66,66,66,66	0
57	MG	RA	3153	1/1	0.81	0.18	34,34,34,34	0
57	MG	XA	1626	1/1	0.81	0.12	31,31,31,31	0
57	MG	RA	3001	1/1	0.81	0.16	27,27,27,27	0
57	MG	RA	3220	1/1	0.81	0.34	75,75,75,75	0
57	MG	YA	3199	1/1	0.81	0.12	55,55,55,55	0
57	MG	QA	1677	1/1	0.82	0.15	29,29,29,29	0
57	MG	YA	3065	1/1	0.82	0.14	55,55,55,55	0
57	MG	RA	3187	1/1	0.82	0.19	68,68,68,68	0
57	MG	RA	3283	1/1	0.82	0.21	65,65,65,65	0
57	MG	RA	3229	1/1	0.82	0.17	37,37,37,37	0
57	MG	RA	3113	1/1	0.82	0.19	27,27,27,27	0
57	MG	RA	3298	1/1	0.82	0.17	53,53,53,53	0
57	MG	YA	3335	1/1	0.82	0.28	59,59,59,59	0
57	MG	YA	3170	1/1	0.82	0.16	54,54,54,54	0
57	MG	YA	3216	1/1	0.82	0.10	40,40,40,40	0
57	MG	YA	3222	1/1	0.82	0.16	60,60,60,60	0
57	MG	YA	3344	1/1	0.82	0.18	55,55,55,55	0
57	MG	QF	201	1/1	0.82	0.15	57,57,57,57	0
57	MG	YB	201	1/1	0.82	0.28	46,46,46,46	0
57	MG	YA	3262	1/1	0.82	0.20	40,40,40,40	0
57	MG	RA	3303	1/1	0.82	0.34	51,51,51,51	0
57	MG	YA	3125	1/1	0.82	0.31	54,54,54,54	0
57	MG	RA	3219	1/1	0.82	0.17	58,58,58,58	0
57	MG	RA	3266	1/1	0.82	0.34	53,53,53,53	0
57	MG	RA	3269	1/1	0.82	0.15	67,67,67,67	0
57	MG	R0	101	1/1	0.82	0.10	14,14,14,14	0
57	MG	XA	1631	1/1	0.83	0.26	63,63,63,63	0
57	MG	YA	3205	1/1	0.83	0.20	73,73,73,73	0
57	MG	QA	1633	1/1	0.83	0.29	52,52,52,52	0
57	MG	YA	3319	1/1	0.83	0.23	45,45,45,45	0
57	MG	QA	1672	1/1	0.83	0.23	41,41,41,41	0
57	MG	YA	3329	1/1	0.83	0.30	56,56,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	YA	3330	1/1	0.83	0.21	45,45,45,45	0
57	MG	RA	3270	1/1	0.83	0.23	41,41,41,41	0
57	MG	RA	3274	1/1	0.83	0.27	46,46,46,46	0
57	MG	XA	1653	1/1	0.83	0.09	42,42,42,42	0
57	MG	YA	3179	1/1	0.83	0.15	50,50,50,50	0
57	MG	YA	3130	1/1	0.83	0.15	42,42,42,42	0
57	MG	RA	3011	1/1	0.83	0.15	46,46,46,46	0
57	MG	RA	3191	1/1	0.83	0.11	49,49,49,49	0
57	MG	RA	3238	1/1	0.83	0.18	57,57,57,57	0
57	MG	YD	301	1/1	0.83	0.21	19,19,19,19	0
57	MG	RA	3285	1/1	0.83	0.22	58,58,58,58	0
57	MG	RA	3211	1/1	0.83	0.24	62,62,62,62	0
57	MG	YA	3155	1/1	0.83	0.29	37,37,37,37	0
57	MG	RA	3131	1/1	0.83	0.23	21,21,21,21	0
57	MG	QA	1605	1/1	0.83	0.26	30,30,30,30	0
57	MG	YA	3300	1/1	0.83	0.17	45,45,45,45	0
57	MG	YA	3302	1/1	0.83	0.28	53,53,53,53	0
57	MG	RA	3170	1/1	0.84	0.12	35,35,35,35	0
57	MG	YA	3178	1/1	0.84	0.15	56,56,56,56	0
57	MG	YA	3008	1/1	0.84	0.53	33,33,33,33	0
57	MG	YA	3331	1/1	0.84	0.24	51,51,51,51	0
57	MG	YA	3180	1/1	0.84	0.14	52,52,52,52	0
57	MG	RE	301	1/1	0.84	0.24	24,24,24,24	0
57	MG	YA	3025	1/1	0.84	0.39	23,23,23,23	0
57	MG	YA	3053	1/1	0.84	0.16	22,22,22,22	0
57	MG	YA	3064	1/1	0.84	0.10	25,25,25,25	0
57	MG	YA	3292	1/1	0.84	0.45	74,74,74,74	0
57	MG	YA	3148	1/1	0.84	0.15	39,39,39,39	0
57	MG	RA	3213	1/1	0.84	0.22	57,57,57,57	0
57	MG	RA	3214	1/1	0.84	0.13	46,46,46,46	0
57	MG	XA	1646	1/1	0.84	0.08	72,72,72,72	0
57	MG	RA	3010	1/1	0.84	0.13	39,39,39,39	0
57	MG	XA	1619	1/1	0.84	0.28	40,40,40,40	0
57	MG	XA	1655	1/1	0.84	0.28	53,53,53,53	0
57	MG	QA	1601	1/1	0.84	0.11	31,31,31,31	0
57	MG	RA	3181	1/1	0.84	0.23	29,29,29,29	0
57	MG	RA	3027	1/1	0.84	0.33	27,27,27,27	0
57	MG	XA	1698	1/1	0.85	0.32	76,76,76,76	0
57	MG	RA	3254	1/1	0.85	0.11	27,27,27,27	0
57	MG	YA	3203	1/1	0.85	0.36	51,51,51,51	0
57	MG	YA	3109	1/1	0.85	0.14	42,42,42,42	0
57	MG	RA	3149	1/1	0.85	0.10	41,41,41,41	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	YA	3168	1/1	0.85	0.27	25,25,25,25	0
57	MG	YA	3208	1/1	0.85	0.26	49,49,49,49	0
57	MG	QA	1623	1/1	0.85	0.14	54,54,54,54	0
57	MG	QA	1646	1/1	0.85	0.12	61,61,61,61	0
57	MG	YA	3002	1/1	0.85	0.12	22,22,22,22	0
57	MG	YA	3219	1/1	0.85	0.38	83,83,83,83	0
57	MG	QA	1621	1/1	0.85	0.18	61,61,61,61	0
57	MG	YA	3334	1/1	0.85	0.16	67,67,67,67	0
57	MG	YA	3225	1/1	0.85	0.11	56,56,56,56	0
57	MG	YA	3337	1/1	0.85	0.28	57,57,57,57	0
57	MG	RA	3221	1/1	0.85	0.20	23,23,23,23	0
57	MG	YA	3245	1/1	0.85	0.11	36,36,36,36	0
57	MG	RA	3313	1/1	0.85	0.33	68,68,68,68	0
57	MG	XA	1630	1/1	0.85	0.28	47,47,47,47	0
57	MG	YA	3275	1/1	0.85	0.21	46,46,46,46	0
57	MG	YA	3355	1/1	0.85	0.27	67,67,67,67	0
57	MG	YA	3045	1/1	0.85	0.21	9,9,9,9	0
57	MG	YA	3282	1/1	0.85	0.15	43,43,43,43	0
57	MG	QA	1620	1/1	0.85	0.09	66,66,66,66	0
57	MG	RA	3165	1/1	0.85	0.06	36,36,36,36	0
57	MG	YA	3192	1/1	0.85	0.23	48,48,48,48	0
57	MG	YA	3293	1/1	0.85	0.18	60,60,60,60	0
57	MG	RA	3318	1/1	0.85	0.16	40,40,40,40	0
57	MG	RA	3084	1/1	0.85	0.14	26,26,26,26	0
57	MG	RA	3125	1/1	0.85	0.19	54,54,54,54	0
57	MG	RA	3122	1/1	0.86	0.17	24,24,24,24	0
57	MG	RA	3288	1/1	0.86	0.21	49,49,49,49	0
57	MG	RA	3123	1/1	0.86	0.16	74,74,74,74	0
57	MG	YA	3156	1/1	0.86	0.12	67,67,67,67	0
57	MG	YA	3317	1/1	0.86	0.19	38,38,38,38	0
57	MG	RA	3124	1/1	0.86	0.29	33,33,33,33	0
57	MG	RA	3264	1/1	0.86	0.27	63,63,63,63	0
57	MG	QA	1675	1/1	0.86	0.09	36,36,36,36	0
57	MG	YA	3165	1/1	0.86	0.07	59,59,59,59	0
57	MG	RA	3152	1/1	0.86	0.14	54,54,54,54	0
57	MG	YA	3083	1/1	0.86	0.20	23,23,23,23	0
57	MG	RA	3023	1/1	0.86	0.27	14,14,14,14	0
57	MG	YA	3227	1/1	0.86	0.30	52,52,52,52	0
57	MG	RA	3271	1/1	0.86	0.26	43,43,43,43	0
57	MG	XA	1636	1/1	0.86	0.10	66,66,66,66	0
57	MG	RA	3182	1/1	0.86	0.20	48,48,48,48	0
57	MG	YA	3115	1/1	0.86	0.29	23,23,23,23	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	RB	203	1/1	0.86	0.21	47,47,47,47	0
57	MG	YA	3347	1/1	0.86	0.16	57,57,57,57	0
57	MG	XA	1709	1/1	0.86	0.14	38,38,38,38	0
57	MG	QA	1642	1/1	0.86	0.11	62,62,62,62	0
57	MG	RA	3120	1/1	0.86	0.23	50,50,50,50	0
57	MG	YB	202	1/1	0.86	0.11	51,51,51,51	0
57	MG	YA	3128	1/1	0.86	0.07	43,43,43,43	0
57	MG	RA	3161	1/1	0.86	0.14	55,55,55,55	0
57	MG	YA	3005	1/1	0.86	0.17	23,23,23,23	0
57	MG	RA	3251	1/1	0.86	0.25	46,46,46,46	0
57	MG	YA	3136	1/1	0.86	0.28	30,30,30,30	0
57	MG	XA	1660	1/1	0.86	0.19	53,53,53,53	0
57	MG	YA	3138	1/1	0.86	0.15	40,40,40,40	0
57	MG	XA	1668	1/1	0.86	0.28	48,48,48,48	0
59	ZN	QD	301	1/1	0.86	0.22	77,77,77,77	0
57	MG	YA	3143	1/1	0.87	0.18	9,9,9,9	0
57	MG	YA	3079	1/1	0.87	0.25	21,21,21,21	0
57	MG	QY	101	1/1	0.87	0.21	66,66,66,66	0
57	MG	YA	3200	1/1	0.87	0.24	45,45,45,45	0
57	MG	XA	1662	1/1	0.87	0.14	38,38,38,38	0
57	MG	RA	3292	1/1	0.87	0.24	37,37,37,37	0
57	MG	YA	3310	1/1	0.87	0.15	42,42,42,42	0
57	MG	YA	3089	1/1	0.87	0.17	51,51,51,51	0
57	MG	YA	3095	1/1	0.87	0.09	42,42,42,42	0
57	MG	QA	1618	1/1	0.87	0.19	58,58,58,58	0
57	MG	RA	3199	1/1	0.87	0.27	44,44,44,44	0
57	MG	YA	3164	1/1	0.87	0.13	51,51,51,51	0
57	MG	RA	3267	1/1	0.87	0.14	40,40,40,40	0
57	MG	YA	3114	1/1	0.87	0.17	39,39,39,39	0
57	MG	YA	3332	1/1	0.87	0.31	57,57,57,57	0
57	MG	XA	1683	1/1	0.87	0.10	48,48,48,48	0
57	MG	RA	3311	1/1	0.87	0.13	56,56,56,56	0
57	MG	RA	3312	1/1	0.87	0.20	55,55,55,55	0
57	MG	YA	3228	1/1	0.87	0.26	57,57,57,57	0
57	MG	YA	3172	1/1	0.87	0.40	52,52,52,52	0
57	MG	YA	3122	1/1	0.87	0.14	26,26,26,26	0
57	MG	YA	3249	1/1	0.87	0.25	70,70,70,70	0
57	MG	YA	3258	1/1	0.87	0.33	52,52,52,52	0
57	MG	XA	1617	1/1	0.87	0.30	41,41,41,41	0
57	MG	YA	3266	1/1	0.87	0.38	65,65,65,65	0
57	MG	YA	3268	1/1	0.87	0.10	52,52,52,52	0
57	MG	YA	3035	1/1	0.87	0.29	27,27,27,27	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	RA	3129	1/1	0.87	0.09	42,42,42,42	0
57	MG	YA	3048	1/1	0.87	0.25	18,18,18,18	0
57	MG	YA	3131	1/1	0.87	0.13	39,39,39,39	0
57	MG	YA	3132	1/1	0.87	0.16	37,37,37,37	0
57	MG	YA	3288	1/1	0.87	0.24	58,58,58,58	0
57	MG	XA	1623	1/1	0.87	0.10	48,48,48,48	0
57	MG	YA	3063	1/1	0.87	0.13	12,12,12,12	0
57	MG	XA	1654	1/1	0.87	0.09	78,78,78,78	0
57	MG	RA	3014	1/1	0.87	0.29	23,23,23,23	0
57	MG	QA	1644	1/1	0.87	0.16	54,54,54,54	0
57	MG	RA	3134	1/1	0.88	0.12	27,27,27,27	0
57	MG	RA	3325	1/1	0.88	0.18	60,60,60,60	0
57	MG	XA	1658	1/1	0.88	0.16	30,30,30,30	0
57	MG	YA	3201	1/1	0.88	0.16	63,63,63,63	0
57	MG	RA	3174	1/1	0.88	0.08	19,19,19,19	0
57	MG	QA	1640	1/1	0.88	0.16	63,63,63,63	0
57	MG	RA	3177	1/1	0.88	0.08	31,31,31,31	0
57	MG	RA	3069	1/1	0.88	0.12	39,39,39,39	0
57	MG	YA	3151	1/1	0.88	0.33	69,69,69,69	0
57	MG	QA	1653	1/1	0.88	0.18	30,30,30,30	0
57	MG	RA	3183	1/1	0.88	0.09	37,37,37,37	0
57	MG	QA	1655	1/1	0.88	0.23	19,19,19,19	0
57	MG	XA	1682	1/1	0.88	0.24	60,60,60,60	0
57	MG	RA	3078	1/1	0.88	0.14	7,7,7,7	0
57	MG	RA	3079	1/1	0.88	0.20	53,53,53,53	0
57	MG	QA	1612	1/1	0.88	0.25	39,39,39,39	0
57	MG	RA	3227	1/1	0.88	0.15	27,27,27,27	0
57	MG	RA	3228	1/1	0.88	0.19	23,23,23,23	0
57	MG	YA	3336	1/1	0.88	0.19	60,60,60,60	0
57	MG	XA	1629	1/1	0.88	0.14	63,63,63,63	0
57	MG	XA	1696	1/1	0.88	0.23	65,65,65,65	0
57	MG	YA	3111	1/1	0.88	0.13	26,26,26,26	0
57	MG	YA	3340	1/1	0.88	0.18	55,55,55,55	0
57	MG	YA	3260	1/1	0.88	0.10	34,34,34,34	0
57	MG	RA	3098	1/1	0.88	0.25	5,5,5,5	0
57	MG	RA	3192	1/1	0.88	0.12	31,31,31,31	0
57	MG	YA	3351	1/1	0.88	0.15	39,39,39,39	0
57	MG	XA	1701	1/1	0.88	0.18	47,47,47,47	0
57	MG	YA	3269	1/1	0.88	0.18	59,59,59,59	0
57	MG	YA	3116	1/1	0.88	0.26	40,40,40,40	0
57	MG	QA	1628	1/1	0.88	0.14	64,64,64,64	0
57	MG	XA	1706	1/1	0.88	0.28	66,66,66,66	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	XA	1633	1/1	0.88	0.49	47,47,47,47	0
57	MG	RA	3109	1/1	0.88	0.21	34,34,34,34	0
57	MG	RA	3253	1/1	0.88	0.24	29,29,29,29	0
57	MG	RA	3164	1/1	0.88	0.20	45,45,45,45	0
57	MG	RA	3110	1/1	0.88	0.23	54,54,54,54	0
57	MG	QA	1660	1/1	0.88	0.23	31,31,31,31	0
57	MG	XA	1652	1/1	0.88	0.13	72,72,72,72	0
57	MG	Y7	101	1/1	0.88	0.17	33,33,33,33	0
57	MG	RA	3206	1/1	0.88	0.08	51,51,51,51	0
57	MG	YA	3187	1/1	0.89	0.12	87,87,87,87	0
57	MG	RA	3002	1/1	0.89	0.13	47,47,47,47	0
57	MG	YA	3190	1/1	0.89	0.08	27,27,27,27	0
57	MG	YA	3126	1/1	0.89	0.10	17,17,17,17	0
57	MG	QA	1647	1/1	0.89	0.17	35,35,35,35	0
57	MG	RA	3050	1/1	0.89	0.15	14,14,14,14	0
57	MG	XA	1610	1/1	0.89	0.20	21,21,21,21	0
57	MG	XA	1661	1/1	0.89	0.09	44,44,44,44	0
57	MG	RA	3233	1/1	0.89	0.18	46,46,46,46	0
57	MG	RA	3151	1/1	0.89	0.23	37,37,37,37	0
57	MG	RA	3055	1/1	0.89	0.15	15,15,15,15	0
57	MG	YA	3202	1/1	0.89	0.08	32,32,32,32	0
57	MG	XA	1620	1/1	0.89	0.12	52,52,52,52	0
57	MG	RA	3097	1/1	0.89	0.19	31,31,31,31	0
57	MG	RA	3058	1/1	0.89	0.28	19,19,19,19	0
57	MG	YA	3327	1/1	0.89	0.22	51,51,51,51	0
57	MG	YA	3142	1/1	0.89	0.36	58,58,58,58	0
57	MG	RA	3294	1/1	0.89	0.20	39,39,39,39	0
57	MG	RA	3159	1/1	0.89	0.21	30,30,30,30	0
57	MG	YA	3072	1/1	0.89	0.10	27,27,27,27	0
57	MG	YA	3215	1/1	0.89	0.21	47,47,47,47	0
57	MG	RA	3186	1/1	0.89	0.12	28,28,28,28	0
57	MG	XA	1687	1/1	0.89	0.16	33,33,33,33	0
57	MG	YA	3081	1/1	0.89	0.20	45,45,45,45	0
57	MG	XA	1690	1/1	0.89	0.24	50,50,50,50	0
57	MG	RA	3300	1/1	0.89	0.14	47,47,47,47	0
57	MG	QA	1674	1/1	0.89	0.12	56,56,56,56	0
57	MG	RA	3259	1/1	0.89	0.20	50,50,50,50	0
57	MG	YA	3244	1/1	0.89	0.18	33,33,33,33	0
57	MG	YA	3093	1/1	0.89	0.23	32,32,32,32	0
57	MG	RA	3262	1/1	0.89	0.27	99,99,99,99	0
57	MG	YA	3350	1/1	0.89	0.16	40,40,40,40	0
57	MG	YA	3256	1/1	0.89	0.14	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	YA	3097	1/1	0.89	0.26	30,30,30,30	0
57	MG	XA	1634	1/1	0.89	0.24	38,38,38,38	0
57	MG	YA	3107	1/1	0.89	0.25	45,45,45,45	0
57	MG	RA	3060	1/1	0.89	0.24	15,15,15,15	0
57	MG	RA	3216	1/1	0.89	0.17	51,51,51,51	0
57	MG	QA	1680	1/1	0.89	0.19	53,53,53,53	0
57	MG	YA	3113	1/1	0.89	0.34	53,53,53,53	0
57	MG	RA	3013	1/1	0.89	0.18	16,16,16,16	0
57	MG	XA	1707	1/1	0.89	0.25	50,50,50,50	0
57	MG	QE	201	1/1	0.89	0.23	59,59,59,59	0
57	MG	RA	3326	1/1	0.89	0.42	57,57,57,57	0
57	MG	YA	3285	1/1	0.89	0.11	46,46,46,46	0
57	MG	RA	3198	1/1	0.89	0.20	49,49,49,49	0
57	MG	QA	1602	1/1	0.89	0.29	22,22,22,22	0
57	MG	YA	3152	1/1	0.90	0.17	41,41,41,41	0
57	MG	RA	3301	1/1	0.90	0.20	48,48,48,48	0
57	MG	XA	1667	1/1	0.90	0.23	23,23,23,23	0
57	MG	RA	3015	1/1	0.90	0.08	16,16,16,16	0
57	MG	YA	3157	1/1	0.90	0.25	51,51,51,51	0
57	MG	RA	3156	1/1	0.90	0.29	55,55,55,55	0
57	MG	YA	3209	1/1	0.90	0.22	28,28,28,28	0
57	MG	RA	3083	1/1	0.90	0.20	18,18,18,18	0
57	MG	YA	3311	1/1	0.90	0.29	69,69,69,69	0
57	MG	RA	3207	1/1	0.90	0.18	45,45,45,45	0
57	MG	YA	3163	1/1	0.90	0.25	39,39,39,39	0
57	MG	RA	3276	1/1	0.90	0.18	44,44,44,44	0
57	MG	RA	3005	1/1	0.90	0.19	26,26,26,26	0
57	MG	YA	3041	1/1	0.90	0.21	12,12,12,12	0
57	MG	YA	3328	1/1	0.90	0.23	49,49,49,49	0
57	MG	YA	3042	1/1	0.90	0.20	11,11,11,11	0
57	MG	RA	3279	1/1	0.90	0.23	40,40,40,40	0
57	MG	RA	3280	1/1	0.90	0.18	54,54,54,54	0
57	MG	YA	3234	1/1	0.90	0.24	25,25,25,25	0
57	MG	RA	3119	1/1	0.90	0.21	40,40,40,40	0
57	MG	RB	201	1/1	0.90	0.09	99,99,99,99	0
57	MG	QV	102	1/1	0.90	0.17	27,27,27,27	0
57	MG	XA	1643	1/1	0.90	0.17	59,59,59,59	0
57	MG	XA	1644	1/1	0.90	0.18	42,42,42,42	0
57	MG	RA	3121	1/1	0.90	0.20	40,40,40,40	0
57	MG	YA	3259	1/1	0.90	0.20	54,54,54,54	0
57	MG	QA	1632	1/1	0.90	0.14	28,28,28,28	0
57	MG	RA	3287	1/1	0.90	0.21	26,26,26,26	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	YA	3265	1/1	0.90	0.20	65,65,65,65	0
57	MG	RA	3168	1/1	0.90	0.09	26,26,26,26	0
57	MG	YA	3267	1/1	0.90	0.23	42,42,42,42	0
57	MG	QA	1659	1/1	0.90	0.16	40,40,40,40	0
57	MG	RA	3150	1/1	0.90	0.10	37,37,37,37	0
57	MG	YA	3087	1/1	0.90	0.22	31,31,31,31	0
57	MG	YA	3191	1/1	0.90	0.23	62,62,62,62	0
57	MG	YA	3139	1/1	0.90	0.26	76,76,76,76	0
57	MG	QA	1619	1/1	0.90	0.10	40,40,40,40	0
57	MG	YA	3092	1/1	0.90	0.16	45,45,45,45	0
57	MG	RA	3200	1/1	0.90	0.24	60,60,60,60	0
57	MG	YA	3286	1/1	0.90	0.29	67,67,67,67	0
57	MG	YA	3287	1/1	0.90	0.16	44,44,44,44	0
57	MG	YP	203	1/1	0.90	0.32	32,32,32,32	0
57	MG	YA	3197	1/1	0.90	0.11	53,53,53,53	0
57	MG	YA	3147	1/1	0.90	0.23	34,34,34,34	0
57	MG	RA	3057	1/1	0.90	0.16	48,48,48,48	0
57	MG	YA	3149	1/1	0.90	0.09	27,27,27,27	0
58	PAR	QA	1681	42/42	0.90	0.14	71,71,72,72	0
57	MG	QA	1668	1/1	0.90	0.13	36,36,36,36	0
57	MG	RA	3092	1/1	0.91	0.12	29,29,29,29	0
57	MG	RR	201	1/1	0.91	0.19	25,25,25,25	0
57	MG	RA	3066	1/1	0.91	0.21	3,3,3,3	0
57	MG	RA	3053	1/1	0.91	0.18	5,5,5,5	0
57	MG	YA	3094	1/1	0.91	0.16	23,23,23,23	0
57	MG	RA	3290	1/1	0.91	0.16	44,44,44,44	0
57	MG	YA	3096	1/1	0.91	0.23	26,26,26,26	0
57	MG	RA	3101	1/1	0.91	0.14	32,32,32,32	0
57	MG	XV	101	1/1	0.91	0.22	34,34,34,34	0
57	MG	QA	1630	1/1	0.91	0.13	24,24,24,24	0
57	MG	RA	3265	1/1	0.91	0.33	58,58,58,58	0
57	MG	YA	3110	1/1	0.91	0.13	7,7,7,7	0
57	MG	YA	3226	1/1	0.91	0.21	41,41,41,41	0
57	MG	RA	3172	1/1	0.91	0.14	34,34,34,34	0
57	MG	RA	3071	1/1	0.91	0.15	32,32,32,32	0
57	MG	RA	3128	1/1	0.91	0.25	60,60,60,60	0
57	MG	YA	3237	1/1	0.91	0.13	26,26,26,26	0
57	MG	RA	3056	1/1	0.91	0.30	14,14,14,14	0
57	MG	RA	3306	1/1	0.91	0.12	47,47,47,47	0
57	MG	YA	3171	1/1	0.91	0.45	85,85,85,85	0
57	MG	YA	3029	1/1	0.91	0.13	17,17,17,17	0
57	MG	YA	3251	1/1	0.91	0.22	44,44,44,44	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	YA	3253	1/1	0.91	0.19	37,37,37,37	0
57	MG	YA	3031	1/1	0.91	0.26	36,36,36,36	0
57	MG	XA	1678	1/1	0.91	0.20	45,45,45,45	0
57	MG	YA	3119	1/1	0.91	0.21	42,42,42,42	0
57	MG	YA	3036	1/1	0.91	0.15	19,19,19,19	0
57	MG	YA	3261	1/1	0.91	0.22	43,43,43,43	0
57	MG	RA	3310	1/1	0.91	0.18	39,39,39,39	0
57	MG	RA	3179	1/1	0.91	0.16	47,47,47,47	0
57	MG	QA	1614	1/1	0.91	0.15	30,30,30,30	0
57	MG	RA	3157	1/1	0.91	0.22	42,42,42,42	0
57	MG	YA	3129	1/1	0.91	0.13	50,50,50,50	0
57	MG	RA	3237	1/1	0.91	0.15	21,21,21,21	0
57	MG	YA	3054	1/1	0.91	0.21	23,23,23,23	0
57	MG	QA	1638	1/1	0.91	0.06	53,53,53,53	0
57	MG	YB	203	1/1	0.91	0.16	37,37,37,37	0
57	MG	YB	204	1/1	0.91	0.26	27,27,27,27	0
57	MG	RA	3039	1/1	0.91	0.19	13,13,13,13	0
57	MG	YA	3281	1/1	0.91	0.26	33,33,33,33	0
57	MG	RA	3321	1/1	0.91	0.14	32,32,32,32	0
57	MG	YA	3066	1/1	0.91	0.17	9,9,9,9	0
57	MG	XA	1637	1/1	0.91	0.06	74,74,74,74	0
57	MG	RA	3246	1/1	0.91	0.24	68,68,68,68	0
57	MG	RA	3282	1/1	0.91	0.21	39,39,39,39	0
57	MG	QA	1664	1/1	0.91	0.08	30,30,30,30	0
57	MG	QA	1610	1/1	0.91	0.23	20,20,20,20	0
57	MG	Y3	101	1/1	0.91	0.15	28,28,28,28	0
57	MG	RA	3188	1/1	0.91	0.16	53,53,53,53	0
57	MG	YA	3084	1/1	0.91	0.25	12,12,12,12	0
57	MG	XA	1703	1/1	0.91	0.13	46,46,46,46	0
57	MG	YA	3224	1/1	0.92	0.23	41,41,41,41	0
57	MG	YA	3056	1/1	0.92	0.12	11,11,11,11	0
57	MG	YA	3059	1/1	0.92	0.15	12,12,12,12	0
57	MG	YA	3123	1/1	0.92	0.20	46,46,46,46	0
57	MG	YA	3124	1/1	0.92	0.16	38,38,38,38	0
57	MG	YA	3230	1/1	0.92	0.23	43,43,43,43	0
57	MG	YA	3060	1/1	0.92	0.15	33,33,33,33	0
57	MG	RA	3070	1/1	0.92	0.19	9,9,9,9	0
57	MG	YA	3324	1/1	0.92	0.20	40,40,40,40	0
57	MG	YA	3326	1/1	0.92	0.18	34,34,34,34	0
57	MG	XA	1699	1/1	0.92	0.14	35,35,35,35	0
57	MG	YA	3241	1/1	0.92	0.10	19,19,19,19	0
57	MG	XA	1613	1/1	0.92	0.23	17,17,17,17	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	XA	1615	1/1	0.92	0.14	25,25,25,25	0
57	MG	YA	3070	1/1	0.92	0.13	29,29,29,29	0
57	MG	XA	1656	1/1	0.92	0.15	56,56,56,56	0
57	MG	XA	1657	1/1	0.92	0.29	49,49,49,49	0
57	MG	YA	3186	1/1	0.92	0.17	22,22,22,22	0
57	MG	RA	3093	1/1	0.92	0.18	18,18,18,18	0
57	MG	QA	1679	1/1	0.92	0.15	52,52,52,52	0
57	MG	QA	1603	1/1	0.92	0.26	80,80,80,80	0
57	MG	XD	302	1/1	0.92	0.10	82,82,82,82	0
57	MG	RA	3257	1/1	0.92	0.37	52,52,52,52	0
57	MG	RA	3180	1/1	0.92	0.08	28,28,28,28	0
57	MG	RA	3073	1/1	0.92	0.15	26,26,26,26	0
57	MG	RA	3139	1/1	0.92	0.17	26,26,26,26	0
57	MG	YA	3346	1/1	0.92	0.11	28,28,28,28	0
57	MG	RA	3316	1/1	0.92	0.22	42,42,42,42	0
57	MG	RA	3140	1/1	0.92	0.15	25,25,25,25	0
57	MG	QA	1654	1/1	0.92	0.16	68,68,68,68	0
57	MG	YA	3014	1/1	0.92	0.17	8,8,8,8	0
57	MG	YA	3354	1/1	0.92	0.16	50,50,50,50	0
57	MG	YA	3276	1/1	0.92	0.33	43,43,43,43	0
57	MG	YA	3019	1/1	0.92	0.27	29,29,29,29	0
57	MG	YA	3022	1/1	0.92	0.19	16,16,16,16	0
57	MG	RA	3026	1/1	0.92	0.10	11,11,11,11	0
57	MG	RA	3167	1/1	0.92	0.21	57,57,57,57	0
57	MG	RA	3291	1/1	0.92	0.20	45,45,45,45	0
57	MG	RA	3236	1/1	0.92	0.38	71,71,71,71	0
57	MG	YA	3207	1/1	0.92	0.08	25,25,25,25	0
57	MG	QA	1657	1/1	0.92	0.10	29,29,29,29	0
57	MG	RA	3296	1/1	0.92	0.20	45,45,45,45	0
57	MG	RF	301	1/1	0.92	0.08	62,62,62,62	0
57	MG	YA	3211	1/1	0.92	0.09	50,50,50,50	0
57	MG	RA	3032	1/1	0.92	0.22	40,40,40,40	0
57	MG	RA	3034	1/1	0.92	0.24	16,16,16,16	0
57	MG	Y0	101	1/1	0.92	0.12	10,10,10,10	0
57	MG	RA	3275	1/1	0.92	0.19	59,59,59,59	0
57	MG	XA	1601	1/1	0.92	0.18	35,35,35,35	0
57	MG	YA	3220	1/1	0.92	0.21	55,55,55,55	0
58	PAR	XA	1710	42/42	0.92	0.14	56,56,57,57	0
57	MG	RA	3090	1/1	0.92	0.20	31,31,31,31	0
57	MG	YA	3284	1/1	0.93	0.17	59,59,59,59	0
57	MG	YA	3023	1/1	0.93	0.22	17,17,17,17	0
57	MG	XA	1676	1/1	0.93	0.05	41,41,41,41	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	RA	3091	1/1	0.93	0.19	39,39,39,39	0
57	MG	YA	3026	1/1	0.93	0.18	15,15,15,15	0
57	MG	RA	3051	1/1	0.93	0.09	22,22,22,22	0
57	MG	YA	3030	1/1	0.93	0.22	17,17,17,17	0
57	MG	XA	1679	1/1	0.93	0.14	27,27,27,27	0
57	MG	YA	3034	1/1	0.93	0.20	16,16,16,16	0
57	MG	RA	3061	1/1	0.93	0.18	11,11,11,11	0
57	MG	RA	3204	1/1	0.93	0.13	47,47,47,47	0
57	MG	RA	3155	1/1	0.93	0.30	43,43,43,43	0
57	MG	RA	3094	1/1	0.93	0.24	45,45,45,45	0
57	MG	RA	3096	1/1	0.93	0.11	5,5,5,5	0
57	MG	YA	3046	1/1	0.93	0.13	19,19,19,19	0
57	MG	RA	3244	1/1	0.93	0.19	47,47,47,47	0
57	MG	YA	3052	1/1	0.93	0.18	22,22,22,22	0
57	MG	XA	1688	1/1	0.93	0.16	60,60,60,60	0
57	MG	RA	3008	1/1	0.93	0.19	12,12,12,12	0
57	MG	YA	3055	1/1	0.93	0.21	52,52,52,52	0
57	MG	RA	3319	1/1	0.93	0.14	32,32,32,32	0
57	MG	RA	3320	1/1	0.93	0.24	62,62,62,62	0
57	MG	RA	3250	1/1	0.93	0.17	57,57,57,57	0
57	MG	RA	3184	1/1	0.93	0.07	49,49,49,49	0
57	MG	RA	3136	1/1	0.93	0.24	15,15,15,15	0
57	MG	RA	3137	1/1	0.93	0.14	24,24,24,24	0
57	MG	YA	3144	1/1	0.93	0.08	33,33,33,33	0
57	MG	RB	202	1/1	0.93	0.06	69,69,69,69	0
57	MG	YA	3069	1/1	0.93	0.18	10,10,10,10	0
57	MG	XA	1700	1/1	0.93	0.23	50,50,50,50	0
57	MG	YA	3071	1/1	0.93	0.23	8,8,8,8	0
57	MG	QA	1625	1/1	0.93	0.06	22,22,22,22	0
57	MG	RA	3099	1/1	0.93	0.22	14,14,14,14	0
57	MG	QA	1631	1/1	0.93	0.09	69,69,69,69	0
57	MG	YA	3232	1/1	0.93	0.25	20,20,20,20	0
57	MG	RA	3217	1/1	0.93	0.11	46,46,46,46	0
57	MG	RP	201	1/1	0.93	0.30	31,31,31,31	0
57	MG	RA	3261	1/1	0.93	0.12	56,56,56,56	0
57	MG	RA	3019	1/1	0.93	0.17	18,18,18,18	0
57	MG	YA	3343	1/1	0.93	0.23	46,46,46,46	0
57	MG	YA	3085	1/1	0.93	0.21	7,7,7,7	0
57	MG	XA	1711	1/1	0.93	0.09	27,27,27,27	0
57	MG	RA	3146	1/1	0.93	0.12	41,41,41,41	0
57	MG	YA	3349	1/1	0.93	0.20	46,46,46,46	0
57	MG	YA	3088	1/1	0.93	0.27	56,56,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	RA	3147	1/1	0.93	0.13	27,27,27,27	0
57	MG	YA	3091	1/1	0.93	0.22	17,17,17,17	0
57	MG	YA	3257	1/1	0.93	0.26	35,35,35,35	0
57	MG	XA	1606	1/1	0.93	0.19	40,40,40,40	0
57	MG	XA	1609	1/1	0.93	0.17	25,25,25,25	0
57	MG	QA	1629	1/1	0.93	0.09	52,52,52,52	0
57	MG	YA	3004	1/1	0.93	0.18	14,14,14,14	0
57	MG	RA	3224	1/1	0.93	0.07	28,28,28,28	0
57	MG	RA	3127	1/1	0.93	0.09	24,24,24,24	0
57	MG	YA	3098	1/1	0.93	0.20	21,21,21,21	0
57	MG	XA	1614	1/1	0.93	0.16	13,13,13,13	0
57	MG	YA	3101	1/1	0.93	0.08	5,5,5,5	0
57	MG	YA	3102	1/1	0.93	0.08	20,20,20,20	0
57	MG	YA	3271	1/1	0.93	0.23	51,51,51,51	0
57	MG	YA	3272	1/1	0.93	0.17	32,32,32,32	0
57	MG	YA	3011	1/1	0.93	0.30	30,30,30,30	0
57	MG	YA	3012	1/1	0.93	0.13	6,6,6,6	0
57	MG	RA	3012	1/1	0.93	0.21	27,27,27,27	0
57	MG	Y0	103	1/1	0.93	0.10	46,46,46,46	0
57	MG	YA	3185	1/1	0.93	0.20	37,37,37,37	0
57	MG	YA	3278	1/1	0.93	0.27	50,50,50,50	0
57	MG	YA	3016	1/1	0.93	0.19	6,6,6,6	0
57	MG	XA	1616	1/1	0.93	0.23	29,29,29,29	0
57	MG	RA	3304	1/1	0.93	0.16	44,44,44,44	0
57	MG	RA	3273	1/1	0.94	0.21	30,30,30,30	0
57	MG	YA	3188	1/1	0.94	0.27	19,19,19,19	0
57	MG	XA	1621	1/1	0.94	0.09	25,25,25,25	0
57	MG	XA	1622	1/1	0.94	0.21	33,33,33,33	0
57	MG	YA	3032	1/1	0.94	0.22	9,9,9,9	0
57	MG	YA	3033	1/1	0.94	0.17	11,11,11,11	0
57	MG	RA	3114	1/1	0.94	0.14	21,21,21,21	0
57	MG	YA	3289	1/1	0.94	0.30	69,69,69,69	0
57	MG	XA	1625	1/1	0.94	0.11	32,32,32,32	0
57	MG	RA	3234	1/1	0.94	0.25	16,16,16,16	0
57	MG	YA	3040	1/1	0.94	0.10	8,8,8,8	0
57	MG	QA	1652	1/1	0.94	0.22	34,34,34,34	0
57	MG	RA	3040	1/1	0.94	0.23	12,12,12,12	0
57	MG	RA	3278	1/1	0.94	0.14	34,34,34,34	0
57	MG	YA	3297	1/1	0.94	0.21	61,61,61,61	0
57	MG	XA	1689	1/1	0.94	0.21	51,51,51,51	0
57	MG	RA	3158	1/1	0.94	0.09	26,26,26,26	0
57	MG	YA	3050	1/1	0.94	0.24	21,21,21,21	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	RA	3041	1/1	0.94	0.19	24,24,24,24	0
57	MG	RA	3208	1/1	0.94	0.17	22,22,22,22	0
57	MG	RA	3042	1/1	0.94	0.13	9,9,9,9	0
57	MG	RA	3323	1/1	0.94	0.17	39,39,39,39	0
57	MG	RA	3324	1/1	0.94	0.15	38,38,38,38	0
57	MG	YA	3134	1/1	0.94	0.12	21,21,21,21	0
57	MG	RA	3247	1/1	0.94	0.09	55,55,55,55	0
57	MG	RA	3095	1/1	0.94	0.20	18,18,18,18	0
57	MG	YA	3212	1/1	0.94	0.07	32,32,32,32	0
57	MG	YA	3062	1/1	0.94	0.16	17,17,17,17	0
57	MG	QA	1611	1/1	0.94	0.16	21,21,21,21	0
57	MG	XA	1639	1/1	0.94	0.24	43,43,43,43	0
57	MG	YA	3217	1/1	0.94	0.13	45,45,45,45	0
57	MG	RA	3047	1/1	0.94	0.18	27,27,27,27	0
57	MG	XA	1704	1/1	0.94	0.14	44,44,44,44	0
57	MG	QA	1637	1/1	0.94	0.13	44,44,44,44	0
57	MG	RA	3080	1/1	0.94	0.26	36,36,36,36	0
57	MG	XA	1647	1/1	0.94	0.10	82,82,82,82	0
57	MG	RA	3148	1/1	0.94	0.14	38,38,38,38	0
57	MG	XA	1649	1/1	0.94	0.21	39,39,39,39	0
57	MG	YA	3150	1/1	0.94	0.18	34,34,34,34	0
57	MG	YA	3075	1/1	0.94	0.15	10,10,10,10	0
57	MG	YA	3231	1/1	0.94	0.21	24,24,24,24	0
57	MG	YA	3076	1/1	0.94	0.17	22,22,22,22	0
57	MG	RA	3082	1/1	0.94	0.16	39,39,39,39	0
57	MG	YA	3154	1/1	0.94	0.06	18,18,18,18	0
57	MG	YA	3080	1/1	0.94	0.10	17,17,17,17	0
57	MG	YA	3345	1/1	0.94	0.24	67,67,67,67	0
57	MG	XB	301	1/1	0.94	0.11	51,51,51,51	0
57	MG	QA	1609	1/1	0.94	0.11	42,42,42,42	0
57	MG	RA	3260	1/1	0.94	0.19	45,45,45,45	0
57	MG	RA	3195	1/1	0.94	0.06	15,15,15,15	0
57	MG	RA	3297	1/1	0.94	0.27	48,48,48,48	0
57	MG	YA	3252	1/1	0.94	0.27	27,27,27,27	0
57	MG	RA	3196	1/1	0.94	0.11	56,56,56,56	0
57	MG	RA	3197	1/1	0.94	0.28	44,44,44,44	0
57	MG	RA	3003	1/1	0.94	0.14	42,42,42,42	0
57	MG	RA	3086	1/1	0.94	0.20	9,9,9,9	0
57	MG	RA	3089	1/1	0.94	0.14	18,18,18,18	0
57	MG	RA	3035	1/1	0.94	0.30	49,49,49,49	0
57	MG	XA	1664	1/1	0.94	0.31	38,38,38,38	0
57	MG	YA	3013	1/1	0.94	0.19	13,13,13,13	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	YA	3263	1/1	0.94	0.17	22,22,22,22	0
57	MG	XA	1665	1/1	0.94	0.19	35,35,35,35	0
57	MG	YA	3174	1/1	0.94	0.46	74,74,74,74	0
57	MG	YA	3015	1/1	0.94	0.21	20,20,20,20	0
57	MG	XA	1666	1/1	0.94	0.15	48,48,48,48	0
57	MG	YA	3177	1/1	0.94	0.17	19,19,19,19	0
57	MG	YA	3018	1/1	0.94	0.17	28,28,28,28	0
57	MG	RA	3178	1/1	0.94	0.16	33,33,33,33	0
57	MG	RA	3307	1/1	0.94	0.19	38,38,38,38	0
57	MG	XA	1670	1/1	0.94	0.14	37,37,37,37	0
57	MG	RA	3308	1/1	0.94	0.17	48,48,48,48	0
57	MG	RA	3309	1/1	0.94	0.16	54,54,54,54	0
57	MG	RA	3230	1/1	0.94	0.12	22,22,22,22	0
57	MG	YA	3027	1/1	0.94	0.58	39,39,39,39	0
57	MG	YA	3121	1/1	0.95	0.14	20,20,20,20	0
57	MG	XA	1604	1/1	0.95	0.28	44,44,44,44	0
57	MG	YA	3233	1/1	0.95	0.16	24,24,24,24	0
57	MG	YA	3068	1/1	0.95	0.10	36,36,36,36	0
57	MG	YA	3312	1/1	0.95	0.06	26,26,26,26	0
57	MG	YA	3236	1/1	0.95	0.28	10,10,10,10	0
57	MG	XA	1642	1/1	0.95	0.15	27,27,27,27	0
57	MG	RA	3194	1/1	0.95	0.09	43,43,43,43	0
57	MG	QX	102	1/1	0.95	0.13	43,43,43,43	0
57	MG	YA	3323	1/1	0.95	0.20	49,49,49,49	0
57	MG	RA	3048	1/1	0.95	0.11	12,12,12,12	0
57	MG	YA	3325	1/1	0.95	0.28	42,42,42,42	0
57	MG	RA	3175	1/1	0.95	0.15	31,31,31,31	0
57	MG	YA	3246	1/1	0.95	0.25	38,38,38,38	0
57	MG	RA	3107	1/1	0.95	0.13	21,21,21,21	0
57	MG	QA	1607	1/1	0.95	0.23	35,35,35,35	0
57	MG	YA	3077	1/1	0.95	0.14	21,21,21,21	0
57	MG	XA	1693	1/1	0.95	0.24	40,40,40,40	0
57	MG	XA	1650	1/1	0.95	0.20	54,54,54,54	0
57	MG	XA	1651	1/1	0.95	0.14	62,62,62,62	0
57	MG	QA	1661	1/1	0.95	0.23	37,37,37,37	0
57	MG	YA	3028	1/1	0.95	0.14	6,6,6,6	0
57	MG	RA	3317	1/1	0.95	0.21	51,51,51,51	0
57	MG	RA	3030	1/1	0.95	0.16	15,15,15,15	0
57	MG	XA	1618	1/1	0.95	0.12	37,37,37,37	0
57	MG	YA	3195	1/1	0.95	0.15	39,39,39,39	0
57	MG	YA	3264	1/1	0.95	0.17	30,30,30,30	0
57	MG	YA	3341	1/1	0.95	0.17	39,39,39,39	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	YA	3140	1/1	0.95	0.17	50,50,50,50	0
57	MG	YA	3141	1/1	0.95	0.22	48,48,48,48	0
57	MG	RA	3126	1/1	0.95	0.18	51,51,51,51	0
57	MG	RA	3142	1/1	0.95	0.08	48,48,48,48	0
57	MG	RA	3143	1/1	0.95	0.21	19,19,19,19	0
57	MG	YA	3270	1/1	0.95	0.23	43,43,43,43	0
57	MG	YA	3348	1/1	0.95	0.05	49,49,49,49	0
57	MG	RA	3054	1/1	0.95	0.13	10,10,10,10	0
57	MG	RA	3293	1/1	0.95	0.12	58,58,58,58	0
57	MG	YA	3039	1/1	0.95	0.12	12,12,12,12	0
57	MG	XA	1624	1/1	0.95	0.14	41,41,41,41	0
57	MG	RA	3145	1/1	0.95	0.14	40,40,40,40	0
57	MG	XA	1663	1/1	0.95	0.11	26,26,26,26	0
57	MG	YA	3043	1/1	0.95	0.20	31,31,31,31	0
57	MG	RA	3268	1/1	0.95	0.24	45,45,45,45	0
57	MG	YA	3099	1/1	0.95	0.21	19,19,19,19	0
57	MG	RA	3020	1/1	0.95	0.12	9,9,9,9	0
57	MG	RA	3116	1/1	0.95	0.18	50,50,50,50	0
57	MG	YA	3049	1/1	0.95	0.17	15,15,15,15	0
57	MG	YA	3213	1/1	0.95	0.06	31,31,31,31	0
57	MG	RA	3166	1/1	0.95	0.19	36,36,36,36	0
57	MG	YA	3108	1/1	0.95	0.05	32,32,32,32	0
57	MG	RB	204	1/1	0.95	0.24	51,51,51,51	0
57	MG	RA	3272	1/1	0.95	0.24	44,44,44,44	0
57	MG	XA	1673	1/1	0.95	0.20	21,21,21,21	0
57	MG	RA	3241	1/1	0.95	0.09	35,35,35,35	0
57	MG	YA	3003	1/1	0.95	0.21	24,24,24,24	0
57	MG	Y0	102	1/1	0.95	0.29	45,45,45,45	0
57	MG	RA	3043	1/1	0.95	0.12	12,12,12,12	0
57	MG	RA	3022	1/1	0.95	0.14	4,4,4,4	0
57	MG	RA	3169	1/1	0.95	0.06	26,26,26,26	0
57	MG	RA	3045	1/1	0.95	0.17	5,5,5,5	0
57	MG	RA	3133	1/1	0.95	0.17	45,45,45,45	0
57	MG	RA	3193	1/1	0.95	0.15	46,46,46,46	0
59	ZN	XD	301	1/1	0.95	0.19	49,49,49,49	0
57	MG	YA	3020	1/1	0.96	0.18	16,16,16,16	0
57	MG	YA	3169	1/1	0.96	0.04	49,49,49,49	0
57	MG	YA	3021	1/1	0.96	0.23	24,24,24,24	0
57	MG	RE	302	1/1	0.96	0.12	20,20,20,20	0
57	MG	YA	3057	1/1	0.96	0.12	13,13,13,13	0
57	MG	YA	3173	1/1	0.96	0.18	43,43,43,43	0
57	MG	RA	3028	1/1	0.96	0.15	24,24,24,24	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	RA	3029	1/1	0.96	0.12	18,18,18,18	0
57	MG	QA	1662	1/1	0.96	0.08	48,48,48,48	0
57	MG	RA	3115	1/1	0.96	0.09	12,12,12,12	0
57	MG	YA	3218	1/1	0.96	0.18	25,25,25,25	0
57	MG	RA	3052	1/1	0.96	0.13	4,4,4,4	0
57	MG	XA	1681	1/1	0.96	0.14	21,21,21,21	0
57	MG	YA	3221	1/1	0.96	0.13	37,37,37,37	0
57	MG	RA	3231	1/1	0.96	0.15	22,22,22,22	0
57	MG	YA	3103	1/1	0.96	0.12	36,36,36,36	0
57	MG	YA	3279	1/1	0.96	0.15	57,57,57,57	0
57	MG	RA	3087	1/1	0.96	0.12	30,30,30,30	0
57	MG	RA	3088	1/1	0.96	0.27	23,23,23,23	0
57	MG	YA	3184	1/1	0.96	0.06	41,41,41,41	0
57	MG	XA	1607	1/1	0.96	0.31	29,29,29,29	0
57	MG	YA	3145	1/1	0.96	0.13	23,23,23,23	0
57	MG	RA	3173	1/1	0.96	0.06	42,42,42,42	0
57	MG	YA	3001	1/1	0.96	0.07	39,39,39,39	0
57	MG	RA	3322	1/1	0.96	0.26	40,40,40,40	0
57	MG	QA	1678	1/1	0.96	0.20	43,43,43,43	0
57	MG	YA	3037	1/1	0.96	0.10	23,23,23,23	0
57	MG	YA	3352	1/1	0.96	0.18	47,47,47,47	0
57	MG	QA	1616	1/1	0.96	0.18	35,35,35,35	0
57	MG	YA	3238	1/1	0.96	0.17	28,28,28,28	0
57	MG	RA	3263	1/1	0.96	0.20	33,33,33,33	0
57	MG	YA	3356	1/1	0.96	0.34	61,61,61,61	0
57	MG	RA	3239	1/1	0.96	0.09	7,7,7,7	0
57	MG	YA	3243	1/1	0.96	0.16	45,45,45,45	0
57	MG	RA	3103	1/1	0.96	0.07	25,25,25,25	0
57	MG	RA	3063	1/1	0.96	0.36	3,3,3,3	0
57	MG	YA	3120	1/1	0.96	0.20	14,14,14,14	0
57	MG	YA	3247	1/1	0.96	0.27	45,45,45,45	0
57	MG	YA	3304	1/1	0.96	0.21	42,42,42,42	0
57	MG	YA	3044	1/1	0.96	0.18	15,15,15,15	0
57	MG	XA	1641	1/1	0.96	0.09	21,21,21,21	0
57	MG	QA	1649	1/1	0.96	0.10	81,81,81,81	0
57	MG	YA	3161	1/1	0.96	0.22	51,51,51,51	0
57	MG	YA	3255	1/1	0.96	0.12	32,32,32,32	0
57	MG	YA	3313	1/1	0.96	0.17	24,24,24,24	0
57	MG	YA	3314	1/1	0.96	0.27	37,37,37,37	0
57	MG	RA	3222	1/1	0.96	0.16	4,4,4,4	0
57	MG	QA	1606	1/1	0.96	0.19	20,20,20,20	0
57	MG	XA	1645	1/1	0.96	0.09	31,31,31,31	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	Y5	101	1/1	0.96	0.06	17,17,17,17	0
57	MG	XA	1671	1/1	0.96	0.19	39,39,39,39	0
57	MG	YA	3321	1/1	0.96	0.31	34,34,34,34	0
57	MG	YA	3322	1/1	0.96	0.20	39,39,39,39	0
57	MG	YA	3090	1/1	0.96	0.09	13,13,13,13	0
57	MG	RA	3249	1/1	0.96	0.17	41,41,41,41	0
57	MG	RA	3025	1/1	0.97	0.07	6,6,6,6	0
57	MG	RA	3255	1/1	0.97	0.17	35,35,35,35	0
57	MG	RA	3284	1/1	0.97	0.23	32,32,32,32	0
57	MG	XA	1691	1/1	0.97	0.05	105,105,105,105	0
57	MG	RA	3081	1/1	0.97	0.07	24,24,24,24	0
57	MG	RA	3038	1/1	0.97	0.11	15,15,15,15	0
57	MG	RA	3016	1/1	0.97	0.10	15,15,15,15	0
57	MG	RA	3141	1/1	0.97	0.06	36,36,36,36	0
57	MG	RA	3100	1/1	0.97	0.12	28,28,28,28	0
57	MG	RA	3067	1/1	0.97	0.15	13,13,13,13	0
57	MG	RA	3018	1/1	0.97	0.09	24,24,24,24	0
57	MG	QA	1650	1/1	0.97	0.23	41,41,41,41	0
57	MG	RA	3235	1/1	0.97	0.15	18,18,18,18	0
57	MG	RA	3104	1/1	0.97	0.13	33,33,33,33	0
57	MG	YA	3273	1/1	0.97	0.26	32,32,32,32	0
57	MG	RA	3295	1/1	0.97	0.22	29,29,29,29	0
57	MG	RA	3105	1/1	0.97	0.09	19,19,19,19	0
57	MG	QA	1615	1/1	0.97	0.12	57,57,57,57	0
57	MG	RA	3108	1/1	0.97	0.06	32,32,32,32	0
57	MG	YA	3223	1/1	0.97	0.13	18,18,18,18	0
57	MG	RA	3240	1/1	0.97	0.18	17,17,17,17	0
57	MG	QA	1643	1/1	0.97	0.09	23,23,23,23	0
57	MG	RA	3242	1/1	0.97	0.04	20,20,20,20	0
57	MG	YA	3038	1/1	0.97	0.14	10,10,10,10	0
57	MG	RA	3302	1/1	0.97	0.23	37,37,37,37	0
57	MG	RA	3031	1/1	0.97	0.09	30,30,30,30	0
57	MG	RA	3111	1/1	0.97	0.14	33,33,33,33	0
57	MG	XA	1672	1/1	0.97	0.16	36,36,36,36	0
57	MG	RA	3245	1/1	0.97	0.23	39,39,39,39	0
57	MG	XV	102	1/1	0.97	0.12	14,14,14,14	0
57	MG	YA	3290	1/1	0.97	0.16	28,28,28,28	0
57	MG	YA	3235	1/1	0.97	0.18	16,16,16,16	0
57	MG	XA	1674	1/1	0.97	0.09	4,4,4,4	0
57	MG	RA	3007	1/1	0.97	0.19	7,7,7,7	0
57	MG	YA	3047	1/1	0.97	0.17	14,14,14,14	0
57	MG	RA	3074	1/1	0.97	0.06	8,8,8,8	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	XA	1602	1/1	0.97	0.28	19,19,19,19	0
57	MG	YA	3242	1/1	0.97	0.21	21,21,21,21	0
57	MG	RA	3046	1/1	0.97	0.11	13,13,13,13	0
57	MG	YA	3051	1/1	0.97	0.18	8,8,8,8	0
57	MG	YA	3301	1/1	0.97	0.30	48,48,48,48	0
57	MG	XA	1640	1/1	0.97	0.18	41,41,41,41	0
57	MG	YA	3303	1/1	0.97	0.48	63,63,63,63	0
57	MG	XA	1605	1/1	0.97	0.32	34,34,34,34	0
57	MG	RA	3033	1/1	0.97	0.28	19,19,19,19	0
57	MG	YA	3306	1/1	0.97	0.24	50,50,50,50	0
57	MG	YA	3307	1/1	0.97	0.11	12,12,12,12	0
57	MG	YA	3248	1/1	0.97	0.11	34,34,34,34	0
57	MG	YA	3309	1/1	0.97	0.14	37,37,37,37	0
57	MG	RA	3024	1/1	0.97	0.08	22,22,22,22	0
57	MG	YA	3104	1/1	0.97	0.14	16,16,16,16	0
57	MG	YA	3105	1/1	0.97	0.17	11,11,11,11	0
57	MG	Y1	101	1/1	0.97	0.11	35,35,35,35	0
57	MG	XA	1608	1/1	0.97	0.06	21,21,21,21	0
57	MG	YA	3254	1/1	0.97	0.12	11,11,11,11	0
57	MG	RA	3252	1/1	0.97	0.08	47,47,47,47	0
57	MG	YA	3316	1/1	0.97	0.13	30,30,30,30	0
57	MG	RA	3223	1/1	0.97	0.16	6,6,6,6	0
57	MG	XA	1611	1/1	0.97	0.05	20,20,20,20	0
57	MG	YA	3061	1/1	0.97	0.07	2,2,2,2	0
57	MG	YA	3017	1/1	0.98	0.05	6,6,6,6	0
57	MG	YA	3067	1/1	0.98	0.23	22,22,22,22	0
57	MG	RA	3076	1/1	0.98	0.11	4,4,4,4	0
57	MG	YA	3280	1/1	0.98	0.12	25,25,25,25	0
57	MG	XA	1669	1/1	0.98	0.09	21,21,21,21	0
57	MG	RA	3077	1/1	0.98	0.11	5,5,5,5	0
57	MG	RA	3049	1/1	0.98	0.08	7,7,7,7	0
57	MG	YA	3318	1/1	0.98	0.18	34,34,34,34	0
57	MG	QA	1670	1/1	0.98	0.15	37,37,37,37	0
57	MG	RA	3036	1/1	0.98	0.07	10,10,10,10	0
57	MG	YA	3160	1/1	0.98	0.05	18,18,18,18	0
57	MG	YA	3074	1/1	0.98	0.19	19,19,19,19	0
57	MG	RA	3305	1/1	0.98	0.35	48,48,48,48	0
57	MG	RA	3037	1/1	0.98	0.10	12,12,12,12	0
57	MG	XA	1603	1/1	0.98	0.20	16,16,16,16	0
57	MG	YA	3106	1/1	0.98	0.04	27,27,27,27	0
57	MG	YA	3078	1/1	0.98	0.27	15,15,15,15	0
57	MG	RA	3225	1/1	0.98	0.24	46,46,46,46	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
57	MG	RA	3106	1/1	0.98	0.07	12,12,12,12	0
57	MG	YA	3229	1/1	0.98	0.15	19,19,19,19	0
57	MG	RA	3212	1/1	0.98	0.26	46,46,46,46	0
57	MG	RA	3021	1/1	0.98	0.12	2,2,2,2	0
57	MG	RA	3017	1/1	0.98	0.08	15,15,15,15	0
57	MG	YA	3299	1/1	0.98	0.26	32,32,32,32	0
57	MG	YA	3007	1/1	0.98	0.07	16,16,16,16	0
57	MG	XA	1702	1/1	0.98	0.11	43,43,43,43	0
57	MG	YA	3058	1/1	0.98	0.19	21,21,21,21	0
57	MG	YA	3009	1/1	0.98	0.14	10,10,10,10	0
57	MG	QA	1667	1/1	0.98	0.10	38,38,38,38	0
57	MG	RA	3085	1/1	0.98	0.14	21,21,21,21	0
57	MG	YA	3239	1/1	0.98	0.21	31,31,31,31	0
57	MG	RA	3232	1/1	0.98	0.22	36,36,36,36	0
57	MG	XA	1685	1/1	0.98	0.15	21,21,21,21	0
57	MG	RA	3065	1/1	0.98	0.10	13,13,13,13	0
59	ZN	QN	101	1/1	0.98	0.05	135,135,135,135	0
57	MG	RA	3006	1/1	0.98	0.26	10,10,10,10	0
59	ZN	XN	101	1/1	0.98	0.05	81,81,81,81	0
57	MG	QA	1636	1/1	0.99	0.05	12,12,12,12	0
57	MG	YA	3010	1/1	0.99	0.10	11,11,11,11	0
57	MG	RA	3248	1/1	0.99	0.24	46,46,46,46	0
57	MG	QA	1651	1/1	0.99	0.08	29,29,29,29	0
57	MG	QA	1608	1/1	0.99	0.04	18,18,18,18	0
57	MG	QA	1671	1/1	0.99	0.14	23,23,23,23	0
57	MG	RA	3064	1/1	0.99	0.25	9,9,9,9	0
57	MG	YA	3250	1/1	0.99	0.03	27,27,27,27	0
57	MG	RA	3004	1/1	0.99	0.15	11,11,11,11	0
57	MG	RA	3162	1/1	0.99	0.03	18,18,18,18	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around PAR QA 1681:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around PAR XA 1710:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.