



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 14, 2026 – 07:50 PM UTC

PDB ID : 6TUG / pdb_00006tug
Title : Enterococcus italicus Csm6 bound to cyclic hexa-2'-fluoro-hexa-dAMP
Authors : Garcia-Doval, C.; Jinek, M.
Deposited on : 2020-01-07
Resolution : 2.42 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.42 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6062 (2.44-2.40)
Clashscore	190562	6562 (2.44-2.40)
Ramachandran outliers	187476	6481 (2.44-2.40)
Sidechain outliers	187428	6482 (2.44-2.40)
RSRZ outliers	180081	6066 (2.44-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	433	 83% 10% 6%
1	B	433	 82% 13% 5%
1	C	433	 83% 11% 6%
1	D	433	 82% 12% 6%
1	E	433	 80% 14% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	433	 84%11% . .
1	G	433	 82%12%6%
1	H	433	 83%11% . .

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 55331 atoms, of which 27236 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CRISPR system endoribonuclease Csm6.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	408	Total	C	H	N	O	S	0	0	0
			6733	2147	3351	579	640	16			
1	B	415	Total	C	H	N	O	S	0	0	0
			6858	2185	3418	588	650	17			
1	C	408	Total	C	H	N	O	S	0	0	0
			6733	2147	3351	579	640	16			
1	D	406	Total	C	H	N	O	S	0	0	0
			6716	2140	3348	576	636	16			
1	E	409	Total	C	H	N	O	S	0	0	0
			6755	2153	3364	581	641	16			
1	F	415	Total	C	H	N	O	S	0	0	0
			6852	2183	3414	588	651	16			
1	G	407	Total	C	H	N	O	S	0	0	0
			6718	2143	3344	577	638	16			
1	H	414	Total	C	H	N	O	S	0	0	0
			6833	2177	3406	584	649	17			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP E6LHV2
A	-1	ASN	-	expression tag	UNP E6LHV2
A	0	ALA	-	expression tag	UNP E6LHV2
B	-2	SER	-	expression tag	UNP E6LHV2
B	-1	ASN	-	expression tag	UNP E6LHV2
B	0	ALA	-	expression tag	UNP E6LHV2
C	-2	SER	-	expression tag	UNP E6LHV2
C	-1	ASN	-	expression tag	UNP E6LHV2
C	0	ALA	-	expression tag	UNP E6LHV2
D	-2	SER	-	expression tag	UNP E6LHV2
D	-1	ASN	-	expression tag	UNP E6LHV2
D	0	ALA	-	expression tag	UNP E6LHV2
E	-2	SER	-	expression tag	UNP E6LHV2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-1	ASN	-	expression tag	UNP E6LHV2
E	0	ALA	-	expression tag	UNP E6LHV2
F	-2	SER	-	expression tag	UNP E6LHV2
F	-1	ASN	-	expression tag	UNP E6LHV2
F	0	ALA	-	expression tag	UNP E6LHV2
G	-2	SER	-	expression tag	UNP E6LHV2
G	-1	ASN	-	expression tag	UNP E6LHV2
G	0	ALA	-	expression tag	UNP E6LHV2
H	-2	SER	-	expression tag	UNP E6LHV2
H	-1	ASN	-	expression tag	UNP E6LHV2
H	0	ALA	-	expression tag	UNP E6LHV2

- Molecule 2 is 2'-deoxy-2'-fluoroadenosine 5'-(dihydrogen phosphate) (CCD ID: AF2) (formula: C₁₀H₁₃FN₅O₆P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
2	A	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	A	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	A	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	B	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	B	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
2	B	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	C	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	C	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	C	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	D	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	D	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	D	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	E	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	E	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	E	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	F	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	F	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	F	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	G	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	G	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	G	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	H	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	H	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		
2	H	1	Total	C	F	H	N	O	P	0	0
			32	10	1	10	5	5	1		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	46	Total	O	0	0
			46	46		
4	B	39	Total	O	0	0
			39	39		
4	C	42	Total	O	0	0
			42	42		
4	D	43	Total	O	0	0
			43	43		
4	E	39	Total	O	0	0
			39	39		
4	F	44	Total	O	0	0
			44	44		
4	G	45	Total	O	0	0
			45	45		
4	H	47	Total	O	0	0
			47	47		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: CRISPR system endoribonuclease Csm6




• Molecule 1: CRISPR system endoribonuclease Csm6




• Molecule 1: CRISPR system endoribonuclease Csm6




• Molecule 1: CRISPR system endoribonuclease Csm6






- Molecule 1: CRISPR system endoribonuclease Csm6

Chain E: 80% 14% 6%




- Molecule 1: CRISPR system endoribonuclease Csm6

Chain F: 84% 11% 5%



- Molecule 1: CRISPR system endoribonuclease Csm6

Chain G: 82% 12% 6%




- Molecule 1: CRISPR system endoribonuclease Csm6

Chain H:

83%

11%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	93.60Å 106.69Å 116.79Å 90.03° 90.01° 90.10°	Depositor
Resolution (Å)	48.51 – 2.42 48.51 – 2.42	Depositor EDS
% Data completeness (in resolution range)	90.8 (48.51-2.42) 90.4 (48.51-2.42)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.47 (at 2.42Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.264 , 0.292 0.265 , 0.293	Depositor DCC
R_{free} test set	7657 reflections (4.45%)	wwPDB-VP
Wilson B-factor (Å ²)	37.1	Xtriage
Anisotropy	0.284	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 14.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.437 for h,-k,-l 0.468 for -h,k,-l 0.438 for -h,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	55331	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 31.07 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.1760e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AF2, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.20	0/3446	0.40	0/4651
1	B	0.19	0/3504	0.39	0/4729
1	C	0.15	0/3446	0.33	0/4651
1	D	0.16	0/3429	0.34	0/4627
1	E	0.16	0/3455	0.35	0/4662
1	F	0.15	0/3502	0.34	0/4727
1	G	0.16	0/3437	0.35	0/4637
1	H	0.18	0/3489	0.40	0/4707
All	All	0.17	0/27708	0.36	0/37391

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3382	3351	3353	23	0
1	B	3440	3418	3419	39	0
1	C	3382	3351	3353	27	0
1	D	3368	3348	3350	29	0
1	E	3391	3364	3366	34	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3438	3414	3415	29	0
1	G	3374	3344	3346	32	0
1	H	3427	3406	3408	29	0
2	A	66	30	30	1	0
2	B	66	30	30	0	0
2	C	66	30	30	2	0
2	D	66	30	30	1	0
2	E	66	30	30	2	0
2	F	66	30	30	1	0
2	G	66	30	30	1	0
2	H	66	30	30	1	0
3	B	5	0	0	0	0
3	C	5	0	0	1	0
3	F	5	0	0	0	0
3	G	5	0	0	1	0
4	A	46	0	0	0	0
4	B	39	0	0	0	0
4	C	42	0	0	0	0
4	D	43	0	0	0	0
4	E	39	0	0	1	0
4	F	44	0	0	1	0
4	G	45	0	0	0	0
4	H	47	0	0	0	0
All	All	28095	27236	27250	236	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 236 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:39:THR:HG22	1:B:77:ILE:HD12	1.52	0.92
1:E:319:LEU:HD11	1:E:351:LEU:HD21	1.57	0.85
1:C:21:ALA:HA	1:C:137:VAL:HG21	1.58	0.83
1:B:268:ILE:HG21	1:B:384:LEU:HD21	1.75	0.69
1:G:294:LEU:HD23	1:G:294:LEU:O	1.94	0.67

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	402/433 (93%)	395 (98%)	7 (2%)	0	100	100
1	B	409/433 (94%)	399 (98%)	10 (2%)	0	100	100
1	C	402/433 (93%)	398 (99%)	4 (1%)	0	100	100
1	D	398/433 (92%)	392 (98%)	6 (2%)	0	100	100
1	E	403/433 (93%)	400 (99%)	3 (1%)	0	100	100
1	F	409/433 (94%)	401 (98%)	8 (2%)	0	100	100
1	G	399/433 (92%)	396 (99%)	3 (1%)	0	100	100
1	H	406/433 (94%)	404 (100%)	2 (0%)	0	100	100
All	All	3228/3464 (93%)	3185 (99%)	43 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	377/401 (94%)	361 (96%)	16 (4%)	26	43
1	B	384/401 (96%)	370 (96%)	14 (4%)	31	50
1	C	377/401 (94%)	363 (96%)	14 (4%)	30	49
1	D	375/401 (94%)	363 (97%)	12 (3%)	34	54
1	E	378/401 (94%)	357 (94%)	21 (6%)	19	31
1	F	384/401 (96%)	362 (94%)	22 (6%)	18	31

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	376/401 (94%)	355 (94%)	21 (6%)	19	31
1	H	383/401 (96%)	361 (94%)	22 (6%)	18	31
All	All	3034/3208 (95%)	2892 (95%)	142 (5%)	23	39

5 of 142 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	349	LEU
1	G	425	SER
1	H	247	GLU
1	D	68	CYS
1	D	42	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 33 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	91	HIS
1	G	233	HIS
1	H	369	ASN
1	C	424	GLN
1	C	417	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

28 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	AF2	C	501	2	21,24,25	4.24	9 (42%)	30,35,38	2.83	14 (46%)
2	AF2	D	503	2	21,24,25	4.22	9 (42%)	30,35,38	2.78	13 (43%)
2	AF2	H	501	2	21,24,25	4.32	10 (47%)	30,35,38	2.77	15 (50%)
2	AF2	F	503	2	21,24,25	4.23	9 (42%)	30,35,38	2.74	13 (43%)
2	AF2	G	501	2	21,24,25	4.22	9 (42%)	30,35,38	2.82	14 (46%)
2	AF2	A	503	2	21,24,25	4.38	9 (42%)	30,35,38	2.80	14 (46%)
2	AF2	A	501	2	21,24,25	4.21	9 (42%)	30,35,38	2.79	14 (46%)
2	AF2	B	503	2	21,24,25	4.17	11 (52%)	30,35,38	3.06	18 (60%)
2	AF2	G	502	2	21,24,25	4.33	10 (47%)	30,35,38	2.80	16 (53%)
2	AF2	G	503	2	21,24,25	4.42	9 (42%)	30,35,38	2.82	13 (43%)
2	AF2	F	501	2	21,24,25	4.28	10 (47%)	30,35,38	2.82	17 (56%)
2	AF2	E	501	2	21,24,25	4.22	9 (42%)	30,35,38	2.82	14 (46%)
2	AF2	C	502	2	21,24,25	4.30	11 (52%)	30,35,38	2.80	15 (50%)
3	SO4	F	504	-	4,4,4	0.23	0	6,6,6	0.07	0
2	AF2	A	502	2	21,24,25	4.25	10 (47%)	30,35,38	2.83	16 (53%)
2	AF2	D	502	2	21,24,25	4.40	9 (42%)	30,35,38	2.83	13 (43%)
2	AF2	B	502	2	21,24,25	4.42	9 (42%)	30,35,38	2.83	15 (50%)
2	AF2	E	503	2	21,24,25	4.60	11 (52%)	30,35,38	2.80	15 (50%)
2	AF2	D	501	2	21,24,25	4.30	10 (47%)	30,35,38	2.78	15 (50%)
2	AF2	H	503	2	21,24,25	4.24	9 (42%)	30,35,38	2.80	14 (46%)
2	AF2	E	502	2	21,24,25	4.26	11 (52%)	30,35,38	2.94	16 (53%)
2	AF2	C	503	2	21,24,25	4.43	9 (42%)	30,35,38	2.80	14 (46%)
2	AF2	F	502	2	21,24,25	4.37	9 (42%)	30,35,38	2.80	13 (43%)
2	AF2	H	502	2	21,24,25	4.42	9 (42%)	30,35,38	2.81	13 (43%)
3	SO4	G	504	-	4,4,4	0.24	0	6,6,6	0.08	0
2	AF2	B	501	2	21,24,25	4.26	10 (47%)	30,35,38	2.77	15 (50%)
3	SO4	B	504	-	4,4,4	0.24	0	6,6,6	0.07	0
3	SO4	C	504	-	4,4,4	0.23	0	6,6,6	0.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AF2	C	501	2	-	4/7/25/26	0/3/3/3
2	AF2	D	503	2	-	4/7/25/26	0/3/3/3
2	AF2	H	501	2	-	2/7/25/26	0/3/3/3
2	AF2	F	503	2	-	4/7/25/26	0/3/3/3
2	AF2	G	501	2	-	4/7/25/26	0/3/3/3
2	AF2	A	503	2	-	0/7/25/26	0/3/3/3
2	AF2	A	501	2	-	4/7/25/26	0/3/3/3
2	AF2	B	503	2	-	4/7/25/26	0/3/3/3
2	AF2	G	502	2	-	2/7/25/26	0/3/3/3
2	AF2	G	503	2	-	0/7/25/26	0/3/3/3
2	AF2	F	501	2	-	2/7/25/26	0/3/3/3
2	AF2	E	501	2	-	4/7/25/26	0/3/3/3
2	AF2	C	502	2	-	2/7/25/26	0/3/3/3
2	AF2	A	502	2	-	2/7/25/26	0/3/3/3
2	AF2	D	502	2	-	0/7/25/26	0/3/3/3
2	AF2	B	502	2	-	0/7/25/26	0/3/3/3
2	AF2	E	503	2	-	0/7/25/26	0/3/3/3
2	AF2	D	501	2	-	2/7/25/26	0/3/3/3
2	AF2	H	503	2	-	4/7/25/26	0/3/3/3
2	AF2	E	502	2	-	4/7/25/26	0/3/3/3
2	AF2	C	503	2	-	0/7/25/26	0/3/3/3
2	AF2	F	502	2	-	0/7/25/26	0/3/3/3
2	AF2	H	502	2	-	0/7/25/26	0/3/3/3
2	AF2	B	501	2	-	2/7/25/26	0/3/3/3

The worst 5 of 230 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	503	AF2	C2'-C3'	-16.26	1.31	1.52
2	G	503	AF2	C2'-C3'	-15.96	1.31	1.52
2	C	503	AF2	C2'-C3'	-15.93	1.31	1.52
2	B	502	AF2	C2'-C3'	-15.87	1.31	1.52
2	H	502	AF2	C2'-C3'	-15.83	1.31	1.52

The worst 5 of 349 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	501	AF2	C5-C4-N3	-6.19	118.19	126.72
2	G	501	AF2	C5-C4-N3	-6.16	118.23	126.72
2	A	501	AF2	C5-C4-N3	-6.14	118.26	126.72
2	H	503	AF2	C5-C4-N3	-6.12	118.29	126.72
2	D	503	AF2	C5-C4-N3	-6.12	118.30	126.72

There are no chirality outliers.

5 of 50 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	503	AF2	C3'-C4'-C5'-O5'
2	F	503	AF2	C3'-C4'-C5'-O5'
2	F	503	AF2	O4'-C4'-C5'-O5'
2	A	501	AF2	C3'-C4'-C5'-O5'
2	A	501	AF2	O4'-C4'-C5'-O5'


There are no ring outliers.

10 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	501	AF2	2	0
2	D	503	AF2	1	0
2	F	503	AF2	1	0
2	G	501	AF2	1	0
2	A	501	AF2	1	0
2	E	501	AF2	1	0
2	E	503	AF2	1	0
2	H	503	AF2	1	0
3	G	504	SO4	1	0
3	C	504	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand AF2 C 501




Ligand AF2 D 503




Ligand AF2 H 501




Ligand AF2 F 503




Ligand AF2 G 501




Ligand AF2 A 503




Ligand AF2 A 501




Ligand AF2 B 503




Ligand AF2 G 502




Ligand AF2 G 503




Ligand AF2 F 501




Ligand AF2 E 501




Ligand AF2 C 502




Ligand AF2 A 502




Ligand AF2 D 502




Ligand AF2 B 502




Ligand AF2 E 503




Ligand AF2 D 501




Ligand AF2 H 503




Ligand AF2 E 502




Ligand AF2 C 503



Ligand AF2 F 502





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	408/433 (94%)	-0.96	1 (0%) 91 90	28, 51, 108, 134	0
1	B	415/433 (95%)	-0.93	0 100 100	28, 50, 101, 135	0
1	C	408/433 (94%)	-0.92	1 (0%) 91 90	26, 49, 110, 144	0
1	D	406/433 (93%)	-1.00	0 100 100	26, 50, 96, 138	0
1	E	409/433 (94%)	-1.00	0 100 100	25, 50, 110, 142	0
1	F	415/433 (95%)	-0.96	0 100 100	26, 49, 101, 127	0
1	G	407/433 (93%)	-0.96	1 (0%) 91 90	27, 49, 108, 134	0
1	H	414/433 (95%)	-0.98	2 (0%) 87 86	26, 50, 100, 141	0
All	All	3282/3464 (94%)	-0.96	5 (0%) 91 90	25, 50, 105, 144	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	319	LEU	2.5
1	A	308	TYR	2.3
1	H	319	LEU	2.3
1	H	150	TYR	2.1
1	G	354	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	C	504	5/5	0.97	0.06	63,65,68,68	0
3	SO4	G	504	5/5	0.98	0.05	68,71,72,75	0
2	AF2	A	503	22/23	0.99	0.04	31,40,49,51	0
2	AF2	B	501	22/23	0.99	0.04	28,35,43,48	0
2	AF2	B	502	22/23	0.99	0.04	30,40,51,52	0
2	AF2	B	503	22/23	0.99	0.03	31,42,51,52	0
2	AF2	C	501	22/23	0.99	0.04	32,41,50,53	0
2	AF2	C	502	22/23	0.99	0.04	35,42,50,55	0
2	AF2	C	503	22/23	0.99	0.04	40,43,52,54	0
2	AF2	D	501	22/23	0.99	0.04	26,36,49,51	0
2	AF2	D	502	22/23	0.99	0.04	32,39,49,49	0
2	AF2	D	503	22/23	0.99	0.04	33,39,50,50	0
2	AF2	E	501	22/23	0.99	0.04	35,42,51,56	0
2	AF2	E	502	22/23	0.99	0.04	31,36,52,59	0
2	AF2	E	503	22/23	0.99	0.04	29,37,48,49	0
2	AF2	F	501	22/23	0.99	0.04	26,35,45,48	0
2	AF2	F	502	22/23	0.99	0.04	35,41,50,51	0
2	AF2	F	503	22/23	0.99	0.04	37,45,53,57	0
2	AF2	G	501	22/23	0.99	0.03	33,41,51,56	0
2	AF2	G	502	22/23	0.99	0.04	34,39,49,50	0
2	AF2	G	503	22/23	0.99	0.04	36,43,53,55	0
2	AF2	H	501	22/23	0.99	0.04	28,37,45,48	0
2	AF2	H	502	22/23	0.99	0.04	34,41,50,55	0
2	AF2	H	503	22/23	0.99	0.04	38,42,50,53	0
3	SO4	B	504	5/5	0.99	0.06	79,81,83,84	0
2	AF2	A	501	22/23	0.99	0.04	30,40,52,55	0
3	SO4	F	504	5/5	0.99	0.04	66,66,73,76	0
2	AF2	A	502	22/23	0.99	0.04	31,39,49,51	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around AF2 A 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AF2 B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AF2 B 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AF2 B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around AF2 C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AF2 C 502:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around AF2 C 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AF2 D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AF2 D 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AF2 D 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AF2 E 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AF2 E 502:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AF2 E 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AF2 F 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AF2 F 502:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AF2 F 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AF2 G 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AF2 G 502:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AF2 G 503:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AF2 H 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AF2 H 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AF2 H 503:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around AF2 A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.