



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 08:05 AM UTC

PDB ID : 7TU4 / pdb_00007tu4
Title : Structure of the L. blandensis dGTPase del55-58 mutant bound to Mn
Authors : Sikkema, A.P.; Klemm, B.P.; Horng, J.C.; Hall, T.M.T.
Deposited on : 2022-02-02
Resolution : 2.26 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.26 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1898 (2.26-2.26)
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)
RSRZ outliers	180081	1898 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	460	
1	B	460	
1	C	460	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 10330 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called dGTP triphosphohydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	430	Total	C	N	O	S	0	0	0
			3388	2150	574	656	8			
1	B	431	Total	C	N	O	S	0	0	0
			3379	2146	571	654	8			
1	C	430	Total	C	N	O	S	0	0	0
			3362	2137	570	647	8			

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-21	MET	-	expression tag	UNP A3XHN1
A	-20	HIS	-	expression tag	UNP A3XHN1
A	-19	HIS	-	expression tag	UNP A3XHN1
A	-18	HIS	-	expression tag	UNP A3XHN1
A	-17	HIS	-	expression tag	UNP A3XHN1
A	-16	HIS	-	expression tag	UNP A3XHN1
A	-15	HIS	-	expression tag	UNP A3XHN1
A	-14	SER	-	expression tag	UNP A3XHN1
A	-13	SER	-	expression tag	UNP A3XHN1
A	-12	GLY	-	expression tag	UNP A3XHN1
A	-11	VAL	-	expression tag	UNP A3XHN1
A	-10	ASP	-	expression tag	UNP A3XHN1
A	-9	LEU	-	expression tag	UNP A3XHN1
A	-8	GLY	-	expression tag	UNP A3XHN1
A	-7	THR	-	expression tag	UNP A3XHN1
A	-6	GLU	-	expression tag	UNP A3XHN1
A	-5	ASN	-	expression tag	UNP A3XHN1
A	-4	LEU	-	expression tag	UNP A3XHN1
A	-3	TYR	-	expression tag	UNP A3XHN1
A	-2	PHE	-	expression tag	UNP A3XHN1
A	-1	GLN	-	expression tag	UNP A3XHN1
A	0	SER	-	expression tag	UNP A3XHN1
A	1	ASN	-	expression tag	UNP A3XHN1

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	2	ALA	-	expression tag	UNP A3XHN1
A	?	-	PRO	deletion	UNP A3XHN1
A	?	-	LEU	deletion	UNP A3XHN1
A	?	-	SER	deletion	UNP A3XHN1
A	?	-	LYS	deletion	UNP A3XHN1
B	-21	MET	-	expression tag	UNP A3XHN1
B	-20	HIS	-	expression tag	UNP A3XHN1
B	-19	HIS	-	expression tag	UNP A3XHN1
B	-18	HIS	-	expression tag	UNP A3XHN1
B	-17	HIS	-	expression tag	UNP A3XHN1
B	-16	HIS	-	expression tag	UNP A3XHN1
B	-15	HIS	-	expression tag	UNP A3XHN1
B	-14	SER	-	expression tag	UNP A3XHN1
B	-13	SER	-	expression tag	UNP A3XHN1
B	-12	GLY	-	expression tag	UNP A3XHN1
B	-11	VAL	-	expression tag	UNP A3XHN1
B	-10	ASP	-	expression tag	UNP A3XHN1
B	-9	LEU	-	expression tag	UNP A3XHN1
B	-8	GLY	-	expression tag	UNP A3XHN1
B	-7	THR	-	expression tag	UNP A3XHN1
B	-6	GLU	-	expression tag	UNP A3XHN1
B	-5	ASN	-	expression tag	UNP A3XHN1
B	-4	LEU	-	expression tag	UNP A3XHN1
B	-3	TYR	-	expression tag	UNP A3XHN1
B	-2	PHE	-	expression tag	UNP A3XHN1
B	-1	GLN	-	expression tag	UNP A3XHN1
B	0	SER	-	expression tag	UNP A3XHN1
B	1	ASN	-	expression tag	UNP A3XHN1
B	2	ALA	-	expression tag	UNP A3XHN1
B	?	-	PRO	deletion	UNP A3XHN1
B	?	-	LEU	deletion	UNP A3XHN1
B	?	-	SER	deletion	UNP A3XHN1
B	?	-	LYS	deletion	UNP A3XHN1
C	-21	MET	-	expression tag	UNP A3XHN1
C	-20	HIS	-	expression tag	UNP A3XHN1
C	-19	HIS	-	expression tag	UNP A3XHN1
C	-18	HIS	-	expression tag	UNP A3XHN1
C	-17	HIS	-	expression tag	UNP A3XHN1
C	-16	HIS	-	expression tag	UNP A3XHN1
C	-15	HIS	-	expression tag	UNP A3XHN1
C	-14	SER	-	expression tag	UNP A3XHN1
C	-13	SER	-	expression tag	UNP A3XHN1

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-12	GLY	-	expression tag	UNP A3XHN1
C	-11	VAL	-	expression tag	UNP A3XHN1
C	-10	ASP	-	expression tag	UNP A3XHN1
C	-9	LEU	-	expression tag	UNP A3XHN1
C	-8	GLY	-	expression tag	UNP A3XHN1
C	-7	THR	-	expression tag	UNP A3XHN1
C	-6	GLU	-	expression tag	UNP A3XHN1
C	-5	ASN	-	expression tag	UNP A3XHN1
C	-4	LEU	-	expression tag	UNP A3XHN1
C	-3	TYR	-	expression tag	UNP A3XHN1
C	-2	PHE	-	expression tag	UNP A3XHN1
C	-1	GLN	-	expression tag	UNP A3XHN1
C	0	SER	-	expression tag	UNP A3XHN1
C	1	ASN	-	expression tag	UNP A3XHN1
C	2	ALA	-	expression tag	UNP A3XHN1
C	?	-	PRO	deletion	UNP A3XHN1
C	?	-	LEU	deletion	UNP A3XHN1
C	?	-	SER	deletion	UNP A3XHN1
C	?	-	LYS	deletion	UNP A3XHN1

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mn	0	0
			1	1		
4	B	1	Total	Mn	0	0
			1	1		
4	C	1	Total	Mn	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	62	Total 62	O 62	0	0
5	B	60	Total 60	O 60	0	0
5	C	38	Total 38	O 38	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: dGTP triphosphohydrolase



- Molecule 1: dGTP triphosphohydrolase



- Molecule 1: dGTP triphosphohydrolase



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	181.40Å 181.40Å 110.37Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.56 – 2.26 40.56 – 2.26	Depositor EDS
% Data completeness (in resolution range)	99.2 (40.56-2.26) 94.9 (40.56-2.26)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.56 (at 2.27Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.198 , 0.228 0.202 , 0.226	Depositor DCC
R_{free} test set	1405 reflections (0.70%)	wwPDB-VP
Wilson B-factor (Å ²)	50.7	Xtriage
Anisotropy	0.249	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 42.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10330	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.19% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MN, SO4, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.48	0/3451	0.68	0/4666
1	B	0.44	0/3441	0.64	0/4654
1	C	0.50	0/3425	0.72	0/4632
All	All	0.47	0/10317	0.68	0/13952

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3388	0	3301	25	0
1	B	3379	0	3293	21	0
1	C	3362	0	3262	30	0
2	A	4	0	6	0	0
2	B	4	0	6	0	0
3	A	10	0	0	0	0
3	B	10	0	0	0	0
3	C	10	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	C	1	0	0	0	0
5	A	62	0	0	2	0
5	B	60	0	0	2	0
5	C	38	0	0	1	0
All	All	10330	0	9868	69	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (69) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:78:MET:HE2	1:C:315:VAL:HG21	1.63	0.81
1:C:375:LEU:HD13	1:C:422:MET:HE1	1.66	0.77
1:B:68:VAL:HG12	1:B:109:ALA:HB1	1.74	0.69
1:C:68:VAL:HG12	1:C:109:ALA:HB1	1.74	0.69
1:C:50:LYS:HB3	1:C:61:ARG:HD3	1.74	0.68
1:A:51:THR:HG21	1:A:55:THR:HG23	1.75	0.68
1:A:68:VAL:HG12	1:A:109:ALA:HB1	1.80	0.64
1:A:195:HIS:CE1	1:A:196:LYS:HD3	2.34	0.63
1:A:437:LEU:O	1:A:438:ASP:C	2.43	0.62
1:C:388:THR:O	1:C:392:GLN:HG3	2.01	0.60
1:C:432:LYS:HG2	1:C:437:LEU:HD12	1.87	0.57
1:A:253:TYR:O	1:A:257:ASP:HB2	2.05	0.56
1:A:15:ASP:OD2	1:A:19:ARG:HD2	2.09	0.53
1:A:82:LYS:HB3	1:A:319:MET:HE2	1.91	0.53
1:A:361:VAL:O	1:A:365:GLU:HG3	2.11	0.51
1:B:51:THR:HG21	1:B:55:THR:HG23	1.92	0.50
1:A:298:ARG:HD3	5:A:636:HOH:O	2.10	0.50
1:C:261:GLY:HA3	1:C:355:ILE:HD11	1.94	0.49
1:A:437:LEU:HD13	1:C:437:LEU:HD22	1.95	0.49
1:C:186:MET:HG2	1:C:216:PHE:CE1	2.48	0.49
1:C:140:LYS:HD2	1:C:148:TYR:CE2	2.47	0.49
1:C:331:ASP:OD1	1:C:331:ASP:N	2.41	0.49
1:C:298:ARG:HD2	5:C:627:HOH:O	2.14	0.48
1:B:24:GLN:HG2	5:B:626:HOH:O	2.15	0.47
1:B:205:LYS:NZ	5:B:603:HOH:O	2.48	0.47
1:A:257:ASP:OD2	1:A:356:TYR:OH	2.23	0.47
1:C:262:ILE:HG21	1:C:299:VAL:HG11	1.97	0.47
1:A:146:LYS:HG2	1:A:193:LEU:HB2	1.96	0.47
1:A:191:GLU:OE2	1:A:233:ASP:HA	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:289:TYR:CE1	1:C:298:ARG:HG2	2.49	0.46
1:A:190:LYS:HB2	1:A:190:LYS:HE2	1.53	0.46
1:B:63:THR:O	1:B:67:GLU:HG3	2.16	0.46
1:A:254:THR:HG21	1:A:344:ILE:HG23	1.98	0.46
1:B:20:LEU:HB2	1:B:23:GLU:HG3	1.98	0.45
1:B:166:GLN:HE22	1:B:414:GLN:HE22	1.62	0.45
1:C:132:LYS:O	1:C:137:LYS:HG3	2.17	0.45
1:C:215:LEU:HD12	1:C:215:LEU:O	2.16	0.45
1:B:188:TYR:CZ	1:B:205:LYS:HD3	2.51	0.45
1:C:56:ASP:C	1:C:58:VAL:H	2.25	0.45
1:B:190:LYS:HB2	1:B:190:LYS:HE2	1.85	0.44
1:A:369:TYR:HE1	1:C:389:HIS:HD2	1.64	0.44
1:B:146:LYS:HG2	1:B:193:LEU:HB2	1.98	0.44
1:A:367:ALA:HB1	1:C:436:GLY:HA2	1.99	0.44
1:B:86:LYS:O	1:B:88:PRO:HD3	2.18	0.44
1:A:430:ASN:ND2	5:A:601:HOH:O	2.38	0.44
1:B:18:LYS:HE3	1:B:18:LYS:HB3	1.92	0.43
1:B:331:ASP:OD1	1:B:331:ASP:N	2.44	0.43
1:C:117:PRO:HG3	1:C:124:GLU:HG3	2.00	0.43
1:B:394:ILE:HD13	1:C:366:ILE:HD13	2.01	0.43
1:B:12:ARG:HD3	1:B:176:ARG:O	2.18	0.43
1:C:179:TYR:CD2	1:C:219:VAL:HA	2.55	0.42
1:C:252:CYS:O	1:C:256:ILE:HB	2.20	0.42
1:A:393:LEU:HD22	1:B:362:ILE:HG23	2.02	0.42
1:B:433:LYS:HD2	1:C:363:GLU:HB3	2.01	0.42
1:C:194:PRO:HD3	1:C:233:ASP:HB3	2.02	0.42
1:C:270:GLU:CD	1:C:270:GLU:H	2.25	0.42
1:C:253:TYR:O	1:C:257:ASP:HB2	2.19	0.41
1:A:432:LYS:HG2	1:A:437:LEU:HD21	2.01	0.41
1:A:188:TYR:CE2	1:A:205:LYS:HD2	2.55	0.41
1:C:79:VAL:HG23	1:C:315:VAL:HG22	2.01	0.41
1:A:433:LYS:HG3	1:B:363:GLU:HG2	2.01	0.41
1:A:12:ARG:HD3	1:A:176:ARG:O	2.20	0.41
1:B:429:ARG:O	1:B:433:LYS:HG2	2.21	0.41
1:C:116:ASN:OD1	1:C:156:GLY:HA3	2.21	0.41
1:C:273:LEU:HD23	1:C:273:LEU:HA	1.89	0.41
1:B:165:SER:HB2	1:B:215:LEU:HD21	2.02	0.40
1:A:50:LYS:HB3	1:A:61:ARG:HD3	2.03	0.40
1:B:154:PHE:CE1	1:B:416:CYS:HB3	2.56	0.40
1:A:387:ASP:OD1	1:A:387:ASP:N	2.43	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	426/460 (93%)	419 (98%)	6 (1%)	1 (0%)	43	50
1	B	427/460 (93%)	416 (97%)	11 (3%)	0	100	100
1	C	426/460 (93%)	416 (98%)	10 (2%)	0	100	100
All	All	1279/1380 (93%)	1251 (98%)	27 (2%)	1 (0%)	48	56

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	53	VAL

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	356/396 (90%)	351 (99%)	5 (1%)	59	70
1	B	353/396 (89%)	352 (100%)	1 (0%)	86	90
1	C	348/396 (88%)	346 (99%)	2 (1%)	78	84
All	All	1057/1188 (89%)	1049 (99%)	8 (1%)	73	80

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	52	GLN
1	A	190	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	369	TYR
1	A	435	LYS
1	A	437	LEU
1	B	58	VAL
1	C	51	THR
1	C	437	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	ASN
1	A	13	GLN
1	A	59	HIS
1	A	92	GLN
1	A	166	GLN
1	A	293	GLN
1	A	332	GLN
1	B	157	ASN
1	B	221	GLN
1	B	332	GLN
1	B	357	ASN
1	B	414	GLN
1	C	59	HIS
1	C	121	HIS
1	C	133	ASN
1	C	341	GLN
1	C	385	ASN
1	C	389	HIS
1	C	392	GLN
1	C	396	GLN
1	C	414	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 3 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	B	503	-	4,4,4	0.39	0	6,6,6	0.09	0
3	SO4	C	501	-	4,4,4	0.32	0	6,6,6	0.55	0
2	EDO	B	501	-	3,3,3	0.12	0	2,2,2	0.19	0
3	SO4	B	502	-	4,4,4	0.44	0	6,6,6	0.07	0
3	SO4	A	503	-	4,4,4	0.39	0	6,6,6	0.10	0
2	EDO	A	501	-	3,3,3	0.25	0	2,2,2	0.20	0
3	SO4	A	502	-	4,4,4	0.49	0	6,6,6	0.10	0
3	SO4	C	502	-	4,4,4	0.30	0	6,6,6	0.23	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	B	501	-	-	1/1/1/1	-
2	EDO	A	501	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	501	EDO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	501	EDO	O1-C1-C2-O2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	430/460 (93%)	0.49	20 (4%) 36 35	42, 62, 91, 133	0
1	B	431/460 (93%)	0.58	27 (6%) 26 24	46, 65, 92, 148	0
1	C	430/460 (93%)	0.65	26 (6%) 27 25	50, 71, 99, 123	0
All	All	1291/1380 (93%)	0.57	73 (5%) 29 27	42, 66, 94, 148	0

All (73) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	59	HIS	7.3
1	A	437	LEU	6.0
1	B	400	PRO	5.2
1	B	56	ASP	4.7
1	B	58	VAL	4.6
1	C	437	LEU	4.4
1	B	53	VAL	4.4
1	A	57	PHE	4.2
1	C	58	VAL	4.1
1	A	400	PRO	4.1
1	B	230	THR	4.0
1	B	57	PHE	3.9
1	A	58	VAL	3.8
1	C	400	PRO	3.7
1	A	56	ASP	3.6
1	B	1	ASN	3.6
1	A	3	ASN	3.5
1	A	253	TYR	3.4
1	C	57	PHE	3.4
1	A	53	VAL	3.4
1	A	201	ILE	3.3
1	C	56	ASP	3.3
1	C	2	ALA	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	437	LEU	3.1
1	C	230	THR	3.0
1	A	54	ILE	3.0
1	C	201	ILE	2.9
1	C	59	HIS	2.8
1	B	231	THR	2.8
1	C	407	SER	2.8
1	C	275	TYR	2.7
1	A	59	HIS	2.7
1	B	54	ILE	2.7
1	B	264	LEU	2.7
1	C	203	ASP	2.7
1	B	55	THR	2.6
1	C	215	LEU	2.6
1	C	202	ALA	2.6
1	C	231	THR	2.6
1	A	204	LYS	2.6
1	C	295	THR	2.5
1	A	121	HIS	2.5
1	C	121	HIS	2.5
1	A	52	GLN	2.5
1	C	232	ASP	2.5
1	A	66	LEU	2.4
1	C	48	GLN	2.4
1	A	407	SER	2.4
1	C	51	THR	2.4
1	A	200	HIS	2.4
1	B	232	ASP	2.4
1	B	229	SER	2.3
1	B	121	HIS	2.3
1	C	253	TYR	2.3
1	C	54	ILE	2.3
1	B	62	LEU	2.2
1	B	355	ILE	2.2
1	C	264	LEU	2.2
1	A	369	TYR	2.2
1	B	253	TYR	2.2
1	B	407	SER	2.2
1	C	424	ASP	2.2
1	A	51	THR	2.2
1	A	438	ASP	2.1
1	B	215	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	399	ALA	2.1
1	B	92	GLN	2.1
1	C	269	GLU	2.0
1	B	200	HIS	2.0
1	B	51	THR	2.0
1	B	20	LEU	2.0
1	B	49	ASP	2.0
1	C	227	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	A	503	5/5	0.71	0.11	102,103,112,112	5
3	SO4	C	502	5/5	0.72	0.11	97,99,107,108	0
2	EDO	A	501	4/4	0.73	0.20	63,64,67,70	0
2	EDO	B	501	4/4	0.73	0.21	72,76,79,81	0
3	SO4	B	503	5/5	0.80	0.09	88,92,99,102	5
3	SO4	B	502	5/5	0.87	0.09	74,79,83,85	0
3	SO4	C	501	5/5	0.90	0.09	74,75,78,81	0
3	SO4	A	502	5/5	0.94	0.13	64,66,69,69	0
4	MN	A	504	1/1	0.99	0.03	44,44,44,44	0
4	MN	C	503	1/1	0.99	0.07	63,63,63,63	0
4	MN	B	504	1/1	1.00	0.03	52,52,52,52	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around MN A 504:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around MN C 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.