



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 05:14 PM UTC

PDB ID : 4TVJ / pdb_00004tvj
Title : HUMAN ARTD2 (PARP2) - CATALYTIC DOMAIN IN COMPLEX WITH OLAPARIB
Authors : Karlberg, T.; Thorsell, A.G.; Ekblad, T.; Pinto, A.F.; Schuler, H.
Deposited on : 2014-06-27
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	368	 4% 86% 10% • •
1	B	368	 2% 85% 10% • 5%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5958 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Poly [ADP-ribose] polymerase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	357	Total	C	N	O	S	0	0	0
			2828	1796	488	524	20			
1	B	351	Total	C	N	O	S	0	0	0
			2781	1767	480	514	20			

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	212	MET	-	initiating methionine	UNP Q9UGN5
A	213	HIS	-	expression tag	UNP Q9UGN5
A	214	HIS	-	expression tag	UNP Q9UGN5
A	215	HIS	-	expression tag	UNP Q9UGN5
A	216	HIS	-	expression tag	UNP Q9UGN5
A	217	HIS	-	expression tag	UNP Q9UGN5
A	218	HIS	-	expression tag	UNP Q9UGN5
A	219	SER	-	expression tag	UNP Q9UGN5
A	220	SER	-	expression tag	UNP Q9UGN5
A	221	GLY	-	expression tag	UNP Q9UGN5
A	222	VAL	-	expression tag	UNP Q9UGN5
A	223	ASP	-	expression tag	UNP Q9UGN5
A	224	LEU	-	expression tag	UNP Q9UGN5
A	225	GLY	-	expression tag	UNP Q9UGN5
A	226	THR	-	expression tag	UNP Q9UGN5
A	227	GLU	-	expression tag	UNP Q9UGN5
A	228	ASN	-	expression tag	UNP Q9UGN5
A	229	LEU	-	expression tag	UNP Q9UGN5
A	230	TYR	-	expression tag	UNP Q9UGN5
A	231	PHE	-	expression tag	UNP Q9UGN5
A	232	GLN	-	expression tag	UNP Q9UGN5
A	233	SER	-	expression tag	UNP Q9UGN5
A	234	MET	-	expression tag	UNP Q9UGN5
A	447	HIS	PRO	conflict	UNP Q9UGN5
B	212	MET	-	initiating methionine	UNP Q9UGN5

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	213	HIS	-	expression tag	UNP Q9UGN5
B	214	HIS	-	expression tag	UNP Q9UGN5
B	215	HIS	-	expression tag	UNP Q9UGN5
B	216	HIS	-	expression tag	UNP Q9UGN5
B	217	HIS	-	expression tag	UNP Q9UGN5
B	218	HIS	-	expression tag	UNP Q9UGN5
B	219	SER	-	expression tag	UNP Q9UGN5
B	220	SER	-	expression tag	UNP Q9UGN5
B	221	GLY	-	expression tag	UNP Q9UGN5
B	222	VAL	-	expression tag	UNP Q9UGN5
B	223	ASP	-	expression tag	UNP Q9UGN5
B	224	LEU	-	expression tag	UNP Q9UGN5
B	225	GLY	-	expression tag	UNP Q9UGN5
B	226	THR	-	expression tag	UNP Q9UGN5
B	227	GLU	-	expression tag	UNP Q9UGN5
B	228	ASN	-	expression tag	UNP Q9UGN5
B	229	LEU	-	expression tag	UNP Q9UGN5
B	230	TYR	-	expression tag	UNP Q9UGN5
B	231	PHE	-	expression tag	UNP Q9UGN5
B	232	GLN	-	expression tag	UNP Q9UGN5
B	233	SER	-	expression tag	UNP Q9UGN5
B	234	MET	-	expression tag	UNP Q9UGN5
B	447	HIS	PRO	conflict	UNP Q9UGN5

- Molecule 2 is 4-(3-{[4-(cyclopropylcarbonyl)piperazin-1-yl]carbonyl}-4-fluorobenzyl)phthalazin-1(2H)-one (CCD ID: 09L) (formula: C₂₄H₂₃FN₄O₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	0	0
			32	24	1	4	3		
2	B	1	Total	C	F	N	O	0	0
			32	24	1	4	3		

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	160	Total	O	0	0
			160	160		
4	B	107	Total	O	0	0
			107	107		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Poly [ADP-ribose] polymerase 2



- Molecule 1: Poly [ADP-ribose] polymerase 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	58.08Å 134.12Å 58.35Å 90.00° 117.96° 90.00°	Depositor
Resolution (Å)	29.28 – 2.10 29.28 – 2.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (29.28-2.10) 99.8 (29.28-2.10)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.70 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.188 , 0.231 (Not available) , 0.220	Depositor DCC
R_{free} test set	2293 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	25.7	Xtriage
Anisotropy	0.304	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 33.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.007 for -h-l,k,h 0.007 for l,k,-h-l 0.029 for h,-k,-h-l 0.054 for -h-l,-k,l 0.028 for l,-k,h	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5958	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, 09L

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.95	0/2888	0.94	2/3899 (0.1%)
1	B	0.87	0/2840	0.90	1/3833 (0.0%)
All	All	0.91	0/5728	0.92	3/7732 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	317	THR	CA-C-N	-5.67	114.54	120.38
1	A	317	THR	C-N-CA	-5.67	114.54	120.38
1	B	522	ALA	N-CA-C	5.08	112.79	108.22

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2828	0	2822	30	0
1	B	2781	0	2774	31	0
2	A	32	0	23	0	0
2	B	32	0	23	0	0
3	A	12	0	16	2	0
3	B	6	0	8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	160	0	0	2	0
4	B	107	0	0	2	0
All	All	5958	0	5666	62	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (62) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:323:THR:HG21	1:B:325:LYS:NZ	1.62	1.12
1:B:323:THR:HG21	1:B:325:LYS:HZ2	1.28	0.97
1:B:320:LEU:HD12	1:B:322:ARG:HH21	1.27	0.93
1:A:255:MET:HA	1:A:255:MET:HE2	1.53	0.88
1:B:323:THR:HG21	1:B:325:LYS:HZ3	1.39	0.86
1:A:505:ALA:HA	1:A:508:LEU:HD13	1.59	0.84
1:B:323:THR:HG23	1:B:326:GLU:H	1.58	0.68
1:A:293:GLN:C	1:A:294:HIS:ND1	2.52	0.67
1:A:255:MET:HE2	1:A:255:MET:CA	2.23	0.65
1:A:252:GLU:HG3	1:A:267:LEU:HD12	1.79	0.62
1:A:377:TYR:O	1:A:381:VAL:HG23	1.99	0.61
1:A:421:HIS:H	1:A:421:HIS:HD1	1.47	0.61
1:A:391:ALA:HB1	1:A:556:TYR:CZ	2.37	0.59
1:B:293:GLN:O	1:B:294:HIS:ND1	2.36	0.58
1:A:478:ARG:HG3	1:A:479:LEU:HD12	1.85	0.58
1:B:391:ALA:HB1	1:B:556:TYR:CZ	2.39	0.57
1:A:341:GLU:OE2	1:A:345:LYS:NZ	2.34	0.57
1:A:255:MET:HE1	1:A:258:MET:SD	2.45	0.56
1:B:529:VAL:CG1	1:B:530:THR:N	2.69	0.56
1:B:323:THR:CG2	1:B:325:LYS:HZ3	2.16	0.56
1:B:532:ASN:ND2	4:B:762:HOH:O	2.36	0.55
1:B:293:GLN:C	1:B:294:HIS:HD1	2.15	0.54
1:A:294:HIS:ND1	1:A:294:HIS:N	2.55	0.53
1:A:479:LEU:H	1:A:479:LEU:CD1	2.22	0.53
1:B:251:MET:HE1	1:B:343:ALA:HB1	1.91	0.52
1:B:331:ILE:HD11	1:B:451:PRO:HG2	1.91	0.52
1:A:308:ARG:O	1:A:309:ILE:HD13	2.11	0.51
1:B:484:LEU:HD23	1:B:574:LYS:HA	1.94	0.50
1:B:560:ILE:HD12	1:B:560:ILE:N	2.26	0.50
1:B:320:LEU:HD12	1:B:322:ARG:NH2	2.11	0.49
1:A:401:LEU:HD13	1:A:573:LEU:HD23	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:256:MET:HE3	4:B:757:HOH:O	2.12	0.48
1:A:528:PHE:CD1	1:A:537:PRO:HA	2.49	0.47
1:A:298:LEU:O	1:A:301:ALA:HB3	2.15	0.47
1:B:331:ILE:HD13	1:B:454:GLY:HA3	1.97	0.47
1:B:529:VAL:HG13	1:B:530:THR:H	1.81	0.46
1:A:377:TYR:CZ	1:A:381:VAL:HG21	2.51	0.46
1:A:472:ASN:HA	3:A:602:GOL:H2	1.98	0.45
1:A:355:GLU:OE2	1:A:363:ARG:NH1	2.40	0.45
1:B:323:THR:CG2	1:B:325:LYS:HG3	2.46	0.45
1:B:389:THR:HB	1:B:466:MET:HA	2.00	0.43
1:A:421:HIS:NE2	1:A:494:GLN:HG2	2.33	0.43
1:B:341:GLU:OE2	1:B:345:LYS:NZ	2.47	0.43
1:B:251:MET:HE1	1:B:343:ALA:CB	2.49	0.43
1:B:295:GLY:O	1:B:296:ARG:C	2.62	0.43
1:A:414:GLU:CD	1:A:414:GLU:H	2.26	0.43
1:A:293:GLN:O	1:A:294:HIS:ND1	2.52	0.43
1:B:252:GLU:O	1:B:256:MET:HG3	2.19	0.43
1:A:570:ARG:NH1	4:A:740:HOH:O	2.52	0.42
1:B:531:LEU:HD12	1:B:531:LEU:HA	1.93	0.42
1:B:487:LEU:HB2	1:B:571:TYR:HB2	2.02	0.42
1:A:466:MET:SD	1:A:523:PRO:HD3	2.60	0.41
1:A:223:ASP:O	1:A:226:THR:HG22	2.21	0.41
1:A:255:MET:HA	1:A:255:MET:CE	2.34	0.41
1:A:223:ASP:O	1:A:226:THR:CG2	2.68	0.41
1:B:370:ARG:HA	1:B:371:PRO:HD3	1.93	0.41
1:B:391:ALA:HB1	1:B:556:TYR:OH	2.20	0.41
1:A:479:LEU:HD12	1:A:479:LEU:N	2.35	0.41
1:B:236:LEU:HD12	1:B:236:LEU:O	2.21	0.41
1:B:492:LEU:O	1:B:513:HIS:HB2	2.21	0.41
3:A:603:GOL:H11	4:A:854:HOH:O	2.20	0.40
1:A:479:LEU:HD12	1:A:479:LEU:H	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

There are no protein backbone outliers to report in this entry.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	157/320 (49%)	149 (95%)	8 (5%)	21	21
1	B	295/320 (92%)	289 (98%)	6 (2%)	48	56
All	All	452/640 (71%)	438 (97%)	14 (3%)	35	39

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	325	LYS
1	A	414	GLU
1	A	478	ARG
1	A	479	LEU
1	A	480	LYS
1	A	529	VAL
1	A	546	ILE
1	A	547	LEU
1	B	236	LEU
1	B	360	GLN
1	B	370	ARG
1	B	529	VAL
1	B	530	THR
1	B	547	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	576	GLN
1	A	578	ASN
1	B	576	GLN
1	B	578	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	GOL	A	603	-	5,5,5	0.36	0	5,5,5	0.79	0
2	09L	B	601	-	36,36,36	2.33	12 (33%)	49,52,52	2.21	13 (26%)
3	GOL	A	602	-	5,5,5	0.34	0	5,5,5	0.64	0
3	GOL	B	602	-	5,5,5	0.43	0	5,5,5	1.15	0
2	09L	A	601	-	36,36,36	2.23	10 (27%)	49,52,52	2.20	12 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	603	-	-	2/4/4/4	-
2	09L	B	601	-	-	2/20/32/32	0/5/5/5
3	GOL	A	602	-	-	1/4/4/4	-
3	GOL	B	602	-	-	3/4/4/4	-
2	09L	A	601	-	-	2/20/32/32	0/5/5/5

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	09L	CAY-NAG	7.14	1.34	1.29
2	B	601	09L	CAY-NAG	6.59	1.33	1.29
2	A	601	09L	CAV-CAT	-5.91	1.42	1.51
2	B	601	09L	CAR-CAQ	-5.68	1.42	1.50
2	A	601	09L	CBA-CBC	-4.35	1.39	1.47
2	B	601	09L	CAV-CAY	-4.19	1.44	1.52
2	B	601	09L	NAH-NAG	-4.14	1.26	1.38
2	B	601	09L	FAA-CAU	4.05	1.46	1.35
2	B	601	09L	CAV-CAT	-3.98	1.45	1.51
2	A	601	09L	CAZ-CAY	-3.80	1.38	1.47
2	A	601	09L	CAR-CAQ	-3.69	1.45	1.50
2	B	601	09L	CBA-CBC	-3.36	1.41	1.47
2	A	601	09L	CBC-NAH	3.12	1.40	1.35
2	B	601	09L	CBC-NAH	2.84	1.39	1.35
2	B	601	09L	CAI-CAL	2.71	1.55	1.51
2	A	601	09L	CAK-CAJ	-2.60	1.39	1.48
2	A	601	09L	CAS-CAT	2.13	1.42	1.39
2	B	601	09L	CAK-CAJ	-2.11	1.41	1.48
2	A	601	09L	CAV-CAY	-2.09	1.48	1.52
2	B	601	09L	CAO-NAF	2.06	1.50	1.47
2	B	601	09L	CBE-CBB	2.02	1.42	1.38
2	A	601	09L	CAW-CAX	2.00	1.42	1.38

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	09L	CAZ-CAY-NAG	-7.15	118.23	122.76
2	B	601	09L	CAY-NAG-NAH	7.02	124.06	117.69
2	B	601	09L	CAZ-CAY-NAG	-6.00	118.96	122.76
2	B	601	09L	CBC-NAH-NAG	-5.89	121.41	127.98
2	A	601	09L	CAY-NAG-NAH	5.86	123.01	117.69
2	A	601	09L	CBC-NAH-NAG	-5.22	122.15	127.98
2	A	601	09L	CAR-CAQ-NAF	4.72	125.56	118.24
2	B	601	09L	CAR-CAQ-NAF	3.76	124.07	118.24
2	B	601	09L	CBA-CBC-NAH	3.69	119.29	115.04
2	A	601	09L	CAK-CAI-CAL	-3.67	112.21	116.91
2	A	601	09L	CAN-NAE-CAM	3.09	118.99	112.68
2	A	601	09L	OAC-CAQ-NAF	-3.08	117.50	122.35
2	B	601	09L	CAX-CAU-CAR	-3.07	119.76	123.07
2	A	601	09L	CAP-CAN-NAE	-3.06	104.32	110.42
2	B	601	09L	OAD-CBC-NAH	-3.04	116.98	120.88
2	A	601	09L	CAM-CAO-NAF	-2.62	105.21	110.42
2	A	601	09L	CAK-CAI-CAJ	-2.49	54.97	58.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	09L	CAX-CAU-CAR	-2.45	120.42	123.07
2	B	601	09L	CAM-CAO-NAF	-2.44	105.56	110.42
2	A	601	09L	CAP-NAF-CAO	2.18	117.13	112.68
2	B	601	09L	CAJ-CAK-CAI	2.07	63.40	60.60
2	B	601	09L	CAZ-CBA-CBC	-2.04	117.42	119.56
2	B	601	09L	CAJ-CAI-CAL	2.01	119.49	116.91
2	B	601	09L	CAK-CAI-CAL	-2.01	114.34	116.91
2	B	601	09L	CAW-CAX-CAU	2.00	121.51	119.04

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	601	09L	CAK-CAI-CAL-OAB
3	A	603	GOL	O1-C1-C2-C3
3	B	602	GOL	C1-C2-C3-O3
3	A	603	GOL	O1-C1-C2-O2
3	B	602	GOL	O2-C2-C3-O3
2	A	601	09L	CAK-CAI-CAL-OAB
2	A	601	09L	CAK-CAI-CAL-NAE
2	B	601	09L	CAK-CAI-CAL-NAE
3	A	602	GOL	O1-C1-C2-O2
3	B	602	GOL	O1-C1-C2-O2


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	603	GOL	1	0
3	A	602	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	357/368 (97%)	-0.22	13 (3%) 46 48	11, 24, 45, 65	0
1	B	351/368 (95%)	-0.07	8 (2%) 61 64	16, 28, 52, 70	0
All	All	708/736 (96%)	-0.15	21 (2%) 52 55	11, 26, 49, 70	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	297	ALA	4.3
1	A	552	TYR	3.7
1	B	226	THR	3.7
1	A	547	LEU	3.5
1	A	295	GLY	3.2
1	A	549	PRO	2.9
1	B	294	HIS	2.8
1	B	297	ALA	2.8
1	B	549	PRO	2.7
1	A	548	ASN	2.7
1	A	303	ASN	2.7
1	B	231	PHE	2.6
1	B	552	TYR	2.6
1	A	298	LEU	2.5
1	A	300	GLU	2.4
1	A	296	ARG	2.4
1	B	547	LEU	2.4
1	A	226	THR	2.3
1	B	354	PRO	2.1
1	A	294	HIS	2.1
1	A	301	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	GOL	A	603	6/6	0.94	0.07	26,30,31,32	0
3	GOL	A	602	6/6	0.95	0.06	23,24,25,26	0
2	09L	B	601	32/32	0.96	0.05	14,18,20,22	0
2	09L	A	601	32/32	0.97	0.05	9,14,23,25	0
3	GOL	B	602	6/6	0.97	0.05	24,27,27,28	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 09L B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 09L A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.