



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 01:32 PM UTC

PDB ID : 1TW3 / pdb_00001tw3
Title : Crystal structure of Carminomycin-4-O-methyltransferase (DnrK) in complex with S-adenosyl-L-homocystein (SAH) and 4-methoxy-e-rhodomyacin T (M-ET)
Authors : Jansson, A.; Koskiniemi, H.; Mantsala, P.; Niemi, J.; Schneider, G.
Deposited on : 2004-06-30
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1596 (2.36-2.36)
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	360	
1	B	360	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5742 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Carminomycin 4-O-methyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	340	Total	C	N	O	S	0	0	0
			2627	1661	470	491	5			
1	B	340	Total	C	N	O	S	0	0	0
			2627	1661	470	491	5			

There are 10 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	cloning artifact	UNP Q06528
A	-3	SER	-	cloning artifact	UNP Q06528
A	-2	PRO	-	cloning artifact	UNP Q06528
A	-1	ASN	-	cloning artifact	UNP Q06528
A	0	SER	-	cloning artifact	UNP Q06528
B	-4	GLY	-	cloning artifact	UNP Q06528
B	-3	SER	-	cloning artifact	UNP Q06528
B	-2	PRO	-	cloning artifact	UNP Q06528
B	-1	ASN	-	cloning artifact	UNP Q06528
B	0	SER	-	cloning artifact	UNP Q06528

- Molecule 2 is S-ADENOSYL-L-HOMOCYSTEINE (CCD ID: SAH) (formula: C₁₄H₂₀N₆O₅S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 26	C 14	N 6	O 5	S 1	0	0
2	B	1	Total 26	C 14	N 6	O 5	S 1	0	0

- Molecule 3 is METHYL (4R)-2-ETHYL-2,5,12-TRIHYDROXY-7-METHOXY-6,11-DIOXO-4-{[2,3,6-TRIDEOXY-3-(DIMETHYLAMINO)-BETA-D-RIBO-HEXOPYRANOSYL]OXY}-1H,2H,3H,4H,6H,11H-TETRACENE-1-CARBOXYLATE (CCD ID: ERT) (formula: C₃₁H₃₇NO₁₁).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total 43	C 31	N 1	O 11	0	0
3	B	1	Total 43	C 31	N 1	O 11	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	212	Total 212	O 212	0	0
4	B	138	Total 138	O 138	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Carminomycin 4-O-methyltransferase



• Molecule 1: Carminomycin 4-O-methyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	210.69Å 53.13Å 83.07Å 90.00° 105.03° 90.00°	Depositor
Resolution (Å)	35.00 – 2.35 35.00 – 2.35	Depositor EDS
% Data completeness (in resolution range)	95.6 (35.00-2.35) 95.6 (35.00-2.35)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.65 (at 2.34Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.193 , 0.244 0.205 , 0.251	Depositor DCC
R_{free} test set	1829 reflections (5.11%)	wwPDB-VP
Wilson B-factor (Å ²)	25.3	Xtriage
Anisotropy	0.074	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 32.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5742	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SAH, ERT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.71	2/2681 (0.1%)	0.93	2/3654 (0.1%)
1	B	0.68	3/2681 (0.1%)	0.95	2/3654 (0.1%)
All	All	0.70	5/5362 (0.1%)	0.94	4/7308 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	1	0

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	303	MET	SD-CE	-12.53	1.48	1.79
1	B	303	MET	SD-CE	-11.22	1.51	1.79
1	B	210	MET	SD-CE	-8.27	1.58	1.79
1	A	12	GLN	CA-C	-6.04	1.40	1.52
1	B	12	GLN	N-CA	5.67	1.57	1.46

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	12	GLN	N-CA-CB	22.02	147.93	110.50
1	A	163	GLN	N-CA-C	5.52	118.01	111.33
1	B	12	GLN	N-CA-C	-5.25	96.31	111.00
1	A	339	ILE	CB-CA-C	5.01	114.24	109.33

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	B	12	GLN	CA

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2627	0	2624	40	3
1	B	2627	0	2624	40	0
2	A	26	0	19	3	0
2	B	26	0	18	4	0
3	A	43	0	35	3	0
3	B	43	0	35	4	0
4	A	212	0	0	6	3
4	B	138	0	0	5	0
All	All	5742	0	5355	78	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:218:ARG:O	1:B:222:LYS:HG3	1.79	0.83
1:A:33:THR:HG21	1:B:122:LEU:HB3	1.66	0.77
1:A:29:MET:O	1:A:33:THR:HG23	1.85	0.77
2:B:1635:SAH:SD	3:B:1600:ERT:C40	2.75	0.74
1:B:152:ARG:HH12	1:B:210:MET:HE3	1.54	0.71
1:B:118:SER:O	1:B:132:THR:HG21	1.94	0.68
1:A:118:SER:O	1:A:132:THR:HG21	1.94	0.67
2:B:1635:SAH:SD	3:B:1600:ERT:H401	2.37	0.65
1:B:256:ASN:HD22	1:B:303:MET:CE	2.10	0.65
2:A:635:SAH:SD	3:A:600:ERT:C40	2.85	0.64
1:B:256:ASN:HD22	1:B:303:MET:HE2	1.65	0.61
1:B:17:ARG:O	1:B:21:ARG:HG3	2.02	0.59
1:A:49:THR:HG23	1:A:52:ALA:H	1.67	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:256:ASN:HD22	1:A:303:MET:HE2	1.67	0.58
1:A:103:ARG:NH2	1:A:107:ASP:OD1	2.36	0.58
1:A:122:LEU:HB3	1:B:33:THR:HG21	1.86	0.57
1:A:312:ARG:HD2	1:A:320:LEU:HD22	1.85	0.57
1:B:152:ARG:NH1	1:B:210:MET:HE3	2.18	0.57
1:A:118:SER:CB	1:A:305:VAL:HG13	2.35	0.56
1:A:12:GLN:NE2	1:B:98:HIS:NE2	2.54	0.56
1:B:103:ARG:NH2	1:B:107:ASP:OD1	2.38	0.55
1:B:256:ASN:ND2	1:B:303:MET:HE1	2.21	0.55
1:A:172:ALA:HA	1:A:199:ARG:NH1	2.22	0.55
1:A:102:GLN:O	1:A:106:HIS:HD2	1.91	0.54
1:B:250:LEU:HD12	1:B:279:ILE:CD1	2.38	0.54
1:A:256:ASN:HA	1:A:303:MET:CE	2.37	0.54
1:B:256:ASN:HA	1:B:303:MET:CE	2.38	0.54
1:A:256:ASN:HD22	1:A:303:MET:CE	2.21	0.53
3:B:1600:ERT:H7'3	3:B:1600:ERT:O4'	2.09	0.53
1:B:29:MET:O	1:B:33:THR:HG23	2.08	0.53
2:B:1635:SAH:SD	3:B:1600:ERT:H402	2.49	0.53
1:A:118:SER:HB3	1:A:305:VAL:HG13	1.92	0.51
1:A:279:ILE:C	1:A:280:LEU:HD23	2.34	0.51
1:A:280:LEU:HD23	1:A:280:LEU:N	2.25	0.51
2:A:635:SAH:SD	3:A:600:ERT:H403	2.50	0.51
1:A:66:ARG:HD2	1:B:300:ASP:OD2	2.11	0.50
1:A:162:ASP:OD1	1:A:338:THR:OG1	2.26	0.50
1:B:248:ILE:HD12	1:B:273:LEU:HD13	1.93	0.50
1:A:300:ASP:OD2	1:B:66:ARG:HD2	2.10	0.50
1:B:250:LEU:HD12	1:B:279:ILE:HD12	1.94	0.50
1:A:297:THR:OG1	1:B:70:HIS:HD2	1.95	0.49
4:A:644:HOH:O	1:B:106:HIS:HE1	1.93	0.49
1:A:66:ARG:HD3	4:B:1662:HOH:O	2.12	0.49
1:B:160:ALA:O	1:B:163:GLN:HB2	2.12	0.49
1:A:118:SER:HB2	1:A:305:VAL:HG13	1.95	0.48
1:B:102:GLN:O	1:B:106:HIS:HD2	1.97	0.48
1:B:89:GLU:H	1:B:89:GLU:CD	2.23	0.47
1:A:107:ASP:OD2	1:A:109:THR:HB	2.15	0.47
1:A:161:CYS:SG	4:A:835:HOH:O	2.27	0.47
1:B:26:HIS:O	1:B:30:VAL:HG23	2.15	0.47
1:A:139:LYS:HE3	4:A:842:HOH:O	2.16	0.46
4:A:781:HOH:O	1:B:66:ARG:HD3	2.15	0.45
1:A:274:GLU:HG2	4:A:682:HOH:O	2.16	0.45
1:A:164:ASP:HB2	4:A:841:HOH:O	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:94:LEU:O	1:A:103:ARG:HG3	2.17	0.45
1:A:288:HIS:HE1	4:B:1653:HOH:O	2.00	0.45
1:A:70:HIS:HD2	1:B:297:THR:OG1	2.00	0.44
1:B:122:LEU:N	1:B:123:PRO:CD	2.81	0.44
1:B:251:SER:O	2:B:1635:SAH:N	2.51	0.43
1:B:98:HIS:HD1	1:B:100:ALA:H	1.65	0.43
1:B:118:SER:HB3	1:B:132:THR:CG2	2.48	0.43
1:B:222:LYS:HG2	1:B:227:SER:OG	2.18	0.43
1:B:29:MET:O	1:B:33:THR:CG2	2.66	0.43
1:A:43:ILE:HA	1:A:47:ALA:O	2.19	0.43
1:A:312:ARG:HD2	1:A:320:LEU:CD2	2.49	0.43
1:A:43:ILE:HG13	1:A:53:LEU:HD21	2.02	0.42
1:B:184:ASP:OD2	4:B:1645:HOH:O	2.21	0.42
1:A:256:ASN:HA	1:A:303:MET:HE2	2.01	0.42
1:B:121:ARG:HB2	1:B:132:THR:OG1	2.19	0.42
1:A:106:HIS:HE1	4:B:1641:HOH:O	2.03	0.42
1:A:58:ASP:OD1	1:A:58:ASP:O	2.38	0.41
1:B:60:ARG:HD2	4:B:1717:HOH:O	2.19	0.41
1:B:169:ALA:N	1:B:170:PRO:HD2	2.36	0.41
1:B:285:ASP:CG	1:B:286:ASP:N	2.78	0.41
1:A:300:ASP:OD2	1:B:66:ARG:CD	2.68	0.41
1:A:28:PRO:HB2	1:B:25:LEU:HD13	2.01	0.40
1:A:250:LEU:HD12	1:A:279:ILE:HD12	2.04	0.40
2:A:635:SAH:SD	3:A:600:ERT:H401	2.61	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:58:ASP:OD1	4:A:836:HOH:O[2_656]	1.40	0.80
1:A:58:ASP:OD2	4:A:802:HOH:O[2_656]	1.90	0.30
1:A:58:ASP:CG	4:A:836:HOH:O[2_656]	2.13	0.07

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	338/360 (94%)	334 (99%)	3 (1%)	1 (0%)	36	43
1	B	338/360 (94%)	327 (97%)	10 (3%)	1 (0%)	36	43
All	All	676/720 (94%)	661 (98%)	13 (2%)	2 (0%)	36	43

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	283	GLU
1	B	286	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	272/285 (95%)	247 (91%)	25 (9%)	8	9
1	B	272/285 (95%)	246 (90%)	26 (10%)	8	7
All	All	544/570 (95%)	493 (91%)	51 (9%)	8	8

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	SER
1	A	39	LEU
1	A	49	THR
1	A	51	LYS
1	A	86	VAL
1	A	103	ARG
1	A	109	THR
1	A	121	ARG
1	A	122	LEU
1	A	132	THR
1	A	148	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	183	LEU
1	A	199	ARG
1	A	208	LEU
1	A	237	PHE
1	A	243	ARG
1	A	273	LEU
1	A	279	ILE
1	A	280	LEU
1	A	285	ASP
1	A	305	VAL
1	A	327	VAL
1	A	334	LEU
1	A	339	ILE
1	A	345	LEU
1	B	16	LEU
1	B	17	ARG
1	B	24	SER
1	B	25	LEU
1	B	33	THR
1	B	89	GLU
1	B	103	ARG
1	B	121	ARG
1	B	122	LEU
1	B	159	LEU
1	B	180	ARG
1	B	183	LEU
1	B	199	ARG
1	B	214	VAL
1	B	216	THR
1	B	237	PHE
1	B	244	LYS
1	B	273	LEU
1	B	274	GLU
1	B	279	ILE
1	B	280	LEU
1	B	285	ASP
1	B	305	VAL
1	B	316	LYS
1	B	330	GLU
1	B	344	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	GLN
1	A	70	HIS
1	A	102	GLN
1	A	106	HIS
1	A	163	GLN
1	A	181	HIS
1	A	256	ASN
1	A	282	HIS
1	A	288	HIS
1	B	70	HIS
1	B	106	HIS
1	B	163	GLN
1	B	181	HIS
1	B	282	HIS
1	B	333	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ERT	A	600	-	46,47,47	2.25	9 (19%)	67,73,73	1.99	13 (19%)
2	SAH	B	1635	-	27,28,28	2.50	7 (25%)	36,40,40	3.08	17 (47%)
2	SAH	A	635	-	27,28,28	2.51	9 (33%)	36,40,40	3.02	12 (33%)
3	ERT	B	1600	-	46,47,47	2.24	10 (21%)	67,73,73	1.98	18 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ERT	A	600	-	-	6/19/70/70	0/5/5/5
2	SAH	B	1635	-	-	1/15/31/31	0/3/3/3
2	SAH	A	635	-	-	2/15/31/31	0/3/3/3
3	ERT	B	1600	-	-	6/19/70/70	0/5/5/5

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	600	ERT	O13-C21	8.61	1.43	1.21
3	B	1600	ERT	O13-C21	8.55	1.42	1.21
2	B	1635	SAH	C2-N1	7.60	1.47	1.33
2	B	1635	SAH	C2-N3	7.40	1.47	1.33
2	A	635	SAH	C2-N1	7.23	1.46	1.33
2	A	635	SAH	C2-N3	6.94	1.46	1.33
3	B	1600	ERT	C8'-N3'	-5.52	1.26	1.46
3	A	600	ERT	C7'-N3'	-5.35	1.27	1.46
3	B	1600	ERT	C7'-N3'	-5.25	1.27	1.46
3	A	600	ERT	C8'-N3'	-5.23	1.27	1.46
3	A	600	ERT	O11-C11	-5.19	1.25	1.36
3	B	1600	ERT	O11-C11	-5.09	1.25	1.36
3	B	1600	ERT	O10-C21	4.12	1.43	1.33
3	A	600	ERT	O10-C21	4.08	1.43	1.33
3	A	600	ERT	C15-C12	-4.03	1.40	1.48
3	B	1600	ERT	C15-C12	-3.73	1.40	1.48
2	A	635	SAH	CG-SD	-3.71	1.67	1.81
2	B	1635	SAH	CG-SD	-3.40	1.68	1.81
2	A	635	SAH	C5'-SD	-3.37	1.68	1.81
2	B	1635	SAH	C5'-SD	-3.28	1.68	1.81
2	A	635	SAH	C8-N7	3.04	1.37	1.31
3	B	1600	ERT	C17-C18	2.95	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	600	ERT	C18-C12	-2.88	1.41	1.47
3	B	1600	ERT	C18-C12	-2.76	1.41	1.47
2	B	1635	SAH	C5-N7	-2.75	1.34	1.39
2	A	635	SAH	C5-C6	2.67	1.48	1.41
3	A	600	ERT	C17-C18	2.58	1.47	1.41
2	A	635	SAH	C4-N9	-2.43	1.32	1.37
2	A	635	SAH	OXT-C	-2.42	1.22	1.30
2	A	635	SAH	C5-N7	-2.42	1.34	1.39
2	B	1635	SAH	C5-C6	2.42	1.47	1.41
3	A	600	ERT	C19-C10	-2.33	1.50	1.52
3	B	1600	ERT	C10-C21	2.29	1.55	1.52
3	B	1600	ERT	C19-C10	-2.10	1.50	1.52
2	B	1635	SAH	C8-N7	2.10	1.35	1.31

All (60) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	635	SAH	N3-C2-N1	-10.67	112.44	128.58
2	B	1635	SAH	N3-C2-N1	-9.55	114.13	128.58
2	B	1635	SAH	O4'-C1'-N9	9.02	125.42	108.09
3	A	600	ERT	C20-C19-C10	8.84	122.04	113.08
3	B	1600	ERT	O10-C21-C10	6.84	123.89	110.74
3	B	1600	ERT	C20-C19-C10	5.86	119.02	113.08
2	A	635	SAH	C5-C4-N9	5.82	112.16	105.81
2	A	635	SAH	C2-N1-C6	5.53	127.81	118.73
3	A	600	ERT	C40-O4-C4	5.52	125.62	117.51
2	A	635	SAH	O4'-C1'-N9	4.98	117.66	108.09
2	B	1635	SAH	C5-C4-N9	4.65	110.88	105.81
3	B	1600	ERT	O13-C21-C10	-4.57	117.50	125.22
2	A	635	SAH	C4-C5-N7	-4.54	105.39	110.58
2	A	635	SAH	C5'-SD-CG	4.48	115.56	102.26
3	A	600	ERT	O4-C4-C16	4.26	121.88	115.84
2	B	1635	SAH	C2-N1-C6	4.13	125.52	118.73
3	B	1600	ERT	C40-O4-C4	4.13	123.57	117.51
2	B	1635	SAH	C5-C4-N3	-3.88	121.37	126.72
3	A	600	ERT	O10-C21-C10	3.82	118.09	110.74
2	A	635	SAH	C2-N3-C4	3.81	121.14	111.83
3	A	600	ERT	C8'-N3'-C3'	3.79	124.08	113.15
2	B	1635	SAH	C2-N3-C4	3.79	121.09	111.83
3	A	600	ERT	O4-C4-C3	-3.70	118.06	124.30
3	B	1600	ERT	C7'-N3'-C3'	3.58	123.46	113.15
2	B	1635	SAH	C4-C5-N7	-3.56	106.52	110.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1600	ERT	C9-C10-C21	3.49	117.70	112.45
2	B	1635	SAH	C6-C5-C4	3.31	121.69	117.18
3	B	1600	ERT	C19-C10-C21	3.20	117.41	110.15
3	A	600	ERT	C2'-C3'-N3'	-3.13	106.79	115.59
2	A	635	SAH	N9-C8-N7	-3.03	109.64	113.94
3	B	1600	ERT	C15-C16-C4	2.99	121.43	118.14
2	B	1635	SAH	N6-C6-N1	2.88	124.79	118.38
3	A	600	ERT	C9-C10-C21	-2.87	108.13	112.45
3	B	1600	ERT	C15-C12-C18	2.84	122.56	117.97
2	B	1635	SAH	C2'-C1'-N9	2.79	120.24	113.30
3	A	600	ERT	C8'-N3'-C7'	2.77	118.63	110.49
3	B	1600	ERT	O10-C21-O13	-2.71	118.58	123.85
2	A	635	SAH	O4'-C4'-C5'	2.65	115.66	108.83
3	B	1600	ERT	C8'-N3'-C7'	2.64	118.25	110.49
2	A	635	SAH	C5-N7-C8	2.63	107.58	103.45
2	B	1635	SAH	C5-N7-C8	2.62	107.56	103.45
2	B	1635	SAH	N9-C8-N7	-2.59	110.27	113.94
3	A	600	ERT	C13-C9-C8	-2.55	105.23	111.45
3	A	600	ERT	C15-C12-C18	2.49	122.00	117.97
2	B	1635	SAH	O4'-C1'-C2'	2.47	111.90	106.62
2	A	635	SAH	C5-C4-N3	-2.46	123.33	126.72
3	B	1600	ERT	C4-C16-C5	-2.44	118.94	122.22
3	B	1600	ERT	C2'-C3'-N3'	-2.42	108.78	115.59
3	B	1600	ERT	C8-C7-C20	2.34	116.20	110.71
2	A	635	SAH	C2'-C3'-C4'	2.33	107.12	102.61
3	B	1600	ERT	O4-C4-C16	2.26	119.05	115.84
2	B	1635	SAH	C2'-C3'-C4'	2.25	106.95	102.61
2	B	1635	SAH	C5'-C4'-C3'	-2.20	109.56	115.06
2	B	1635	SAH	C5'-SD-CG	2.19	108.76	102.26
3	A	600	ERT	O13-C21-C10	-2.12	121.63	125.22
3	B	1600	ERT	C2'-C3'-C4'	2.12	113.07	110.02
3	B	1600	ERT	C13-C9-C8	-2.10	106.33	111.45
3	A	600	ERT	C15-C16-C4	2.10	120.45	118.14
2	B	1635	SAH	C4-N9-C1'	2.09	131.52	126.63
3	B	1600	ERT	O12-C12-C15	-2.02	118.08	120.99

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	635	SAH	N-CA-CB-CG
2	A	635	SAH	C-CA-CB-CG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	1600	ERT	C2'-C1'-O7-C7
3	B	1600	ERT	O5'-C1'-O7-C7
3	B	1600	ERT	C2'-C3'-N3'-C8'
3	B	1600	ERT	C4'-C3'-N3'-C8'
3	A	600	ERT	C2'-C1'-O7-C7
3	A	600	ERT	C3-C4-O4-C40
3	A	600	ERT	C16-C4-O4-C40
3	B	1600	ERT	C3-C4-O4-C40
3	A	600	ERT	O5'-C1'-O7-C7
3	B	1600	ERT	C16-C4-O4-C40
3	A	600	ERT	C4'-C3'-N3'-C8'
2	B	1635	SAH	O4'-C1'-N9-C8
3	A	600	ERT	C2'-C3'-N3'-C7'


There are no ring outliers.



4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	600	ERT	3	0
2	B	1635	SAH	4	0
2	A	635	SAH	3	0
3	B	1600	ERT	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand ERT A 600







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	340/360 (94%)	0.21	11 (3%) 50 57	18, 26, 37, 48	0
1	B	340/360 (94%)	0.52	23 (6%) 23 26	18, 32, 45, 59	0
All	All	680/720 (94%)	0.36	34 (5%) 34 40	18, 28, 42, 59	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	12	GLN	4.1
1	B	222	LYS	3.9
1	A	58	ASP	3.9
1	B	217	ALA	3.8
1	B	337	PRO	3.4
1	B	336	SER	3.4
1	A	351	ALA	3.3
1	B	340	PRO	3.3
1	A	12	GLN	3.0
1	B	335	PRO	2.8
1	A	49	THR	2.7
1	B	150	ASP	2.7
1	B	225	GLY	2.7
1	B	80	ASP	2.6
1	B	13	ILE	2.6
1	B	338	THR	2.6
1	A	14	ASP	2.5
1	B	162	ASP	2.5
1	A	222	LYS	2.5
1	A	17	ARG	2.5
1	B	279	ILE	2.4
1	B	228	ASP	2.3
1	B	284	ARG	2.3
1	B	159	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	243	ARG	2.2
1	B	164	ASP	2.2
1	A	260	HIS	2.2
1	A	239	GLU	2.2
1	B	334	LEU	2.1
1	B	165	VAL	2.1
1	B	117	ILE	2.1
1	B	161	CYS	2.0
1	A	279	ILE	2.0
1	A	228	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	ERT	B	1600	43/43	0.88	0.12	32,41,48,50	0
3	ERT	A	600	43/43	0.92	0.09	23,29,32,34	0
2	SAH	B	1635	26/26	0.92	0.10	25,28,30,31	0
2	SAH	A	635	26/26	0.95	0.09	20,26,28,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ERT B 1600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ERT A 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SAH B 1635:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around SAH A 635:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.