



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 08:56 PM UTC

PDB ID : 1TWX / pdb_00001twx
Title : Crystal structure of the thrombin mutant D221A/D222K
Authors : Pineda, A.O.; Zhang, E.; Guinto, E.R.; Savvides, S.N.; Tulinsky, A.; Di Cera, E.
Deposited on : 2004-07-01
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	28	7% 29% 57% 14%
2	B	259	2% 45% 47% 5%
3	C	10	20% 10% 40% 30%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	TYS	C	308	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 2501 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Prothrombin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	28	Total	C	N	O	S	0	0	0
			231	144	37	49	1			

- Molecule 2 is a protein called Prothrombin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	252	Total	C	N	O	S	0	0	0
			2025	1294	355	362	14			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	183	ALA	ASP	engineered mutation	UNP P00734
B	185	LYS	ASP	engineered mutation	UNP P00734

- Molecule 3 is a protein called Hirudin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	10	Total	C	N	O	S	0	0	0
			90	56	10	23	1			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	13	Total	O	0	0
			13	13		
5	B	126	Total	O	0	0
			126	126		
5	C	2	Total	O	0	0
			2	2		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Prothrombin



• Molecule 2: Prothrombin



• Molecule 3: Hirudin



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	92.15Å 80.01Å 100.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.40 30.00 – 2.40	Depositor EDS
% Data completeness (in resolution range)	77.4 (30.00-2.40) 77.3 (30.00-2.40)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	20.34 (at 2.20Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.205 , 0.268 0.209 , 0.274	Depositor DCC
R_{free} test set	839 reflections (6.23%)	wwPDB-VP
Wilson B-factor (Å ²)	27.5	Xtriage
Anisotropy	0.503	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 70.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	2501	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.85% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, TYS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.61	0/233	1.08	3/309 (1.0%)
2	B	0.44	0/2077	0.96	8/2805 (0.3%)
3	C	7.53	19/74 (25.7%)	3.72	15/96 (15.6%)
All	All	1.40	19/2384 (0.8%)	1.15	26/3210 (0.8%)

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	300	ASP	CG-OD2	27.64	1.77	1.25
3	C	306	GLY	C-O	24.51	1.53	1.23
3	C	300	ASP	CG-OD1	21.54	1.66	1.25
3	C	306	GLY	CA-C	20.49	1.75	1.52
3	C	307	GLU	CD-OE1	17.88	1.59	1.25
3	C	300	ASP	CA-C	16.57	1.87	1.52
3	C	305	PRO	N-CD	15.33	1.69	1.47
3	C	305	PRO	N-CA	14.80	1.66	1.47
3	C	300	ASP	N-CA	14.53	1.73	1.46
3	C	307	GLU	CD-OE2	11.40	1.47	1.25
3	C	305	PRO	C-N	8.88	1.45	1.33
3	C	307	GLU	C-O	8.53	1.40	1.23
3	C	304	ILE	CA-CB	8.34	1.65	1.54
3	C	304	ILE	C-O	-7.25	1.15	1.24
3	C	300	ASP	C-O	6.66	1.36	1.23
3	C	305	PRO	CG-CD	6.16	1.71	1.50
3	C	307	GLU	N-CA	-5.40	1.35	1.46
3	C	305	PRO	CB-CG	5.10	1.75	1.49
3	C	307	GLU	CA-CB	5.00	1.63	1.53

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	300	ASP	CA-C-N	-11.10	106.55	122.19
3	C	300	ASP	C-N-CA	-11.10	106.55	122.19
3	C	300	ASP	CA-CB-CG	-10.00	102.60	112.60
3	C	305	PRO	N-CA-CB	9.56	113.29	103.25
3	C	303	GLU	CA-C-N	-8.88	105.71	122.13
3	C	303	GLU	C-N-CA	-8.88	105.71	122.13
3	C	306	GLY	N-CA-C	-8.82	102.14	112.73
3	C	303	GLU	O-C-N	8.43	133.26	122.97
3	C	307	GLU	N-CA-CB	-8.00	96.90	110.50
2	B	173	ARG	N-CA-C	-7.22	104.61	113.41
3	C	304	ILE	CA-C-N	6.90	128.47	119.84
3	C	304	ILE	C-N-CA	6.90	128.47	119.84
3	C	307	GLU	CB-CG-CD	-6.87	100.93	112.60
3	C	300	ASP	N-CA-CB	-6.58	99.31	110.50
2	B	123	LEU	N-CA-C	-6.43	100.61	110.32
3	C	300	ASP	CB-CA-C	-6.23	98.27	110.10
2	B	190	ALA	N-CA-C	-6.08	102.68	110.53
2	B	119	HIS	CA-C-N	5.87	126.33	119.99
2	B	119	HIS	C-N-CA	5.87	126.33	119.99
2	B	153	SER	N-CA-C	-5.58	106.31	113.23
2	B	200	VAL	N-CA-C	5.54	116.83	108.96
1	A	1(A)	ASP	CA-CB-CG	5.32	117.92	112.60
1	A	1(A)	ASP	CB-CA-C	5.13	117.03	109.29
3	C	305	PRO	CA-CB-CG	-5.08	94.85	104.50
1	A	14(K)	ILE	CB-CA-C	-5.06	105.41	112.04
2	B	74	THR	N-CA-C	5.01	119.53	113.41

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	231	0	229	33	1
2	B	2025	0	1997	138	0
3	C	90	0	70	29	0
4	B	14	0	12	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	13	0	0	1	2
5	B	126	0	0	16	7
5	C	2	0	0	0	0
All	All	2501	0	2308	188	8

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 40.

All (188) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:306:GLY:CA	3:C:306:GLY:C	1.75	1.59
3:C:305:PRO:CB	3:C:305:PRO:CG	1.75	1.54
3:C:300:ASP:CA	3:C:300:ASP:N	1.73	1.51
3:C:305:PRO:CD	3:C:305:PRO:N	1.69	1.50
3:C:300:ASP:CA	3:C:300:ASP:C	1.87	1.48
3:C:300:ASP:OD1	3:C:300:ASP:CG	1.66	1.34
3:C:300:ASP:CG	3:C:300:ASP:OD2	1.77	1.27
2:B:158:VAL:HG23	5:B:594:HOH:O	0.99	1.15
2:B:95:ASN:HD21	2:B:97(A):GLU:HB3	1.04	1.12
2:B:172:THR:HG22	2:B:174:ILE:H	1.20	1.06
2:B:110:LYS:HE3	5:B:662:HOH:O	1.60	1.01
1:A:1:CYS:O	1:A:3:LEU:N	1.96	0.99
3:C:305:PRO:CG	3:C:305:PRO:CA	2.41	0.99
1:A:6:LEU:HD11	2:B:116:ASP:HB3	1.48	0.95
3:C:308:TYS:O2	3:C:308:TYS:HE2	1.70	0.90
2:B:95:ASN:ND2	2:B:97(A):GLU:HB3	1.90	0.86
2:B:77(A):ARG:HD2	5:B:638:HOH:O	1.76	0.85
2:B:165:ARG:NH1	2:B:178:ASP:HA	1.91	0.84
2:B:158:VAL:CG2	5:B:594:HOH:O	1.71	0.83
2:B:186(A):ASP:C	2:B:186(C):GLY:H	1.85	0.83
2:B:200:VAL:HG12	2:B:209:GLN:HA	1.64	0.79
2:B:186(A):ASP:C	2:B:186(C):GLY:N	2.40	0.78
2:B:211:GLY:HA2	2:B:231:VAL:HG23	1.65	0.78
2:B:172:THR:HG22	2:B:174:ILE:N	1.98	0.78
2:B:81:LYS:HD2	3:C:308:TYS:O3	1.84	0.77
1:A:6:LEU:CD1	2:B:116:ASP:HB3	2.15	0.76
3:C:300:ASP:C	3:C:300:ASP:CB	2.60	0.75
2:B:50:ARG:HD3	2:B:111:PRO:HG3	1.68	0.74
3:C:300:ASP:N	3:C:300:ASP:CB	2.50	0.74
1:A:14(C):GLU:O	1:A:14(G):LEU:HD23	1.87	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:143:ASN:ND2	2:B:192:GLU:HB2	2.02	0.73
3:C:305:PRO:CD	3:C:305:PRO:CA	2.68	0.72
1:A:1:CYS:C	1:A:3:LEU:N	2.48	0.71
2:B:50:ARG:HH21	2:B:111:PRO:HD3	1.56	0.71
3:C:304:ILE:C	3:C:305:PRO:CD	2.63	0.70
1:A:1:CYS:C	1:A:3:LEU:H	2.00	0.70
1:A:14(L):ASP:O	5:A:604:HOH:O	2.10	0.70
2:B:92:PRO:HD3	5:B:429:HOH:O	1.91	0.69
3:C:306:GLY:C	3:C:306:GLY:N	2.51	0.69
2:B:127:GLU:HG2	5:B:431:HOH:O	1.92	0.69
2:B:165:ARG:HB3	2:B:166:PRO:HD3	1.73	0.68
2:B:235:LYS:HE2	2:B:239:GLN:OE1	1.93	0.68
2:B:185:LYS:HB2	2:B:186(B):GLU:HG3	1.74	0.68
1:A:14(A):LYS:O	1:A:14(A):LYS:HD3	1.93	0.67
2:B:50:ARG:NH2	2:B:110:LYS:HA	2.10	0.67
2:B:78:ASN:N	5:B:496:HOH:O	2.29	0.66
1:A:13:GLU:HB2	1:A:14(C):GLU:CD	2.21	0.66
2:B:172:THR:HG22	2:B:173:ARG:N	2.10	0.66
3:C:303:GLU:H	3:C:303:GLU:CD	2.03	0.66
1:A:14(D):ARG:HH11	1:A:14(D):ARG:CG	2.10	0.64
2:B:50:ARG:HH11	2:B:107:LYS:HE2	1.62	0.64
2:B:25:GLY:O	2:B:28:PRO:HD3	1.98	0.63
2:B:35:ARG:HB2	2:B:41:LEU:HD13	1.79	0.63
2:B:143:ASN:HD22	2:B:192:GLU:HB2	1.63	0.62
1:A:14(F):LEU:HD11	2:B:159:ASN:CG	2.25	0.62
2:B:96:TRP:HA	2:B:99:LEU:HD23	1.82	0.62
2:B:77(A):ARG:CD	5:B:638:HOH:O	2.41	0.62
2:B:165:ARG:HH12	2:B:178:ASP:HA	1.65	0.62
2:B:35:ARG:HD2	2:B:41:LEU:HD11	1.81	0.61
1:A:1(A):ASP:O	1:A:1:CYS:O	2.18	0.61
2:B:17:VAL:O	2:B:18:GLU:HB2	2.00	0.61
2:B:136:GLY:HA3	2:B:199:PHE:CZ	2.36	0.60
2:B:32:MET:HG3	2:B:40:LEU:HD13	1.83	0.60
2:B:186:PRO:HB3	2:B:222:LYS:HE3	1.85	0.59
1:A:14:ASP:HB2	2:B:26:MET:HE3	1.83	0.59
3:C:306:GLY:O	3:C:307:GLU:C	2.45	0.59
1:A:14(D):ARG:HH11	1:A:14(D):ARG:HG2	1.67	0.58
2:B:17:VAL:HG22	2:B:144:LEU:O	2.03	0.58
1:A:1:CYS:O	1:A:2:GLY:C	2.46	0.58
2:B:180:MET:HE2	5:B:423:HOH:O	2.02	0.58
2:B:22:ALA:O	2:B:71:HIS:HE1	1.86	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:14(K):ILE:O	1:A:14(L):ASP:HB2	2.04	0.57
2:B:47:ILE:O	2:B:48:SER:HB3	2.02	0.57
2:B:33:LEU:HD21	2:B:64:LEU:HD22	1.87	0.57
1:A:14(G):LEU:HD21	2:B:202:LYS:HD3	1.86	0.56
2:B:172:THR:HG21	2:B:174:ILE:HB	1.87	0.56
1:A:14(D):ARG:O	1:A:14(H):GLU:HG3	2.05	0.56
2:B:35:ARG:HB2	2:B:41:LEU:CD1	2.35	0.56
3:C:304:ILE:C	3:C:304:ILE:HD12	2.30	0.56
2:B:32:MET:HG3	2:B:40:LEU:CD1	2.36	0.56
2:B:228:TYR:CD1	2:B:228:TYR:N	2.73	0.56
2:B:64:LEU:H	2:B:64:LEU:HD12	1.72	0.55
2:B:86:GLU:HB3	2:B:107:LYS:O	2.07	0.55
2:B:65:LEU:HD23	2:B:82:ILE:HG21	1.89	0.55
2:B:152:PRO:HG3	5:B:517:HOH:O	2.06	0.54
2:B:142:GLY:O	5:B:517:HOH:O	2.18	0.54
2:B:54:THR:HG23	2:B:55:ALA:O	2.07	0.54
1:A:1(A):ASP:O	1:A:3:LEU:HB2	2.07	0.54
2:B:195:SER:C	2:B:197:GLY:H	2.15	0.54
2:B:172:THR:HG23	2:B:217:GLU:OE2	2.08	0.53
2:B:246:GLY:HA2	5:B:462:HOH:O	2.07	0.53
2:B:176:ILE:HD12	2:B:176:ILE:N	2.23	0.53
1:A:14(E):GLU:HG2	2:B:135:LYS:HD2	1.91	0.53
2:B:32:MET:HB2	2:B:141:TRP:CZ3	2.44	0.52
2:B:179:ASN:OD1	2:B:233:ARG:NH1	2.42	0.52
1:A:14(F):LEU:HD11	2:B:159:ASN:OD1	2.11	0.51
3:C:304:ILE:CA	3:C:305:PRO:CD	2.88	0.51
2:B:64:LEU:HD12	2:B:64:LEU:N	2.25	0.51
2:B:211:GLY:CA	2:B:231:VAL:HG23	2.39	0.51
1:A:14(G):LEU:HD13	1:A:14(J):TYR:HE2	1.76	0.51
2:B:236:LYS:NZ	2:B:236:LYS:HB3	2.26	0.50
2:B:78:ASN:CA	5:B:496:HOH:O	2.59	0.50
2:B:217:GLU:OE1	5:B:585:HOH:O	2.20	0.50
3:C:308:TYS:C	3:C:309:LEU:HG	2.41	0.50
2:B:84:MET:HE3	2:B:109:LYS:HD3	1.93	0.50
2:B:33:LEU:HD11	2:B:59:LEU:HD21	1.94	0.50
2:B:41:LEU:CD2	2:B:64:LEU:HD23	2.42	0.49
2:B:67:ARG:HB3	2:B:70:LYS:HD2	1.95	0.49
2:B:176:ILE:N	2:B:176:ILE:CD1	2.76	0.49
2:B:77(A):ARG:HG2	2:B:78:ASN:ND2	2.28	0.48
2:B:60(B):PRO:HG2	2:B:96:TRP:CZ2	2.48	0.48
1:A:14(D):ARG:CG	1:A:14(D):ARG:NH1	2.72	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:172:THR:CG2	2:B:173:ARG:N	2.75	0.48
2:B:51:TRP:CE2	2:B:107:LYS:HD3	2.48	0.48
2:B:51:TRP:CZ2	2:B:107:LYS:HD3	2.49	0.48
3:C:304:ILE:HA	3:C:305:PRO:CD	2.44	0.48
2:B:184(A):TYR:CG	2:B:186(D):LYS:HB3	2.49	0.48
2:B:60(B):PRO:HG2	2:B:96:TRP:CE2	2.48	0.48
2:B:212:ILE:HB	2:B:229:THR:HB	1.96	0.48
2:B:50:ARG:HH21	2:B:110:LYS:HA	1.76	0.47
2:B:50:ARG:HE	2:B:107:LYS:HE2	1.80	0.47
2:B:60(I):THR:HG22	2:B:62:ASN:H	1.80	0.47
3:C:306:GLY:CA	3:C:307:GLU:N	2.65	0.47
1:A:13:GLU:HB2	1:A:14(C):GLU:OE1	2.14	0.47
2:B:35:ARG:HD3	2:B:39:GLU:OE1	2.15	0.46
2:B:45:SER:O	2:B:52:VAL:HG13	2.15	0.46
3:C:305:PRO:HB2	3:C:307:GLU:HG3	1.97	0.46
2:B:172:THR:HG22	2:B:173:ARG:H	1.78	0.46
2:B:41:LEU:HD23	2:B:64:LEU:HD23	1.97	0.46
2:B:46:LEU:HD23	2:B:52:VAL:HG22	1.96	0.46
2:B:61:GLU:H	2:B:61:GLU:CD	2.24	0.46
2:B:189:ASP:OD2	2:B:190:ALA:N	2.47	0.46
2:B:60:LEU:HD11	4:B:400:NAG:H81	1.98	0.45
2:B:186(A):ASP:O	2:B:186(C):GLY:N	2.49	0.45
2:B:66:VAL:HG21	2:B:108:LEU:HD21	1.99	0.45
2:B:186:PRO:HB3	2:B:222:LYS:CE	2.47	0.45
1:A:14(K):ILE:H	1:A:14(K):ILE:HG13	1.60	0.45
2:B:91:HIS:CE1	2:B:93:ARG:HB2	2.52	0.45
2:B:165:ARG:CB	2:B:166:PRO:HD3	2.45	0.45
2:B:75:ARG:NH1	5:B:551:HOH:O	2.50	0.45
2:B:57:HIS:HA	2:B:60:LEU:O	2.17	0.45
2:B:94:TYR:CZ	2:B:96:TRP:HB3	2.52	0.44
2:B:78:ASN:N	2:B:78:ASN:HD22	2.15	0.44
2:B:194:ASP:O	2:B:195:SER:C	2.60	0.44
1:A:14(F):LEU:N	1:A:14(F):LEU:HD12	2.32	0.44
2:B:50:ARG:NH1	2:B:107:LYS:HE2	2.30	0.44
2:B:60(B):PRO:HB2	2:B:60(C):PRO:HD3	1.99	0.44
2:B:172:THR:CG2	2:B:217:GLU:OE2	2.65	0.43
2:B:186:PRO:HG3	2:B:223:GLY:H	1.83	0.43
1:A:14:ASP:HB2	2:B:26:MET:CE	2.49	0.43
2:B:17:VAL:O	2:B:188:GLY:HA2	2.19	0.43
1:A:4:ARG:HA	1:A:5:PRO:HD3	1.86	0.43
1:A:14(E):GLU:HG2	2:B:135:LYS:CD	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:44:ALA:HB1	2:B:53:LEU:O	2.18	0.43
2:B:79:ILE:HG23	2:B:117:TYR:CD1	2.54	0.43
2:B:64:LEU:HD13	2:B:85:LEU:CD1	2.49	0.42
1:A:14(F):LEU:N	1:A:14(F):LEU:CD1	2.83	0.42
2:B:119:HIS:HA	2:B:120:PRO:HD3	1.78	0.42
2:B:245:PHE:N	2:B:245:PHE:CD1	2.86	0.42
2:B:163:VAL:HG21	2:B:225:TYR:CD2	2.54	0.42
3:C:305:PRO:CB	3:C:307:GLU:HG3	2.50	0.42
4:B:400:NAG:H82	4:B:400:NAG:H2	1.73	0.42
2:B:53:LEU:HD11	2:B:103:ILE:HD11	2.02	0.42
2:B:91:HIS:CE1	2:B:101:ARG:HD3	2.54	0.42
2:B:127:GLU:O	2:B:129(A):ALA:HB3	2.20	0.42
2:B:181:PHE:CD1	2:B:181:PHE:C	2.96	0.42
2:B:58:CYS:SG	2:B:195:SER:HB3	2.60	0.42
2:B:91:HIS:HE1	2:B:93:ARG:HB2	1.85	0.42
2:B:163:VAL:HB	2:B:182:CYS:SG	2.60	0.41
2:B:241:VAL:O	2:B:245:PHE:HD1	2.03	0.41
2:B:217:GLU:CD	5:B:585:HOH:O	2.63	0.41
2:B:100:ASP:OD2	2:B:179:ASN:ND2	2.52	0.41
2:B:243:ASP:OD1	2:B:243:ASP:C	2.63	0.41
2:B:38:GLN:NE2	3:C:304:ILE:HG13	2.36	0.41
2:B:205:ASN:HD22	2:B:205:ASN:HA	1.61	0.41
3:C:306:GLY:C	3:C:308:TYS:N	2.76	0.41
1:A:1:CYS:HB2	1:A:2:GLY:H	1.73	0.41
1:A:5:PRO:HB2	2:B:116:ASP:HA	2.03	0.41
2:B:67:ARG:HH22	2:B:76:TYR:HA	1.86	0.41
2:B:100:ASP:OD2	2:B:179:ASN:HB2	2.21	0.41
3:C:308:TYS:O2	3:C:308:TYS:CE2	2.51	0.41
1:A:4:ARG:HB2	1:A:8:GLU:OE2	2.21	0.40
2:B:76:TYR:CE1	3:C:305:PRO:HD2	2.56	0.40
2:B:141:TRP:CE2	2:B:155:LEU:HD13	2.55	0.40
2:B:172:THR:CG2	2:B:173:ARG:H	2.34	0.40
2:B:105:LEU:HD11	2:B:238:ILE:HG23	2.04	0.40
3:C:308:TYS:O	3:C:309:LEU:HG	2.22	0.40
2:B:94:TYR:HE1	2:B:99:LEU:HD22	1.86	0.40

All (8) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:646:HOH:O	5:B:661:HOH:O[4_556]	0.59	1.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:628:HOH:O	5:B:641:HOH:O[7_545]	0.67	1.53
5:B:650:HOH:O	5:B:651:HOH:O[3_655]	0.73	1.47
5:B:592:HOH:O	5:B:617:HOH:O[7_555]	0.78	1.42
5:A:627:HOH:O	5:B:663:HOH:O[7_545]	1.02	1.18
1:A:14(D):ARG:NH1	1:A:14(D):ARG:NH1[4_556]	1.63	0.57
5:B:585:HOH:O	5:B:615:HOH:O[7_555]	1.67	0.53
5:B:601:HOH:O	5:B:601:HOH:O[3_655]	1.73	0.47

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	26/28 (93%)	21 (81%)	3 (12%)	2 (8%)	1	0
2	B	248/259 (96%)	223 (90%)	24 (10%)	1 (0%)	30	43
3	C	7/10 (70%)	6 (86%)	1 (14%)	0	100	100
All	All	281/297 (95%)	250 (89%)	28 (10%)	3 (1%)	11	18

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1	CYS
1	A	2	GLY
2	B	48	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	26/26 (100%)	26 (100%)	0	100	100
2	B	217/224 (97%)	207 (95%)	10 (5%)	24	41
3	C	8/8 (100%)	5 (62%)	3 (38%)	0	0
All	All	251/258 (97%)	238 (95%)	13 (5%)	21	36

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	33	LEU
2	B	41	LEU
2	B	46	LEU
2	B	61	GLU
2	B	64	LEU
2	B	106	MET
2	B	125	ASP
2	B	205	ASN
2	B	228	TYR
2	B	236	LYS
3	C	303	GLU
3	C	305	PRO
3	C	307	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	71	HIS
2	B	78	ASN
2	B	95	ASN
2	B	119	HIS
2	B	143	ASN
2	B	151	GLN
2	B	205	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	TYS	C	308	3	15,16,17	2.49	4 (26%)	15,22,24	4.84	5 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TYS	C	308	3	-	2/10/11/13	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	308	TYS	OH-S	6.76	1.71	1.58
3	C	308	TYS	OH-CZ	-5.36	1.34	1.42
3	C	308	TYS	CE2-CZ	2.59	1.43	1.38
3	C	308	TYS	CE1-CZ	2.46	1.43	1.38

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	308	TYS	CE2-CZ-CE1	-17.02	95.34	120.16
3	C	308	TYS	CD1-CE1-CZ	4.31	124.65	119.73
3	C	308	TYS	CD2-CE2-CZ	4.30	124.64	119.73
3	C	308	TYS	CD2-CG-CD1	-2.98	113.80	118.23
3	C	308	TYS	OH-CZ-CE1	2.18	122.97	118.70

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	308	TYS	CE2-CZ-OH-S
3	C	308	TYS	CA-CB-CG-CD1

There are no ring outliers.

1 monomer is involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	308	TYS	6	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	B	400	2	14,14,15	0.82	0	17,19,21	2.20	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	B	400	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
4	B	400	NAG	C2-N2-C7	-5.46	115.59	122.90
4	B	400	NAG	O3-C3-C4	-5.43	97.57	110.38
4	B	400	NAG	O7-C7-C8	2.23	126.02	122.05

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	400	NAG	C8-C7-N2-C2
4	B	400	NAG	O7-C7-N2-C2

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	400	NAG	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
3	C	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	C	307:GLU	C	308:TYS	N	1.62

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	28/28 (100%)	0.16	2 (7%) 22 18	30, 42, 56, 80	0
2	B	252/259 (97%)	-0.28	4 (1%) 70 66	17, 36, 56, 85	0
3	C	9/10 (90%)	0.30	0 100 100	44, 50, 58, 59	0
All	All	289/297 (97%)	-0.22	6 (2%) 63 59	17, 37, 58, 85	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	246	GLY	3.1
1	A	14(G)	LEU	2.4
1	A	14(K)	ILE	2.3
2	B	186(A)	ASP	2.3
2	B	186(B)	GLU	2.3
2	B	247	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	TYS	C	308	16/17	0.93	0.10	28,31,43,44	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	B	400	14/15	0.77	0.11	64,68,69,69	0

6.5 Other polymers

There are no such residues in this entry.