



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 07:13 AM UTC

PDB ID : 4TXH / pdb_00004txh
Title : Crystal structure of uridine phosphorylase from *Schistosoma mansoni* in APO form
Authors : Torini, J.; Romanello, L.; Marinho, A.; Brandao-Neto, J.; Cassago, A.; De-Marco, R.; Pereira, H.M.
Deposited on : 2014-07-03
Resolution : 1.89 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	296	94% • •
1	B	296	3% 93% 5% • •
1	C	296	31% 84% 11% • •
1	D	296	65% 73% 20% • 5%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 9360 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Uridine phosphorylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	289	Total	C	N	O	S	0	2	0
			2237	1418	388	417	14			
1	B	290	Total	C	N	O	S	0	1	0
			2246	1427	389	416	14			
1	C	286	Total	C	N	O	S	0	1	0
			2087	1323	360	391	13			
1	D	280	Total	C	N	O	S	0	2	0
			2003	1256	354	381	12			

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	298	Total 298	O 298	0	0
3	B	258	Total 258	O 258	0	0
3	C	102	Total 102	O 102	0	0
3	D	119	Total 119	O 119	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.





- Molecule 1: Uridine phosphorylase




- Molecule 1: Uridine phosphorylase




- Molecule 1: Uridine phosphorylase



- Molecule 1: Uridine phosphorylase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	96.07Å 109.03Å 119.04Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	80.40 – 1.89 80.40 – 1.89	Depositor EDS
% Data completeness (in resolution range)	99.9 (80.40-1.89) 99.8 (80.40-1.89)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.38 (at 1.90Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.4_1496)	Depositor
R, R_{free}	0.215 , 0.239 0.216 , 0.238	Depositor DCC
R_{free} test set	4998 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	27.2	Xtriage
Anisotropy	0.400	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 56.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9360	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/2280	0.67	0/3082
1	B	0.34	0/2286	0.70	0/3087
1	C	0.33	0/2125	0.72	0/2883
1	D	0.34	0/2039	0.77	2/2761 (0.1%)
All	All	0.34	0/8730	0.71	2/11813 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	95	ILE	CB-CA-C	-6.05	107.95	113.70
1	D	84	ASP	CB-CA-C	-5.25	110.09	117.23

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2237	0	2215	6	0
1	B	2246	0	2244	9	0
1	C	2087	0	1983	26	0
1	D	2003	0	1786	48	0
2	A	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	5	0	0	0	0
3	A	298	0	0	3	1
3	B	258	0	0	3	0
3	C	102	0	0	11	0
3	D	119	0	0	23	1
All	All	9360	0	8228	88	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:45:CYS:SG	3:D:335:HOH:O	2.26	0.94
1:D:42:VAL:HG12	1:D:87:LEU:HB2	1.48	0.91
1:A:162:GLN:OE1	3:A:401:HOH:O	1.90	0.90
1:D:252:VAL:O	3:D:301:HOH:O	1.95	0.83
1:D:253:CYS:HA	3:D:301:HOH:O	1.80	0.81
1:D:52:HIS:HB3	3:D:310:HOH:O	1.82	0.79
1:D:285:GLU:N	3:D:303:HOH:O	2.05	0.78
1:D:137:LEU:HB3	1:D:252:VAL:HG12	1.65	0.77
1:A:196:ASP:OD1	3:A:402:HOH:O	2.01	0.77
1:D:178:GLU:OE2	3:D:302:HOH:O	2.01	0.77
1:C:213:LYS:NZ	3:C:305:HOH:O	2.17	0.77
1:D:233:MET:SD	3:D:415:HOH:O	2.42	0.76
1:D:141:CYS:SG	1:D:239:THR:OG1	2.43	0.76
1:D:95:ILE:HG23	1:D:237:ALA:HB2	1.67	0.75
3:C:319:HOH:O	1:D:96:PRO:HG2	1.89	0.73
1:C:184:CYS:SG	3:C:312:HOH:O	2.46	0.73
1:D:201:GLN:HB3	1:D:259:ARG:HH12	1.53	0.72
1:D:149:TYR:O	3:D:304:HOH:O	2.08	0.71
1:C:199:GLU:OE2	3:C:302:HOH:O	2.10	0.69
1:C:194:ALA:O	3:C:303:HOH:O	2.11	0.69
1:D:247:HIS:O	3:D:305:HOH:O	2.12	0.68
1:C:215:GLU:O	3:C:304:HOH:O	2.12	0.67
1:D:133:GLY:O	1:D:278:ARG:NH1	2.28	0.66
1:D:143:ASN:HD21	1:D:147:GLU:HB2	1.62	0.65
1:D:153:CYS:SG	3:D:332:HOH:O	2.54	0.64
1:D:248:ARG:HA	3:D:305:HOH:O	2.00	0.61
1:D:286:TYR:O	1:D:290:ASN:ND2	2.30	0.60
1:B:216:LYS:NZ	3:B:402:HOH:O	2.20	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:86:ILE:HD13	1:C:287:LEU:HD13	1.85	0.59
1:C:147:GLU:OE2	1:C:147:GLU:N	2.30	0.59
1:D:196:ASP:HB3	1:D:200:GLU:HB2	1.86	0.58
1:D:50[A]:ARG:O	3:D:307:HOH:O	2.18	0.57
1:D:151:GLU:O	3:D:306:HOH:O	2.17	0.57
1:D:114:CYS:O	3:D:309:HOH:O	2.18	0.56
1:D:74:SER:O	3:D:308:HOH:O	2.18	0.56
1:C:215:GLU:C	3:C:304:HOH:O	2.49	0.55
1:D:50[B]:ARG:O	3:D:307:HOH:O	2.18	0.54
1:C:214:GLU:OE2	3:C:306:HOH:O	2.18	0.54
1:D:136:VAL:HG11	1:D:230:ASN:HB3	1.88	0.54
1:B:140:ARG:NH2	3:B:401:HOH:O	2.02	0.54
1:A:95:ILE:HG23	1:A:237:ALA:HB2	1.91	0.53
1:B:80:LEU:HD11	1:B:87:LEU:HG	1.91	0.52
1:C:95:ILE:HG23	1:C:237:ALA:HB2	1.90	0.52
1:D:174:LYS:O	1:D:177:SER:OG	2.25	0.52
1:C:144:THR:HG21	1:D:153:CYS:O	2.11	0.51
1:D:49:GLY:O	3:D:310:HOH:O	2.19	0.51
1:C:138:SER:O	1:C:165:VAL:HG11	2.11	0.50
1:D:256:ALA:N	3:D:315:HOH:O	2.44	0.50
1:C:224:TYR:N	3:C:301:HOH:O	2.45	0.49
1:D:223:ALA:HB1	1:D:228:ILE:HD12	1.94	0.49
1:D:249:ALA:HB3	3:D:343:HOH:O	2.12	0.49
1:C:221:GLN:C	3:C:301:HOH:O	2.57	0.48
1:D:91:HIS:HB2	1:D:98:ALA:HA	1.96	0.48
1:D:195:ASN:HA	3:D:314:HOH:O	2.14	0.47
1:C:196:ASP:OD2	1:C:199:GLU:N	2.47	0.47
1:C:18:ASP:OD2	1:C:111:TYR:OH	2.16	0.46
1:B:196:ASP:HB3	1:B:200:GLU:HB2	1.96	0.46
1:A:196:ASP:HB3	1:A:200:GLU:HB2	1.97	0.46
1:D:95:ILE:HD13	1:D:234:GLU:HA	1.97	0.46
1:B:47:SER:HB3	1:B:50[B]:ARG:HG3	1.98	0.46
1:C:229:ARG:HA	1:C:229:ARG:HD3	1.77	0.45
1:C:20:PHE:HD2	1:C:104:GLU:HG3	1.81	0.45
1:D:95:ILE:HB	1:D:96:PRO:HD3	1.99	0.45
1:A:183:GLU:HG2	3:A:550:HOH:O	2.17	0.44
1:B:7:ILE:HD12	1:B:8:VAL:HG23	1.99	0.44
1:D:195:ASN:N	1:D:200:GLU:OE1	2.42	0.44
1:C:196:ASP:HB3	1:C:200:GLU:HG3	2.01	0.43
1:C:202:GLY:O	1:C:216:LYS:HG3	2.18	0.43
1:B:196:ASP:OD1	3:B:403:HOH:O	2.21	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:184:CYS:SG	3:D:375:HOH:O	2.61	0.43
1:D:81:TYR:HB2	1:D:88:PHE:HB2	2.01	0.43
1:C:154:ILE:HD12	1:C:159:VAL:HG21	1.99	0.43
1:D:52:HIS:O	1:D:56:ILE:HG13	2.19	0.43
1:D:137:LEU:HA	1:D:251:LEU:O	2.19	0.42
1:D:221:GLN:O	1:D:224:TYR:N	2.51	0.42
1:D:27:THR:HA	1:D:32:PHE:CE1	2.55	0.42
1:D:119:PHE:O	1:D:249:ALA:HA	2.18	0.42
1:C:22:HIS:N	1:C:104:GLU:OE1	2.50	0.42
1:D:136:VAL:HG23	3:D:321:HOH:O	2.18	0.42
1:C:165:VAL:O	1:C:167:LEU:N	2.52	0.42
1:C:289:ARG:NH1	3:C:309:HOH:O	2.26	0.42
1:D:284:GLY:N	3:D:303:HOH:O	2.53	0.42
1:D:128:LEU:N	1:D:229:ARG:O	2.50	0.41
1:B:18:ASP:HB3	1:B:27:THR:HG23	2.03	0.41
1:A:128:LEU:HD23	1:A:259:ARG:HB2	2.04	0.40
1:B:95:ILE:HG23	1:B:237:ALA:HB2	2.03	0.40
1:C:134:THR:HG23	1:C:185:SER:O	2.21	0.40
1:C:27:THR:HA	1:C:32:PHE:CE1	2.56	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:614:HOH:O	3:D:414:HOH:O[4_445]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	289/296 (98%)	279 (96%)	10 (4%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	289/296 (98%)	283 (98%)	6 (2%)	0	100	100
1	C	283/296 (96%)	270 (95%)	12 (4%)	1 (0%)	30	22
1	D	271/296 (92%)	261 (96%)	10 (4%)	0	100	100
All	All	1132/1184 (96%)	1093 (97%)	38 (3%)	1 (0%)	48	40

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	166	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	242/252 (96%)	239 (99%)	3 (1%)	63	63
1	B	244/252 (97%)	240 (98%)	4 (2%)	55	54
1	C	211/252 (84%)	208 (99%)	3 (1%)	59	59
1	D	188/252 (75%)	179 (95%)	9 (5%)	23	15
All	All	885/1008 (88%)	866 (98%)	19 (2%)	45	44

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	PHE
1	A	66	LEU
1	A	146	LEU
1	B	7	ILE
1	B	30	PHE
1	B	64	LEU
1	B	87	LEU
1	C	104	GLU
1	C	130	VAL
1	C	144	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	30	PHE
1	D	128	LEU
1	D	136	VAL
1	D	137	LEU
1	D	146	LEU
1	D	250	ILE
1	D	251	LEU
1	D	268	SER
1	D	273	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	ASN
1	A	11	HIS
1	C	11	HIS
1	C	52	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	301	-	4,4,4	0.23	0	6,6,6	0.15	0
2	SO4	B	301	-	4,4,4	0.19	0	6,6,6	0.11	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	289/296 (97%)	-0.17	3 (1%) 79 82	13, 25, 42, 55	2 (0%)
1	B	290/296 (97%)	0.01	8 (2%) 55 59	13, 29, 52, 70	1 (0%)
1	C	286/296 (96%)	1.55	92 (32%) 1 1	18, 53, 78, 86	1 (0%)
1	D	280/296 (94%)	2.88	192 (68%) 0 0	24, 70, 100, 119	2 (0%)
All	All	1145/1184 (96%)	1.05	295 (25%) 1 1	13, 38, 86, 119	6 (0%)

All (295) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	192	ILE	7.7
1	D	136	VAL	7.2
1	D	294	ILE	7.0
1	D	135	ILE	7.0
1	D	130	VAL	6.9
1	D	220	LEU	6.7
1	D	231	MET	6.5
1	D	128	LEU	6.4
1	D	257	VAL	6.4
1	D	228	ILE	6.3
1	D	141	CYS	6.3
1	D	260	LEU	6.1
1	D	252	VAL	6.1
1	D	250	ILE	6.0
1	D	142	VAL	5.9
1	D	191	THR	5.8
1	D	251	LEU	5.8
1	D	176	LEU	5.7
1	D	276	ALA	5.7
1	D	186	VAL	5.6
1	D	224	TYR	5.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	146	LEU	5.5
1	D	275	PHE	5.5
1	D	279	PRO	5.5
1	D	139	ASP	5.4
1	D	173	LEU	5.4
1	D	124	THR	5.4
1	D	134	THR	5.4
1	D	217	LEU	5.4
1	D	132	PRO	5.3
1	D	254	VAL	5.3
1	D	214	GLU	5.3
1	D	283	VAL	5.2
1	D	83	VAL	5.2
1	D	149	TYR	5.2
1	D	167	LEU	5.2
1	D	129	GLY	5.0
1	D	137	LEU	4.9
1	D	204	LEU	4.9
1	D	148	PRO	4.9
1	D	169	THR	4.8
1	D	249	ALA	4.8
1	D	185	SER	4.8
1	D	223	ALA	4.8
1	D	219	PHE	4.7
1	D	190	GLY	4.7
1	D	227	GLY	4.6
1	D	127	GLY	4.6
1	D	272	PHE	4.6
1	D	187	VAL	4.6
1	D	120	ILE	4.6
1	D	44	VAL	4.5
1	D	153	CYS	4.5
1	D	67	PRO	4.5
1	D	64	LEU	4.5
1	D	253	CYS	4.5
1	C	159	VAL	4.5
1	D	122	LEU	4.4
1	D	287	LEU	4.4
1	D	229	ARG	4.3
1	D	144	THR	4.3
1	D	213	LYS	4.3
1	D	74	SER	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	148	PRO	4.3
1	C	149	TYR	4.3
1	D	152	LEU	4.3
1	D	163	THR	4.3
1	D	133	GLY	4.3
1	C	153	CYS	4.2
1	D	267	ILE	4.2
1	D	230	ASN	4.2
1	C	182	LEU	4.2
1	B	7	ILE	4.2
1	D	155	LEU	4.2
1	C	75	HIS	4.1
1	C	15	LEU	4.1
1	C	8	VAL	4.1
1	D	59	ALA	4.1
1	D	50[A]	ARG	4.0
1	D	202	GLY	4.0
1	D	218	ALA	4.0
1	D	123	GLY	4.0
1	D	43	CYS	4.0
1	D	282	LEU	3.9
1	D	170	VAL	3.9
1	D	211	PHE	3.9
1	C	236	THR	3.9
1	D	164	ILE	3.9
1	D	126	GLY	3.9
1	D	125	SER	3.8
1	D	236	THR	3.8
1	D	222	SER	3.8
1	D	165	VAL	3.8
1	D	284	GLY	3.8
1	D	54	PHE	3.8
1	D	280	GLY	3.7
1	C	61	LEU	3.7
1	D	243	TYR	3.7
1	C	218	ALA	3.7
1	D	256	ALA	3.7
1	D	56	ILE	3.7
1	D	274	LEU	3.7
1	C	12	LEU	3.6
1	D	212	SER	3.6
1	D	225	GLU	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	156	GLY	3.6
1	C	163	THR	3.6
1	D	179	ASN	3.6
1	D	188	VAL	3.6
1	D	255	THR	3.6
1	C	244	LEU	3.6
1	C	155	LEU	3.6
1	D	183	GLU	3.5
1	D	265	ILE	3.5
1	C	152	LEU	3.5
1	D	46	GLY	3.5
1	D	262	GLY	3.5
1	D	68	VAL	3.5
1	D	189	GLY	3.5
1	D	216	LYS	3.5
1	C	245	THR	3.4
1	D	209	CYS	3.4
1	C	295	VAL	3.4
1	C	226	HIS	3.4
1	D	244	LEU	3.4
1	C	249	ALA	3.4
1	D	193	ALA	3.4
1	C	146	LEU	3.4
1	C	162	GLN	3.3
1	D	57	SER	3.3
1	D	154	ILE	3.3
1	D	131	LYS	3.3
1	C	108	LEU	3.3
1	C	144	THR	3.3
1	D	235	GLY	3.3
1	D	289	ARG	3.3
1	C	154	ILE	3.3
1	C	164	ILE	3.3
1	D	208	ILE	3.3
1	C	73	GLY	3.3
1	D	86	ILE	3.2
1	D	273	THR	3.2
1	C	147	GLU	3.2
1	C	223	ALA	3.2
1	D	194	ALA	3.2
1	A	66	LEU	3.2
1	C	143	ASN	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	19	VAL	3.2
1	C	160	ARG	3.2
1	C	142	VAL	3.1
1	D	58	MET	3.1
1	D	261	GLU	3.1
1	C	145	LYS	3.1
1	D	159	VAL	3.1
1	D	177	SER	3.1
1	C	243	TYR	3.0
1	D	286	TYR	3.0
1	D	45	CYS	3.0
1	C	217	LEU	3.0
1	C	227	GLY	3.0
1	B	65	ALA	3.0
1	D	238	ILE	3.0
1	D	61	LEU	3.0
1	D	178	GLU	3.0
1	D	145	LYS	3.0
1	D	166	ASP	3.0
1	D	233	MET	3.0
1	C	151	GLU	3.0
1	C	165	VAL	2.9
1	D	171	ASN	2.9
1	C	193	ALA	2.9
1	C	220	LEU	2.9
1	D	259	ARG	2.9
1	C	222	SER	2.9
1	D	263	ASP	2.9
1	D	292	GLY	2.9
1	D	143	ASN	2.9
1	C	211	PHE	2.9
1	D	226	HIS	2.9
1	D	221	GLN	2.9
1	C	150	ASN	2.8
1	D	62	ALA	2.8
1	D	88	PHE	2.8
1	D	205	ASP	2.8
1	D	138	SER	2.8
1	D	232	GLU	2.8
1	D	162	GLN	2.7
1	A	183	GLU	2.7
1	D	75	HIS	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	13	SER	2.7
1	D	268	SER	2.7
1	C	20	PHE	2.7
1	D	119	PHE	2.7
1	C	18	ASP	2.7
1	D	84	ASP	2.7
1	D	156	GLY	2.7
1	D	266	THR	2.7
1	C	64	LEU	2.7
1	C	74	SER	2.7
1	D	118	LEU	2.7
1	D	207	SER	2.7
1	D	240	SER	2.7
1	C	188	VAL	2.7
1	D	278	ARG	2.6
1	B	64	LEU	2.6
1	C	21	HIS	2.6
1	C	106	THR	2.6
1	C	219	PHE	2.6
1	D	197	PHE	2.6
1	C	67	PRO	2.6
1	B	66	LEU	2.6
1	D	95	ILE	2.6
1	D	293	ILE	2.6
1	C	170	VAL	2.6
1	C	224	TYR	2.6
1	D	195	ASN	2.6
1	C	158	PRO	2.5
1	C	98	ALA	2.5
1	C	10	SER	2.5
1	D	281	GLN	2.5
1	D	150	ASN	2.5
1	D	121	ARG	2.5
1	D	160	ARG	2.5
1	C	9	ASN	2.5
1	D	168[A]	ASN	2.5
1	D	52	HIS	2.5
1	C	225	GLU	2.5
1	C	269	THR	2.5
1	C	184	CYS	2.4
1	C	11	HIS	2.4
1	D	41	PHE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	212	SER	2.4
1	D	174	LYS	2.4
1	D	198	TYR	2.4
1	C	16	ASP	2.4
1	B	295	VAL	2.4
1	C	171	ASN	2.4
1	C	242	CYS	2.4
1	D	87	LEU	2.4
1	D	269	THR	2.4
1	D	63	GLY	2.4
1	C	178	GLU	2.3
1	C	294	ILE	2.3
1	D	158	PRO	2.3
1	C	176	LEU	2.3
1	D	201	GLN	2.3
1	C	110	HIS	2.3
1	C	24	GLY	2.3
1	D	60	LYS	2.3
1	D	140	ARG	2.3
1	D	239	THR	2.3
1	D	69	GLU	2.2
1	C	99	LEU	2.2
1	B	30	PHE	2.2
1	C	30	PHE	2.2
1	C	81	TYR	2.2
1	C	22	HIS	2.2
1	D	291	ASN	2.2
1	D	172	GLU	2.2
1	D	210	THR	2.2
1	D	264	GLN	2.2
1	D	38	ASP	2.2
1	D	85	HIS	2.2
1	D	258	ASN	2.2
1	C	14	GLU	2.2
1	D	8	VAL	2.2
1	C	26	THR	2.2
1	B	181	SER	2.2
1	D	48	SER	2.2
1	C	132	PRO	2.2
1	D	285	GLU	2.1
1	C	228	ILE	2.1
1	C	250	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	277	GLN	2.1
1	C	167	LEU	2.1
1	D	215	GLU	2.1
1	C	237	ALA	2.1
1	D	81	TYR	2.1
1	D	196	ASP	2.1
1	C	33	LYS	2.1
1	B	183	GLU	2.1
1	C	62	ALA	2.1
1	D	237	ALA	2.1
1	D	200	GLU	2.1
1	D	92	GLY	2.1
1	C	117	VAL	2.1
1	D	242	CYS	2.1
1	C	36	PHE	2.0
1	C	240	SER	2.0
1	A	8	VAL	2.0
1	D	42	VAL	2.0
1	D	157	LYS	2.0
1	C	25	PHE	2.0
1	D	206	GLY	2.0
1	C	68	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	A	301	5/5	0.99	0.03	18,22,23,25	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SO4	B	301	5/5	0.99	0.04	21,22,24,24	0

6.5 Other polymers [i](#)

There are no such residues in this entry.