



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 9, 2026 – 06:13 AM UTC

PDB ID : 5TXV / pdb_00005txv
Title : HslU P21 cell with 4 hexamers
Authors : Grant, R.A.; Chen, J.; Glynn, S.E.; Sauer, R.T.
Deposited on : 2016-11-17
Resolution : 7.09 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 7.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1167 (10.00-4.00)
Clashscore	190562	1000 (10.00-4.06)
Ramachandran outliers	187476	1054 (10.00-4.00)
Sidechain outliers	187428	1017 (10.00-4.00)
RSRZ outliers	180081	1161 (10.00-4.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	442	0% 68% 7% 25%
1	B	442	0% 65% 11% 24%
1	C	442	0% 71% 12% 17%
1	D	442	2% 64% 11% 25%
1	E	442	0% 69% 12% 19%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	442	
1	G	442	
1	H	442	
1	I	442	
1	J	442	
1	K	442	
1	L	442	
1	M	442	
1	N	442	
1	O	442	
1	P	442	
1	Q	442	
1	R	442	
1	S	442	
1	T	442	
1	U	442	
1	V	442	
1	W	442	
1	X	442	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 64889 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-dependent protease ATPase subunit HslU.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	330	Total	C	N	O	S	0	0	0
			2586	1615	456	506	9			
1	B	337	Total	C	N	O	S	0	0	0
			2638	1650	466	513	9			
1	C	366	Total	C	N	O	S	0	0	0
			2867	1792	509	556	10			
1	D	333	Total	C	N	O	S	0	0	0
			2609	1629	460	511	9			
1	E	359	Total	C	N	O	S	0	0	0
			2817	1764	501	542	10			
1	F	338	Total	C	N	O	S	0	0	0
			2654	1657	467	520	10			
1	G	327	Total	C	N	O	S	0	0	0
			2568	1606	454	498	10			
1	H	371	Total	C	N	O	S	0	0	0
			2915	1825	517	563	10			
1	I	348	Total	C	N	O	S	0	0	0
			2743	1712	490	531	10			
1	J	332	Total	C	N	O	S	0	0	0
			2608	1633	458	507	10			
1	K	337	Total	C	N	O	S	0	0	0
			2646	1651	467	519	9			
1	L	371	Total	C	N	O	S	0	0	0
			2915	1822	517	566	10			
1	M	342	Total	C	N	O	S	0	0	0
			2695	1687	481	519	8			
1	N	328	Total	C	N	O	S	0	0	0
			2581	1614	456	502	9			
1	O	348	Total	C	N	O	S	0	0	0
			2742	1715	489	529	9			
1	P	305	Total	C	N	O	S	0	0	0
			2387	1491	422	465	9			

Continued on next page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Q	370	Total 2906	C 1819	N 516	O 561	S 10	0	0	0
1	R	338	Total 2667	C 1664	N 479	O 515	S 9	0	0	0
1	S	310	Total 2436	C 1522	N 434	O 471	S 9	0	0	0
1	T	318	Total 2503	C 1564	N 444	O 487	S 8	0	0	0
1	U	321	Total 2511	C 1568	N 447	O 487	S 9	0	0	0
1	V	352	Total 2768	C 1730	N 493	O 535	S 10	0	0	0
1	W	336	Total 2637	C 1649	N 465	O 514	S 9	0	0	0
1	X	360	Total 2842	C 1779	N 504	O 549	S 10	0	0	0


- # ADP

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	B	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	C	1	Total 27	C 10	N 5	O 10	P 2	0	0




Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	D	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	E	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	F	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	G	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	H	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	I	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	J	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	K	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	L	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	M	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	N	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	O	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	P	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	Q	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	R	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	S	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	T	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	U	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	V	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	W	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	X	1	Total 27	C 10	N 5	O 10	P 2	0	0



• Molecule 1: ATP-dependent protease ATPase subunit HslU




• Molecule 1: ATP-dependent protease ATPase subunit HslU




• Molecule 1: ATP-dependent protease ATPase subunit HslU







- Molecule 1: ATP-dependent protease ATPase subunit HslU




- Molecule 1: ATP-dependent protease ATPase subunit HslU




- Molecule 1: ATP-dependent protease ATPase subunit HslU






- Molecule 1: ATP-dependent protease ATPase subunit HslU




- Molecule 1: ATP-dependent protease ATPase subunit HslU





- Molecule 1: ATP-dependent protease ATPase subunit HslU




- Molecule 1: ATP-dependent protease ATPase subunit HslU



- Molecule 1: ATP-dependent protease ATPase subunit HslU




- Molecule 1: ATP-dependent protease ATPase subunit HslU







- Molecule 1: ATP-dependent protease ATPase subunit HslU




- Molecule 1: ATP-dependent protease ATPase subunit HslU



- Molecule 1: ATP-dependent protease ATPase subunit HslU







4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	86.50Å 420.86Å 176.42Å 90.00° 98.56° 90.00°	Depositor
Resolution (Å)	49.19 – 7.09 49.19 – 7.09	Depositor EDS
% Data completeness (in resolution range)	98.6 (49.19-7.09) 98.4 (49.19-7.09)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.43 (at 7.37Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.274 , 0.298 0.278 , 0.301	Depositor DCC
R_{free} test set	1889 reflections (10.03%)	wwPDB-VP
Wilson B-factor (Å ²)	397.2	Xtriage
Anisotropy	0.626	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 388.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.82	EDS
Total number of atoms	64889	wwPDB-VP
Average B, all atoms (Å ²)	414.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.99% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.16	0/2615	0.31	0/3529
1	B	0.15	0/2668	0.32	0/3597
1	C	0.16	0/2899	0.33	0/3909
1	D	0.15	0/2638	0.32	0/3559
1	E	0.16	0/2848	0.34	0/3839
1	F	0.17	0/2683	0.33	0/3620
1	G	0.15	0/2597	0.31	0/3502
1	H	0.16	0/2948	0.31	0/3973
1	I	0.16	0/2771	0.32	0/3729
1	J	0.17	0/2637	0.33	0/3555
1	K	0.17	0/2675	0.35	0/3608
1	L	0.17	0/2946	0.36	0/3968
1	M	0.18	0/2726	0.37	0/3672
1	N	0.15	0/2610	0.32	0/3522
1	O	0.16	0/2773	0.33	0/3735
1	P	0.16	0/2415	0.32	0/3260
1	Q	0.16	0/2938	0.32	0/3959
1	R	0.19	0/2697	0.35	1/3633 (0.0%)
1	S	0.16	0/2465	0.35	0/3324
1	T	0.14	0/2533	0.31	0/3419
1	U	0.17	0/2540	0.32	0/3427
1	V	0.15	0/2798	0.32	0/3767
1	W	0.16	0/2668	0.34	0/3602
1	X	0.16	0/2874	0.34	0/3874
All	All	0.16	0/64962	0.33	1/87582 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	R	408	TYR	CA-CB-CG	-5.00	104.89	113.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2586	0	2628	25	0
1	B	2638	0	2676	50	1
1	C	2867	0	2919	52	0
1	D	2609	0	2652	65	0
1	E	2817	0	2877	64	0
1	F	2654	0	2697	27	1
1	G	2568	0	2621	25	0
1	H	2915	0	2975	30	0
1	I	2743	0	2790	33	0
1	J	2608	0	2656	36	1
1	K	2646	0	2688	66	3
1	L	2915	0	2969	57	0
1	M	2695	0	2753	65	1
1	N	2581	0	2629	42	0
1	O	2742	0	2800	32	1
1	P	2387	0	2427	40	1
1	Q	2906	0	2965	40	1
1	R	2667	0	2718	52	0
1	S	2436	0	2483	58	0
1	T	2503	0	2538	35	1
1	U	2511	0	2558	38	0
1	V	2768	0	2822	39	0
1	W	2637	0	2685	39	0
1	X	2842	0	2900	65	3
2	A	27	0	12	4	0
2	B	27	0	12	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	27	0	12	4	0
2	D	27	0	12	2	0
2	E	27	0	12	4	0
2	F	27	0	12	3	0
2	G	27	0	12	5	0
2	H	27	0	12	5	0
2	I	27	0	12	4	0
2	J	27	0	12	3	0
2	K	27	0	12	4	0
2	L	27	0	12	3	0
2	M	27	0	12	5	0
2	N	27	0	12	2	0
2	O	27	0	12	3	0
2	P	27	0	12	5	0
2	Q	27	0	12	4	0
2	R	27	0	12	3	0
2	S	27	0	12	4	0
2	T	27	0	12	3	0
2	U	27	0	12	3	0
2	V	27	0	12	4	0
2	W	27	0	12	1	0
2	X	27	0	12	4	0
All	All	64889	0	65714	767	7

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 767 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:407:SER:O	1:E:36:ARG:NH2	1.65	1.30
1:P:407:SER:O	1:Q:36:ARG:NH2	1.79	1.14
1:D:407:SER:OG	1:E:36:ARG:NH1	1.80	1.14
1:K:407:SER:O	1:L:36:ARG:NH1	1.80	1.12
1:B:401:ARG:NH2	1:C:329:ARG:O	1.88	1.06

The worst 5 of 7 symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:419:THR:OG1	1:X:122:ARG:NH1[1_455]	1.55	0.65
1:K:418:ILE:CD1	1:X:121:TYR:CE2[1_455]	1.81	0.39
1:K:418:ILE:CD1	1:X:121:TYR:CZ[1_455]	1.84	0.36
1:J:419:THR:O	1:Q:122:ARG:NH1[2_454]	1.88	0.32
1:F:419:THR:OG1	1:O:122:ARG:NH1[1_655]	1.93	0.27

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	322/442 (73%)	315 (98%)	7 (2%)	0	100	100
1	B	327/442 (74%)	321 (98%)	6 (2%)	0	100	100
1	C	356/442 (80%)	350 (98%)	6 (2%)	0	100	100
1	D	325/442 (74%)	318 (98%)	7 (2%)	0	100	100
1	E	348/442 (79%)	341 (98%)	7 (2%)	0	100	100
1	F	330/442 (75%)	323 (98%)	7 (2%)	0	100	100
1	G	319/442 (72%)	312 (98%)	7 (2%)	0	100	100
1	H	361/442 (82%)	355 (98%)	6 (2%)	0	100	100
1	I	337/442 (76%)	330 (98%)	7 (2%)	0	100	100
1	J	323/442 (73%)	317 (98%)	6 (2%)	0	100	100
1	K	329/442 (74%)	322 (98%)	7 (2%)	0	100	100
1	L	361/442 (82%)	355 (98%)	6 (2%)	0	100	100
1	M	332/442 (75%)	325 (98%)	7 (2%)	0	100	100
1	N	320/442 (72%)	313 (98%)	7 (2%)	0	100	100
1	O	338/442 (76%)	331 (98%)	7 (2%)	0	100	100
1	P	297/442 (67%)	291 (98%)	6 (2%)	0	100	100
1	Q	360/442 (81%)	355 (99%)	5 (1%)	0	100	100
1	R	328/442 (74%)	321 (98%)	7 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	S	302/442 (68%)	296 (98%)	6 (2%)	0	100	100
1	T	310/442 (70%)	303 (98%)	7 (2%)	0	100	100
1	U	313/442 (71%)	306 (98%)	7 (2%)	0	100	100
1	V	342/442 (77%)	335 (98%)	7 (2%)	0	100	100
1	W	328/442 (74%)	321 (98%)	7 (2%)	0	100	100
1	X	350/442 (79%)	344 (98%)	6 (2%)	0	100	100
All	All	7958/10608 (75%)	7800 (98%)	158 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	283/376 (75%)	282 (100%)	1 (0%)	84	84
1	B	286/376 (76%)	285 (100%)	1 (0%)	86	86
1	C	310/376 (82%)	309 (100%)	1 (0%)	86	86
1	D	285/376 (76%)	283 (99%)	2 (1%)	76	81
1	E	305/376 (81%)	304 (100%)	1 (0%)	86	86
1	F	290/376 (77%)	289 (100%)	1 (0%)	86	86
1	G	281/376 (75%)	280 (100%)	1 (0%)	84	84
1	H	316/376 (84%)	315 (100%)	1 (0%)	86	86
1	I	297/376 (79%)	296 (100%)	1 (0%)	86	86
1	J	286/376 (76%)	285 (100%)	1 (0%)	86	86
1	K	289/376 (77%)	288 (100%)	1 (0%)	86	86
1	L	316/376 (84%)	315 (100%)	1 (0%)	86	86
1	M	293/376 (78%)	292 (100%)	1 (0%)	86	86
1	N	282/376 (75%)	280 (99%)	2 (1%)	76	81
1	O	298/376 (79%)	297 (100%)	1 (0%)	86	86

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	P	263/376 (70%)	262 (100%)	1 (0%)	84	84
1	Q	314/376 (84%)	313 (100%)	1 (0%)	86	86
1	R	290/376 (77%)	289 (100%)	1 (0%)	86	86
1	S	267/376 (71%)	266 (100%)	1 (0%)	84	84
1	T	274/376 (73%)	273 (100%)	1 (0%)	84	84
1	U	274/376 (73%)	273 (100%)	1 (0%)	84	84
1	V	300/376 (80%)	299 (100%)	1 (0%)	86	86
1	W	289/376 (77%)	288 (100%)	1 (0%)	86	86
1	X	310/376 (82%)	308 (99%)	2 (1%)	78	83
All	All	6998/9024 (78%)	6971 (100%)	27 (0%)	84	84

5 of 27 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	N	355	TYR
1	P	355	TYR
1	W	355	TYR
1	O	355	TYR
1	Q	355	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 59 such sidechains are listed below:

Mol	Chain	Res	Type
1	L	365	ASN
1	X	41	ASN
1	P	301	HIS
1	W	301	HIS
1	W	33	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ADP	O	501	-	28,29,29	1.46	4 (14%)	43,45,45	1.82	7 (16%)
2	ADP	W	501	-	28,29,29	1.46	5 (17%)	43,45,45	1.84	8 (18%)
2	ADP	B	501	-	28,29,29	1.45	5 (17%)	43,45,45	1.81	8 (18%)
2	ADP	D	501	-	28,29,29	1.47	5 (17%)	43,45,45	1.88	8 (18%)
2	ADP	J	501	-	28,29,29	1.45	5 (17%)	43,45,45	1.81	8 (18%)
2	ADP	C	501	-	28,29,29	1.50	5 (17%)	43,45,45	1.84	7 (16%)
2	ADP	V	501	-	28,29,29	1.44	5 (17%)	43,45,45	1.83	8 (18%)
2	ADP	X	501	-	28,29,29	1.48	5 (17%)	43,45,45	1.80	7 (16%)
2	ADP	I	501	-	28,29,29	1.43	5 (17%)	43,45,45	1.84	8 (18%)
2	ADP	G	501	-	28,29,29	1.48	5 (17%)	43,45,45	1.80	7 (16%)
2	ADP	K	501	-	28,29,29	1.46	5 (17%)	43,45,45	1.83	7 (16%)
2	ADP	A	501	-	28,29,29	1.43	5 (17%)	43,45,45	1.79	8 (18%)
2	ADP	U	501	-	28,29,29	1.47	5 (17%)	43,45,45	1.84	7 (16%)
2	ADP	E	501	-	28,29,29	1.45	4 (14%)	43,45,45	1.83	8 (18%)
2	ADP	H	501	-	28,29,29	1.42	4 (14%)	43,45,45	1.82	8 (18%)
2	ADP	Q	501	-	28,29,29	1.44	5 (17%)	43,45,45	1.82	8 (18%)
2	ADP	T	501	-	28,29,29	1.47	5 (17%)	43,45,45	1.84	7 (16%)
2	ADP	F	501	-	28,29,29	1.44	5 (17%)	43,45,45	1.87	8 (18%)
2	ADP	L	501	-	28,29,29	1.43	4 (14%)	43,45,45	1.83	8 (18%)
2	ADP	M	501	-	28,29,29	1.44	5 (17%)	43,45,45	1.80	8 (18%)
2	ADP	R	501	-	28,29,29	1.45	5 (17%)	43,45,45	1.81	8 (18%)
2	ADP	N	501	-	28,29,29	1.47	5 (17%)	43,45,45	1.83	7 (16%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ADP	P	501	-	28,29,29	1.47	5 (17%)	43,45,45	1.80	7 (16%)
2	ADP	S	501	-	28,29,29	1.43	5 (17%)	43,45,45	1.80	8 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	O	501	-	-	2/16/32/32	0/3/3/3
2	ADP	W	501	-	-	3/16/32/32	0/3/3/3
2	ADP	B	501	-	-	2/16/32/32	0/3/3/3
2	ADP	D	501	-	-	2/16/32/32	0/3/3/3
2	ADP	J	501	-	-	3/16/32/32	0/3/3/3
2	ADP	C	501	-	-	3/16/32/32	0/3/3/3
2	ADP	V	501	-	-	2/16/32/32	0/3/3/3
2	ADP	X	501	-	-	3/16/32/32	0/3/3/3
2	ADP	I	501	-	-	5/16/32/32	0/3/3/3
2	ADP	G	501	-	-	2/16/32/32	0/3/3/3
2	ADP	K	501	-	-	2/16/32/32	0/3/3/3
2	ADP	A	501	-	-	3/16/32/32	0/3/3/3
2	ADP	U	501	-	-	2/16/32/32	0/3/3/3
2	ADP	E	501	-	-	3/16/32/32	0/3/3/3
2	ADP	H	501	-	-	2/16/32/32	0/3/3/3
2	ADP	Q	501	-	-	2/16/32/32	0/3/3/3
2	ADP	T	501	-	-	2/16/32/32	0/3/3/3
2	ADP	F	501	-	-	2/16/32/32	0/3/3/3
2	ADP	L	501	-	-	2/16/32/32	0/3/3/3
2	ADP	M	501	-	-	4/16/32/32	0/3/3/3
2	ADP	R	501	-	-	3/16/32/32	0/3/3/3
2	ADP	N	501	-	-	2/16/32/32	0/3/3/3
2	ADP	P	501	-	-	4/16/32/32	0/3/3/3
2	ADP	S	501	-	-	4/16/32/32	0/3/3/3

The worst 5 of 116 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	T	501	ADP	C5-C4	4.98	1.48	1.39
2	O	501	ADP	C5-C4	4.97	1.48	1.39
2	D	501	ADP	C5-C4	4.97	1.47	1.39
2	X	501	ADP	C5-C4	4.95	1.47	1.39
2	U	501	ADP	C5-C4	4.94	1.47	1.39

The worst 5 of 183 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501	ADP	C5-C4-N3	-6.45	117.83	126.72
2	F	501	ADP	C5-C4-N3	-6.38	117.93	126.72
2	U	501	ADP	C5-C4-N3	-6.37	117.94	126.72
2	C	501	ADP	C5-C4-N3	-6.31	118.03	126.72
2	N	501	ADP	C5-C4-N3	-6.29	118.05	126.72

There are no chirality outliers.

5 of 64 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	ADP	C5'-O5'-PA-O1A
2	C	501	ADP	C5'-O5'-PA-O2A
2	E	501	ADP	C5'-O5'-PA-O1A
2	I	501	ADP	C5'-O5'-PA-O1A
2	J	501	ADP	C5'-O5'-PA-O1A

There are no ring outliers.

24 monomers are involved in 85 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	O	501	ADP	3	0
2	W	501	ADP	1	0
2	B	501	ADP	3	0
2	D	501	ADP	2	0
2	J	501	ADP	3	0
2	C	501	ADP	4	0
2	V	501	ADP	4	0
2	X	501	ADP	4	0
2	I	501	ADP	4	0
2	G	501	ADP	5	0
2	K	501	ADP	4	0
2	A	501	ADP	4	0
2	U	501	ADP	3	0



Continued on next page...



Continued from previous page...



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	501	ADP	4	0
2	H	501	ADP	5	0
2	Q	501	ADP	4	0
2	T	501	ADP	3	0
2	F	501	ADP	3	0
2	L	501	ADP	3	0
2	M	501	ADP	5	0
2	R	501	ADP	3	0
2	N	501	ADP	2	0
2	P	501	ADP	5	0
2	S	501	ADP	4	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

































Ligand ADP F 501




Ligand ADP L 501









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	330/442 (74%)	-0.28	3 (0%) 81 70	348, 386, 520, 579	0
1	B	337/442 (76%)	-0.22	4 (1%) 76 65	359, 407, 523, 668	0
1	C	366/442 (82%)	-0.20	5 (1%) 73 62	338, 364, 431, 475	0
1	D	333/442 (75%)	-0.08	9 (2%) 56 48	324, 387, 495, 545	0
1	E	359/442 (81%)	-0.26	3 (0%) 82 72	349, 404, 477, 537	0
1	F	338/442 (76%)	-0.20	4 (1%) 76 65	312, 365, 465, 546	0
1	G	327/442 (73%)	-0.25	3 (0%) 81 70	342, 388, 491, 572	0
1	H	371/442 (83%)	-0.24	9 (2%) 59 52	329, 368, 418, 450	0
1	I	348/442 (78%)	-0.19	4 (1%) 78 66	321, 398, 501, 526	0
1	J	332/442 (75%)	-0.14	4 (1%) 76 65	355, 395, 477, 581	0
1	K	337/442 (76%)	-0.26	2 (0%) 85 76	327, 380, 455, 532	0
1	L	371/442 (83%)	-0.24	4 (1%) 78 66	335, 370, 437, 506	0
1	M	342/442 (77%)	-0.36	1 (0%) 90 82	377, 426, 490, 553	0
1	N	328/442 (74%)	-0.21	5 (1%) 72 60	371, 471, 572, 699	0
1	O	348/442 (78%)	-0.25	2 (0%) 85 76	367, 405, 458, 526	0
1	P	305/442 (69%)	-0.11	4 (1%) 75 64	342, 380, 436, 479	0
1	Q	370/442 (83%)	-0.02	9 (2%) 59 52	327, 378, 565, 603	0
1	R	338/442 (76%)	-0.31	1 (0%) 90 82	394, 427, 522, 610	0
1	S	310/442 (70%)	-0.19	6 (1%) 66 56	415, 467, 563, 658	0
1	T	318/442 (71%)	-0.18	6 (1%) 66 56	359, 429, 516, 594	0
1	U	321/442 (72%)	-0.38	2 (0%) 85 76	358, 387, 446, 534	0
1	V	352/442 (79%)	-0.29	2 (0%) 85 76	375, 439, 573, 616	0
1	W	336/442 (76%)	-0.27	3 (0%) 81 70	406, 444, 509, 548	0
1	X	360/442 (81%)	-0.43	0 100 100	412, 448, 493, 543	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
All	All	8177/10608 (77%)	-0.23	95 (1%) 76 65	312, 406, 515, 699	0

The worst 5 of 95 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Q	398	VAL	8.4
1	Q	402	LEU	6.9
1	T	53	ILE	6.0
1	Q	399	LEU	5.8
1	N	311	GLN	4.8

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ADP	E	501	27/27	0.88	0.10	381,386,388,390	0
2	ADP	O	501	27/27	0.88	0.09	381,387,392,397	0
2	ADP	F	501	27/27	0.89	0.09	312,321,330,331	0
2	ADP	D	501	27/27	0.89	0.10	367,381,393,394	0
2	ADP	K	501	27/27	0.90	0.08	345,351,360,362	0
2	ADP	P	501	27/27	0.90	0.07	345,348,352,354	0
2	ADP	I	501	27/27	0.91	0.09	372,390,412,414	0
2	ADP	B	501	27/27	0.91	0.15	372,381,394,400	0
2	ADP	R	501	27/27	0.92	0.10	400,410,414,415	0
2	ADP	S	501	27/27	0.92	0.06	422,429,441,443	0
2	ADP	T	501	27/27	0.92	0.13	363,375,385,390	0
2	ADP	L	501	27/27	0.93	0.10	337,343,347,348	0
2	ADP	W	501	27/27	0.93	0.06	434,448,455,456	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ADP	J	501	27/27	0.94	0.10	352,357,367,370	0
2	ADP	Q	501	27/27	0.94	0.07	355,379,383,385	0
2	ADP	U	501	27/27	0.94	0.07	358,361,365,368	0
2	ADP	V	501	27/27	0.94	0.09	381,388,395,396	0
2	ADP	H	501	27/27	0.94	0.10	356,360,364,365	0
2	ADP	C	501	27/27	0.95	0.09	348,353,357,358	0
2	ADP	M	501	27/27	0.95	0.09	405,413,424,426	0
2	ADP	N	501	27/27	0.95	0.07	448,470,480,482	0
2	ADP	A	501	27/27	0.95	0.07	357,374,384,386	0
2	ADP	G	501	27/27	0.96	0.09	348,358,372,375	0
2	ADP	X	501	27/27	0.96	0.06	423,430,439,442	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around ADP O 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP F 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP K 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP P 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP I 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP R 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP S 501:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP T 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP L 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP W 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP J 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP Q 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP U 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP V 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP H 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP C 501:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP M 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP N 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP A 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP G 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ADP X 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.