



Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 07:46 AM UTC

PDB ID : 6TYS / pdb_00006tys
EMDB ID : EMD-20584
Title : A potent cross-neutralizing antibody targeting the fusion glycoprotein inhibits Nipah virus and Hendra virus infection
Authors : Dang, H.V.; Chan, Y.P.; Park, Y.J.; Snijder, J.; Da Silva, S.C.; Vu, B.; Yan, L.; Feng, Y.R.; Rockx, B.; Geisbert, T.; Mire, C.E.; Broder, C.B.; Veessler, D.; Seattle Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on : 2019-08-09
Resolution : 3.50 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.
















Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	13950 (3.00 - 4.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	538	 78% 5% 17%
1	B	538	 77% 6% 17%
1	E	538	 77% 6% 17%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	C	120	
2	F	120	
2	H	120	
3	D	107	
3	G	107	
3	L	107	
4	I	3	
4	M	3	
4	N	3	
4	Q	3	
4	R	3	
4	U	3	
5	J	2	
5	O	2	
5	S	2	
6	K	3	
6	P	3	
6	T	3	

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 16059 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fusion glycoprotein F0.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	447	Total	C	N	O	S	0	0
			3445	2182	565	676	22		
1	B	447	Total	C	N	O	S	0	0
			3445	2182	565	676	22		
1	E	447	Total	C	N	O	S	0	0
			3445	2182	565	676	22		

There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	100	CYS	ASN	conflict	UNP Q9IH63
A	104A	ASP	-	insertion	UNP Q9IH63
A	104B	TYR	-	insertion	UNP Q9IH63
A	104C	LYS	-	insertion	UNP Q9IH63
A	104D	ASP	-	insertion	UNP Q9IH63
A	104E	ASP	-	insertion	UNP Q9IH63
A	104F	ASP	-	insertion	UNP Q9IH63
A	104G	ASP	-	insertion	UNP Q9IH63
A	104H	LYS	-	insertion	UNP Q9IH63
A	119	CYS	ALA	conflict	UNP Q9IH63
B	100	CYS	ASN	conflict	UNP Q9IH63
B	104A	ASP	-	insertion	UNP Q9IH63
B	104B	TYR	-	insertion	UNP Q9IH63
B	104C	LYS	-	insertion	UNP Q9IH63
B	104D	ASP	-	insertion	UNP Q9IH63
B	104E	ASP	-	insertion	UNP Q9IH63
B	104F	ASP	-	insertion	UNP Q9IH63
B	104G	ASP	-	insertion	UNP Q9IH63
B	104H	LYS	-	insertion	UNP Q9IH63
B	119	CYS	ALA	conflict	UNP Q9IH63
E	100	CYS	ASN	conflict	UNP Q9IH63
E	104A	ASP	-	insertion	UNP Q9IH63
E	104B	TYR	-	insertion	UNP Q9IH63
E	104C	LYS	-	insertion	UNP Q9IH63

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	104D	ASP	-	insertion	UNP Q9IH63
E	104E	ASP	-	insertion	UNP Q9IH63
E	104F	ASP	-	insertion	UNP Q9IH63
E	104G	ASP	-	insertion	UNP Q9IH63
E	104H	LYS	-	insertion	UNP Q9IH63
E	119	CYS	ALA	conflict	UNP Q9IH63


- Molecule 2 is a protein called 5B3 antibody heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	H	120	Total	C	N	O	S	0	0
			930	588	154	182	6		
2	C	120	Total	C	N	O	S	0	0
			930	588	154	182	6		
2	F	120	Total	C	N	O	S	0	0
			930	588	154	182	6		

- Molecule 3 is a protein called 5B3 antibody light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	L	107	Total	C	N	O	S	0	0
			811	519	128	161	3		
3	D	107	Total	C	N	O	S	0	0
			811	519	128	161	3		
3	G	107	Total	C	N	O	S	0	0
			811	519	128	161	3		

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
4	I	3	Total	C	N	O	0	0
			39	22	2	15		
4	M	3	Total	C	N	O	0	0
			39	22	2	15		
4	N	3	Total	C	N	O	0	0
			39	22	2	15		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
4	Q	3	Total	C	N	O	0	0
			39	22	2	15		
4	R	3	Total	C	N	O	0	0
			39	22	2	15		
4	U	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
5	J	2	Total	C	N	O	0	0
			28	16	2	10		
5	O	2	Total	C	N	O	0	0
			28	16	2	10		
5	S	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose.



Mol	Chain	Residues	Atoms			AltConf	Trace
6	K	3	Total	C	O	0	0
			33	18	15		
6	P	3	Total	C	O	0	0
			33	18	15		
6	T	3	Total	C	O	0	0
			33	18	15		

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	A	1	Total	C	N	O	0
			14	8	1	5	
7	B	1	Total	C	N	O	0
			14	8	1	5	
7	B	1	Total	C	N	O	0
			14	8	1	5	
7	E	1	Total	C	N	O	0
			14	8	1	5	
7	E	1	Total	C	N	O	0
			14	8	1	5	

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Fusion glycoprotein F0

Chain A:




• Molecule 1: Fusion glycoprotein F0

Chain B:




• Molecule 1: Fusion glycoprotein F0

Chain E:




- Molecule 2: 5B3 antibody heavy chain




- Molecule 2: 5B3 antibody heavy chain



- Molecule 2: 5B3 antibody heavy chain




- Molecule 3: 5B3 antibody light chain




- Molecule 3: 5B3 antibody light chain



- Molecule 3: 5B3 antibody light chain




- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 




- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M: 



- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N: 




- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q: 




- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R: 



- Molecule 4: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U: 



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: alpha-D-mannopyranose-(1-2)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose



- Molecule 6: alpha-D-mannopyranose-(1-2)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose



- Molecule 6: alpha-D-mannopyranose-(1-2)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C3	Depositor
Number of particles used	38721	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	4.682	Depositor
Minimum map value	-2.975	Depositor
Average map value	0.005	Depositor
Map value standard deviation	0.097	Depositor
Recommended contour level	0.9	Depositor
Map size (Å)	350.72, 350.72, 350.72	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.37, 1.37, 1.37	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.11	6/3493 (0.2%)	1.33	32/4742 (0.7%)
1	B	1.11	6/3493 (0.2%)	1.33	33/4742 (0.7%)
1	E	1.11	6/3493 (0.2%)	1.33	32/4742 (0.7%)
2	C	1.09	0/953	1.26	4/1289 (0.3%)
2	F	1.09	0/953	1.26	4/1289 (0.3%)
2	H	1.09	0/953	1.26	4/1289 (0.3%)
3	D	1.04	1/831 (0.1%)	1.27	6/1126 (0.5%)
3	G	1.04	1/831 (0.1%)	1.27	6/1126 (0.5%)
3	L	1.04	1/831 (0.1%)	1.27	6/1126 (0.5%)
All	All	1.09	21/15831 (0.1%)	1.31	127/21471 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	E	0	1
All	All	0	3

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	355	CYS	C-O	-9.42	1.13	1.24
1	E	355	CYS	C-O	-9.01	1.13	1.24
1	A	355	CYS	C-O	-8.99	1.13	1.24
1	A	331	CYS	C-O	8.85	1.34	1.24
1	B	331	CYS	C-O	8.84	1.34	1.24
1	E	331	CYS	C-O	8.81	1.34	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	387	CYS	N-CA	6.61	1.53	1.46
1	E	387	CYS	N-CA	6.60	1.53	1.46
1	A	387	CYS	N-CA	6.59	1.53	1.46
1	E	100	CYS	C-O	-6.52	1.15	1.24
1	A	100	CYS	C-O	-6.51	1.15	1.24
1	B	100	CYS	C-O	-6.50	1.15	1.24
1	B	355	CYS	N-CA	-6.24	1.39	1.46
1	E	355	CYS	N-CA	-6.11	1.39	1.46
1	A	355	CYS	N-CA	-6.09	1.39	1.46
1	A	387	CYS	C-O	5.65	1.31	1.24
1	B	387	CYS	C-O	5.62	1.31	1.24
1	E	387	CYS	C-O	5.61	1.31	1.24
3	G	78	LEU	CB-CG	-5.09	1.43	1.53
3	L	78	LEU	CB-CG	-5.05	1.43	1.53
3	D	78	LEU	CB-CG	-5.05	1.43	1.53

All (127) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	217	ASN	N-CA-C	-13.27	97.58	114.04
1	B	217	ASN	N-CA-C	-13.26	97.60	114.04
1	E	217	ASN	N-CA-C	-13.25	97.61	114.04
1	A	282	PHE	CA-C-N	8.28	128.23	120.03
1	A	282	PHE	C-N-CA	8.28	128.23	120.03
1	E	282	PHE	CA-C-N	8.28	128.22	120.03
1	E	282	PHE	C-N-CA	8.28	128.22	120.03
1	B	282	PHE	CA-C-N	8.24	128.19	120.03
1	B	282	PHE	C-N-CA	8.24	128.19	120.03
1	A	215	GLY	N-CA-C	-7.52	103.13	112.23
1	E	215	GLY	N-CA-C	-7.49	103.17	112.23
1	B	215	GLY	N-CA-C	-7.47	103.19	112.23
1	E	447	PRO	CA-C-N	7.44	127.42	119.76
1	E	447	PRO	C-N-CA	7.44	127.42	119.76
1	A	447	PRO	CA-C-N	7.43	127.41	119.76
1	A	447	PRO	C-N-CA	7.43	127.41	119.76
1	B	447	PRO	CA-C-N	7.42	127.40	119.76
1	B	447	PRO	C-N-CA	7.42	127.40	119.76
2	H	60	TYR	CA-C-N	7.20	127.12	119.85
2	H	60	TYR	C-N-CA	7.20	127.12	119.85
2	C	60	TYR	CA-C-N	7.18	127.11	119.85
2	C	60	TYR	C-N-CA	7.18	127.11	119.85
2	F	60	TYR	CA-C-N	7.17	127.09	119.85

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	60	TYR	C-N-CA	7.17	127.09	119.85
1	B	355	CYS	CA-C-O	7.00	128.77	121.07
3	G	43	SER	CA-C-N	6.64	126.62	119.78
3	G	43	SER	C-N-CA	6.64	126.62	119.78
1	A	355	CYS	CA-C-O	6.63	128.78	121.02
3	L	43	SER	CA-C-N	6.63	126.60	119.78
3	L	43	SER	C-N-CA	6.63	126.60	119.78
1	E	355	CYS	CA-C-O	6.62	128.77	121.02
3	D	43	SER	CA-C-N	6.62	126.60	119.78
3	D	43	SER	C-N-CA	6.62	126.60	119.78
1	B	354	GLU	CA-C-N	6.60	129.97	120.79
1	B	354	GLU	C-N-CA	6.60	129.97	120.79
1	A	346	THR	CA-C-N	6.29	126.65	119.92
1	A	346	THR	C-N-CA	6.29	126.65	119.92
1	B	346	THR	CA-C-N	6.28	126.64	119.92
1	B	346	THR	C-N-CA	6.28	126.64	119.92
1	E	346	THR	CA-C-N	6.27	126.63	119.92
1	E	346	THR	C-N-CA	6.27	126.63	119.92
2	H	104	TRP	N-CA-C	-5.96	100.57	110.17
2	C	104	TRP	N-CA-C	-5.93	100.62	110.17
2	F	104	TRP	N-CA-C	-5.92	100.64	110.17
1	A	88	THR	CA-C-N	5.85	125.52	119.56
1	A	88	THR	C-N-CA	5.85	125.52	119.56
1	E	88	THR	CA-C-N	5.83	125.50	119.56
1	E	88	THR	C-N-CA	5.83	125.50	119.56
3	D	52	THR	N-CA-C	5.80	121.07	113.30
1	B	311	ILE	N-CA-C	5.79	115.93	107.37
1	B	88	THR	CA-C-N	5.78	125.46	119.56
1	B	88	THR	C-N-CA	5.78	125.46	119.56
1	A	62	ILE	CA-C-N	5.78	125.75	120.03
1	A	62	ILE	C-N-CA	5.78	125.75	120.03
1	E	311	ILE	N-CA-C	5.78	115.92	107.37
1	B	62	ILE	CA-C-N	5.77	125.74	120.03
1	B	62	ILE	C-N-CA	5.77	125.74	120.03
1	A	311	ILE	N-CA-C	5.76	115.90	107.37
1	E	62	ILE	CA-C-N	5.76	125.74	120.03
1	E	62	ILE	C-N-CA	5.76	125.74	120.03
3	D	58	VAL	CA-C-N	5.67	125.62	119.78
3	D	58	VAL	C-N-CA	5.67	125.62	119.78
3	L	52	THR	N-CA-C	5.67	121.08	113.72
3	G	58	VAL	CA-C-N	5.66	125.61	119.78
3	G	58	VAL	C-N-CA	5.66	125.61	119.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	L	58	VAL	CA-C-N	5.65	125.60	119.78
3	L	58	VAL	C-N-CA	5.65	125.60	119.78
3	G	52	THR	N-CA-C	5.62	121.03	113.72
1	E	354	GLU	CA-C-N	5.55	130.01	121.19
1	E	354	GLU	C-N-CA	5.55	130.01	121.19
1	A	354	GLU	CA-C-N	5.52	129.97	121.19
1	A	354	GLU	C-N-CA	5.52	129.97	121.19
1	E	363	CYS	CA-C-N	5.51	125.42	119.85
1	E	363	CYS	C-N-CA	5.51	125.42	119.85
2	C	67	ARG	NE-CZ-NH2	-5.51	114.24	119.20
1	B	363	CYS	CA-C-N	5.50	125.41	119.85
1	B	363	CYS	C-N-CA	5.50	125.41	119.85
2	H	67	ARG	NE-CZ-NH2	-5.48	114.27	119.20
1	A	363	CYS	CA-C-N	5.48	125.38	119.85
1	A	363	CYS	C-N-CA	5.48	125.38	119.85
2	F	67	ARG	NE-CZ-NH2	-5.44	114.30	119.20
1	B	355	CYS	N-CA-CB	5.42	118.06	109.82
3	D	91	PHE	CA-CB-CG	5.39	119.19	113.80
3	G	91	PHE	CA-CB-CG	5.37	119.17	113.80
1	E	184	VAL	CA-C-N	5.37	125.08	119.82
1	E	184	VAL	C-N-CA	5.37	125.08	119.82
3	L	91	PHE	CA-CB-CG	5.37	119.17	113.80
1	A	184	VAL	CA-C-N	5.36	125.07	119.82
1	A	184	VAL	C-N-CA	5.36	125.07	119.82
1	B	51	ASN	CA-C-N	5.36	125.33	120.03
1	B	51	ASN	C-N-CA	5.36	125.33	120.03
1	E	98	LYS	N-CA-C	-5.35	107.30	113.88
1	E	446	GLY	CA-C-N	5.35	125.89	120.38
1	E	446	GLY	C-N-CA	5.35	125.89	120.38
1	E	51	ASN	CA-C-N	5.34	125.32	120.03
1	E	51	ASN	C-N-CA	5.34	125.32	120.03
1	A	98	LYS	N-CA-C	-5.34	107.31	113.88
1	A	446	GLY	CA-C-N	5.34	125.88	120.38
1	A	446	GLY	C-N-CA	5.34	125.88	120.38
1	B	98	LYS	N-CA-C	-5.34	107.31	113.88
1	A	51	ASN	CA-C-N	5.33	125.31	120.03
1	A	51	ASN	C-N-CA	5.33	125.31	120.03
1	B	184	VAL	CA-C-N	5.32	125.03	119.82
1	B	184	VAL	C-N-CA	5.32	125.03	119.82
1	B	446	GLY	CA-C-N	5.29	125.83	120.38
1	B	446	GLY	C-N-CA	5.29	125.83	120.38
1	E	210	LEU	CB-CA-C	-5.22	102.12	110.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	210	LEU	CB-CA-C	-5.22	102.13	110.79
1	B	210	LEU	CB-CA-C	-5.21	102.14	110.79
1	A	417	CYS	CA-C-N	5.20	125.24	119.32
1	A	417	CYS	C-N-CA	5.20	125.24	119.32
1	B	388	ILE	N-CA-C	-5.18	106.08	111.58
1	E	417	CYS	CA-C-N	5.18	125.22	119.32
1	E	417	CYS	C-N-CA	5.18	125.22	119.32
1	B	417	CYS	CA-C-N	5.17	125.21	119.32
1	B	417	CYS	C-N-CA	5.17	125.21	119.32
1	A	388	ILE	N-CA-C	-5.16	106.11	111.58
1	E	388	ILE	N-CA-C	-5.15	106.12	111.58
1	B	42	VAL	N-CA-C	5.14	116.20	109.21
1	E	42	VAL	N-CA-C	5.14	116.20	109.21
1	A	180	ASN	CA-CB-CG	5.14	117.74	112.60
1	A	42	VAL	N-CA-C	5.13	116.19	109.21
1	B	180	ASN	CA-CB-CG	5.12	117.72	112.60
1	E	180	ASN	CA-CB-CG	5.11	117.71	112.60
1	E	54	THR	N-CA-C	5.06	117.36	109.52
1	B	54	THR	N-CA-C	5.03	117.32	109.52
1	A	54	THR	N-CA-C	5.01	117.29	109.52

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	355	CYS	Mainchain
1	B	355	CYS	Mainchain
1	E	355	CYS	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3445	0	3502	3	0
1	B	3445	0	3502	6	0
1	E	3445	0	3502	5	0
2	C	930	0	887	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	F	930	0	887	2	0
2	H	930	0	887	4	0
3	D	811	0	789	0	0
3	G	811	0	789	1	0
3	L	811	0	789	2	0
4	I	39	0	33	0	0
4	M	39	0	34	0	0
4	N	39	0	33	0	0
4	Q	39	0	34	0	0
4	R	39	0	33	0	0
4	U	39	0	34	0	0
5	J	28	0	24	0	0
5	O	28	0	24	0	0
5	S	28	0	24	0	0
6	K	33	0	28	0	0
6	P	33	0	28	1	0
6	T	33	0	28	1	0
7	A	28	0	25	0	0
7	B	28	0	25	0	0
7	E	28	0	25	0	0
All	All	16059	0	15966	25	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (25) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:408:THR:OG1	1:E:409:LEU:N	2.36	0.59
1:B:408:THR:OG1	1:B:409:LEU:N	2.36	0.59
1:A:408:THR:OG1	1:A:409:LEU:N	2.36	0.58
1:B:177:ASP:OD1	1:B:177:ASP:N	2.40	0.55
1:E:177:ASP:N	1:E:177:ASP:OD1	2.40	0.49
2:H:105:PHE:H	3:L:36:TYR:HH	1.60	0.49
6:P:2:MAN:O6	6:P:2:MAN:O4	2.32	0.46
1:A:177:ASP:OD1	1:A:177:ASP:N	2.40	0.45
2:C:29:PHE:O	2:C:72:ARG:NH2	2.50	0.44
2:H:7:SER:OG	2:H:8:GLY:N	2.50	0.44
2:F:7:SER:OG	2:F:8:GLY:N	2.50	0.44
1:E:138:MET:O	1:E:139:LYS:C	2.60	0.44
2:H:29:PHE:O	2:H:72:ARG:NH2	2.50	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:7:SER:OG	2:C:8:GLY:N	2.50	0.43
2:F:29:PHE:O	2:F:72:ARG:NH2	2.50	0.43
1:A:138:MET:O	1:A:139:LYS:C	2.60	0.43
6:T:2:MAN:O6	6:T:2:MAN:O4	2.32	0.43
1:B:224:ASN:OD1	1:B:224:ASN:N	2.50	0.42
3:G:58:VAL:HA	3:G:59:PRO:HD3	1.89	0.41
1:E:447:PRO:HA	1:E:448:PRO:HD3	1.91	0.41
2:H:33:ASP:OD1	2:H:33:ASP:N	2.51	0.41
3:L:58:VAL:HA	3:L:59:PRO:HD3	1.89	0.41
1:B:138:MET:O	1:B:139:LYS:C	2.60	0.41
1:B:447:PRO:HA	1:B:448:PRO:HD3	1.91	0.41
1:B:380:ASN:N	1:E:121:GLY:O	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	443/538 (82%)	434 (98%)	9 (2%)	0	100	100
1	B	443/538 (82%)	434 (98%)	9 (2%)	0	100	100
1	E	443/538 (82%)	434 (98%)	9 (2%)	0	100	100
2	C	118/120 (98%)	117 (99%)	1 (1%)	0	100	100
2	F	118/120 (98%)	117 (99%)	1 (1%)	0	100	100
2	H	118/120 (98%)	117 (99%)	1 (1%)	0	100	100
3	D	105/107 (98%)	102 (97%)	3 (3%)	0	100	100
3	G	105/107 (98%)	102 (97%)	3 (3%)	0	100	100
3	L	105/107 (98%)	102 (97%)	3 (3%)	0	100	100
All	All	1998/2295 (87%)	1959 (98%)	39 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	399/484 (82%)	398 (100%)	1 (0%)	86	83
1	B	399/484 (82%)	398 (100%)	1 (0%)	86	83
1	E	399/484 (82%)	398 (100%)	1 (0%)	86	83
2	C	99/99 (100%)	99 (100%)	0	100	100
2	F	99/99 (100%)	99 (100%)	0	100	100
2	H	99/99 (100%)	99 (100%)	0	100	100
3	D	89/89 (100%)	89 (100%)	0	100	100
3	G	89/89 (100%)	89 (100%)	0	100	100
3	L	89/89 (100%)	89 (100%)	0	100	100
All	All	1761/2016 (87%)	1758 (100%)	3 (0%)	85	85

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	99	ASN
1	B	99	ASN
1	E	99	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	102	HIS
1	A	155	ASN
1	A	219	GLN
1	B	102	HIS
1	B	155	ASN
2	C	82	GLN
1	E	102	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	155	ASN
1	E	219	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

33 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	I	1	4,1	14,14,15	2.32	5 (35%)	17,19,21	6.11	11 (64%)
4	NAG	I	2	4	14,14,15	1.19	1 (7%)	17,19,21	1.09	2 (11%)
4	MAN	I	3	4	11,11,12	0.84	0	15,15,17	0.95	1 (6%)
5	NAG	J	1	1,5	14,14,15	0.70	0	17,19,21	0.84	0
5	NAG	J	2	5	14,14,15	1.02	0	17,19,21	1.39	1 (5%)
6	BMA	K	1	6	11,11,12	1.12	1 (9%)	15,15,17	1.32	3 (20%)
6	MAN	K	2	6	11,11,12	1.13	1 (9%)	15,15,17	1.69	3 (20%)
6	MAN	K	3	6	11,11,12	0.51	0	15,15,17	1.15	1 (6%)
4	NAG	M	1	4,1	14,14,15	0.92	1 (7%)	17,19,21	0.98	1 (5%)
4	NAG	M	2	4	14,14,15	0.83	1 (7%)	17,19,21	0.82	0
4	MAN	M	3	4	11,11,12	0.77	0	15,15,17	0.83	1 (6%)
4	NAG	N	1	4,1	14,14,15	2.32	5 (35%)	17,19,21	6.11	11 (64%)
4	NAG	N	2	4	14,14,15	1.19	1 (7%)	17,19,21	1.09	2 (11%)
4	MAN	N	3	4	11,11,12	0.83	0	15,15,17	0.95	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	O	1	1,5	14,14,15	0.71	0	17,19,21	0.85	0
5	NAG	O	2	5	14,14,15	1.02	1 (7%)	17,19,21	1.39	1 (5%)
6	BMA	P	1	6	11,11,12	1.13	1 (9%)	15,15,17	1.33	3 (20%)
6	MAN	P	2	6	11,11,12	1.12	1 (9%)	15,15,17	1.69	3 (20%)
6	MAN	P	3	6	11,11,12	0.51	0	15,15,17	1.15	1 (6%)
4	NAG	Q	1	4,1	14,14,15	0.91	1 (7%)	17,19,21	0.98	1 (5%)
4	NAG	Q	2	4	14,14,15	0.83	1 (7%)	17,19,21	0.82	0
4	MAN	Q	3	4	11,11,12	0.79	0	15,15,17	0.83	1 (6%)
4	NAG	R	1	4,1	14,14,15	2.32	5 (35%)	17,19,21	6.11	11 (64%)
4	NAG	R	2	4	14,14,15	1.19	1 (7%)	17,19,21	1.10	2 (11%)
4	MAN	R	3	4	11,11,12	0.82	0	15,15,17	0.95	1 (6%)
5	NAG	S	1	1,5	14,14,15	0.70	0	17,19,21	0.85	0
5	NAG	S	2	5	14,14,15	1.03	1 (7%)	17,19,21	1.39	1 (5%)
6	BMA	T	1	6	11,11,12	1.13	1 (9%)	15,15,17	1.32	3 (20%)
6	MAN	T	2	6	11,11,12	1.12	1 (9%)	15,15,17	1.69	3 (20%)
6	MAN	T	3	6	11,11,12	0.50	0	15,15,17	1.15	1 (6%)
4	NAG	U	1	4,1	14,14,15	0.92	1 (7%)	17,19,21	0.99	1 (5%)
4	NAG	U	2	4	14,14,15	0.82	1 (7%)	17,19,21	0.82	0
4	MAN	U	3	4	11,11,12	0.78	0	15,15,17	0.83	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	I	1	4,1	-	3/6/23/26	0/1/1/1
4	NAG	I	2	4	-	2/6/23/26	0/1/1/1
4	MAN	I	3	4	-	1/2/19/22	0/1/1/1
5	NAG	J	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	J	2	5	-	3/6/23/26	0/1/1/1
6	BMA	K	1	6	-	2/2/19/22	0/1/1/1
6	MAN	K	2	6	-	1/2/19/22	0/1/1/1
6	MAN	K	3	6	-	1/2/19/22	0/1/1/1
4	NAG	M	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	M	2	4	-	0/6/23/26	0/1/1/1
4	MAN	M	3	4	-	1/2/19/22	0/1/1/1
4	NAG	N	1	4,1	-	3/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	N	2	4	-	2/6/23/26	0/1/1/1
4	MAN	N	3	4	-	1/2/19/22	0/1/1/1
5	NAG	O	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	O	2	5	-	3/6/23/26	0/1/1/1
6	BMA	P	1	6	-	2/2/19/22	0/1/1/1
6	MAN	P	2	6	-	1/2/19/22	0/1/1/1
6	MAN	P	3	6	-	1/2/19/22	0/1/1/1
4	NAG	Q	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	Q	2	4	-	0/6/23/26	0/1/1/1
4	MAN	Q	3	4	-	1/2/19/22	0/1/1/1
4	NAG	R	1	4,1	-	3/6/23/26	0/1/1/1
4	NAG	R	2	4	-	2/6/23/26	0/1/1/1
4	MAN	R	3	4	-	1/2/19/22	0/1/1/1
5	NAG	S	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	S	2	5	-	3/6/23/26	0/1/1/1
6	BMA	T	1	6	-	2/2/19/22	0/1/1/1
6	MAN	T	2	6	-	1/2/19/22	0/1/1/1
6	MAN	T	3	6	-	1/2/19/22	0/1/1/1
4	NAG	U	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	U	2	4	-	0/6/23/26	0/1/1/1
4	MAN	U	3	4	-	1/2/19/22	0/1/1/1

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	I	1	NAG	C1-C2	4.92	1.59	1.52
4	N	1	NAG	C1-C2	4.92	1.59	1.52
4	R	1	NAG	C1-C2	4.89	1.59	1.52
4	R	1	NAG	C3-C2	3.96	1.60	1.52
4	N	1	NAG	C3-C2	3.94	1.60	1.52
4	I	1	NAG	C3-C2	3.94	1.60	1.52
4	I	1	NAG	C2-N2	3.50	1.52	1.46
4	R	1	NAG	C2-N2	3.48	1.52	1.46
4	I	2	NAG	C1-C2	3.47	1.57	1.52
4	N	1	NAG	C2-N2	3.46	1.52	1.46
4	R	2	NAG	C1-C2	3.46	1.57	1.52
4	N	2	NAG	C1-C2	3.44	1.57	1.52
4	I	1	NAG	C8-C7	3.15	1.57	1.50
4	R	1	NAG	C8-C7	3.15	1.57	1.50
4	N	1	NAG	C8-C7	3.14	1.57	1.50
4	I	1	NAG	C4-C3	2.70	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	R	1	NAG	C4-C3	2.70	1.59	1.52
4	N	1	NAG	C4-C3	2.69	1.59	1.52
6	K	2	MAN	C1-C2	2.61	1.58	1.52
6	T	2	MAN	C1-C2	2.60	1.58	1.52
6	P	2	MAN	C1-C2	2.59	1.58	1.52
4	M	1	NAG	C1-C2	2.59	1.55	1.52
4	U	1	NAG	C1-C2	2.57	1.55	1.52
4	Q	1	NAG	C1-C2	2.56	1.55	1.52
6	T	1	BMA	C1-C2	2.16	1.57	1.52
6	K	1	BMA	C1-C2	2.14	1.57	1.52
6	P	1	BMA	C1-C2	2.13	1.57	1.52
4	Q	2	NAG	C1-C2	2.10	1.55	1.52
4	M	2	NAG	C1-C2	2.09	1.55	1.52
4	U	2	NAG	C1-C2	2.05	1.55	1.52
5	S	2	NAG	C4-C5	2.02	1.57	1.53
5	O	2	NAG	C4-C5	2.02	1.57	1.53

All (72) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	N	1	NAG	C2-N2-C7	19.33	148.81	122.90
4	I	1	NAG	C2-N2-C7	19.33	148.80	122.90
4	R	1	NAG	C2-N2-C7	19.32	148.80	122.90
4	N	1	NAG	C8-C7-N2	8.99	131.03	116.12
4	R	1	NAG	C8-C7-N2	8.99	131.02	116.12
4	I	1	NAG	C8-C7-N2	8.97	130.99	116.12
4	R	1	NAG	C1-C2-N2	7.18	121.75	110.43
4	I	1	NAG	C1-C2-N2	7.17	121.73	110.43
4	N	1	NAG	C1-C2-N2	7.15	121.71	110.43
4	I	1	NAG	C4-C3-C2	-5.83	102.47	111.02
4	N	1	NAG	C4-C3-C2	-5.82	102.48	111.02
4	R	1	NAG	C4-C3-C2	-5.82	102.48	111.02
4	I	1	NAG	O7-C7-C8	-4.55	113.96	122.05
4	R	1	NAG	O7-C7-C8	-4.54	113.97	122.05
4	N	1	NAG	O7-C7-C8	-4.54	113.97	122.05
6	T	2	MAN	C1-C2-C3	4.34	115.96	109.64
6	P	2	MAN	C1-C2-C3	4.34	115.96	109.64
6	K	2	MAN	C1-C2-C3	4.33	115.95	109.64
4	R	1	NAG	O7-C7-N2	-4.21	114.55	121.98
4	N	1	NAG	O7-C7-N2	-4.20	114.55	121.98
4	I	1	NAG	O7-C7-N2	-4.18	114.59	121.98
4	N	1	NAG	O4-C4-C5	-4.08	99.28	109.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	R	1	NAG	O4-C4-C5	-4.07	99.30	109.32
4	I	1	NAG	O4-C4-C5	-4.07	99.30	109.32
4	U	1	NAG	C3-C4-C5	-3.35	104.15	110.23
6	P	3	MAN	C2-C3-C4	-3.35	104.96	110.86
6	T	3	MAN	C2-C3-C4	-3.35	104.97	110.86
4	Q	1	NAG	C3-C4-C5	-3.35	104.16	110.23
4	M	1	NAG	C3-C4-C5	-3.34	104.17	110.23
5	O	2	NAG	C3-C4-C5	-3.33	104.19	110.23
6	K	3	MAN	C2-C3-C4	-3.33	105.00	110.86
5	S	2	NAG	C3-C4-C5	-3.33	104.20	110.23
5	J	2	NAG	C3-C4-C5	-3.32	104.21	110.23
6	P	2	MAN	C2-C3-C4	-3.29	105.08	110.86
6	K	2	MAN	C2-C3-C4	-3.28	105.09	110.86
6	T	2	MAN	C2-C3-C4	-3.27	105.10	110.86
4	I	1	NAG	O5-C5-C6	-3.17	101.50	107.66
4	N	1	NAG	O5-C5-C6	-3.16	101.51	107.66
4	R	1	NAG	O5-C5-C6	-3.13	101.56	107.66
4	I	1	NAG	O3-C3-C2	3.10	115.85	109.40
4	R	1	NAG	O3-C3-C2	3.09	115.82	109.40
4	N	1	NAG	O3-C3-C2	3.07	115.79	109.40
4	N	3	MAN	C2-C3-C4	-2.93	105.70	110.86
4	R	3	MAN	C2-C3-C4	-2.93	105.71	110.86
4	I	3	MAN	C2-C3-C4	-2.93	105.71	110.86
4	R	2	NAG	C3-C4-C5	-2.93	104.93	110.23
4	I	2	NAG	C3-C4-C5	-2.92	104.94	110.23
4	I	1	NAG	O5-C5-C4	2.91	117.89	110.83
4	N	2	NAG	C3-C4-C5	-2.90	104.97	110.23
4	R	1	NAG	O5-C5-C4	2.90	117.89	110.83
4	N	1	NAG	O5-C5-C4	2.90	117.89	110.83
6	K	1	BMA	C1-C2-C3	-2.65	105.79	109.64
6	T	1	BMA	C1-C2-C3	-2.64	105.80	109.64
6	P	1	BMA	C1-C2-C3	-2.64	105.81	109.64
4	U	3	MAN	C2-C3-C4	-2.51	106.45	110.86
4	M	3	MAN	C2-C3-C4	-2.50	106.47	110.86
4	Q	3	MAN	C2-C3-C4	-2.50	106.47	110.86
6	P	1	BMA	C1-O5-C5	2.48	115.50	112.19
6	T	1	BMA	C1-O5-C5	2.46	115.48	112.19
6	K	1	BMA	C1-O5-C5	2.45	115.47	112.19
4	I	1	NAG	O5-C1-C2	-2.19	107.91	111.29
4	R	1	NAG	O5-C1-C2	-2.18	107.91	111.29
6	P	1	BMA	C3-C4-C5	-2.16	106.31	110.23
4	N	1	NAG	O5-C1-C2	-2.16	107.94	111.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	T	1	BMA	C3-C4-C5	-2.15	106.34	110.23
6	K	1	BMA	C3-C4-C5	-2.14	106.34	110.23
6	K	2	MAN	O5-C1-C2	-2.14	105.69	110.79
6	T	2	MAN	O5-C1-C2	-2.13	105.72	110.79
6	P	2	MAN	O5-C1-C2	-2.12	105.72	110.79
4	N	2	NAG	O3-C3-C4	2.07	115.26	110.38
4	I	2	NAG	O3-C3-C4	2.07	115.25	110.38
4	R	2	NAG	O3-C3-C4	2.07	115.25	110.38

There are no chirality outliers.

All (45) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	I	1	NAG	C1-C2-N2-C7
4	I	1	NAG	C8-C7-N2-C2
4	I	1	NAG	O7-C7-N2-C2
4	N	1	NAG	C1-C2-N2-C7
4	N	1	NAG	C8-C7-N2-C2
4	N	1	NAG	O7-C7-N2-C2
4	R	1	NAG	C1-C2-N2-C7
4	R	1	NAG	C8-C7-N2-C2
4	R	1	NAG	O7-C7-N2-C2
5	J	2	NAG	O5-C5-C6-O6
5	O	2	NAG	O5-C5-C6-O6
5	S	2	NAG	O5-C5-C6-O6
5	J	2	NAG	C4-C5-C6-O6
5	O	2	NAG	C4-C5-C6-O6
5	S	2	NAG	C4-C5-C6-O6
4	I	2	NAG	O5-C5-C6-O6
4	N	2	NAG	O5-C5-C6-O6
4	R	2	NAG	O5-C5-C6-O6
6	K	1	BMA	O5-C5-C6-O6
6	P	1	BMA	O5-C5-C6-O6
6	T	1	BMA	O5-C5-C6-O6
6	K	1	BMA	C4-C5-C6-O6
6	P	1	BMA	C4-C5-C6-O6
6	T	1	BMA	C4-C5-C6-O6
4	I	2	NAG	C4-C5-C6-O6
4	N	2	NAG	C4-C5-C6-O6
4	R	2	NAG	C4-C5-C6-O6
6	K	2	MAN	O5-C5-C6-O6
6	P	2	MAN	O5-C5-C6-O6

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
6	T	2	MAN	O5-C5-C6-O6
4	M	1	NAG	O5-C5-C6-O6
4	Q	1	NAG	O5-C5-C6-O6
4	U	1	NAG	O5-C5-C6-O6
4	I	3	MAN	O5-C5-C6-O6
4	N	3	MAN	O5-C5-C6-O6
4	R	3	MAN	O5-C5-C6-O6
6	K	3	MAN	O5-C5-C6-O6
6	P	3	MAN	O5-C5-C6-O6
6	T	3	MAN	O5-C5-C6-O6
5	J	2	NAG	C3-C2-N2-C7
5	O	2	NAG	C3-C2-N2-C7
5	S	2	NAG	C3-C2-N2-C7
4	M	3	MAN	O5-C5-C6-O6
4	Q	3	MAN	O5-C5-C6-O6
4	U	3	MAN	O5-C5-C6-O6



There are no ring outliers.



2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	T	2	MAN	1	0
6	P	2	MAN	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

















5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	NAG	B	605	-	14,14,15	1.11	1 (7%)	17,19,21	1.04	1 (5%)
7	NAG	E	604	1	14,14,15	1.27	1 (7%)	17,19,21	1.79	5 (29%)
7	NAG	A	605	-	14,14,15	1.10	1 (7%)	17,19,21	1.03	1 (5%)
7	NAG	A	604	1	14,14,15	1.26	1 (7%)	17,19,21	1.79	5 (29%)
7	NAG	B	604	1	14,14,15	1.27	1 (7%)	17,19,21	1.79	5 (29%)
7	NAG	E	605	-	14,14,15	1.09	1 (7%)	17,19,21	1.04	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	B	605	-	-	1/6/23/26	0/1/1/1
7	NAG	E	604	1	-	2/6/23/26	0/1/1/1
7	NAG	A	605	-	-	1/6/23/26	0/1/1/1
7	NAG	A	604	1	-	2/6/23/26	0/1/1/1
7	NAG	B	604	1	-	2/6/23/26	0/1/1/1
7	NAG	E	605	-	-	1/6/23/26	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	604	NAG	C1-C2	3.91	1.57	1.52
7	E	604	NAG	C1-C2	3.90	1.57	1.52
7	A	604	NAG	C1-C2	3.86	1.57	1.52
7	B	605	NAG	C1-C2	3.74	1.57	1.52
7	A	605	NAG	C1-C2	3.71	1.57	1.52
7	E	605	NAG	C1-C2	3.68	1.57	1.52

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	604	NAG	C4-C3-C2	-4.80	103.98	111.02
7	B	604	NAG	C4-C3-C2	-4.80	103.99	111.02
7	E	604	NAG	C4-C3-C2	-4.79	104.00	111.02
7	B	605	NAG	C4-C3-C2	-3.29	106.19	111.02
7	E	605	NAG	C4-C3-C2	-3.29	106.19	111.02
7	A	605	NAG	C4-C3-C2	-3.29	106.19	111.02
7	B	604	NAG	C1-O5-C5	3.20	116.47	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	E	604	NAG	C1-O5-C5	3.18	116.44	112.19
7	A	604	NAG	C1-O5-C5	3.17	116.43	112.19
7	A	604	NAG	O5-C5-C6	-2.27	103.25	107.66
7	E	604	NAG	O5-C5-C6	-2.26	103.26	107.66
7	B	604	NAG	O5-C5-C6	-2.25	103.28	107.66
7	E	604	NAG	O4-C4-C5	2.06	114.41	109.32
7	B	604	NAG	O4-C4-C5	2.05	114.38	109.32
7	A	604	NAG	O4-C4-C5	2.04	114.36	109.32
7	B	604	NAG	O4-C4-C3	2.03	115.15	110.38
7	A	604	NAG	O4-C4-C3	2.02	115.14	110.38
7	E	604	NAG	O4-C4-C3	2.01	115.12	110.38

There are no chirality outliers.



All (9) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
7	A	604	NAG	O5-C5-C6-O6
7	B	604	NAG	O5-C5-C6-O6
7	E	604	NAG	O5-C5-C6-O6
7	A	604	NAG	C4-C5-C6-O6
7	B	604	NAG	C4-C5-C6-O6
7	E	604	NAG	C4-C5-C6-O6
7	B	605	NAG	O5-C5-C6-O6
7	A	605	NAG	O5-C5-C6-O6
7	E	605	NAG	O5-C5-C6-O6



There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20584. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 128



Y Index: 128



Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 135



Y Index: 116




Z Index: 138


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.9. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 96 nm³; this corresponds to an approximate mass of 87 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.286 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-20584 and PDB model 6TYS. Per-residue inclusion information can be found in section [3](#) on page [8](#).


9.1 Map-model overlay [i](#)



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.9 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 81% of all backbone atoms, 70% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.9) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6960	 0.4780
A	 0.7030	 0.4850
B	 0.7030	 0.4820
C	 0.7260	 0.4940
D	 0.7430	 0.4840
E	 0.7000	 0.4820
F	 0.7250	 0.4900
G	 0.7370	 0.4860
H	 0.7240	 0.4930
I	 0.0000	 0.1470
J	 0.3570	 0.3720
K	 0.0000	 0.1100
L	 0.7420	 0.4860
M	 0.1030	 0.2910
N	 0.0260	 0.1560
O	 0.3210	 0.3810
P	 0.0000	 0.1190
Q	 0.0770	 0.2710
R	 0.0260	 0.1590
S	 0.4290	 0.3840
T	 0.0000	 0.0860
U	 0.1030	 0.2850

