



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 12:25 AM UTC

PDB ID : 4TZ1 / pdb_00004tz1
Title : Ensemble refinement of the E502A variant of sacteLam55A from Streptomyces sp. SirexAA-E in complex with laminaritrifose
Authors : Bianchetti, C.M.; Takasuka, T.E.; Yik, E.J.; Bergeman, L.F.; Fox, B.G.
Deposited on : 2014-07-09
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



















Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	4037 (1.50-1.50)
Ramachandran outliers	187476	4153 (1.50-1.50)
Sidechain outliers	187428	4150 (1.50-1.50)
RSRZ outliers	180081	4039 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1-A	549	23% 96%
1	10-A	549	96%
1	11-A	549	96%
1	12-A	549	96%
1	13-A	549	96%
1	14-A	549	95% 5%
1	15-A	549	96%












Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	16-A	549	 96% .
1	17-A	549	 97% .
1	18-A	549	 96% .
1	19-A	549	 96% .
1	2-A	549	 96% .
1	20-A	549	 96% . .
1	21-A	549	 96% .
1	22-A	549	 96% .
1	23-A	549	 96% .
1	24-A	549	 96% .
1	25-A	549	 96% .
1	3-A	549	 95% .
1	4-A	549	 95% 5%
1	5-A	549	 96% .
1	6-A	549	 97% .
1	7-A	549	 97% . .
1	8-A	549	 96% .
1	9-A	549	 96% .
2	1-B	3	 100%
2	1-C	3	 100%
2	10-B	3	 100%
2	10-C	3	 100%
2	11-B	3	 100%
2	11-C	3	 100%
2	12-B	3	 100%








Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	12-C	3	 100%
2	13-B	3	 100%
2	13-C	3	 100%
2	14-B	3	 100%
2	14-C	3	 100%
2	15-B	3	 100%
2	15-C	3	 100%
2	16-B	3	 100%
2	16-C	3	 100%
2	17-B	3	 100%
2	17-C	3	 100%
2	18-B	3	 100%
2	18-C	3	 100%
2	19-B	3	 100%
2	19-C	3	 100%
2	2-B	3	 100%
2	2-C	3	 100%
2	20-B	3	 100%
2	20-C	3	 100%
2	21-B	3	 100%
2	21-C	3	 100%
2	22-B	3	 100%
2	22-C	3	 100%
2	23-B	3	 100%
2	23-C	3	 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	24-B	3	 100%
2	24-C	3	 100%
2	25-B	3	 100%
2	25-C	3	 100%
2	3-B	3	 100%
2	3-C	3	 100%
2	4-B	3	 100%
2	4-C	3	 100%
2	5-B	3	 100%
2	5-C	3	 100%
2	6-B	3	 100%
2	6-C	3	 100%
2	7-B	3	 100%
2	7-C	3	 100%
2	8-B	3	 100%
2	8-C	3	 100%
2	9-B	3	 100%
2	9-C	3	 100%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 211855 atoms, of which 97675 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative secreted protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	1-A	549	Total 8074	C 2629	H 3907	N 708	O 825	S 5	0	0	0
1	2-A	549	Total 8074	C 2629	H 3907	N 708	O 825	S 5	0	0	0
1	3-A	549	Total 8074	C 2629	H 3907	N 708	O 825	S 5	0	0	0
1	4-A	549	Total 8074	C 2629	H 3907	N 708	O 825	S 5	0	0	0
1	5-A	549	Total 8074	C 2629	H 3907	N 708	O 825	S 5	0	0	0
1	6-A	549	Total 8074	C 2629	H 3907	N 708	O 825	S 5	0	0	0
1	7-A	549	Total 8074	C 2629	H 3907	N 708	O 825	S 5	0	0	0
1	8-A	549	Total 8074	C 2629	H 3907	N 708	O 825	S 5	0	0	0
1	9-A	549	Total 8074	C 2629	H 3907	N 708	O 825	S 5	0	0	0
1	10-A	549	Total 8074	C 2629	H 3907	N 708	O 825	S 5	0	0	0
1	11-A	549	Total 8074	C 2629	H 3907	N 708	O 825	S 5	0	0	0
1	12-A	549	Total 8074	C 2629	H 3907	N 708	O 825	S 5	0	0	0
1	13-A	549	Total 8074	C 2629	H 3907	N 708	O 825	S 5	0	0	0
1	14-A	549	Total 8074	C 2629	H 3907	N 708	O 825	S 5	0	0	0
1	15-A	549	Total 8074	C 2629	H 3907	N 708	O 825	S 5	0	0	0
1	16-A	549	Total 8074	C 2629	H 3907	N 708	O 825	S 5	0	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	17-A	549	Total	C	H	N	O	S	0	0	0
			8074	2629	3907	708	825	5			
1	18-A	549	Total	C	H	N	O	S	0	0	0
			8074	2629	3907	708	825	5			
1	19-A	549	Total	C	H	N	O	S	0	0	0
			8074	2629	3907	708	825	5			
1	20-A	549	Total	C	H	N	O	S	0	0	0
			8074	2629	3907	708	825	5			
1	21-A	549	Total	C	H	N	O	S	0	0	0
			8074	2629	3907	708	825	5			
1	22-A	549	Total	C	H	N	O	S	0	0	0
			8074	2629	3907	708	825	5			
1	23-A	549	Total	C	H	N	O	S	0	0	0
			8074	2629	3907	708	825	5			
1	24-A	549	Total	C	H	N	O	S	0	0	0
			8074	2629	3907	708	825	5			
1	25-A	549	Total	C	H	N	O	S	0	0	0
			8074	2629	3907	708	825	5			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	502	ALA	GLU	engineered mutation	UNP G2NFIJ9

- Molecule 2 is an oligosaccharide called beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	1-B	3	Total	C	O	0	0	0
			34	18	16			
2	2-B	3	Total	C	O	0	0	0
			34	18	16			
2	3-B	3	Total	C	O	0	0	0
			34	18	16			
2	4-B	3	Total	C	O	0	0	0
			34	18	16			
2	5-B	3	Total	C	O	0	0	0
			34	18	16			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	6-B	3	Total	C	O	0	0	0
			34	18	16			
2	7-B	3	Total	C	O	0	0	0
			34	18	16			
2	8-B	3	Total	C	O	0	0	0
			34	18	16			
2	9-B	3	Total	C	O	0	0	0
			34	18	16			
2	10-B	3	Total	C	O	0	0	0
			34	18	16			
2	11-B	3	Total	C	O	0	0	0
			34	18	16			
2	12-B	3	Total	C	O	0	0	0
			34	18	16			
2	13-B	3	Total	C	O	0	0	0
			34	18	16			
2	14-B	3	Total	C	O	0	0	0
			34	18	16			
2	15-B	3	Total	C	O	0	0	0
			34	18	16			
2	16-B	3	Total	C	O	0	0	0
			34	18	16			
2	17-B	3	Total	C	O	0	0	0
			34	18	16			
2	18-B	3	Total	C	O	0	0	0
			34	18	16			
2	19-B	3	Total	C	O	0	0	0
			34	18	16			
2	20-B	3	Total	C	O	0	0	0
			34	18	16			
2	21-B	3	Total	C	O	0	0	0
			34	18	16			
2	22-B	3	Total	C	O	0	0	0
			34	18	16			
2	23-B	3	Total	C	O	0	0	0
			34	18	16			
2	24-B	3	Total	C	O	0	0	0
			34	18	16			
2	25-B	3	Total	C	O	0	0	0
			34	18	16			
2	1-C	3	Total	C	O	0	0	0
			34	18	16			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	2-C	3	Total	C	O	0	0	0
			34	18	16			
2	3-C	3	Total	C	O	0	0	0
			34	18	16			
2	4-C	3	Total	C	O	0	0	0
			34	18	16			
2	5-C	3	Total	C	O	0	0	0
			34	18	16			
2	6-C	3	Total	C	O	0	0	0
			34	18	16			
2	7-C	3	Total	C	O	0	0	0
			34	18	16			
2	8-C	3	Total	C	O	0	0	0
			34	18	16			
2	9-C	3	Total	C	O	0	0	0
			34	18	16			
2	10-C	3	Total	C	O	0	0	0
			34	18	16			
2	11-C	3	Total	C	O	0	0	0
			34	18	16			
2	12-C	3	Total	C	O	0	0	0
			34	18	16			
2	13-C	3	Total	C	O	0	0	0
			34	18	16			
2	14-C	3	Total	C	O	0	0	0
			34	18	16			
2	15-C	3	Total	C	O	0	0	0
			34	18	16			
2	16-C	3	Total	C	O	0	0	0
			34	18	16			
2	17-C	3	Total	C	O	0	0	0
			34	18	16			
2	18-C	3	Total	C	O	0	0	0
			34	18	16			
2	19-C	3	Total	C	O	0	0	0
			34	18	16			
2	20-C	3	Total	C	O	0	0	0
			34	18	16			
2	21-C	3	Total	C	O	0	0	0
			34	18	16			
2	22-C	3	Total	C	O	0	0	0
			34	18	16			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	23-C	3	Total	C	O	0	0	0
			34	18	16			
2	24-C	3	Total	C	O	0	0	0
			34	18	16			
2	25-C	3	Total	C	O	0	0	0
			34	18	16			

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	1-A	339	Total	O	0	0
			339	339		
3	2-A	332	Total	O	0	0
			332	332		
3	3-A	343	Total	O	0	0
			343	343		
3	4-A	342	Total	O	0	0
			342	342		
3	5-A	340	Total	O	0	0
			340	340		
3	6-A	340	Total	O	0	0
			340	340		
3	7-A	327	Total	O	0	0
			327	327		
3	8-A	329	Total	O	0	0
			329	329		
3	9-A	329	Total	O	0	0
			329	329		
3	10-A	321	Total	O	0	0
			321	321		
3	11-A	342	Total	O	0	0
			342	342		
3	12-A	315	Total	O	0	0
			315	315		
3	13-A	340	Total	O	0	0
			340	340		
3	14-A	327	Total	O	0	0
			327	327		
3	15-A	354	Total	O	0	0
			354	354		
3	16-A	335	Total	O	0	0
			335	335		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	17-A	333	Total 333	O 333	0	0
3	18-A	328	Total 328	O 328	0	0
3	19-A	320	Total 320	O 320	0	0
3	20-A	341	Total 341	O 341	0	0
3	21-A	321	Total 321	O 321	0	0
3	22-A	304	Total 304	O 304	0	0
3	23-A	341	Total 341	O 341	0	0
3	24-A	326	Total 326	O 326	0	0
3	25-A	336	Total 336	O 336	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Putative secreted protein




- Molecule 1: Putative secreted protein




- Molecule 1: Putative secreted protein




- Molecule 1: Putative secreted protein





- Molecule 1: Putative secreted protein

Chain 5-A:  96%




- Molecule 1: Putative secreted protein

Chain 6-A:  97%





- Molecule 1: Putative secreted protein

Chain 7-A:  97%





- Molecule 1: Putative secreted protein

Chain 8-A:  96%





- Molecule 1: Putative secreted protein

Chain 9-A:  96%





- Molecule 1: Putative secreted protein

Chain 10-A:  96%




- Molecule 1: Putative secreted protein

Chain 11-A:  96%





- Molecule 1: Putative secreted protein

Chain 12-A:  96% .




- Molecule 1: Putative secreted protein

Chain 13-A:  96% .




- Molecule 1: Putative secreted protein

Chain 14-A:  95% 5%





- Molecule 1: Putative secreted protein

Chain 15-A:  96% .





- Molecule 1: Putative secreted protein

Chain 16-A:  96% .




- Molecule 1: Putative secreted protein

Chain 17-A:  97% .




- Molecule 1: Putative secreted protein

Chain 18-A:  96% .





- Molecule 1: Putative secreted protein

Chain 19-A:  96% .




- Molecule 1: Putative secreted protein

Chain 20-A:  96% ..




- Molecule 1: Putative secreted protein

Chain 21-A:  96% .





- Molecule 1: Putative secreted protein

Chain 22-A:  96% .





- Molecule 1: Putative secreted protein

Chain 23-A:  96% .




- Molecule 1: Putative secreted protein

Chain 24-A:  96% .



- Molecule 1: Putative secreted protein

Chain 25-A:  96% .



- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranos e

Chain 1-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 1-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 2-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 2-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 3-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 3-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 4-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 4-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 5-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 5-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 6-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 6-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 7-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 7-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 8-B:  100%


BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 8-C:  100%


BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 9-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 9-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 10-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 10-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 11-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 11-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 12-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 12-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 13-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 13-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 14-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 14-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 15-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 15-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 16-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 16-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 17-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 17-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 18-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 18-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 19-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 19-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 20-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 20-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 21-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 21-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 22-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 22-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 23-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 23-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 24-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 24-C:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 25-B:  100%

BGC1
BGC2
BGC3

- Molecule 2: beta-D-glucopyranose-(1-3)-beta-D-glucopyranose-(1-3)-beta-D-glucopyranose

Chain 25-C:  100%

BGC1
BGC2
BGC3

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	49.77Å 100.19Å 53.86Å 90.00° 103.49° 90.00°	Depositor
Resolution (Å)	24.23 – 1.50 24.23 – 1.50	Depositor EDS
% Data completeness (in resolution range)	99.4 (24.23-1.50) 97.1 (24.23-1.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.02 (at 1.50Å)	Xtriage
Refinement program	PHENIX (phenix.ensemble_refinement: 1.9_1692)	Depositor
R, R_{free}	0.100 , 0.124 0.128 , 0.146	Depositor DCC
R_{free} test set	4085 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	14.1	Xtriage
Anisotropy	0.097	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.02 , 26.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	211855	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.65% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BGC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	1-A	0.21	0/4280	0.28	0/5848
1	2-A	0.21	0/4280	0.28	0/5848
1	3-A	0.21	0/4280	0.28	0/5848
1	4-A	0.21	0/4280	0.28	0/5848
1	5-A	0.21	0/4280	0.28	0/5848
1	6-A	0.21	0/4280	0.28	0/5848
1	7-A	0.21	0/4280	0.28	0/5848
1	8-A	0.21	0/4280	0.28	0/5848
1	9-A	0.21	0/4280	0.28	0/5848
1	10-A	0.21	0/4280	0.28	0/5848
1	11-A	0.21	0/4280	0.28	0/5848
1	12-A	0.21	0/4280	0.28	0/5848
1	13-A	0.21	0/4280	0.28	0/5848
1	14-A	0.21	0/4280	0.28	0/5848
1	15-A	0.21	0/4280	0.28	0/5848
1	16-A	0.21	0/4280	0.28	0/5848
1	17-A	0.21	0/4280	0.28	0/5848
1	18-A	0.21	0/4280	0.28	0/5848
1	19-A	0.21	0/4280	0.28	0/5848
1	20-A	0.21	0/4280	0.28	0/5848
1	21-A	0.21	0/4280	0.28	0/5848
1	22-A	0.21	0/4280	0.28	0/5848
1	23-A	0.21	0/4280	0.28	0/5848
1	24-A	0.21	0/4280	0.28	0/5848
1	25-A	0.21	0/4280	0.28	0/5848
All	All	0.21	0/107000	0.28	0/146200

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	1-A	0	1
1	2-A	0	1
1	3-A	0	1
1	4-A	0	2
1	7-A	0	2
1	9-A	0	1
1	10-A	0	1
1	11-A	0	2
1	13-A	0	2
1	14-A	0	2
1	15-A	0	1
1	18-A	0	1
1	20-A	0	2
1	21-A	0	1
1	23-A	0	2
1	25-A	0	2
All	All	0	24

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (24) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	1-A	57	GLU	Peptide
1	10-A	295	GLY	Peptide
1	11-A	274	ASP	Peptide
1	11-A	76	PRO	Peptide
1	13-A	272	ASP	Peptide
1	13-A	293	GLY	Peptide
1	14-A	193	GLY	Peptide
1	14-A	293	GLY	Peptide
1	15-A	314	ALA	Peptide
1	18-A	401	ALA	Peptide
1	2-A	126	LEU	Peptide
1	20-A	57	GLU	Peptide
1	20-A	66	PRO	Peptide
1	21-A	294	ASN	Peptide
1	23-A	312	PRO	Peptide
1	23-A	57	GLU	Peptide
1	25-A	272	ASP	Peptide
1	25-A	316	ALA	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	3-A	295	GLY	Peptide
1	4-A	295	GLY	Peptide
1	4-A	57	GLU	Peptide
1	7-A	272	ASP	Peptide
1	7-A	273	GLY	Peptide
1	9-A	296	THR	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1-A	4167	3907	3919	0	0
1	2-A	4167	3907	3919	0	0
1	3-A	4167	3907	3919	0	0
1	4-A	4167	3907	3919	0	0
1	5-A	4167	3907	3919	0	0
1	6-A	4167	3907	3919	0	0
1	7-A	4167	3907	3919	0	0
1	8-A	4167	3907	3919	0	0
1	9-A	4167	3907	3919	0	0
1	10-A	4167	3907	3919	0	0
1	11-A	4167	3907	3919	0	0
1	12-A	4167	3907	3919	0	0
1	13-A	4167	3907	3919	0	0
1	14-A	4167	3907	3919	0	0
1	15-A	4167	3907	3919	0	0
1	16-A	4167	3907	3919	0	0
1	17-A	4167	3907	3919	0	0
1	18-A	4167	3907	3919	0	0
1	19-A	4167	3907	3919	0	0
1	20-A	4167	3907	3919	0	0
1	21-A	4167	3907	3919	0	0
1	22-A	4167	3907	3919	0	0
1	23-A	4167	3907	3919	0	0
1	24-A	4167	3907	3919	0	0
1	25-A	4167	3907	3919	0	0
2	1-B	34	0	30	0	0
2	1-C	34	0	30	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	2-B	34	0	30	0	0
2	2-C	34	0	30	0	0
2	3-B	34	0	30	0	0
2	3-C	34	0	30	0	0
2	4-B	34	0	30	0	0
2	4-C	34	0	30	0	0
2	5-B	34	0	30	0	0
2	5-C	34	0	29	0	0
2	6-B	34	0	30	0	0
2	6-C	34	0	30	0	0
2	7-B	34	0	30	0	0
2	7-C	34	0	30	0	0
2	8-B	34	0	30	0	0
2	8-C	34	0	30	0	0
2	9-B	34	0	30	0	0
2	9-C	34	0	30	0	0
2	10-B	34	0	30	0	0
2	10-C	34	0	30	0	0
2	11-B	34	0	30	0	0
2	11-C	34	0	30	0	0
2	12-B	34	0	30	0	0
2	12-C	34	0	30	0	0
2	13-B	34	0	30	0	0
2	13-C	34	0	30	0	0
2	14-B	34	0	30	0	0
2	14-C	34	0	30	0	0
2	15-B	34	0	30	0	0
2	15-C	34	0	30	0	0
2	16-B	34	0	30	0	0
2	16-C	34	0	30	0	0
2	17-B	34	0	30	0	0
2	17-C	34	0	30	0	0
2	18-B	34	0	30	0	0
2	18-C	34	0	29	0	0
2	19-B	34	0	30	0	0
2	19-C	34	0	30	0	0
2	20-B	34	0	30	0	0
2	20-C	34	0	30	0	0
2	21-B	34	0	30	0	0
2	21-C	34	0	29	0	0
2	22-B	34	0	30	0	0
2	22-C	34	0	30	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	23-B	34	0	30	0	0
2	23-C	34	0	30	0	0
2	24-B	34	0	30	0	0
2	24-C	34	0	30	0	0
2	25-B	34	0	30	0	0
2	25-C	34	0	30	0	0
3	1-A	339	0	0	0	0
3	2-A	332	0	0	0	0
3	3-A	343	0	0	0	0
3	4-A	342	0	0	0	0
3	5-A	340	0	0	0	0
3	6-A	340	0	0	0	0
3	7-A	327	0	0	0	0
3	8-A	329	0	0	0	0
3	9-A	329	0	0	0	0
3	10-A	321	0	0	0	0
3	11-A	342	0	0	0	0
3	12-A	315	0	0	0	0
3	13-A	340	0	0	0	0
3	14-A	327	0	0	0	0
3	15-A	354	0	0	0	0
3	16-A	335	0	0	0	0
3	17-A	333	0	0	0	0
3	18-A	328	0	0	0	0
3	19-A	320	0	0	0	0
3	20-A	341	0	0	0	0
3	21-A	321	0	0	0	0
3	22-A	304	0	0	0	0
3	23-A	341	0	0	0	0
3	24-A	326	0	0	0	0
3	25-A	336	0	0	0	0
All	All	114180	97675	99472	0	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). Clashscore could not be calculated for this entry.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1-A	547/549 (100%)	510 (93%)	31 (6%)	6 (1%)	11	2
1	2-A	547/549 (100%)	515 (94%)	28 (5%)	4 (1%)	18	5
1	3-A	547/549 (100%)	513 (94%)	27 (5%)	7 (1%)	9	1
1	4-A	547/549 (100%)	510 (93%)	31 (6%)	6 (1%)	11	2
1	5-A	547/549 (100%)	516 (94%)	26 (5%)	5 (1%)	14	3
1	6-A	547/549 (100%)	509 (93%)	37 (7%)	1 (0%)	43	22
1	7-A	547/549 (100%)	517 (94%)	28 (5%)	2 (0%)	30	12
1	8-A	547/549 (100%)	513 (94%)	31 (6%)	3 (0%)	24	8
1	9-A	547/549 (100%)	514 (94%)	28 (5%)	5 (1%)	14	3
1	10-A	547/549 (100%)	512 (94%)	30 (6%)	5 (1%)	14	3
1	11-A	547/549 (100%)	512 (94%)	32 (6%)	3 (0%)	24	8
1	12-A	547/549 (100%)	517 (94%)	25 (5%)	5 (1%)	14	3
1	13-A	547/549 (100%)	513 (94%)	32 (6%)	2 (0%)	30	12
1	14-A	547/549 (100%)	509 (93%)	31 (6%)	7 (1%)	9	1
1	15-A	547/549 (100%)	513 (94%)	31 (6%)	3 (0%)	24	8
1	16-A	547/549 (100%)	510 (93%)	33 (6%)	4 (1%)	18	5
1	17-A	547/549 (100%)	513 (94%)	32 (6%)	2 (0%)	30	12
1	18-A	547/549 (100%)	507 (93%)	36 (7%)	4 (1%)	18	5
1	19-A	547/549 (100%)	511 (93%)	29 (5%)	7 (1%)	9	1
1	20-A	547/549 (100%)	508 (93%)	32 (6%)	7 (1%)	9	1
1	21-A	547/549 (100%)	509 (93%)	33 (6%)	5 (1%)	14	3
1	22-A	547/549 (100%)	514 (94%)	27 (5%)	6 (1%)	11	2
1	23-A	547/549 (100%)	510 (93%)	31 (6%)	6 (1%)	11	2
1	24-A	547/549 (100%)	512 (94%)	30 (6%)	5 (1%)	14	3
1	25-A	547/549 (100%)	510 (93%)	31 (6%)	6 (1%)	11	2

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	13675/13725 (100%)	12797 (94%)	762 (6%)	116 (1%)	16 4

All (116) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	1-A	58	VAL
1	1-A	194	TYR
1	3-A	400	GLY
1	4-A	77	ASP
1	5-A	80	GLY
1	5-A	81	LYS
1	7-A	58	VAL
1	9-A	63	ASP
1	9-A	296	THR
1	10-A	77	ASP
1	11-A	77	ASP
1	14-A	316	ALA
1	15-A	77	ASP
1	16-A	293	GLY
1	18-A	77	ASP
1	20-A	60	GLY
1	20-A	282	ALA
1	21-A	295	GLY
1	21-A	296	THR
1	22-A	312	PRO
1	23-A	296	THR
1	25-A	274	ASP
1	1-A	83	ASP
1	1-A	273	GLY
1	1-A	295	GLY
1	2-A	314	ALA
1	2-A	516	GLY
1	3-A	193	GLY
1	3-A	233	VAL
1	3-A	324	ASP
1	5-A	273	GLY
1	8-A	74	SER
1	9-A	61	GLY
1	18-A	399	ASP
1	19-A	194	TYR
1	19-A	274	ASP
1	19-A	295	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	20-A	283	LYS
1	22-A	246	ALA
1	22-A	273	GLY
1	24-A	64	LEU
1	24-A	293	GLY
1	25-A	77	ASP
1	25-A	317	GLU
1	25-A	516	GLY
1	4-A	195	GLY
1	4-A	312	PRO
1	5-A	77	ASP
1	9-A	74	SER
1	10-A	272	ASP
1	10-A	297	PRO
1	10-A	401	ALA
1	14-A	63	ASP
1	14-A	66	PRO
1	14-A	145	ASP
1	14-A	399	ASP
1	15-A	312	PRO
1	15-A	402	SER
1	16-A	297	PRO
1	19-A	61	GLY
1	21-A	59	VAL
1	21-A	401	ALA
1	23-A	77	ASP
1	23-A	272	ASP
1	24-A	273	GLY
1	24-A	294	ASN
1	24-A	312	PRO
1	25-A	73	PRO
1	3-A	312	PRO
1	4-A	286	ASN
1	12-A	296	THR
1	16-A	73	PRO
1	17-A	399	ASP
1	18-A	449	ASP
1	23-A	76	PRO
1	23-A	297	PRO
1	3-A	192	ASP
1	5-A	314	ALA
1	6-A	312	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	7-A	296	THR
1	8-A	297	PRO
1	13-A	61	GLY
1	16-A	76	PRO
1	19-A	73	PRO
1	20-A	296	THR
1	22-A	296	THR
1	8-A	251	GLU
1	9-A	312	PRO
1	11-A	145	ASP
1	12-A	297	PRO
1	12-A	317	GLU
1	12-A	498	PHE
1	17-A	296	THR
1	18-A	314	ALA
1	20-A	324	ASP
1	20-A	498	PHE
1	21-A	73	PRO
1	22-A	498	PHE
1	10-A	295	GLY
1	25-A	293	GLY
1	2-A	233	VAL
1	3-A	76	PRO
1	13-A	76	PRO
1	14-A	312	PRO
1	2-A	273	GLY
1	4-A	297	PRO
1	14-A	251	GLU
1	19-A	78	ILE
1	20-A	75	THR
1	23-A	233	VAL
1	11-A	233	VAL
1	19-A	75	THR
1	22-A	73	PRO
1	4-A	233	VAL
1	12-A	312	PRO
1	1-A	250	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	2-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	3-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	4-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	5-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	6-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	7-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	8-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	9-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	10-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	11-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	12-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	13-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	14-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	15-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	16-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	17-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	18-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	19-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	20-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	21-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	22-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	23-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	24-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
1	25-A	436/436 (100%)	418 (96%)	18 (4%)	27	5
All	All	10900/10900 (100%)	10450 (96%)	450 (4%)	27	5

All (450) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	1-A	58	VAL
1	1-A	59	VAL
1	1-A	64	LEU
1	1-A	78	ILE
1	1-A	180	ARG
1	1-A	236	MET
1	1-A	272	ASP
1	1-A	274	ASP
1	1-A	283	LYS
1	1-A	285	THR
1	1-A	296	THR
1	1-A	304	LEU
1	1-A	305	ASP
1	1-A	324	ASP
1	1-A	506	ASP
1	1-A	554	HIS
1	1-A	570	LEU
1	1-A	586	ASP
1	2-A	58	VAL
1	2-A	59	VAL
1	2-A	64	LEU
1	2-A	78	ILE
1	2-A	180	ARG
1	2-A	236	MET
1	2-A	272	ASP
1	2-A	274	ASP
1	2-A	283	LYS
1	2-A	285	THR
1	2-A	296	THR
1	2-A	304	LEU
1	2-A	305	ASP
1	2-A	324	ASP
1	2-A	506	ASP
1	2-A	554	HIS
1	2-A	570	LEU
1	2-A	586	ASP
1	3-A	58	VAL
1	3-A	59	VAL
1	3-A	64	LEU
1	3-A	78	ILE
1	3-A	180	ARG
1	3-A	236	MET
1	3-A	272	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	3-A	274	ASP
1	3-A	283	LYS
1	3-A	285	THR
1	3-A	296	THR
1	3-A	304	LEU
1	3-A	305	ASP
1	3-A	324	ASP
1	3-A	506	ASP
1	3-A	554	HIS
1	3-A	570	LEU
1	3-A	586	ASP
1	4-A	58	VAL
1	4-A	59	VAL
1	4-A	64	LEU
1	4-A	78	ILE
1	4-A	180	ARG
1	4-A	236	MET
1	4-A	272	ASP
1	4-A	274	ASP
1	4-A	283	LYS
1	4-A	285	THR
1	4-A	296	THR
1	4-A	304	LEU
1	4-A	305	ASP
1	4-A	324	ASP
1	4-A	506	ASP
1	4-A	554	HIS
1	4-A	570	LEU
1	4-A	586	ASP
1	5-A	58	VAL
1	5-A	59	VAL
1	5-A	64	LEU
1	5-A	78	ILE
1	5-A	180	ARG
1	5-A	236	MET
1	5-A	272	ASP
1	5-A	274	ASP
1	5-A	283	LYS
1	5-A	285	THR
1	5-A	296	THR
1	5-A	304	LEU
1	5-A	305	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	5-A	324	ASP
1	5-A	506	ASP
1	5-A	554	HIS
1	5-A	570	LEU
1	5-A	586	ASP
1	6-A	58	VAL
1	6-A	59	VAL
1	6-A	64	LEU
1	6-A	78	ILE
1	6-A	180	ARG
1	6-A	236	MET
1	6-A	272	ASP
1	6-A	274	ASP
1	6-A	283	LYS
1	6-A	285	THR
1	6-A	296	THR
1	6-A	304	LEU
1	6-A	305	ASP
1	6-A	324	ASP
1	6-A	506	ASP
1	6-A	554	HIS
1	6-A	570	LEU
1	6-A	586	ASP
1	7-A	58	VAL
1	7-A	59	VAL
1	7-A	64	LEU
1	7-A	78	ILE
1	7-A	180	ARG
1	7-A	236	MET
1	7-A	272	ASP
1	7-A	274	ASP
1	7-A	283	LYS
1	7-A	285	THR
1	7-A	296	THR
1	7-A	304	LEU
1	7-A	305	ASP
1	7-A	324	ASP
1	7-A	506	ASP
1	7-A	554	HIS
1	7-A	570	LEU
1	7-A	586	ASP
1	8-A	58	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	8-A	59	VAL
1	8-A	64	LEU
1	8-A	78	ILE
1	8-A	180	ARG
1	8-A	236	MET
1	8-A	272	ASP
1	8-A	274	ASP
1	8-A	283	LYS
1	8-A	285	THR
1	8-A	296	THR
1	8-A	304	LEU
1	8-A	305	ASP
1	8-A	324	ASP
1	8-A	506	ASP
1	8-A	554	HIS
1	8-A	570	LEU
1	8-A	586	ASP
1	9-A	58	VAL
1	9-A	59	VAL
1	9-A	64	LEU
1	9-A	78	ILE
1	9-A	180	ARG
1	9-A	236	MET
1	9-A	272	ASP
1	9-A	274	ASP
1	9-A	283	LYS
1	9-A	285	THR
1	9-A	296	THR
1	9-A	304	LEU
1	9-A	305	ASP
1	9-A	324	ASP
1	9-A	506	ASP
1	9-A	554	HIS
1	9-A	570	LEU
1	9-A	586	ASP
1	10-A	58	VAL
1	10-A	59	VAL
1	10-A	64	LEU
1	10-A	78	ILE
1	10-A	180	ARG
1	10-A	236	MET
1	10-A	272	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	10-A	274	ASP
1	10-A	283	LYS
1	10-A	285	THR
1	10-A	296	THR
1	10-A	304	LEU
1	10-A	305	ASP
1	10-A	324	ASP
1	10-A	506	ASP
1	10-A	554	HIS
1	10-A	570	LEU
1	10-A	586	ASP
1	11-A	58	VAL
1	11-A	59	VAL
1	11-A	64	LEU
1	11-A	78	ILE
1	11-A	180	ARG
1	11-A	236	MET
1	11-A	272	ASP
1	11-A	274	ASP
1	11-A	283	LYS
1	11-A	285	THR
1	11-A	296	THR
1	11-A	304	LEU
1	11-A	305	ASP
1	11-A	324	ASP
1	11-A	506	ASP
1	11-A	554	HIS
1	11-A	570	LEU
1	11-A	586	ASP
1	12-A	58	VAL
1	12-A	59	VAL
1	12-A	64	LEU
1	12-A	78	ILE
1	12-A	180	ARG
1	12-A	236	MET
1	12-A	272	ASP
1	12-A	274	ASP
1	12-A	283	LYS
1	12-A	285	THR
1	12-A	296	THR
1	12-A	304	LEU
1	12-A	305	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	12-A	324	ASP
1	12-A	506	ASP
1	12-A	554	HIS
1	12-A	570	LEU
1	12-A	586	ASP
1	13-A	58	VAL
1	13-A	59	VAL
1	13-A	64	LEU
1	13-A	78	ILE
1	13-A	180	ARG
1	13-A	236	MET
1	13-A	272	ASP
1	13-A	274	ASP
1	13-A	283	LYS
1	13-A	285	THR
1	13-A	296	THR
1	13-A	304	LEU
1	13-A	305	ASP
1	13-A	324	ASP
1	13-A	506	ASP
1	13-A	554	HIS
1	13-A	570	LEU
1	13-A	586	ASP
1	14-A	58	VAL
1	14-A	59	VAL
1	14-A	64	LEU
1	14-A	78	ILE
1	14-A	180	ARG
1	14-A	236	MET
1	14-A	272	ASP
1	14-A	274	ASP
1	14-A	283	LYS
1	14-A	285	THR
1	14-A	296	THR
1	14-A	304	LEU
1	14-A	305	ASP
1	14-A	324	ASP
1	14-A	506	ASP
1	14-A	554	HIS
1	14-A	570	LEU
1	14-A	586	ASP
1	15-A	58	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	15-A	59	VAL
1	15-A	64	LEU
1	15-A	78	ILE
1	15-A	180	ARG
1	15-A	236	MET
1	15-A	272	ASP
1	15-A	274	ASP
1	15-A	283	LYS
1	15-A	285	THR
1	15-A	296	THR
1	15-A	304	LEU
1	15-A	305	ASP
1	15-A	324	ASP
1	15-A	506	ASP
1	15-A	554	HIS
1	15-A	570	LEU
1	15-A	586	ASP
1	16-A	58	VAL
1	16-A	59	VAL
1	16-A	64	LEU
1	16-A	78	ILE
1	16-A	180	ARG
1	16-A	236	MET
1	16-A	272	ASP
1	16-A	274	ASP
1	16-A	283	LYS
1	16-A	285	THR
1	16-A	296	THR
1	16-A	304	LEU
1	16-A	305	ASP
1	16-A	324	ASP
1	16-A	506	ASP
1	16-A	554	HIS
1	16-A	570	LEU
1	16-A	586	ASP
1	17-A	58	VAL
1	17-A	59	VAL
1	17-A	64	LEU
1	17-A	78	ILE
1	17-A	180	ARG
1	17-A	236	MET
1	17-A	272	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	17-A	274	ASP
1	17-A	283	LYS
1	17-A	285	THR
1	17-A	296	THR
1	17-A	304	LEU
1	17-A	305	ASP
1	17-A	324	ASP
1	17-A	506	ASP
1	17-A	554	HIS
1	17-A	570	LEU
1	17-A	586	ASP
1	18-A	58	VAL
1	18-A	59	VAL
1	18-A	64	LEU
1	18-A	78	ILE
1	18-A	180	ARG
1	18-A	236	MET
1	18-A	272	ASP
1	18-A	274	ASP
1	18-A	283	LYS
1	18-A	285	THR
1	18-A	296	THR
1	18-A	304	LEU
1	18-A	305	ASP
1	18-A	324	ASP
1	18-A	506	ASP
1	18-A	554	HIS
1	18-A	570	LEU
1	18-A	586	ASP
1	19-A	58	VAL
1	19-A	59	VAL
1	19-A	64	LEU
1	19-A	78	ILE
1	19-A	180	ARG
1	19-A	236	MET
1	19-A	272	ASP
1	19-A	274	ASP
1	19-A	283	LYS
1	19-A	285	THR
1	19-A	296	THR
1	19-A	304	LEU
1	19-A	305	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	19-A	324	ASP
1	19-A	506	ASP
1	19-A	554	HIS
1	19-A	570	LEU
1	19-A	586	ASP
1	20-A	58	VAL
1	20-A	59	VAL
1	20-A	64	LEU
1	20-A	78	ILE
1	20-A	180	ARG
1	20-A	236	MET
1	20-A	272	ASP
1	20-A	274	ASP
1	20-A	283	LYS
1	20-A	285	THR
1	20-A	296	THR
1	20-A	304	LEU
1	20-A	305	ASP
1	20-A	324	ASP
1	20-A	506	ASP
1	20-A	554	HIS
1	20-A	570	LEU
1	20-A	586	ASP
1	21-A	58	VAL
1	21-A	59	VAL
1	21-A	64	LEU
1	21-A	78	ILE
1	21-A	180	ARG
1	21-A	236	MET
1	21-A	272	ASP
1	21-A	274	ASP
1	21-A	283	LYS
1	21-A	285	THR
1	21-A	296	THR
1	21-A	304	LEU
1	21-A	305	ASP
1	21-A	324	ASP
1	21-A	506	ASP
1	21-A	554	HIS
1	21-A	570	LEU
1	21-A	586	ASP
1	22-A	58	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	22-A	59	VAL
1	22-A	64	LEU
1	22-A	78	ILE
1	22-A	180	ARG
1	22-A	236	MET
1	22-A	272	ASP
1	22-A	274	ASP
1	22-A	283	LYS
1	22-A	285	THR
1	22-A	296	THR
1	22-A	304	LEU
1	22-A	305	ASP
1	22-A	324	ASP
1	22-A	506	ASP
1	22-A	554	HIS
1	22-A	570	LEU
1	22-A	586	ASP
1	23-A	58	VAL
1	23-A	59	VAL
1	23-A	64	LEU
1	23-A	78	ILE
1	23-A	180	ARG
1	23-A	236	MET
1	23-A	272	ASP
1	23-A	274	ASP
1	23-A	283	LYS
1	23-A	285	THR
1	23-A	296	THR
1	23-A	304	LEU
1	23-A	305	ASP
1	23-A	324	ASP
1	23-A	506	ASP
1	23-A	554	HIS
1	23-A	570	LEU
1	23-A	586	ASP
1	24-A	58	VAL
1	24-A	59	VAL
1	24-A	64	LEU
1	24-A	78	ILE
1	24-A	180	ARG
1	24-A	236	MET
1	24-A	272	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	24-A	274	ASP
1	24-A	283	LYS
1	24-A	285	THR
1	24-A	296	THR
1	24-A	304	LEU
1	24-A	305	ASP
1	24-A	324	ASP
1	24-A	506	ASP
1	24-A	554	HIS
1	24-A	570	LEU
1	24-A	586	ASP
1	25-A	58	VAL
1	25-A	59	VAL
1	25-A	64	LEU
1	25-A	78	ILE
1	25-A	180	ARG
1	25-A	236	MET
1	25-A	272	ASP
1	25-A	274	ASP
1	25-A	283	LYS
1	25-A	285	THR
1	25-A	296	THR
1	25-A	304	LEU
1	25-A	305	ASP
1	25-A	324	ASP
1	25-A	506	ASP
1	25-A	554	HIS
1	25-A	570	LEU
1	25-A	586	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (164) such sidechains are listed below:

Mol	Chain	Res	Type
1	1-A	114	GLN
1	1-A	434	ASN
1	1-A	493	ASN
1	1-A	501	ASN
1	1-A	579	GLN
1	2-A	79	GLN
1	2-A	89	GLN
1	2-A	127	ASN
1	2-A	325	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2-A	434	ASN
1	2-A	579	GLN
1	3-A	127	ASN
1	3-A	217	GLN
1	3-A	340	GLN
1	3-A	493	ASN
1	3-A	501	ASN
1	3-A	579	GLN
1	4-A	93	GLN
1	4-A	127	ASN
1	4-A	158	ASN
1	4-A	340	GLN
1	4-A	348	ASN
1	4-A	434	ASN
1	4-A	579	GLN
1	5-A	109	ASN
1	5-A	134	ASN
1	5-A	158	ASN
1	5-A	162	ASN
1	5-A	294	ASN
1	5-A	325	GLN
1	5-A	545	ASN
1	5-A	553	GLN
1	5-A	579	GLN
1	6-A	93	GLN
1	6-A	150	GLN
1	6-A	408	ASN
1	6-A	434	ASN
1	6-A	466	HIS
1	6-A	579	GLN
1	7-A	93	GLN
1	7-A	340	GLN
1	7-A	466	HIS
1	7-A	579	GLN
1	8-A	165	ASN
1	8-A	217	GLN
1	8-A	306	GLN
1	8-A	501	ASN
1	9-A	79	GLN
1	9-A	93	GLN
1	9-A	150	GLN
1	9-A	217	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	9-A	306	GLN
1	9-A	325	GLN
1	9-A	471	ASN
1	9-A	493	ASN
1	9-A	514	GLN
1	9-A	553	GLN
1	9-A	579	GLN
1	10-A	471	ASN
1	10-A	501	ASN
1	10-A	579	GLN
1	11-A	114	GLN
1	11-A	150	GLN
1	11-A	158	ASN
1	11-A	471	ASN
1	11-A	501	ASN
1	11-A	514	GLN
1	11-A	579	GLN
1	12-A	93	GLN
1	12-A	109	ASN
1	12-A	127	ASN
1	12-A	134	ASN
1	12-A	150	GLN
1	12-A	162	ASN
1	12-A	306	GLN
1	12-A	348	ASN
1	12-A	501	ASN
1	12-A	557	GLN
1	12-A	579	GLN
1	13-A	114	GLN
1	13-A	231	ASN
1	13-A	306	GLN
1	13-A	340	GLN
1	13-A	408	ASN
1	13-A	493	ASN
1	13-A	501	ASN
1	13-A	579	GLN
1	13-A	582	HIS
1	14-A	93	GLN
1	14-A	114	GLN
1	14-A	231	ASN
1	14-A	515	ASN
1	14-A	579	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	14-A	600	GLN
1	15-A	93	GLN
1	15-A	109	ASN
1	15-A	150	GLN
1	15-A	231	ASN
1	15-A	286	ASN
1	15-A	325	GLN
1	15-A	501	ASN
1	15-A	579	GLN
1	15-A	582	HIS
1	16-A	127	ASN
1	16-A	217	GLN
1	16-A	501	ASN
1	16-A	579	GLN
1	17-A	67	ASN
1	17-A	217	GLN
1	17-A	554	HIS
1	17-A	579	GLN
1	18-A	93	GLN
1	18-A	127	ASN
1	18-A	325	GLN
1	18-A	340	GLN
1	18-A	579	GLN
1	19-A	89	GLN
1	19-A	92	ASN
1	19-A	165	ASN
1	19-A	434	ASN
1	19-A	501	ASN
1	19-A	514	GLN
1	19-A	579	GLN
1	20-A	114	GLN
1	20-A	217	GLN
1	20-A	325	GLN
1	20-A	408	ASN
1	20-A	481	HIS
1	20-A	501	ASN
1	20-A	579	GLN
1	21-A	127	ASN
1	21-A	325	GLN
1	21-A	363	ASN
1	21-A	488	GLN
1	21-A	579	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	21-A	600	GLN
1	22-A	93	GLN
1	22-A	127	ASN
1	22-A	306	GLN
1	22-A	340	GLN
1	23-A	112	ASN
1	23-A	165	ASN
1	23-A	217	GLN
1	23-A	340	GLN
1	23-A	408	ASN
1	23-A	501	ASN
1	23-A	579	GLN
1	24-A	286	ASN
1	24-A	340	GLN
1	24-A	471	ASN
1	24-A	488	GLN
1	24-A	514	GLN
1	24-A	557	GLN
1	24-A	579	GLN
1	25-A	93	GLN
1	25-A	112	ASN
1	25-A	150	GLN
1	25-A	217	GLN
1	25-A	325	GLN
1	25-A	434	ASN
1	25-A	501	ASN
1	25-A	547	ASN
1	25-A	579	GLN
1	25-A	600	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

150 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	BGC	1-B	1	2	12,12,12	2.04	3 (25%)	17,17,17	1.22	2 (11%)
2	BGC	1-B	2	2	11,11,12	2.57	5 (45%)	15,15,17	1.64	2 (13%)
2	BGC	1-B	3	2	11,11,12	2.45	5 (45%)	15,15,17	1.37	2 (13%)
2	BGC	1-C	1	2	12,12,12	2.54	6 (50%)	17,17,17	2.07	6 (35%)
2	BGC	1-C	2	2	11,11,12	3.03	6 (54%)	15,15,17	2.09	3 (20%)
2	BGC	1-C	3	2	11,11,12	2.94	4 (36%)	15,15,17	1.36	2 (13%)
2	BGC	10-B	1	2	12,12,12	2.04	3 (25%)	17,17,17	1.13	1 (5%)
2	BGC	10-B	2	2	11,11,12	2.54	5 (45%)	15,15,17	1.52	2 (13%)
2	BGC	10-B	3	2	11,11,12	2.63	4 (36%)	15,15,17	1.33	3 (20%)
2	BGC	10-C	1	2	12,12,12	2.34	5 (41%)	17,17,17	1.37	3 (17%)
2	BGC	10-C	2	2	11,11,12	3.08	6 (54%)	15,15,17	1.87	3 (20%)
2	BGC	10-C	3	2	11,11,12	2.88	4 (36%)	15,15,17	1.43	2 (13%)
2	BGC	11-B	1	2	12,12,12	1.99	4 (33%)	17,17,17	1.57	2 (11%)
2	BGC	11-B	2	2	11,11,12	2.52	4 (36%)	15,15,17	1.43	2 (13%)
2	BGC	11-B	3	2	11,11,12	2.50	5 (45%)	15,15,17	1.35	2 (13%)
2	BGC	11-C	1	2	12,12,12	2.39	5 (41%)	17,17,17	1.38	0
2	BGC	11-C	2	2	11,11,12	3.11	6 (54%)	15,15,17	1.80	7 (46%)
2	BGC	11-C	3	2	11,11,12	2.99	6 (54%)	15,15,17	1.39	3 (20%)
2	BGC	12-B	1	2	12,12,12	2.01	4 (33%)	17,17,17	1.14	1 (5%)
2	BGC	12-B	2	2	11,11,12	2.48	4 (36%)	15,15,17	1.76	4 (26%)
2	BGC	12-B	3	2	11,11,12	2.60	4 (36%)	15,15,17	1.43	2 (13%)
2	BGC	12-C	1	2	12,12,12	2.44	6 (50%)	17,17,17	1.31	3 (17%)
2	BGC	12-C	2	2	11,11,12	2.94	5 (45%)	15,15,17	1.44	3 (20%)
2	BGC	12-C	3	2	11,11,12	2.90	4 (36%)	15,15,17	1.64	3 (20%)
2	BGC	13-B	1	2	12,12,12	2.14	3 (25%)	17,17,17	1.16	2 (11%)
2	BGC	13-B	2	2	11,11,12	2.44	4 (36%)	15,15,17	1.78	4 (26%)
2	BGC	13-B	3	2	11,11,12	2.50	5 (45%)	15,15,17	1.30	2 (13%)
2	BGC	13-C	1	2	12,12,12	2.10	4 (33%)	17,17,17	1.98	6 (35%)
2	BGC	13-C	2	2	11,11,12	3.00	5 (45%)	15,15,17	1.63	3 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	BGC	13-C	3	2	11,11,12	2.99	4 (36%)	15,15,17	1.17	2 (13%)
2	BGC	14-B	1	2	12,12,12	2.01	4 (33%)	17,17,17	1.37	1 (5%)
2	BGC	14-B	2	2	11,11,12	2.45	4 (36%)	15,15,17	1.53	2 (13%)
2	BGC	14-B	3	2	11,11,12	2.59	4 (36%)	15,15,17	1.31	2 (13%)
2	BGC	14-C	1	2	12,12,12	2.35	5 (41%)	17,17,17	2.58	8 (47%)
2	BGC	14-C	2	2	11,11,12	3.07	7 (63%)	15,15,17	1.19	1 (6%)
2	BGC	14-C	3	2	11,11,12	2.96	4 (36%)	15,15,17	1.54	2 (13%)
2	BGC	15-B	1	2	12,12,12	2.03	3 (25%)	17,17,17	1.26	1 (5%)
2	BGC	15-B	2	2	11,11,12	2.64	5 (45%)	15,15,17	1.60	2 (13%)
2	BGC	15-B	3	2	11,11,12	2.54	5 (45%)	15,15,17	1.41	2 (13%)
2	BGC	15-C	1	2	12,12,12	2.47	5 (41%)	17,17,17	2.77	11 (64%)
2	BGC	15-C	2	2	11,11,12	3.03	6 (54%)	15,15,17	1.71	3 (20%)
2	BGC	15-C	3	2	11,11,12	3.03	5 (45%)	15,15,17	1.80	5 (33%)
2	BGC	16-B	1	2	12,12,12	1.99	3 (25%)	17,17,17	1.31	1 (5%)
2	BGC	16-B	2	2	11,11,12	2.48	4 (36%)	15,15,17	1.44	2 (13%)
2	BGC	16-B	3	2	11,11,12	2.55	6 (54%)	15,15,17	1.58	2 (13%)
2	BGC	16-C	1	2	12,12,12	2.50	6 (50%)	17,17,17	1.80	4 (23%)
2	BGC	16-C	2	2	11,11,12	3.29	6 (54%)	15,15,17	1.67	3 (20%)
2	BGC	16-C	3	2	11,11,12	2.96	4 (36%)	15,15,17	1.35	2 (13%)
2	BGC	17-B	1	2	12,12,12	2.03	3 (25%)	17,17,17	1.27	1 (5%)
2	BGC	17-B	2	2	11,11,12	2.52	5 (45%)	15,15,17	1.58	3 (20%)
2	BGC	17-B	3	2	11,11,12	2.60	4 (36%)	15,15,17	1.61	3 (20%)
2	BGC	17-C	1	2	12,12,12	2.51	5 (41%)	17,17,17	2.37	7 (41%)
2	BGC	17-C	2	2	11,11,12	2.96	5 (45%)	15,15,17	1.60	3 (20%)
2	BGC	17-C	3	2	11,11,12	2.95	4 (36%)	15,15,17	1.50	4 (26%)
2	BGC	18-B	1	2	12,12,12	2.14	3 (25%)	17,17,17	1.23	1 (5%)
2	BGC	18-B	2	2	11,11,12	2.65	5 (45%)	15,15,17	1.53	2 (13%)
2	BGC	18-B	3	2	11,11,12	2.46	5 (45%)	15,15,17	1.39	2 (13%)
2	BGC	18-C	1	2	12,12,12	2.65	4 (33%)	17,17,17	2.43	8 (47%)
2	BGC	18-C	2	2	11,11,12	2.89	6 (54%)	15,15,17	1.85	2 (13%)
2	BGC	18-C	3	2	11,11,12	2.98	4 (36%)	15,15,17	1.25	2 (13%)
2	BGC	19-B	1	2	12,12,12	2.10	4 (33%)	17,17,17	1.33	2 (11%)
2	BGC	19-B	2	2	11,11,12	2.55	4 (36%)	15,15,17	1.53	2 (13%)
2	BGC	19-B	3	2	11,11,12	2.53	4 (36%)	15,15,17	1.37	2 (13%)
2	BGC	19-C	1	2	12,12,12	2.23	5 (41%)	17,17,17	1.32	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	BGC	19-C	2	2	11,11,12	3.05	6 (54%)	15,15,17	1.24	4 (26%)
2	BGC	19-C	3	2	11,11,12	2.95	4 (36%)	15,15,17	1.38	2 (13%)
2	BGC	2-B	1	2	12,12,12	2.10	3 (25%)	17,17,17	1.10	1 (5%)
2	BGC	2-B	2	2	11,11,12	2.57	5 (45%)	15,15,17	1.59	3 (20%)
2	BGC	2-B	3	2	11,11,12	2.57	4 (36%)	15,15,17	1.34	1 (6%)
2	BGC	2-C	1	2	12,12,12	2.58	5 (41%)	17,17,17	3.22	7 (41%)
2	BGC	2-C	2	2	11,11,12	3.18	7 (63%)	15,15,17	1.01	0
2	BGC	2-C	3	2	11,11,12	2.92	4 (36%)	15,15,17	1.47	2 (13%)
2	BGC	20-B	1	2	12,12,12	2.05	3 (25%)	17,17,17	1.09	0
2	BGC	20-B	2	2	11,11,12	2.54	5 (45%)	15,15,17	1.40	2 (13%)
2	BGC	20-B	3	2	11,11,12	2.57	4 (36%)	15,15,17	1.57	3 (20%)
2	BGC	20-C	1	2	12,12,12	2.28	5 (41%)	17,17,17	1.41	3 (17%)
2	BGC	20-C	2	2	11,11,12	3.05	5 (45%)	15,15,17	1.86	2 (13%)
2	BGC	20-C	3	2	11,11,12	2.98	4 (36%)	15,15,17	1.65	2 (13%)
2	BGC	21-B	1	2	12,12,12	2.06	4 (33%)	17,17,17	1.36	1 (5%)
2	BGC	21-B	2	2	11,11,12	2.65	5 (45%)	15,15,17	1.37	2 (13%)
2	BGC	21-B	3	2	11,11,12	2.49	5 (45%)	15,15,17	1.24	2 (13%)
2	BGC	21-C	1	2	12,12,12	2.40	5 (41%)	17,17,17	2.59	9 (52%)
2	BGC	21-C	2	2	11,11,12	3.14	5 (45%)	15,15,17	2.54	9 (60%)
2	BGC	21-C	3	2	11,11,12	2.97	5 (45%)	15,15,17	1.75	4 (26%)
2	BGC	22-B	1	2	12,12,12	2.07	3 (25%)	17,17,17	1.11	2 (11%)
2	BGC	22-B	2	2	11,11,12	2.51	4 (36%)	15,15,17	1.53	2 (13%)
2	BGC	22-B	3	2	11,11,12	2.59	4 (36%)	15,15,17	1.44	2 (13%)
2	BGC	22-C	1	2	12,12,12	2.61	6 (50%)	17,17,17	2.31	6 (35%)
2	BGC	22-C	2	2	11,11,12	3.08	7 (63%)	15,15,17	1.35	3 (20%)
2	BGC	22-C	3	2	11,11,12	2.93	4 (36%)	15,15,17	1.47	2 (13%)
2	BGC	23-B	1	2	12,12,12	2.06	4 (33%)	17,17,17	1.52	1 (5%)
2	BGC	23-B	2	2	11,11,12	2.49	5 (45%)	15,15,17	1.48	3 (20%)
2	BGC	23-B	3	2	11,11,12	2.53	5 (45%)	15,15,17	1.39	2 (13%)
2	BGC	23-C	1	2	12,12,12	2.64	6 (50%)	17,17,17	2.09	5 (29%)
2	BGC	23-C	2	2	11,11,12	3.02	6 (54%)	15,15,17	1.41	3 (20%)
2	BGC	23-C	3	2	11,11,12	3.13	5 (45%)	15,15,17	1.58	5 (33%)
2	BGC	24-B	1	2	12,12,12	2.07	4 (33%)	17,17,17	1.26	2 (11%)
2	BGC	24-B	2	2	11,11,12	2.42	4 (36%)	15,15,17	1.61	4 (26%)
2	BGC	24-B	3	2	11,11,12	2.54	5 (45%)	15,15,17	1.46	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	BGC	24-C	1	2	12,12,12	2.37	5 (41%)	17,17,17	1.36	4 (23%)
2	BGC	24-C	2	2	11,11,12	3.17	6 (54%)	15,15,17	1.22	2 (13%)
2	BGC	24-C	3	2	11,11,12	2.93	4 (36%)	15,15,17	1.43	2 (13%)
2	BGC	25-B	1	2	12,12,12	2.16	5 (41%)	17,17,17	1.12	1 (5%)
2	BGC	25-B	2	2	11,11,12	2.41	4 (36%)	15,15,17	1.62	2 (13%)
2	BGC	25-B	3	2	11,11,12	2.52	5 (45%)	15,15,17	1.29	2 (13%)
2	BGC	25-C	1	2	12,12,12	2.45	6 (50%)	17,17,17	1.93	6 (35%)
2	BGC	25-C	2	2	11,11,12	3.05	5 (45%)	15,15,17	1.10	2 (13%)
2	BGC	25-C	3	2	11,11,12	2.80	4 (36%)	15,15,17	1.65	5 (33%)
2	BGC	3-B	1	2	12,12,12	1.98	4 (33%)	17,17,17	1.14	1 (5%)
2	BGC	3-B	2	2	11,11,12	2.46	6 (54%)	15,15,17	1.64	5 (33%)
2	BGC	3-B	3	2	11,11,12	2.53	4 (36%)	15,15,17	1.34	1 (6%)
2	BGC	3-C	1	2	12,12,12	2.51	5 (41%)	17,17,17	1.97	6 (35%)
2	BGC	3-C	2	2	11,11,12	2.92	6 (54%)	15,15,17	1.42	2 (13%)
2	BGC	3-C	3	2	11,11,12	2.84	4 (36%)	15,15,17	1.35	2 (13%)
2	BGC	4-B	1	2	12,12,12	2.07	3 (25%)	17,17,17	1.27	3 (17%)
2	BGC	4-B	2	2	11,11,12	2.59	5 (45%)	15,15,17	1.59	2 (13%)
2	BGC	4-B	3	2	11,11,12	2.48	4 (36%)	15,15,17	1.33	2 (13%)
2	BGC	4-C	1	2	12,12,12	2.55	6 (50%)	17,17,17	2.43	8 (47%)
2	BGC	4-C	2	2	11,11,12	3.21	6 (54%)	15,15,17	2.21	5 (33%)
2	BGC	4-C	3	2	11,11,12	3.01	4 (36%)	15,15,17	1.35	2 (13%)
2	BGC	5-B	1	2	12,12,12	1.97	3 (25%)	17,17,17	1.26	1 (5%)
2	BGC	5-B	2	2	11,11,12	2.59	5 (45%)	15,15,17	1.52	2 (13%)
2	BGC	5-B	3	2	11,11,12	2.56	5 (45%)	15,15,17	1.33	2 (13%)
2	BGC	5-C	1	2	12,12,12	2.45	5 (41%)	17,17,17	2.14	8 (47%)
2	BGC	5-C	2	2	11,11,12	3.22	6 (54%)	15,15,17	1.39	3 (20%)
2	BGC	5-C	3	2	11,11,12	2.92	4 (36%)	15,15,17	1.49	2 (13%)
2	BGC	6-B	1	2	12,12,12	2.00	3 (25%)	17,17,17	1.14	2 (11%)
2	BGC	6-B	2	2	11,11,12	2.63	4 (36%)	15,15,17	1.90	3 (20%)
2	BGC	6-B	3	2	11,11,12	2.45	5 (45%)	15,15,17	1.62	3 (20%)
2	BGC	6-C	1	2	12,12,12	2.70	6 (50%)	17,17,17	2.23	7 (41%)
2	BGC	6-C	2	2	11,11,12	2.84	6 (54%)	15,15,17	1.48	3 (20%)
2	BGC	6-C	3	2	11,11,12	2.89	4 (36%)	15,15,17	1.56	2 (13%)
2	BGC	7-B	1	2	12,12,12	2.05	3 (25%)	17,17,17	1.10	1 (5%)
2	BGC	7-B	2	2	11,11,12	2.60	4 (36%)	15,15,17	2.02	5 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	BGC	7-B	3	2	11,11,12	2.42	5 (45%)	15,15,17	1.45	2 (13%)
2	BGC	7-C	1	2	12,12,12	2.56	6 (50%)	17,17,17	2.00	3 (17%)
2	BGC	7-C	2	2	11,11,12	2.99	5 (45%)	15,15,17	0.75	0
2	BGC	7-C	3	2	11,11,12	2.85	5 (45%)	15,15,17	1.21	2 (13%)
2	BGC	8-B	1	2	12,12,12	2.03	4 (33%)	17,17,17	1.67	3 (17%)
2	BGC	8-B	2	2	11,11,12	2.50	4 (36%)	15,15,17	1.46	2 (13%)
2	BGC	8-B	3	2	11,11,12	2.52	5 (45%)	15,15,17	1.33	2 (13%)
2	BGC	8-C	1	2	12,12,12	2.66	7 (58%)	17,17,17	2.49	6 (35%)
2	BGC	8-C	2	2	11,11,12	3.28	7 (63%)	15,15,17	1.62	5 (33%)
2	BGC	8-C	3	2	11,11,12	2.91	5 (45%)	15,15,17	1.45	2 (13%)
2	BGC	9-B	1	2	12,12,12	2.05	3 (25%)	17,17,17	1.36	3 (17%)
2	BGC	9-B	2	2	11,11,12	2.51	5 (45%)	15,15,17	1.82	3 (20%)
2	BGC	9-B	3	2	11,11,12	2.54	4 (36%)	15,15,17	1.31	3 (20%)
2	BGC	9-C	1	2	12,12,12	2.27	5 (41%)	17,17,17	2.19	4 (23%)
2	BGC	9-C	2	2	11,11,12	2.98	6 (54%)	15,15,17	1.43	3 (20%)
2	BGC	9-C	3	2	11,11,12	2.89	4 (36%)	15,15,17	1.29	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '–' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BGC	1-B	1	2	–	0/2/22/22	0/1/1/1
2	BGC	1-B	2	2	–	0/2/19/22	0/1/1/1
2	BGC	1-B	3	2	–	0/2/19/22	0/1/1/1
2	BGC	1-C	1	2	–	2/2/22/22	0/1/1/1
2	BGC	1-C	2	2	–	2/2/19/22	0/1/1/1
2	BGC	1-C	3	2	–	0/2/19/22	0/1/1/1
2	BGC	10-B	1	2	–	0/2/22/22	0/1/1/1
2	BGC	10-B	2	2	–	0/2/19/22	0/1/1/1
2	BGC	10-B	3	2	–	1/2/19/22	0/1/1/1
2	BGC	10-C	1	2	–	0/2/22/22	0/1/1/1
2	BGC	10-C	2	2	–	0/2/19/22	0/1/1/1
2	BGC	10-C	3	2	–	0/2/19/22	0/1/1/1
2	BGC	11-B	1	2	–	0/2/22/22	0/1/1/1
2	BGC	11-B	2	2	–	0/2/19/22	0/1/1/1
2	BGC	11-B	3	2	–	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BGC	11-C	1	2	-	0/2/22/22	0/1/1/1
2	BGC	11-C	2	2	-	2/2/19/22	0/1/1/1
2	BGC	11-C	3	2	-	2/2/19/22	0/1/1/1
2	BGC	12-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	12-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	12-B	3	2	-	1/2/19/22	0/1/1/1
2	BGC	12-C	1	2	-	0/2/22/22	0/1/1/1
2	BGC	12-C	2	2	-	0/2/19/22	0/1/1/1
2	BGC	12-C	3	2	-	2/2/19/22	0/1/1/1
2	BGC	13-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	13-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	13-B	3	2	-	0/2/19/22	0/1/1/1
2	BGC	13-C	1	2	-	2/2/22/22	0/1/1/1
2	BGC	13-C	2	2	-	2/2/19/22	0/1/1/1
2	BGC	13-C	3	2	-	0/2/19/22	0/1/1/1
2	BGC	14-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	14-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	14-B	3	2	-	1/2/19/22	0/1/1/1
2	BGC	14-C	1	2	-	2/2/22/22	0/1/1/1
2	BGC	14-C	2	2	-	2/2/19/22	0/1/1/1
2	BGC	14-C	3	2	-	0/2/19/22	0/1/1/1
2	BGC	15-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	15-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	15-B	3	2	-	0/2/19/22	0/1/1/1
2	BGC	15-C	1	2	-	2/2/22/22	0/1/1/1
2	BGC	15-C	2	2	-	2/2/19/22	0/1/1/1
2	BGC	15-C	3	2	-	0/2/19/22	0/1/1/1
2	BGC	16-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	16-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	16-B	3	2	-	1/2/19/22	0/1/1/1
2	BGC	16-C	1	2	-	1/2/22/22	0/1/1/1
2	BGC	16-C	2	2	-	1/2/19/22	0/1/1/1
2	BGC	16-C	3	2	-	0/2/19/22	0/1/1/1
2	BGC	17-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	17-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	17-B	3	2	-	0/2/19/22	0/1/1/1
2	BGC	17-C	1	2	-	1/2/22/22	0/1/1/1
2	BGC	17-C	2	2	-	2/2/19/22	0/1/1/1
2	BGC	17-C	3	2	-	0/2/19/22	0/1/1/1
2	BGC	18-B	1	2	-	0/2/22/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BGC	18-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	18-B	3	2	-	0/2/19/22	0/1/1/1
2	BGC	18-C	1	2	-	1/2/22/22	0/1/1/1
2	BGC	18-C	2	2	-	2/2/19/22	0/1/1/1
2	BGC	18-C	3	2	-	2/2/19/22	0/1/1/1
2	BGC	19-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	19-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	19-B	3	2	-	0/2/19/22	0/1/1/1
2	BGC	19-C	1	2	-	0/2/22/22	0/1/1/1
2	BGC	19-C	2	2	-	2/2/19/22	0/1/1/1
2	BGC	19-C	3	2	-	0/2/19/22	0/1/1/1
2	BGC	2-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	2-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	2-B	3	2	-	0/2/19/22	0/1/1/1
2	BGC	2-C	1	2	-	1/2/22/22	0/1/1/1
2	BGC	2-C	2	2	-	0/2/19/22	0/1/1/1
2	BGC	2-C	3	2	-	1/2/19/22	0/1/1/1
2	BGC	20-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	20-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	20-B	3	2	-	1/2/19/22	0/1/1/1
2	BGC	20-C	1	2	-	1/2/22/22	0/1/1/1
2	BGC	20-C	2	2	-	1/2/19/22	0/1/1/1
2	BGC	20-C	3	2	-	0/2/19/22	0/1/1/1
2	BGC	21-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	21-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	21-B	3	2	-	0/2/19/22	0/1/1/1
2	BGC	21-C	1	2	-	2/2/22/22	0/1/1/1
2	BGC	21-C	2	2	-	2/2/19/22	0/1/1/1
2	BGC	21-C	3	2	-	0/2/19/22	0/1/1/1
2	BGC	22-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	22-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	22-B	3	2	-	0/2/19/22	0/1/1/1
2	BGC	22-C	1	2	-	2/2/22/22	0/1/1/1
2	BGC	22-C	2	2	-	2/2/19/22	0/1/1/1
2	BGC	22-C	3	2	-	0/2/19/22	0/1/1/1
2	BGC	23-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	23-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	23-B	3	2	-	1/2/19/22	0/1/1/1
2	BGC	23-C	1	2	-	2/2/22/22	0/1/1/1
2	BGC	23-C	2	2	-	2/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BGC	23-C	3	2	-	0/2/19/22	0/1/1/1
2	BGC	24-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	24-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	24-B	3	2	-	1/2/19/22	0/1/1/1
2	BGC	24-C	1	2	-	2/2/22/22	0/1/1/1
2	BGC	24-C	2	2	-	2/2/19/22	0/1/1/1
2	BGC	24-C	3	2	-	0/2/19/22	0/1/1/1
2	BGC	25-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	25-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	25-B	3	2	-	0/2/19/22	0/1/1/1
2	BGC	25-C	1	2	-	2/2/22/22	0/1/1/1
2	BGC	25-C	2	2	-	0/2/19/22	0/1/1/1
2	BGC	25-C	3	2	-	2/2/19/22	0/1/1/1
2	BGC	3-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	3-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	3-B	3	2	-	0/2/19/22	0/1/1/1
2	BGC	3-C	1	2	-	2/2/22/22	0/1/1/1
2	BGC	3-C	2	2	-	0/2/19/22	0/1/1/1
2	BGC	3-C	3	2	-	0/2/19/22	0/1/1/1
2	BGC	4-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	4-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	4-B	3	2	-	0/2/19/22	0/1/1/1
2	BGC	4-C	1	2	-	2/2/22/22	0/1/1/1
2	BGC	4-C	2	2	-	2/2/19/22	0/1/1/1
2	BGC	4-C	3	2	-	2/2/19/22	0/1/1/1
2	BGC	5-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	5-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	5-B	3	2	-	0/2/19/22	0/1/1/1
2	BGC	5-C	1	2	-	2/2/22/22	0/1/1/1
2	BGC	5-C	2	2	-	0/2/19/22	0/1/1/1
2	BGC	5-C	3	2	-	0/2/19/22	0/1/1/1
2	BGC	6-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	6-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	6-B	3	2	-	1/2/19/22	0/1/1/1
2	BGC	6-C	1	2	-	2/2/22/22	0/1/1/1
2	BGC	6-C	2	2	-	0/2/19/22	0/1/1/1
2	BGC	6-C	3	2	-	1/2/19/22	0/1/1/1
2	BGC	7-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	7-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	7-B	3	2	-	1/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BGC	7-C	1	2	-	1/2/22/22	0/1/1/1
2	BGC	7-C	2	2	-	0/2/19/22	0/1/1/1
2	BGC	7-C	3	2	-	0/2/19/22	0/1/1/1
2	BGC	8-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	8-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	8-B	3	2	-	0/2/19/22	0/1/1/1
2	BGC	8-C	1	2	-	2/2/22/22	0/1/1/1
2	BGC	8-C	2	2	-	0/2/19/22	0/1/1/1
2	BGC	8-C	3	2	-	0/2/19/22	0/1/1/1
2	BGC	9-B	1	2	-	0/2/22/22	0/1/1/1
2	BGC	9-B	2	2	-	0/2/19/22	0/1/1/1
2	BGC	9-B	3	2	-	0/2/19/22	0/1/1/1
2	BGC	9-C	1	2	-	0/2/22/22	0/1/1/1
2	BGC	9-C	2	2	-	2/2/19/22	0/1/1/1
2	BGC	9-C	3	2	-	0/2/19/22	0/1/1/1

All (703) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	23-C	3	BGC	C2-C3	-7.20	1.41	1.52
2	13-C	3	BGC	C2-C3	-7.06	1.41	1.52
2	14-C	3	BGC	C2-C3	-6.79	1.42	1.52
2	15-C	3	BGC	C2-C3	-6.76	1.42	1.52
2	18-C	3	BGC	C2-C3	-6.76	1.42	1.52
2	24-C	3	BGC	C2-C3	-6.72	1.42	1.52
2	19-C	3	BGC	C2-C3	-6.72	1.42	1.52
2	22-C	3	BGC	C2-C3	-6.71	1.42	1.52
2	21-C	3	BGC	C2-C3	-6.70	1.42	1.52
2	16-C	3	BGC	C2-C3	-6.70	1.42	1.52
2	4-C	3	BGC	C2-C3	-6.68	1.42	1.52
2	2-C	3	BGC	C2-C3	-6.67	1.42	1.52
2	20-C	3	BGC	C2-C3	-6.60	1.42	1.52
2	1-C	3	BGC	C2-C3	-6.59	1.42	1.52
2	8-C	3	BGC	C2-C3	-6.58	1.42	1.52
2	17-C	3	BGC	C2-C3	-6.56	1.42	1.52
2	10-C	3	BGC	C2-C3	-6.54	1.42	1.52
2	5-C	3	BGC	C2-C3	-6.53	1.42	1.52
2	9-C	3	BGC	C2-C3	-6.50	1.42	1.52
2	11-C	3	BGC	C2-C3	-6.48	1.42	1.52
2	6-C	3	BGC	C2-C3	-6.44	1.42	1.52
2	12-C	3	BGC	C2-C3	-6.30	1.42	1.52
2	3-C	3	BGC	C2-C3	-6.30	1.42	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	16-C	2	BGC	C2-C3	-6.19	1.43	1.52
2	24-C	2	BGC	C2-C3	-6.15	1.43	1.52
2	25-C	3	BGC	C2-C3	-6.14	1.43	1.52
2	8-C	2	BGC	C2-C3	-6.11	1.43	1.52
2	5-C	2	BGC	C2-C3	-6.11	1.43	1.52
2	21-C	2	BGC	O5-C5	6.03	1.55	1.43
2	7-C	3	BGC	C2-C3	-6.02	1.43	1.52
2	2-C	2	BGC	C2-C3	-5.96	1.43	1.52
2	8-C	2	BGC	O5-C5	5.84	1.54	1.43
2	25-C	2	BGC	C2-C3	-5.76	1.43	1.52
2	4-C	2	BGC	C2-C3	-5.75	1.43	1.52
2	14-C	2	BGC	C2-C3	-5.73	1.43	1.52
2	19-C	2	BGC	C2-C3	-5.71	1.43	1.52
2	10-C	2	BGC	C2-C3	-5.66	1.43	1.52
2	4-C	2	BGC	O5-C5	5.65	1.54	1.43
2	15-C	2	BGC	C2-C3	-5.64	1.43	1.52
2	1-C	2	BGC	C2-C3	-5.64	1.43	1.52
2	22-C	2	BGC	C2-C3	-5.62	1.43	1.52
2	17-B	3	BGC	C2-C3	-5.62	1.43	1.52
2	11-C	2	BGC	C2-C3	-5.54	1.44	1.52
2	22-B	3	BGC	C2-C3	-5.54	1.44	1.52
2	20-C	2	BGC	O5-C5	5.54	1.54	1.43
2	12-B	3	BGC	C2-C3	-5.50	1.44	1.52
2	11-C	2	BGC	O5-C5	5.49	1.54	1.43
2	13-C	2	BGC	C2-C3	-5.46	1.44	1.52
2	5-C	2	BGC	O5-C5	5.41	1.54	1.43
2	20-B	3	BGC	C2-C3	-5.40	1.44	1.52
2	9-C	2	BGC	C2-C3	-5.36	1.44	1.52
2	15-B	3	BGC	C2-C3	-5.35	1.44	1.52
2	23-C	2	BGC	O5-C5	5.34	1.53	1.43
2	16-C	2	BGC	O5-C5	5.34	1.53	1.43
2	9-B	3	BGC	C2-C3	-5.33	1.44	1.52
2	20-C	2	BGC	C2-C3	-5.33	1.44	1.52
2	14-B	3	BGC	C2-C3	-5.32	1.44	1.52
2	12-C	2	BGC	C2-C3	-5.30	1.44	1.52
2	2-C	2	BGC	O5-C5	5.29	1.53	1.43
2	17-C	2	BGC	C2-C3	-5.27	1.44	1.52
2	3-B	3	BGC	C2-C3	-5.24	1.44	1.52
2	7-C	2	BGC	C2-C3	-5.22	1.44	1.52
2	3-C	2	BGC	O5-C5	5.21	1.53	1.43
2	2-B	3	BGC	C2-C3	-5.21	1.44	1.52
2	5-B	3	BGC	C2-C3	-5.20	1.44	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	24-C	2	BGC	O5-C5	5.19	1.53	1.43
2	18-C	2	BGC	O5-C5	5.19	1.53	1.43
2	22-C	2	BGC	O5-C5	5.15	1.53	1.43
2	10-B	3	BGC	C2-C3	-5.14	1.44	1.52
2	9-C	2	BGC	O5-C5	5.14	1.53	1.43
2	19-B	3	BGC	C2-C3	-5.13	1.44	1.52
2	21-C	2	BGC	C2-C3	-5.12	1.44	1.52
2	23-C	2	BGC	C2-C3	-5.10	1.44	1.52
2	10-C	2	BGC	O5-C5	5.08	1.53	1.43
2	23-B	3	BGC	C2-C3	-5.05	1.44	1.52
2	24-B	3	BGC	C2-C3	-5.04	1.44	1.52
2	18-B	3	BGC	C2-C3	-5.03	1.44	1.52
2	17-C	2	BGC	C6-C5	-5.02	1.35	1.51
2	16-C	2	BGC	C6-C5	-5.02	1.35	1.51
2	14-C	2	BGC	O5-C5	5.01	1.53	1.43
2	6-B	3	BGC	C2-C3	-5.01	1.44	1.52
2	16-B	3	BGC	C2-C3	-5.00	1.44	1.52
2	19-C	2	BGC	O5-C5	4.98	1.53	1.43
2	6-C	1	BGC	C3-C2	-4.97	1.39	1.52
2	7-C	2	BGC	O5-C5	4.97	1.53	1.43
2	13-C	2	BGC	O5-C5	4.97	1.53	1.43
2	11-B	3	BGC	C2-C3	-4.95	1.44	1.52
2	13-B	3	BGC	C2-C3	-4.95	1.44	1.52
2	4-B	3	BGC	C2-C3	-4.93	1.44	1.52
2	15-C	2	BGC	O5-C5	4.92	1.53	1.43
2	15-C	2	BGC	C6-C5	-4.87	1.35	1.51
2	21-B	3	BGC	C2-C3	-4.87	1.45	1.52
2	1-C	2	BGC	C6-C5	-4.86	1.35	1.51
2	12-C	2	BGC	C6-C5	-4.85	1.35	1.51
2	21-B	2	BGC	C2-C3	-4.84	1.45	1.52
2	25-B	3	BGC	C2-C3	-4.84	1.45	1.52
2	8-B	3	BGC	C2-C3	-4.83	1.45	1.52
2	10-C	2	BGC	C6-C5	-4.83	1.35	1.51
2	13-C	2	BGC	C6-C5	-4.82	1.35	1.51
2	21-C	2	BGC	C6-C5	-4.81	1.35	1.51
2	16-C	1	BGC	C3-C2	-4.81	1.39	1.52
2	14-C	2	BGC	C6-C5	-4.79	1.35	1.51
2	7-C	2	BGC	C6-C5	-4.78	1.35	1.51
2	25-C	2	BGC	C6-C5	-4.78	1.35	1.51
2	22-C	2	BGC	C6-C5	-4.76	1.35	1.51
2	3-C	1	BGC	O3-C3	4.75	1.54	1.43
2	17-C	2	BGC	O5-C5	4.75	1.52	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	18-C	1	BGC	O3-C3	4.74	1.54	1.43
2	4-C	2	BGC	C6-C5	-4.74	1.35	1.51
2	19-C	2	BGC	C6-C5	-4.73	1.36	1.51
2	4-C	1	BGC	C6-C5	-4.72	1.36	1.51
2	2-C	2	BGC	C6-C5	-4.71	1.36	1.51
2	25-C	2	BGC	O5-C5	4.70	1.52	1.43
2	7-B	2	BGC	O5-C5	4.70	1.52	1.43
2	18-B	2	BGC	C2-C3	-4.70	1.45	1.52
2	4-C	1	BGC	O3-C3	4.68	1.54	1.43
2	12-C	2	BGC	O5-C5	4.67	1.52	1.43
2	6-C	2	BGC	C6-C5	-4.66	1.36	1.51
2	20-C	2	BGC	C6-C5	-4.65	1.36	1.51
2	9-C	2	BGC	C6-C5	-4.65	1.36	1.51
2	6-C	2	BGC	O5-C5	4.64	1.52	1.43
2	1-C	2	BGC	O5-C5	4.64	1.52	1.43
2	18-C	2	BGC	C2-C3	-4.63	1.45	1.52
2	24-C	2	BGC	C6-C5	-4.63	1.36	1.51
2	2-C	1	BGC	C3-C2	-4.62	1.40	1.52
2	18-C	2	BGC	C6-C5	-4.61	1.36	1.51
2	1-B	3	BGC	C2-C3	-4.60	1.45	1.52
2	18-C	1	BGC	O5-C5	4.60	1.55	1.44
2	3-C	2	BGC	C2-C3	-4.59	1.45	1.52
2	15-B	2	BGC	O5-C5	4.58	1.52	1.43
2	17-B	2	BGC	C2-C3	-4.57	1.45	1.52
2	5-C	2	BGC	C6-C5	-4.57	1.36	1.51
2	6-C	2	BGC	C2-C3	-4.56	1.45	1.52
2	4-B	2	BGC	C2-C3	-4.56	1.45	1.52
2	1-B	2	BGC	C2-C3	-4.56	1.45	1.52
2	5-B	2	BGC	C2-C3	-4.55	1.45	1.52
2	2-B	2	BGC	C2-C3	-4.53	1.45	1.52
2	23-C	2	BGC	C6-C5	-4.53	1.36	1.51
2	7-B	3	BGC	C2-C3	-4.51	1.45	1.52
2	8-C	2	BGC	C6-C5	-4.51	1.36	1.51
2	23-B	2	BGC	C2-C3	-4.50	1.45	1.52
2	3-C	2	BGC	C6-C5	-4.50	1.36	1.51
2	22-C	1	BGC	C3-C2	-4.48	1.40	1.52
2	8-C	1	BGC	C3-C2	-4.47	1.40	1.52
2	11-B	2	BGC	C2-C3	-4.46	1.45	1.52
2	10-B	2	BGC	C2-C3	-4.44	1.45	1.52
2	11-C	2	BGC	C6-C5	-4.44	1.36	1.51
2	23-C	1	BGC	C3-C2	-4.44	1.40	1.52
2	21-B	2	BGC	O5-C5	4.44	1.52	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	19-B	2	BGC	C2-C3	-4.43	1.45	1.52
2	14-C	1	BGC	C6-C5	-4.41	1.37	1.51
2	22-B	2	BGC	C2-C3	-4.40	1.45	1.52
2	12-B	2	BGC	C6-C5	-4.40	1.37	1.51
2	5-C	1	BGC	C3-C2	-4.40	1.40	1.52
2	4-C	3	BGC	C6-C5	-4.40	1.37	1.51
2	15-B	2	BGC	C2-C3	-4.40	1.45	1.52
2	6-C	1	BGC	O5-C5	4.39	1.55	1.44
2	2-B	2	BGC	O5-C5	4.39	1.52	1.43
2	17-B	2	BGC	C6-C5	-4.38	1.37	1.51
2	10-C	1	BGC	C3-C2	-4.38	1.41	1.52
2	6-B	2	BGC	C6-C5	-4.38	1.37	1.51
2	8-B	2	BGC	C2-C3	-4.37	1.45	1.52
2	1-B	2	BGC	O5-C5	4.37	1.51	1.43
2	6-B	2	BGC	O5-C5	4.36	1.51	1.43
2	2-C	3	BGC	C6-C5	-4.36	1.37	1.51
2	18-B	2	BGC	O5-C5	4.36	1.51	1.43
2	6-B	2	BGC	C2-C3	-4.35	1.45	1.52
2	7-C	1	BGC	C6-C5	-4.35	1.37	1.51
2	22-C	1	BGC	O5-C5	4.35	1.55	1.44
2	3-B	2	BGC	C2-C3	-4.35	1.45	1.52
2	9-B	2	BGC	O5-C5	4.33	1.51	1.43
2	8-B	2	BGC	C6-C5	-4.33	1.37	1.51
2	9-B	2	BGC	C6-C5	-4.33	1.37	1.51
2	20-C	3	BGC	C6-C5	-4.33	1.37	1.51
2	4-B	2	BGC	O5-C5	4.33	1.51	1.43
2	7-B	2	BGC	C6-C5	-4.31	1.37	1.51
2	1-C	1	BGC	C3-C2	-4.31	1.41	1.52
2	15-C	1	BGC	O5-C5	4.31	1.54	1.44
2	2-B	2	BGC	C6-C5	-4.31	1.37	1.51
2	19-B	2	BGC	C6-C5	-4.31	1.37	1.51
2	5-C	3	BGC	C6-C5	-4.30	1.37	1.51
2	20-B	2	BGC	C2-C3	-4.30	1.45	1.52
2	11-C	3	BGC	C6-C5	-4.30	1.37	1.51
2	23-C	1	BGC	C6-C5	-4.29	1.37	1.51
2	21-B	2	BGC	C6-C5	-4.29	1.37	1.51
2	25-C	1	BGC	C3-C2	-4.29	1.41	1.52
2	5-B	2	BGC	O5-C5	4.28	1.51	1.43
2	8-C	3	BGC	C6-C5	-4.28	1.37	1.51
2	16-B	2	BGC	C2-C3	-4.27	1.45	1.52
2	16-C	3	BGC	C6-C5	-4.27	1.37	1.51
2	12-B	2	BGC	C2-C3	-4.26	1.46	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	16-B	2	BGC	C6-C5	-4.26	1.37	1.51
2	22-C	3	BGC	C6-C5	-4.26	1.37	1.51
2	24-C	3	BGC	C6-C5	-4.26	1.37	1.51
2	20-B	2	BGC	O5-C5	4.26	1.51	1.43
2	4-B	2	BGC	C6-C5	-4.25	1.37	1.51
2	1-C	3	BGC	C6-C5	-4.23	1.37	1.51
2	19-C	3	BGC	C6-C5	-4.23	1.37	1.51
2	1-B	2	BGC	C6-C5	-4.23	1.37	1.51
2	3-C	3	BGC	C6-C5	-4.23	1.37	1.51
2	14-C	3	BGC	C6-C5	-4.23	1.37	1.51
2	15-C	3	BGC	C6-C5	-4.22	1.37	1.51
2	25-B	2	BGC	C2-C3	-4.22	1.46	1.52
2	17-C	1	BGC	O5-C5	4.22	1.54	1.44
2	11-B	2	BGC	C6-C5	-4.22	1.37	1.51
2	23-B	2	BGC	C6-C5	-4.22	1.37	1.51
2	23-C	1	BGC	O3-C3	4.22	1.53	1.43
2	7-B	2	BGC	C2-C3	-4.22	1.46	1.52
2	13-C	3	BGC	C6-C5	-4.22	1.37	1.51
2	14-B	2	BGC	C2-C3	-4.20	1.46	1.52
2	7-C	3	BGC	C6-C5	-4.20	1.37	1.51
2	13-B	2	BGC	O5-C5	4.20	1.51	1.43
2	10-B	2	BGC	C6-C5	-4.19	1.37	1.51
2	24-C	1	BGC	C6-C5	-4.19	1.37	1.51
2	18-B	2	BGC	C6-C5	-4.19	1.37	1.51
2	18-C	3	BGC	C6-C5	-4.19	1.37	1.51
2	24-B	2	BGC	C2-C3	-4.19	1.46	1.52
2	9-C	3	BGC	C6-C5	-4.19	1.37	1.51
2	5-B	2	BGC	C6-C5	-4.19	1.37	1.51
2	14-B	2	BGC	C6-C5	-4.19	1.37	1.51
2	16-B	2	BGC	O5-C5	4.19	1.51	1.43
2	21-C	1	BGC	O3-C3	4.18	1.53	1.43
2	25-B	2	BGC	C6-C5	-4.18	1.37	1.51
2	13-B	2	BGC	C6-C5	-4.17	1.37	1.51
2	20-B	2	BGC	C6-C5	-4.17	1.37	1.51
2	22-B	2	BGC	O5-C5	4.17	1.51	1.43
2	24-B	2	BGC	C6-C5	-4.16	1.37	1.51
2	6-C	3	BGC	C6-C5	-4.15	1.37	1.51
2	16-C	1	BGC	C6-C5	-4.15	1.37	1.51
2	12-B	2	BGC	O5-C5	4.14	1.51	1.43
2	9-C	1	BGC	C3-C2	-4.14	1.41	1.52
2	10-C	3	BGC	C6-C5	-4.14	1.37	1.51
2	22-B	2	BGC	C6-C5	-4.14	1.37	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	15-B	2	BGC	C6-C5	-4.14	1.37	1.51
2	25-B	3	BGC	C6-C5	-4.13	1.38	1.51
2	11-C	1	BGC	O3-C3	4.13	1.53	1.43
2	25-C	3	BGC	C6-C5	-4.13	1.38	1.51
2	3-B	2	BGC	C6-C5	-4.12	1.38	1.51
2	21-C	3	BGC	C6-C5	-4.12	1.38	1.51
2	12-C	3	BGC	C6-C5	-4.12	1.38	1.51
2	18-C	1	BGC	C3-C2	-4.11	1.41	1.52
2	9-C	1	BGC	C6-C5	-4.10	1.38	1.51
2	7-C	1	BGC	O5-C5	4.10	1.54	1.44
2	23-C	3	BGC	C6-C5	-4.10	1.38	1.51
2	13-B	1	BGC	O3-C3	4.10	1.53	1.43
2	21-C	1	BGC	O5-C5	4.10	1.54	1.44
2	15-C	3	BGC	O5-C5	4.09	1.51	1.43
2	10-B	2	BGC	O5-C5	4.09	1.51	1.43
2	24-B	3	BGC	C6-C5	-4.09	1.38	1.51
2	17-C	3	BGC	C6-C5	-4.09	1.38	1.51
2	17-C	1	BGC	C3-C2	-4.09	1.41	1.52
2	15-B	3	BGC	C6-C5	-4.08	1.38	1.51
2	25-C	1	BGC	C6-C5	-4.08	1.38	1.51
2	14-B	3	BGC	C6-C5	-4.08	1.38	1.51
2	18-B	1	BGC	O3-C3	4.07	1.53	1.43
2	8-B	3	BGC	C6-C5	-4.06	1.38	1.51
2	25-B	1	BGC	C6-C5	-4.05	1.38	1.51
2	4-B	1	BGC	C6-C5	-4.05	1.38	1.51
2	9-B	2	BGC	C2-C3	-4.05	1.46	1.52
2	22-B	3	BGC	C6-C5	-4.04	1.38	1.51
2	2-C	1	BGC	O5-C5	4.04	1.54	1.44
2	13-B	3	BGC	C6-C5	-4.03	1.38	1.51
2	12-C	3	BGC	O5-C5	4.03	1.51	1.43
2	19-B	2	BGC	O5-C5	4.02	1.51	1.43
2	10-B	3	BGC	C6-C5	-4.02	1.38	1.51
2	5-B	3	BGC	C6-C5	-4.00	1.38	1.51
2	24-C	1	BGC	C3-C2	-4.00	1.42	1.52
2	13-B	2	BGC	C2-C3	-3.99	1.46	1.52
2	2-B	1	BGC	C6-C5	-3.99	1.38	1.51
2	11-B	2	BGC	O5-C5	3.99	1.51	1.43
2	9-B	3	BGC	C6-C5	-3.99	1.38	1.51
2	13-B	1	BGC	C6-C5	-3.99	1.38	1.51
2	17-B	3	BGC	C6-C5	-3.98	1.38	1.51
2	9-B	1	BGC	C6-C5	-3.98	1.38	1.51
2	17-B	2	BGC	O5-C5	3.98	1.51	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	3-C	1	BGC	C3-C2	-3.98	1.42	1.52
2	11-C	1	BGC	C6-C5	-3.98	1.38	1.51
2	12-C	1	BGC	C3-C2	-3.97	1.42	1.52
2	23-C	3	BGC	O5-C5	3.97	1.51	1.43
2	15-C	1	BGC	C3-C2	-3.97	1.42	1.52
2	8-C	1	BGC	O5-C5	3.97	1.54	1.44
2	21-C	1	BGC	C6-C5	-3.96	1.38	1.51
2	19-B	3	BGC	C6-C5	-3.96	1.38	1.51
2	18-B	1	BGC	C6-C5	-3.96	1.38	1.51
2	21-B	3	BGC	C6-C5	-3.96	1.38	1.51
2	14-B	2	BGC	O5-C5	3.95	1.51	1.43
2	3-B	3	BGC	C6-C5	-3.95	1.38	1.51
2	23-B	3	BGC	C6-C5	-3.94	1.38	1.51
2	25-B	1	BGC	O3-C3	3.93	1.52	1.43
2	1-C	1	BGC	O5-C5	3.92	1.54	1.44
2	4-B	3	BGC	C6-C5	-3.92	1.38	1.51
2	17-C	3	BGC	O5-C5	3.92	1.51	1.43
2	21-C	3	BGC	O5-C5	3.91	1.51	1.43
2	12-B	3	BGC	C6-C5	-3.90	1.38	1.51
2	19-C	1	BGC	C3-C2	-3.90	1.42	1.52
2	7-B	3	BGC	C6-C5	-3.90	1.38	1.51
2	24-B	1	BGC	O3-C3	3.89	1.52	1.43
2	20-C	1	BGC	C6-C5	-3.88	1.38	1.51
2	16-C	3	BGC	O5-C5	3.88	1.51	1.43
2	22-B	1	BGC	C6-C5	-3.87	1.38	1.51
2	11-B	3	BGC	C6-C5	-3.87	1.38	1.51
2	1-B	1	BGC	C6-C5	-3.87	1.38	1.51
2	22-C	1	BGC	C6-C5	-3.87	1.38	1.51
2	7-C	3	BGC	O5-C5	3.87	1.51	1.43
2	20-B	1	BGC	C6-C5	-3.86	1.38	1.51
2	7-B	1	BGC	C6-C5	-3.86	1.38	1.51
2	8-C	1	BGC	O3-C3	3.85	1.52	1.43
2	9-B	1	BGC	O3-C3	3.85	1.52	1.43
2	1-B	3	BGC	C6-C5	-3.85	1.38	1.51
2	2-B	3	BGC	C6-C5	-3.84	1.38	1.51
2	6-B	1	BGC	O3-C3	3.84	1.52	1.43
2	6-C	3	BGC	O5-C5	3.84	1.50	1.43
2	15-B	1	BGC	C6-C5	-3.84	1.38	1.51
2	17-C	1	BGC	C6-C5	-3.84	1.38	1.51
2	8-B	2	BGC	O5-C5	3.83	1.50	1.43
2	22-B	1	BGC	O3-C3	3.83	1.52	1.43
2	10-B	1	BGC	O3-C3	3.82	1.52	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	16-B	1	BGC	O3-C3	3.81	1.52	1.43
2	5-C	3	BGC	O5-C5	3.81	1.50	1.43
2	12-C	1	BGC	C6-C5	-3.79	1.39	1.51
2	3-C	1	BGC	C6-C5	-3.79	1.39	1.51
2	3-B	2	BGC	O5-C5	3.79	1.50	1.43
2	8-C	1	BGC	C6-C5	-3.79	1.39	1.51
2	2-C	1	BGC	O3-C3	3.79	1.52	1.43
2	23-B	1	BGC	O3-C3	3.78	1.52	1.43
2	18-B	3	BGC	C6-C5	-3.78	1.39	1.51
2	12-C	1	BGC	O5-C5	3.77	1.53	1.44
2	16-B	3	BGC	C6-C5	-3.77	1.39	1.51
2	25-B	2	BGC	O5-C5	3.76	1.50	1.43
2	2-C	1	BGC	C6-C5	-3.76	1.39	1.51
2	2-B	1	BGC	O3-C3	3.76	1.52	1.43
2	4-B	1	BGC	O3-C3	3.76	1.52	1.43
2	6-C	1	BGC	C6-C5	-3.75	1.39	1.51
2	1-C	3	BGC	O5-C5	3.75	1.50	1.43
2	7-B	1	BGC	O3-C3	3.75	1.52	1.43
2	1-B	1	BGC	O3-C3	3.75	1.52	1.43
2	20-C	3	BGC	O5-C5	3.74	1.50	1.43
2	21-B	1	BGC	C6-C5	-3.74	1.39	1.51
2	17-B	1	BGC	C6-C5	-3.74	1.39	1.51
2	7-C	1	BGC	C3-C2	-3.73	1.42	1.52
2	23-C	1	BGC	O5-C5	3.73	1.53	1.44
2	23-B	2	BGC	O5-C5	3.72	1.50	1.43
2	3-C	3	BGC	O5-C5	3.72	1.50	1.43
2	7-C	1	BGC	O3-C3	3.72	1.52	1.43
2	6-B	1	BGC	C6-C5	-3.71	1.39	1.51
2	19-C	1	BGC	C6-C5	-3.71	1.39	1.51
2	12-B	1	BGC	C6-C5	-3.71	1.39	1.51
2	17-B	1	BGC	O3-C3	3.70	1.52	1.43
2	10-B	1	BGC	C6-C5	-3.70	1.39	1.51
2	6-B	3	BGC	C6-C5	-3.70	1.39	1.51
2	24-B	1	BGC	C6-C5	-3.69	1.39	1.51
2	1-C	1	BGC	C6-C5	-3.69	1.39	1.51
2	16-B	1	BGC	C6-C5	-3.68	1.39	1.51
2	25-C	3	BGC	O5-C5	3.68	1.50	1.43
2	4-C	3	BGC	O5-C5	3.68	1.50	1.43
2	19-C	3	BGC	O5-C5	3.68	1.50	1.43
2	14-B	1	BGC	C6-C5	-3.68	1.39	1.51
2	14-C	3	BGC	O5-C5	3.67	1.50	1.43
2	15-B	1	BGC	O3-C3	3.66	1.52	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	10-C	1	BGC	C6-C5	-3.65	1.39	1.51
2	19-B	1	BGC	O3-C3	3.65	1.52	1.43
2	13-C	1	BGC	C3-C2	-3.64	1.42	1.52
2	14-C	1	BGC	C3-C2	-3.64	1.42	1.52
2	20-B	1	BGC	O3-C3	3.64	1.52	1.43
2	24-B	2	BGC	O5-C5	3.64	1.50	1.43
2	22-C	3	BGC	O5-C5	3.64	1.50	1.43
2	19-B	1	BGC	C6-C5	-3.64	1.39	1.51
2	5-B	1	BGC	O3-C3	3.64	1.52	1.43
2	8-B	1	BGC	O3-C3	3.64	1.52	1.43
2	13-C	3	BGC	O5-C5	3.64	1.50	1.43
2	14-B	1	BGC	O3-C3	3.63	1.52	1.43
2	16-B	3	BGC	O5-C5	3.63	1.50	1.43
2	2-C	3	BGC	O5-C5	3.62	1.50	1.43
2	11-C	3	BGC	O5-C5	3.62	1.50	1.43
2	9-C	3	BGC	O5-C5	3.61	1.50	1.43
2	5-B	1	BGC	C6-C5	-3.61	1.39	1.51
2	10-B	3	BGC	O5-C5	3.60	1.50	1.43
2	13-C	1	BGC	C6-C5	-3.60	1.39	1.51
2	18-C	3	BGC	O5-C5	3.60	1.50	1.43
2	20-C	1	BGC	O3-C3	3.60	1.51	1.43
2	8-B	1	BGC	C6-C5	-3.60	1.39	1.51
2	3-B	1	BGC	C6-C5	-3.60	1.39	1.51
2	21-B	1	BGC	O3-C3	3.59	1.51	1.43
2	24-C	3	BGC	O5-C5	3.59	1.50	1.43
2	23-B	1	BGC	C6-C5	-3.58	1.39	1.51
2	12-B	1	BGC	O3-C3	3.57	1.51	1.43
2	15-C	1	BGC	C6-C5	-3.56	1.39	1.51
2	3-C	1	BGC	O5-C5	3.56	1.53	1.44
2	11-C	1	BGC	O5-C5	3.53	1.53	1.44
2	3-B	1	BGC	O3-C3	3.51	1.51	1.43
2	11-B	1	BGC	C6-C5	-3.51	1.40	1.51
2	10-C	3	BGC	O5-C5	3.51	1.50	1.43
2	20-C	1	BGC	C3-C2	-3.50	1.43	1.52
2	5-C	1	BGC	C6-C5	-3.49	1.40	1.51
2	25-C	1	BGC	C1-C2	-3.48	1.44	1.52
2	20-B	3	BGC	C6-C5	-3.48	1.40	1.51
2	11-B	1	BGC	O3-C3	3.47	1.51	1.43
2	7-B	3	BGC	O5-C5	3.46	1.50	1.43
2	5-C	1	BGC	O5-C5	3.45	1.52	1.44
2	19-B	1	BGC	C3-C2	-3.44	1.43	1.52
2	12-B	3	BGC	O5-C5	3.43	1.50	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	8-B	3	BGC	O5-C5	3.41	1.50	1.43
2	2-B	3	BGC	O5-C5	3.41	1.50	1.43
2	10-C	1	BGC	O3-C3	3.38	1.51	1.43
2	4-C	1	BGC	C3-C2	-3.38	1.43	1.52
2	16-C	1	BGC	O5-C5	3.38	1.52	1.44
2	17-C	1	BGC	O3-C3	3.38	1.51	1.43
2	14-C	1	BGC	O5-C5	3.37	1.52	1.44
2	9-C	1	BGC	O3-C3	3.36	1.51	1.43
2	8-C	3	BGC	O5-C5	3.35	1.50	1.43
2	21-B	3	BGC	O5-C5	3.35	1.50	1.43
2	20-B	3	BGC	O5-C5	3.34	1.49	1.43
2	24-C	1	BGC	O3-C3	3.34	1.51	1.43
2	3-B	3	BGC	O5-C5	3.32	1.49	1.43
2	3-C	2	BGC	O3-C3	3.32	1.51	1.43
2	1-B	3	BGC	O5-C5	3.32	1.49	1.43
2	14-B	3	BGC	O5-C5	3.31	1.49	1.43
2	16-C	1	BGC	C1-C2	-3.30	1.44	1.52
2	19-B	3	BGC	O5-C5	3.30	1.49	1.43
2	25-B	3	BGC	O5-C5	3.29	1.49	1.43
2	21-B	1	BGC	C3-C2	-3.29	1.43	1.52
2	12-C	1	BGC	O3-C3	3.26	1.51	1.43
2	23-B	3	BGC	O5-C5	3.25	1.49	1.43
2	4-C	3	BGC	O2-C2	3.25	1.50	1.43
2	11-B	3	BGC	O5-C5	3.25	1.49	1.43
2	11-C	1	BGC	C3-C2	-3.24	1.43	1.52
2	17-B	3	BGC	O5-C5	3.23	1.49	1.43
2	13-B	3	BGC	O5-C5	3.22	1.49	1.43
2	4-B	3	BGC	O5-C5	3.21	1.49	1.43
2	9-B	3	BGC	O5-C5	3.21	1.49	1.43
2	22-C	1	BGC	C1-C2	-3.20	1.44	1.52
2	13-C	1	BGC	O3-C3	3.18	1.50	1.43
2	19-C	1	BGC	C1-C2	-3.18	1.44	1.52
2	5-B	3	BGC	O5-C5	3.18	1.49	1.43
2	23-B	1	BGC	C3-C2	-3.16	1.44	1.52
2	11-B	1	BGC	C3-C2	-3.15	1.44	1.52
2	3-B	1	BGC	C3-C2	-3.12	1.44	1.52
2	8-B	1	BGC	C3-C2	-3.12	1.44	1.52
2	20-C	3	BGC	O2-C2	3.11	1.49	1.43
2	18-C	3	BGC	O2-C2	3.10	1.49	1.43
2	5-C	1	BGC	C1-C2	-3.10	1.45	1.52
2	14-B	1	BGC	C3-C2	-3.10	1.44	1.52
2	11-C	3	BGC	O2-C2	3.10	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	24-B	3	BGC	O5-C5	3.08	1.49	1.43
2	25-C	1	BGC	O5-C5	3.07	1.51	1.44
2	22-B	3	BGC	O5-C5	3.06	1.49	1.43
2	10-C	1	BGC	O5-C5	3.06	1.51	1.44
2	21-C	2	BGC	O3-C3	3.06	1.50	1.43
2	10-B	1	BGC	C3-C2	-3.04	1.44	1.52
2	20-C	1	BGC	O5-C5	3.04	1.51	1.44
2	6-C	1	BGC	O3-C3	3.04	1.50	1.43
2	15-B	3	BGC	O5-C5	3.04	1.49	1.43
2	24-B	1	BGC	C3-C2	-3.03	1.44	1.52
2	5-B	1	BGC	C3-C2	-3.02	1.44	1.52
2	25-C	2	BGC	O3-C3	3.02	1.50	1.43
2	6-B	3	BGC	O5-C5	3.01	1.49	1.43
2	23-C	3	BGC	O2-C2	3.00	1.49	1.43
2	15-B	1	BGC	C3-C2	-3.00	1.44	1.52
2	2-B	1	BGC	C3-C2	-3.00	1.44	1.52
2	10-C	3	BGC	O2-C2	2.98	1.49	1.43
2	15-C	1	BGC	C4-C3	-2.97	1.44	1.52
2	7-C	2	BGC	O3-C3	2.97	1.50	1.43
2	18-C	1	BGC	C6-C5	-2.97	1.41	1.51
2	12-C	3	BGC	O2-C2	2.96	1.49	1.43
2	18-B	3	BGC	O5-C5	2.96	1.49	1.43
2	25-C	3	BGC	O2-C2	2.95	1.49	1.43
2	16-B	1	BGC	C3-C2	-2.95	1.44	1.52
2	4-B	1	BGC	C3-C2	-2.95	1.44	1.52
2	12-C	2	BGC	O3-C3	2.95	1.50	1.43
2	6-B	1	BGC	C3-C2	-2.95	1.44	1.52
2	17-B	1	BGC	C3-C2	-2.94	1.44	1.52
2	7-C	3	BGC	O2-C2	2.94	1.49	1.43
2	16-C	2	BGC	C4-C3	-2.94	1.44	1.52
2	12-B	1	BGC	C3-C2	-2.94	1.44	1.52
2	6-C	2	BGC	O3-C3	2.94	1.50	1.43
2	7-B	1	BGC	C3-C2	-2.92	1.44	1.52
2	9-B	1	BGC	C3-C2	-2.91	1.44	1.52
2	25-B	1	BGC	C3-C2	-2.91	1.44	1.52
2	18-B	1	BGC	C3-C2	-2.90	1.44	1.52
2	22-B	1	BGC	C3-C2	-2.90	1.44	1.52
2	2-C	3	BGC	O2-C2	2.90	1.49	1.43
2	15-C	3	BGC	O2-C2	2.90	1.49	1.43
2	5-C	3	BGC	O2-C2	2.90	1.49	1.43
2	9-C	3	BGC	O2-C2	2.90	1.49	1.43
2	19-C	3	BGC	O2-C2	2.90	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	20-B	1	BGC	C3-C2	-2.90	1.44	1.52
2	13-B	1	BGC	C3-C2	-2.89	1.44	1.52
2	1-B	1	BGC	C3-C2	-2.88	1.44	1.52
2	1-C	1	BGC	O3-C3	2.88	1.50	1.43
2	6-B	2	BGC	O3-C3	2.88	1.50	1.43
2	2-B	3	BGC	O2-C2	2.87	1.49	1.43
2	17-C	3	BGC	O2-C2	2.87	1.49	1.43
2	20-C	2	BGC	O3-C3	2.84	1.50	1.43
2	18-C	2	BGC	O3-C3	2.83	1.50	1.43
2	14-C	3	BGC	O2-C2	2.83	1.49	1.43
2	5-C	1	BGC	O3-C3	2.82	1.49	1.43
2	22-C	1	BGC	C4-C3	-2.82	1.45	1.52
2	1-C	3	BGC	O2-C2	2.82	1.49	1.43
2	24-C	1	BGC	O5-C5	2.82	1.51	1.44
2	16-C	2	BGC	O3-C3	2.82	1.49	1.43
2	21-C	3	BGC	O2-C2	2.79	1.49	1.43
2	4-C	1	BGC	O5-C5	2.79	1.51	1.44
2	19-C	1	BGC	O5-C5	2.79	1.51	1.44
2	1-C	2	BGC	C4-C3	-2.78	1.45	1.52
2	8-C	1	BGC	C4-C5	2.77	1.58	1.53
2	24-C	3	BGC	O2-C2	2.77	1.49	1.43
2	10-B	3	BGC	O2-C2	2.75	1.49	1.43
2	19-B	2	BGC	O3-C3	2.74	1.49	1.43
2	17-C	2	BGC	O3-C3	2.74	1.49	1.43
2	13-C	2	BGC	C4-C3	-2.73	1.45	1.52
2	8-C	3	BGC	O2-C2	2.72	1.49	1.43
2	24-B	2	BGC	O3-C3	2.69	1.49	1.43
2	16-C	3	BGC	O2-C2	2.69	1.49	1.43
2	15-C	1	BGC	O3-C3	2.68	1.49	1.43
2	5-C	2	BGC	O3-C3	2.68	1.49	1.43
2	6-C	3	BGC	O2-C2	2.67	1.48	1.43
2	20-B	3	BGC	O2-C2	2.67	1.48	1.43
2	23-C	2	BGC	O3-C3	2.66	1.49	1.43
2	1-C	1	BGC	C1-C2	-2.66	1.46	1.52
2	7-B	2	BGC	O3-C3	2.66	1.49	1.43
2	13-C	3	BGC	O2-C2	2.66	1.48	1.43
2	11-C	2	BGC	C4-C3	-2.64	1.45	1.52
2	17-C	2	BGC	C4-C3	-2.64	1.45	1.52
2	1-C	2	BGC	O3-C3	2.63	1.49	1.43
2	14-C	1	BGC	O3-C3	2.63	1.49	1.43
2	3-C	3	BGC	O2-C2	2.62	1.48	1.43
2	19-C	2	BGC	O3-C3	2.62	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	4-C	2	BGC	O3-C3	2.61	1.49	1.43
2	2-C	2	BGC	O3-C3	2.61	1.49	1.43
2	8-C	2	BGC	O3-C3	2.60	1.49	1.43
2	13-C	1	BGC	O5-C5	2.60	1.50	1.44
2	21-C	2	BGC	C4-C3	-2.60	1.45	1.52
2	5-B	2	BGC	O3-C3	2.60	1.49	1.43
2	23-B	3	BGC	O2-C2	2.60	1.48	1.43
2	14-B	2	BGC	O3-C3	2.58	1.49	1.43
2	20-B	2	BGC	O3-C3	2.58	1.49	1.43
2	13-C	2	BGC	O3-C3	2.57	1.49	1.43
2	12-C	1	BGC	C1-C2	-2.57	1.46	1.52
2	24-B	3	BGC	O2-C2	2.55	1.48	1.43
2	19-B	1	BGC	O5-C5	2.55	1.50	1.44
2	13-B	3	BGC	O2-C2	2.55	1.48	1.43
2	24-C	2	BGC	O3-C3	2.55	1.49	1.43
2	15-B	2	BGC	O3-C3	2.54	1.49	1.43
2	21-C	1	BGC	C3-C2	-2.54	1.45	1.52
2	25-B	3	BGC	O2-C2	2.52	1.48	1.43
2	22-C	3	BGC	O2-C2	2.52	1.48	1.43
2	18-B	3	BGC	O2-C2	2.52	1.48	1.43
2	18-B	2	BGC	O3-C3	2.50	1.49	1.43
2	6-C	1	BGC	C1-C2	-2.50	1.46	1.52
2	1-B	3	BGC	O2-C2	2.50	1.48	1.43
2	9-B	3	BGC	O2-C2	2.50	1.48	1.43
2	4-B	2	BGC	O3-C3	2.50	1.49	1.43
2	21-C	1	BGC	C4-C3	-2.49	1.45	1.52
2	9-C	1	BGC	O5-C5	2.49	1.50	1.44
2	14-B	3	BGC	O2-C2	2.49	1.48	1.43
2	25-C	1	BGC	O3-C3	2.48	1.49	1.43
2	7-C	1	BGC	C4-C5	2.48	1.58	1.53
2	23-B	2	BGC	O3-C3	2.48	1.49	1.43
2	6-C	1	BGC	C4-C3	-2.47	1.45	1.52
2	25-B	2	BGC	O3-C3	2.47	1.49	1.43
2	4-B	3	BGC	O2-C2	2.46	1.48	1.43
2	6-B	3	BGC	O2-C2	2.46	1.48	1.43
2	19-C	1	BGC	O3-C3	2.45	1.49	1.43
2	5-B	3	BGC	O2-C2	2.44	1.48	1.43
2	9-C	2	BGC	O3-C3	2.44	1.49	1.43
2	10-B	2	BGC	C4-C3	-2.43	1.46	1.52
2	1-C	1	BGC	C4-C3	-2.43	1.46	1.52
2	21-B	2	BGC	C4-C3	-2.43	1.46	1.52
2	15-B	2	BGC	C4-C3	-2.43	1.46	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	11-B	2	BGC	O3-C3	2.43	1.49	1.43
2	12-C	1	BGC	C4-C3	-2.42	1.46	1.52
2	15-C	2	BGC	C4-C3	-2.42	1.46	1.52
2	11-B	3	BGC	O3-C3	2.41	1.48	1.43
2	8-C	2	BGC	C1-C2	-2.41	1.46	1.52
2	4-C	2	BGC	C4-C3	-2.40	1.46	1.52
2	24-B	3	BGC	O3-C3	2.39	1.48	1.43
2	22-C	2	BGC	C4-C3	-2.38	1.46	1.52
2	19-B	3	BGC	O2-C2	2.38	1.48	1.43
2	24-C	2	BGC	O2-C2	2.38	1.48	1.43
2	1-B	2	BGC	O3-C3	2.38	1.48	1.43
2	22-B	3	BGC	O2-C2	2.37	1.48	1.43
2	18-C	2	BGC	C4-C3	-2.37	1.46	1.52
2	24-C	2	BGC	C4-C3	-2.37	1.46	1.52
2	11-C	2	BGC	O3-C3	2.36	1.48	1.43
2	19-C	2	BGC	C4-C3	-2.36	1.46	1.52
2	8-B	2	BGC	O3-C3	2.36	1.48	1.43
2	23-B	1	BGC	O5-C5	2.36	1.50	1.44
2	14-C	2	BGC	O3-C3	2.36	1.48	1.43
2	22-C	2	BGC	O3-C3	2.35	1.48	1.43
2	7-C	1	BGC	C1-C2	-2.35	1.46	1.52
2	23-C	2	BGC	C4-C3	-2.35	1.46	1.52
2	12-B	3	BGC	O2-C2	2.35	1.48	1.43
2	13-B	2	BGC	O3-C3	2.34	1.48	1.43
2	9-B	2	BGC	O3-C3	2.34	1.48	1.43
2	7-B	3	BGC	O2-C2	2.34	1.48	1.43
2	5-C	2	BGC	C1-C2	-2.33	1.46	1.52
2	6-C	2	BGC	O2-C2	2.33	1.48	1.43
2	14-C	2	BGC	C4-C3	-2.33	1.46	1.52
2	8-C	1	BGC	C1-C2	-2.33	1.46	1.52
2	16-B	2	BGC	O3-C3	2.33	1.48	1.43
2	22-B	2	BGC	C4-C3	-2.33	1.46	1.52
2	8-B	1	BGC	O5-C5	2.32	1.50	1.44
2	23-C	2	BGC	O2-C2	2.32	1.48	1.43
2	20-C	1	BGC	C1-C2	-2.32	1.46	1.52
2	12-C	2	BGC	C4-C3	-2.32	1.46	1.52
2	11-B	3	BGC	O2-C2	2.32	1.48	1.43
2	16-C	2	BGC	C1-C2	-2.31	1.46	1.52
2	21-B	1	BGC	O5-C5	2.31	1.50	1.44
2	12-B	2	BGC	O3-C3	2.31	1.48	1.43
2	15-C	2	BGC	O3-C3	2.29	1.48	1.43
2	15-B	3	BGC	O2-C2	2.29	1.48	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	4-C	2	BGC	O2-C2	2.29	1.48	1.43
2	11-C	3	BGC	C1-C2	-2.29	1.46	1.52
2	10-C	1	BGC	C1-C2	-2.29	1.47	1.52
2	17-B	3	BGC	O2-C2	2.29	1.48	1.43
2	5-C	2	BGC	C4-C3	-2.28	1.46	1.52
2	10-C	2	BGC	O3-C3	2.28	1.48	1.43
2	14-C	2	BGC	O2-C2	2.27	1.48	1.43
2	8-B	3	BGC	O2-C2	2.27	1.48	1.43
2	23-C	1	BGC	C1-C2	-2.26	1.47	1.52
2	22-C	2	BGC	C1-C2	-2.26	1.46	1.52
2	10-C	2	BGC	C4-C3	-2.26	1.46	1.52
2	16-B	3	BGC	O3-C3	2.26	1.48	1.43
2	10-C	2	BGC	O2-C2	2.25	1.48	1.43
2	21-B	3	BGC	O2-C2	2.25	1.48	1.43
2	2-C	2	BGC	C1-C2	-2.25	1.46	1.52
2	9-C	2	BGC	C4-C3	-2.25	1.46	1.52
2	24-C	1	BGC	C1-C2	-2.24	1.47	1.52
2	16-B	3	BGC	O2-C2	2.24	1.48	1.43
2	25-C	2	BGC	C4-C3	-2.24	1.46	1.52
2	2-C	2	BGC	C4-C3	-2.24	1.46	1.52
2	3-B	2	BGC	O3-C3	2.24	1.48	1.43
2	21-B	2	BGC	O3-C3	2.24	1.48	1.43
2	23-B	3	BGC	O3-C3	2.23	1.48	1.43
2	11-C	2	BGC	O2-C2	2.23	1.48	1.43
2	3-B	3	BGC	O2-C2	2.22	1.48	1.43
2	21-B	3	BGC	O3-C3	2.22	1.48	1.43
2	20-B	2	BGC	C4-C3	-2.22	1.46	1.52
2	18-B	2	BGC	C4-C3	-2.22	1.46	1.52
2	11-B	1	BGC	O5-C5	2.22	1.49	1.44
2	8-C	1	BGC	C4-C3	-2.22	1.46	1.52
2	13-B	3	BGC	O3-C3	2.20	1.48	1.43
2	1-B	3	BGC	O3-C3	2.20	1.48	1.43
2	2-C	1	BGC	O5-C1	2.20	1.48	1.42
2	6-C	2	BGC	C4-C3	-2.20	1.46	1.52
2	10-B	2	BGC	O3-C3	2.20	1.48	1.43
2	18-C	2	BGC	O2-C2	2.19	1.47	1.43
2	2-B	2	BGC	O3-C3	2.19	1.48	1.43
2	17-C	1	BGC	C1-C2	-2.18	1.47	1.52
2	6-B	3	BGC	O3-C3	2.18	1.48	1.43
2	3-C	2	BGC	C4-C3	-2.18	1.46	1.52
2	23-B	2	BGC	C4-C3	-2.18	1.46	1.52
2	8-C	3	BGC	O3-C3	2.17	1.48	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	3-B	2	BGC	C1-C2	-2.17	1.47	1.52
2	2-B	2	BGC	C4-C3	-2.16	1.46	1.52
2	11-C	3	BGC	O3-C3	2.15	1.48	1.43
2	3-C	2	BGC	O2-C2	2.15	1.47	1.43
2	3-B	1	BGC	O5-C5	2.14	1.49	1.44
2	5-B	2	BGC	C4-C3	-2.13	1.46	1.52
2	14-B	1	BGC	O5-C5	2.13	1.49	1.44
2	4-C	1	BGC	O2-C2	2.13	1.48	1.43
2	8-C	2	BGC	C4-C3	-2.13	1.46	1.52
2	2-C	2	BGC	O2-C2	2.12	1.47	1.43
2	9-C	2	BGC	O2-C2	2.12	1.47	1.43
2	23-C	3	BGC	C1-C2	-2.11	1.47	1.52
2	14-C	1	BGC	O2-C2	2.11	1.48	1.43
2	25-B	3	BGC	O3-C3	2.11	1.48	1.43
2	25-B	1	BGC	O5-C5	2.11	1.49	1.44
2	25-B	1	BGC	C1-C2	-2.10	1.47	1.52
2	7-B	3	BGC	O3-C3	2.10	1.48	1.43
2	17-B	2	BGC	O3-C3	2.10	1.48	1.43
2	9-C	1	BGC	C4-C3	-2.09	1.46	1.52
2	20-C	2	BGC	C4-C3	-2.09	1.46	1.52
2	17-B	2	BGC	C4-C3	-2.09	1.46	1.52
2	4-B	2	BGC	C4-C3	-2.09	1.46	1.52
2	14-C	2	BGC	C1-C2	-2.08	1.47	1.52
2	1-B	2	BGC	C4-C3	-2.08	1.47	1.52
2	5-B	3	BGC	O3-C3	2.07	1.48	1.43
2	24-B	1	BGC	O5-C5	2.07	1.49	1.44
2	16-C	1	BGC	C4-C3	-2.07	1.47	1.52
2	16-B	3	BGC	O5-C1	2.07	1.47	1.43
2	1-C	2	BGC	O2-C2	2.07	1.47	1.43
2	15-C	2	BGC	O2-C2	2.07	1.47	1.43
2	22-C	2	BGC	O2-C2	2.07	1.47	1.43
2	8-C	2	BGC	O2-C2	2.06	1.47	1.43
2	7-C	3	BGC	O3-C3	2.06	1.48	1.43
2	11-C	1	BGC	C4-C3	-2.06	1.47	1.52
2	8-B	3	BGC	O3-C3	2.05	1.48	1.43
2	3-C	1	BGC	C1-C2	-2.05	1.47	1.52
2	3-B	2	BGC	C4-C3	-2.05	1.47	1.52
2	9-B	2	BGC	C4-C3	-2.05	1.47	1.52
2	19-C	2	BGC	O2-C2	2.04	1.47	1.43
2	22-C	1	BGC	O3-C3	2.04	1.48	1.43
2	15-C	3	BGC	C1-C2	-2.04	1.47	1.52
2	12-B	1	BGC	O5-C5	2.04	1.49	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	25-C	1	BGC	C4-C3	-2.03	1.47	1.52
2	16-C	1	BGC	O3-C3	2.03	1.48	1.43
2	7-C	2	BGC	O2-C2	2.03	1.47	1.43
2	23-C	1	BGC	C4-C5	2.02	1.57	1.53
2	4-C	1	BGC	C1-C2	-2.02	1.47	1.52
2	18-B	3	BGC	O3-C3	2.01	1.47	1.43
2	15-B	3	BGC	O3-C3	2.01	1.47	1.43
2	21-C	3	BGC	O3-C3	2.01	1.47	1.43

All (438) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2-C	1	BGC	O5-C1-C2	6.56	121.84	110.30
2	2-C	1	BGC	C4-C3-C2	-6.45	99.50	110.83
2	9-C	1	BGC	O5-C5-C4	-5.94	99.00	109.70
2	8-C	1	BGC	C4-C3-C2	-5.81	100.63	110.83
2	22-C	1	BGC	C1-C2-C3	-5.48	99.18	110.36
2	14-C	1	BGC	C4-C3-C2	5.39	120.29	110.83
2	4-C	2	BGC	O5-C1-C2	-5.34	98.06	110.79
2	1-C	2	BGC	C1-O5-C5	5.27	119.24	112.19
2	14-C	1	BGC	C1-O5-C5	-5.26	103.48	113.65
2	17-C	1	BGC	O5-C1-C2	5.24	119.50	110.30
2	23-C	1	BGC	C6-C5-C4	-5.16	100.35	113.02
2	21-C	2	BGC	C2-C3-C4	-5.16	101.79	110.86
2	15-C	1	BGC	C1-C2-C3	-5.03	100.10	110.36
2	7-C	1	BGC	C4-C3-C2	5.01	119.62	110.83
2	6-C	1	BGC	C1-O5-C5	4.95	123.22	113.65
2	20-C	2	BGC	C1-O5-C5	4.90	118.76	112.19
2	2-C	1	BGC	O5-C5-C4	-4.87	100.93	109.70
2	15-C	1	BGC	O3-C3-C2	4.86	121.83	110.38
2	7-B	2	BGC	O5-C5-C4	-4.75	99.26	110.83
2	8-C	1	BGC	O5-C5-C4	-4.73	101.17	109.70
2	8-C	1	BGC	O4-C4-C5	4.73	120.96	109.32
2	23-B	1	BGC	O5-C5-C4	-4.70	101.23	109.70
2	21-C	2	BGC	O2-C2-C1	4.70	119.98	109.22
2	2-C	1	BGC	O4-C4-C3	4.67	121.40	110.38
2	6-B	2	BGC	O5-C5-C4	-4.60	99.62	110.83
2	3-C	1	BGC	C3-C4-C5	4.60	118.57	110.23
2	4-C	1	BGC	O4-C4-C3	4.59	121.20	110.38
2	16-B	3	BGC	O5-C5-C4	-4.59	99.66	110.83
2	18-C	1	BGC	O5-C5-C6	4.53	117.67	106.44
2	13-C	1	BGC	O5-C5-C4	-4.50	101.58	109.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	4-C	1	BGC	C6-C5-C4	-4.49	101.99	113.02
2	9-B	2	BGC	O5-C5-C4	-4.49	99.91	110.83
2	18-C	2	BGC	C1-O5-C5	4.48	118.19	112.19
2	11-B	1	BGC	O5-C5-C4	-4.45	101.67	109.70
2	4-C	2	BGC	O2-C2-C1	4.45	119.41	109.22
2	20-C	3	BGC	C1-O5-C5	4.40	118.08	112.19
2	8-B	1	BGC	O5-C5-C4	-4.36	101.84	109.70
2	10-C	2	BGC	C1-O5-C5	4.29	117.93	112.19
2	18-C	1	BGC	O6-C6-C5	4.28	125.90	111.33
2	18-C	1	BGC	C3-C4-C5	4.26	117.96	110.23
2	13-B	2	BGC	C1-C2-C3	4.24	115.83	109.64
2	21-C	1	BGC	O5-C5-C6	4.23	116.93	106.44
2	6-C	3	BGC	O5-C5-C4	-4.21	100.59	110.83
2	23-C	1	BGC	C3-C4-C5	4.20	117.85	110.23
2	20-C	2	BGC	C1-C2-C3	4.17	115.71	109.64
2	14-C	3	BGC	O5-C5-C4	-4.14	100.77	110.83
2	22-C	1	BGC	O2-C2-C3	4.11	120.07	110.38
2	5-C	1	BGC	O3-C3-C4	4.09	120.03	110.38
2	25-B	2	BGC	C1-C2-C3	4.09	115.59	109.64
2	17-C	2	BGC	O5-C5-C4	-4.08	100.89	110.83
2	13-C	2	BGC	O5-C5-C4	-4.08	100.89	110.83
2	17-C	1	BGC	O3-C3-C4	4.07	119.98	110.38
2	21-B	1	BGC	O5-C5-C4	-4.06	102.39	109.70
2	6-C	2	BGC	O5-C5-C4	-4.05	100.98	110.83
2	2-C	1	BGC	O5-C5-C6	4.04	116.46	106.44
2	19-B	2	BGC	C1-C2-C3	4.03	115.51	109.64
2	14-B	1	BGC	O5-C5-C4	-3.98	102.53	109.70
2	21-C	1	BGC	O2-C2-C3	3.97	119.74	110.38
2	21-C	1	BGC	O2-C2-C1	-3.96	100.11	109.25
2	1-B	2	BGC	O5-C5-C4	-3.95	101.22	110.83
2	9-C	1	BGC	C1-C2-C3	3.90	118.31	110.36
2	1-B	2	BGC	C1-C2-C3	3.89	115.30	109.64
2	6-C	1	BGC	O5-C5-C6	3.87	116.04	106.44
2	18-B	2	BGC	C1-C2-C3	3.86	115.26	109.64
2	1-C	1	BGC	C1-C2-C3	-3.85	102.50	110.36
2	12-B	3	BGC	C1-C2-C3	3.85	115.25	109.64
2	25-C	1	BGC	O2-C2-C3	3.84	119.43	110.38
2	16-C	2	BGC	C2-C3-C4	3.84	117.61	110.86
2	24-B	3	BGC	C1-C2-C3	3.81	115.20	109.64
2	5-B	2	BGC	C1-C2-C3	3.79	115.17	109.64
2	24-B	2	BGC	C1-C2-C3	3.78	115.15	109.64
2	16-B	1	BGC	O5-C5-C4	-3.78	102.89	109.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	13-C	1	BGC	O6-C6-C5	3.77	124.18	111.33
2	15-C	1	BGC	O2-C2-C1	3.77	117.94	109.25
2	6-B	3	BGC	C1-C2-C3	3.75	115.10	109.64
2	2-B	2	BGC	C1-C2-C3	3.74	115.09	109.64
2	2-C	3	BGC	O5-C5-C4	-3.74	101.73	110.83
2	15-C	2	BGC	C1-O5-C5	3.74	117.19	112.19
2	20-B	2	BGC	C1-C2-C3	3.71	115.05	109.64
2	15-B	2	BGC	C1-C2-C3	3.71	115.04	109.64
2	17-B	3	BGC	O5-C5-C4	-3.70	101.81	110.83
2	15-B	2	BGC	O5-C5-C4	-3.69	101.84	110.83
2	6-B	2	BGC	C1-C2-C3	3.69	115.02	109.64
2	17-C	1	BGC	O5-C5-C6	3.69	115.58	106.44
2	4-C	1	BGC	O5-C1-C2	3.69	116.78	110.30
2	19-B	1	BGC	O5-C5-C4	-3.67	103.08	109.70
2	4-B	2	BGC	C1-C2-C3	3.67	114.99	109.64
2	23-B	3	BGC	O5-C5-C4	-3.66	101.91	110.83
2	17-B	2	BGC	O5-C5-C4	-3.66	101.92	110.83
2	18-C	2	BGC	C1-C2-C3	3.66	114.97	109.64
2	10-C	2	BGC	C2-C3-C4	-3.64	104.46	110.86
2	22-B	2	BGC	O5-C5-C4	-3.60	102.07	110.83
2	15-C	1	BGC	O1-C1-C2	3.57	119.36	108.98
2	2-C	1	BGC	O3-C3-C4	3.57	118.79	110.38
2	12-C	3	BGC	O5-C5-C4	-3.57	102.14	110.83
2	3-C	2	BGC	C1-C2-C3	3.57	114.83	109.64
2	21-C	1	BGC	O3-C3-C2	3.55	118.75	110.38
2	22-C	3	BGC	O5-C5-C4	-3.54	102.21	110.83
2	20-B	3	BGC	C1-C2-C3	3.54	114.80	109.64
2	24-C	3	BGC	O5-C5-C4	-3.54	102.22	110.83
2	14-B	2	BGC	C1-C2-C3	3.53	114.79	109.64
2	13-B	2	BGC	O5-C5-C4	-3.53	102.23	110.83
2	5-B	1	BGC	O5-C5-C4	-3.53	103.33	109.70
2	4-C	1	BGC	C4-C3-C2	-3.53	104.63	110.83
2	3-B	3	BGC	O5-C5-C4	-3.51	102.29	110.83
2	21-B	2	BGC	C1-C2-C3	3.49	114.73	109.64
2	4-B	2	BGC	O5-C5-C4	-3.49	102.33	110.83
2	12-C	2	BGC	C1-O5-C5	3.49	116.86	112.19
2	22-B	3	BGC	O5-C5-C4	-3.48	102.35	110.83
2	1-C	1	BGC	C3-C4-C5	3.48	116.55	110.23
2	25-C	1	BGC	O5-C5-C6	3.48	115.07	106.44
2	17-B	2	BGC	C1-C2-C3	3.47	114.70	109.64
2	10-B	2	BGC	C1-C2-C3	3.47	114.70	109.64
2	12-B	2	BGC	C1-C2-C3	3.47	114.70	109.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	3-B	2	BGC	C1-C2-C3	3.47	114.69	109.64
2	3-C	1	BGC	C4-C3-C2	3.47	116.92	110.83
2	21-C	3	BGC	C1-C2-C3	3.46	114.68	109.64
2	18-B	2	BGC	O5-C5-C4	-3.45	102.44	110.83
2	2-B	2	BGC	O5-C5-C4	-3.44	102.46	110.83
2	18-C	1	BGC	O5-C5-C4	-3.43	103.52	109.70
2	7-B	2	BGC	C1-C2-C3	3.42	114.63	109.64
2	25-C	3	BGC	O5-C5-C4	-3.42	102.50	110.83
2	9-B	2	BGC	C1-C2-C3	3.42	114.63	109.64
2	2-B	3	BGC	O5-C5-C4	-3.41	102.52	110.83
2	6-B	3	BGC	O5-C5-C4	-3.41	102.54	110.83
2	6-C	1	BGC	C1-C2-C3	-3.41	103.41	110.36
2	8-B	2	BGC	C1-C2-C3	3.41	114.60	109.64
2	15-C	1	BGC	O2-C2-C3	3.40	118.39	110.38
2	7-C	1	BGC	C3-C4-C5	3.40	116.39	110.23
2	8-B	3	BGC	C1-C2-C3	3.39	114.57	109.64
2	14-C	1	BGC	C3-C4-C5	3.37	116.34	110.23
2	21-C	1	BGC	O5-C5-C4	-3.37	103.63	109.70
2	23-B	2	BGC	C1-C2-C3	3.35	114.53	109.64
2	5-C	1	BGC	O6-C6-C5	3.35	122.72	111.33
2	4-C	1	BGC	O3-C3-C4	3.33	118.23	110.38
2	20-B	3	BGC	O5-C5-C4	-3.32	102.74	110.83
2	15-B	1	BGC	O5-C5-C4	-3.30	103.75	109.70
2	16-B	2	BGC	O5-C5-C4	-3.29	102.82	110.83
2	5-C	3	BGC	O5-C5-C4	-3.29	102.82	110.83
2	17-B	3	BGC	C1-C2-C3	3.29	114.43	109.64
2	22-B	2	BGC	C1-C2-C3	3.29	114.43	109.64
2	11-B	3	BGC	O5-C5-C4	-3.28	102.85	110.83
2	7-B	3	BGC	C1-C2-C3	3.28	114.41	109.64
2	1-C	3	BGC	O5-C5-C4	-3.27	102.88	110.83
2	17-C	3	BGC	O5-C5-C4	-3.25	102.92	110.83
2	16-C	1	BGC	C1-O5-C5	3.24	119.93	113.65
2	25-B	3	BGC	C1-C2-C3	3.24	114.37	109.64
2	19-C	3	BGC	O5-C5-C4	-3.24	102.94	110.83
2	19-B	3	BGC	O5-C5-C4	-3.24	102.95	110.83
2	22-C	1	BGC	C1-O5-C5	3.22	119.89	113.65
2	15-C	3	BGC	C1-O5-C5	3.22	116.50	112.19
2	11-B	2	BGC	O5-C5-C4	-3.20	103.03	110.83
2	15-B	3	BGC	C1-C2-C3	3.20	114.30	109.64
2	12-B	2	BGC	O5-C5-C4	-3.20	103.05	110.83
2	7-B	3	BGC	O5-C5-C4	-3.18	103.10	110.83
2	5-C	3	BGC	C2-C3-C4	3.17	116.43	110.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	23-B	3	BGC	C1-C2-C3	3.16	114.24	109.64
2	22-C	2	BGC	O5-C5-C4	-3.15	103.15	110.83
2	5-C	1	BGC	O3-C3-C2	-3.15	102.95	110.38
2	15-C	2	BGC	C1-C2-C3	3.14	114.22	109.64
2	11-B	2	BGC	C1-C2-C3	3.14	114.21	109.64
2	5-C	1	BGC	C1-O5-C5	-3.13	107.60	113.65
2	22-B	3	BGC	C1-C2-C3	3.13	114.20	109.64
2	10-B	2	BGC	O5-C5-C4	-3.12	103.23	110.83
2	24-B	1	BGC	O5-C5-C4	-3.12	104.07	109.70
2	16-B	2	BGC	C1-C2-C3	3.12	114.19	109.64
2	14-B	3	BGC	C1-C2-C3	3.12	114.18	109.64
2	17-C	1	BGC	O4-C4-C3	3.09	117.67	110.38
2	15-C	1	BGC	O5-C5-C6	3.09	114.09	106.44
2	5-C	2	BGC	O5-C5-C6	3.08	113.66	107.66
2	1-B	3	BGC	O5-C5-C4	-3.08	103.33	110.83
2	1-C	1	BGC	C1-O5-C5	3.07	119.59	113.65
2	15-C	3	BGC	C6-C5-C4	-3.06	105.51	113.02
2	17-B	1	BGC	O5-C5-C4	-3.05	104.21	109.70
2	5-B	3	BGC	O5-C5-C4	-3.04	103.43	110.83
2	15-B	3	BGC	O5-C5-C4	-3.04	103.43	110.83
2	18-B	3	BGC	O5-C5-C4	-3.03	103.45	110.83
2	3-B	1	BGC	O5-C5-C4	-3.03	104.23	109.70
2	4-B	3	BGC	O5-C5-C4	-3.02	103.49	110.83
2	19-B	3	BGC	C1-C2-C3	3.00	114.01	109.64
2	18-B	3	BGC	C1-C2-C3	3.00	114.01	109.64
2	21-C	3	BGC	C2-C3-C4	2.99	116.12	110.86
2	20-C	1	BGC	O6-C6-C5	2.98	121.47	111.33
2	16-C	1	BGC	O2-C2-C1	-2.97	102.38	109.25
2	16-C	1	BGC	O5-C5-C6	2.97	113.79	106.44
2	1-C	2	BGC	C1-C2-C3	2.97	113.96	109.64
2	25-C	2	BGC	C1-O5-C5	2.96	116.16	112.19
2	23-C	3	BGC	C3-C4-C5	2.96	115.60	110.23
2	11-B	3	BGC	C1-C2-C3	2.96	113.95	109.64
2	14-C	3	BGC	C2-C3-C4	2.95	116.05	110.86
2	9-B	1	BGC	O5-C5-C4	-2.94	104.41	109.70
2	8-C	1	BGC	O6-C6-C5	2.94	121.33	111.33
2	9-C	2	BGC	O5-C5-C4	-2.93	103.69	110.83
2	10-B	1	BGC	O5-C5-C4	-2.93	104.42	109.70
2	21-B	2	BGC	O5-C5-C4	-2.92	103.72	110.83
2	24-B	3	BGC	O5-C5-C4	-2.91	103.76	110.83
2	21-C	3	BGC	O5-C5-C4	-2.91	103.76	110.83
2	8-B	2	BGC	O5-C5-C4	-2.89	103.79	110.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	16-C	2	BGC	O2-C2-C3	-2.89	104.16	110.15
2	9-C	2	BGC	O5-C5-C6	2.89	113.28	107.66
2	20-B	2	BGC	O5-C5-C4	-2.87	103.84	110.83
2	5-B	2	BGC	O5-C5-C4	-2.86	103.86	110.83
2	14-C	1	BGC	O3-C3-C2	-2.86	103.62	110.38
2	22-C	1	BGC	O5-C5-C6	2.86	113.52	106.44
2	9-C	3	BGC	O5-C5-C4	-2.85	103.89	110.83
2	13-C	1	BGC	O5-C5-C6	2.85	113.50	106.44
2	16-C	3	BGC	C2-C3-C4	2.85	115.87	110.86
2	3-B	2	BGC	O5-C5-C4	-2.85	103.90	110.83
2	10-C	3	BGC	O5-C5-C4	-2.84	103.91	110.83
2	3-C	3	BGC	C2-C3-C4	2.84	115.86	110.86
2	9-C	3	BGC	C2-C3-C4	2.83	115.84	110.86
2	4-C	3	BGC	C2-C3-C4	2.82	115.83	110.86
2	20-C	3	BGC	C2-C3-C4	2.82	115.83	110.86
2	1-B	1	BGC	O5-C5-C4	-2.81	104.63	109.70
2	6-B	1	BGC	O5-C5-C4	-2.81	104.64	109.70
2	14-B	3	BGC	O5-C5-C4	-2.80	104.02	110.83
2	5-B	3	BGC	C1-C2-C3	2.80	113.72	109.64
2	14-C	1	BGC	O1-C1-C2	2.80	117.10	108.98
2	1-C	1	BGC	O3-C3-C2	2.80	116.97	110.38
2	12-C	2	BGC	C1-C2-C3	2.79	113.71	109.64
2	25-B	2	BGC	O5-C5-C4	-2.78	104.06	110.83
2	18-C	1	BGC	O4-C4-C5	-2.78	102.48	109.32
2	23-C	1	BGC	O5-C5-C4	2.78	114.70	109.70
2	21-C	2	BGC	O5-C1-C2	-2.77	104.18	110.79
2	13-C	2	BGC	C1-O5-C5	2.76	115.89	112.19
2	15-C	3	BGC	C2-C3-C4	2.76	115.71	110.86
2	8-C	3	BGC	O4-C4-C5	-2.76	102.54	109.32
2	3-C	1	BGC	O6-C6-C5	2.75	120.70	111.33
2	9-C	1	BGC	O5-C1-C2	2.74	115.12	110.30
2	1-C	3	BGC	C2-C3-C4	2.73	115.67	110.86
2	3-C	1	BGC	O5-C1-C2	2.73	115.10	110.30
2	12-B	1	BGC	O5-C5-C4	-2.73	104.78	109.70
2	4-B	3	BGC	C1-C2-C3	2.73	113.61	109.64
2	1-C	2	BGC	O5-C5-C4	-2.73	104.20	110.83
2	12-C	1	BGC	O6-C6-C5	2.72	120.59	111.33
2	10-B	3	BGC	O5-C5-C4	-2.72	104.22	110.83
2	25-C	3	BGC	O4-C4-C3	2.72	116.78	110.38
2	23-C	1	BGC	O5-C1-C2	2.70	115.05	110.30
2	13-B	3	BGC	C1-C2-C3	2.70	113.57	109.64
2	13-C	3	BGC	C2-C3-C4	2.70	115.61	110.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	17-C	2	BGC	C1-O5-C5	2.70	115.80	112.19
2	8-C	2	BGC	C1-C2-C3	2.69	113.56	109.64
2	23-C	2	BGC	O5-C5-C6	2.69	112.90	107.66
2	1-C	1	BGC	O2-C2-C3	2.69	116.71	110.38
2	8-C	2	BGC	C1-O5-C5	2.69	115.79	112.19
2	9-C	1	BGC	O2-C2-C3	-2.68	104.05	110.38
2	12-B	3	BGC	O5-C5-C4	-2.68	104.31	110.83
2	1-B	3	BGC	C1-C2-C3	2.67	113.54	109.64
2	15-C	3	BGC	C3-C4-C5	2.67	115.08	110.23
2	6-C	1	BGC	O2-C2-C1	2.67	115.42	109.25
2	14-C	1	BGC	O3-C3-C4	-2.67	104.09	110.38
2	14-C	1	BGC	O5-C5-C6	2.66	113.04	106.44
2	16-C	2	BGC	O4-C4-C3	-2.65	104.12	110.38
2	4-C	3	BGC	O4-C4-C5	-2.65	102.80	109.32
2	17-C	3	BGC	C2-C3-C4	2.65	115.52	110.86
2	13-B	3	BGC	O5-C5-C4	-2.64	104.39	110.83
2	6-B	2	BGC	C1-O5-C5	-2.64	108.64	112.19
2	21-B	3	BGC	C1-C2-C3	2.64	113.48	109.64
2	17-C	1	BGC	C1-C2-C3	2.63	115.72	110.36
2	11-C	2	BGC	C1-C2-C3	2.63	113.47	109.64
2	21-B	3	BGC	O5-C5-C4	-2.62	104.44	110.83
2	5-C	2	BGC	O6-C6-C5	2.62	120.27	111.33
2	13-C	1	BGC	C1-O5-C5	2.62	118.71	113.65
2	18-B	1	BGC	C1-C2-C3	2.61	115.69	110.36
2	1-C	1	BGC	O5-C5-C6	2.61	112.92	106.44
2	21-C	1	BGC	C1-C2-C3	2.61	115.68	110.36
2	18-C	1	BGC	C6-C5-C4	2.61	119.42	113.02
2	23-C	3	BGC	C1-O5-C5	2.61	115.68	112.19
2	16-B	3	BGC	C1-C2-C3	2.60	113.43	109.64
2	5-C	1	BGC	O5-C5-C6	2.60	112.89	106.44
2	11-C	2	BGC	O6-C6-C5	2.60	120.19	111.33
2	11-C	3	BGC	O2-C2-C3	2.60	115.53	110.15
2	15-C	2	BGC	O5-C5-C4	-2.59	104.52	110.83
2	21-C	1	BGC	O3-C3-C4	-2.59	104.27	110.38
2	12-C	3	BGC	C2-C3-C4	2.59	115.41	110.86
2	25-B	3	BGC	O5-C5-C4	-2.58	104.54	110.83
2	9-B	2	BGC	C1-O5-C5	-2.58	108.73	112.19
2	8-B	3	BGC	O5-C5-C4	-2.57	104.57	110.83
2	6-B	3	BGC	O6-C6-C5	2.57	120.07	111.33
2	6-C	2	BGC	C1-C2-C3	2.56	113.37	109.64
2	16-C	3	BGC	O5-C5-C4	-2.54	104.64	110.83
2	12-C	1	BGC	O2-C2-C1	-2.54	103.39	109.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	8-C	1	BGC	O2-C2-C3	2.54	116.36	110.38
2	23-B	2	BGC	O5-C5-C4	-2.53	104.67	110.83
2	21-C	2	BGC	O5-C5-C6	2.53	112.58	107.66
2	14-C	2	BGC	O5-C5-C4	-2.52	104.69	110.83
2	15-C	3	BGC	O6-C6-C5	2.52	119.90	111.33
2	18-C	3	BGC	C2-C3-C4	2.51	115.28	110.86
2	24-C	1	BGC	O3-C3-C2	-2.51	104.46	110.38
2	18-C	1	BGC	O4-C4-C3	-2.50	104.48	110.38
2	23-C	3	BGC	O6-C6-C5	2.49	119.82	111.33
2	2-C	1	BGC	C6-C5-C4	-2.48	106.92	113.02
2	21-C	1	BGC	C3-C4-C5	-2.48	105.74	110.23
2	21-C	2	BGC	C1-O5-C5	2.47	115.50	112.19
2	11-C	2	BGC	O5-C5-C6	2.47	112.46	107.66
2	11-C	2	BGC	O3-C3-C2	-2.46	105.04	110.05
2	19-B	2	BGC	O5-C5-C4	-2.46	104.85	110.83
2	8-B	1	BGC	O5-C5-C6	2.45	112.51	106.44
2	11-C	2	BGC	O3-C3-C4	-2.45	104.61	110.38
2	12-B	2	BGC	O4-C4-C5	-2.45	103.30	109.32
2	4-C	1	BGC	O2-C2-C3	2.45	116.14	110.38
2	13-B	2	BGC	C1-O5-C5	-2.44	108.92	112.19
2	12-C	3	BGC	O5-C5-C6	2.43	112.39	107.66
2	7-B	2	BGC	C1-O5-C5	-2.42	108.94	112.19
2	21-C	1	BGC	O6-C6-C5	2.42	119.58	111.33
2	12-B	2	BGC	C1-O5-C5	-2.42	108.94	112.19
2	8-C	2	BGC	C3-C4-C5	2.42	114.62	110.23
2	24-C	3	BGC	C2-C3-C4	2.41	115.10	110.86
2	10-C	3	BGC	C1-C2-C3	2.41	113.16	109.64
2	20-B	3	BGC	O6-C6-C5	2.41	119.54	111.33
2	20-C	1	BGC	C4-C3-C2	2.40	115.04	110.83
2	13-C	3	BGC	O5-C5-C4	-2.39	105.01	110.83
2	25-C	1	BGC	O1-C1-C2	-2.39	102.05	108.98
2	11-C	2	BGC	O5-C5-C4	-2.38	105.04	110.83
2	5-C	2	BGC	O5-C5-C4	-2.37	105.05	110.83
2	25-C	1	BGC	C1-O5-C5	2.37	118.23	113.65
2	14-B	2	BGC	O5-C5-C4	-2.37	105.07	110.83
2	15-C	1	BGC	O4-C4-C5	-2.36	103.52	109.32
2	22-C	3	BGC	C2-C3-C4	2.36	115.00	110.86
2	13-C	1	BGC	O5-C1-C2	2.36	114.44	110.30
2	24-C	1	BGC	O6-C6-C5	2.36	119.35	111.33
2	5-C	1	BGC	O4-C4-C5	-2.35	103.52	109.32
2	2-C	3	BGC	C2-C3-C4	2.35	114.99	110.86
2	10-C	1	BGC	C1-O5-C5	2.34	118.19	113.65

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	4-B	1	BGC	O5-C5-C4	-2.34	105.47	109.70
2	3-C	3	BGC	O5-C5-C4	-2.34	105.13	110.83
2	10-C	1	BGC	C4-C3-C2	2.34	114.94	110.83
2	3-C	1	BGC	C1-C2-C3	2.33	115.11	110.36
2	17-C	2	BGC	C1-C2-C3	2.33	113.04	109.64
2	3-C	1	BGC	O2-C2-C1	-2.33	103.87	109.25
2	15-C	1	BGC	C6-C5-C4	-2.33	107.30	113.02
2	8-C	3	BGC	O5-C5-C4	-2.33	105.17	110.83
2	23-C	2	BGC	C3-C4-C5	2.32	114.45	110.23
2	4-C	2	BGC	C2-C3-C4	-2.32	106.77	110.86
2	24-C	2	BGC	O5-C5-C6	2.32	112.19	107.66
2	9-B	3	BGC	C1-C2-C3	2.32	113.03	109.64
2	4-C	2	BGC	O2-C2-C3	2.32	114.96	110.15
2	22-C	2	BGC	C1-O5-C5	2.32	115.30	112.19
2	9-B	1	BGC	O5-C1-C2	-2.31	106.23	110.30
2	22-C	2	BGC	C1-C2-C3	2.31	113.01	109.64
2	10-C	2	BGC	O5-C5-C4	-2.31	105.22	110.83
2	24-C	2	BGC	O6-C6-C5	2.29	119.15	111.33
2	3-B	2	BGC	O5-C5-C6	-2.29	103.20	107.66
2	24-B	2	BGC	O5-C5-C6	-2.29	103.20	107.66
2	25-C	3	BGC	O4-C4-C5	-2.29	103.68	109.32
2	24-C	1	BGC	O5-C5-C4	-2.28	105.60	109.70
2	7-C	1	BGC	O1-C1-C2	2.27	115.58	108.98
2	25-B	1	BGC	C1-C2-C3	2.27	114.99	110.36
2	25-C	1	BGC	O5-C5-C4	-2.27	105.61	109.70
2	17-C	1	BGC	C4-C3-C2	-2.27	106.85	110.83
2	11-C	2	BGC	C3-C4-C5	2.27	114.34	110.23
2	4-B	1	BGC	C1-C2-C3	2.26	114.97	110.36
2	4-B	1	BGC	O1-C1-O5	-2.26	103.69	110.41
2	1-B	1	BGC	C1-O5-C5	-2.26	109.28	113.65
2	3-C	2	BGC	O6-C6-C5	2.26	119.02	111.33
2	6-C	3	BGC	C2-C3-C4	2.26	114.83	110.86
2	10-B	3	BGC	C1-C2-C3	2.25	112.92	109.64
2	7-C	3	BGC	O5-C5-C4	-2.25	105.35	110.83
2	12-C	2	BGC	O5-C5-C4	-2.25	105.35	110.83
2	24-B	2	BGC	O5-C5-C4	-2.24	105.37	110.83
2	9-C	2	BGC	O6-C6-C5	2.24	118.97	111.33
2	22-C	1	BGC	O3-C3-C2	2.24	115.65	110.38
2	21-C	2	BGC	C3-C4-C5	-2.24	106.17	110.23
2	14-C	1	BGC	O2-C2-C1	2.23	114.40	109.25
2	19-C	2	BGC	O5-C5-C4	-2.23	105.40	110.83
2	13-C	1	BGC	O4-C4-C3	2.23	115.62	110.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	12-C	1	BGC	O5-C5-C6	2.22	111.94	106.44
2	13-B	1	BGC	O5-C5-C4	-2.22	105.70	109.70
2	24-B	2	BGC	O4-C4-C5	-2.21	103.87	109.32
2	9-B	3	BGC	O5-C5-C4	-2.21	105.45	110.83
2	22-C	1	BGC	O3-C3-C4	2.21	115.58	110.38
2	6-C	1	BGC	O4-C4-C3	2.21	115.57	110.38
2	5-C	1	BGC	C6-C5-C4	2.20	118.42	113.02
2	17-C	3	BGC	O6-C6-C5	2.19	118.80	111.33
2	23-C	1	BGC	O4-C4-C3	2.19	115.55	110.38
2	8-C	1	BGC	C6-C5-C4	2.19	118.39	113.02
2	13-C	2	BGC	C1-C2-C3	2.19	112.83	109.64
2	7-B	1	BGC	O5-C5-C4	-2.18	105.76	109.70
2	15-C	1	BGC	C1-O5-C5	2.18	117.88	113.65
2	19-C	3	BGC	C2-C3-C4	2.17	114.68	110.86
2	21-C	2	BGC	O3-C3-C2	2.17	114.49	110.05
2	23-C	2	BGC	O6-C6-C5	2.17	118.72	111.33
2	25-C	1	BGC	O4-C4-C5	-2.17	103.99	109.32
2	7-B	2	BGC	O5-C5-C6	2.16	111.87	107.66
2	23-C	3	BGC	C2-C3-C4	2.16	114.67	110.86
2	7-B	2	BGC	C6-C5-C4	-2.16	107.71	113.02
2	8-C	2	BGC	O6-C6-C5	2.16	118.67	111.33
2	24-B	1	BGC	C1-C2-C3	2.16	114.75	110.36
2	23-B	2	BGC	O5-C5-C6	-2.15	103.47	107.66
2	15-C	1	BGC	O5-C5-C4	2.15	113.58	109.70
2	22-B	1	BGC	C1-C2-C3	2.15	114.74	110.36
2	21-C	3	BGC	C1-O5-C5	2.15	115.06	112.19
2	2-B	1	BGC	C1-C2-C3	2.14	114.72	110.36
2	18-C	1	BGC	O5-C1-C2	2.14	114.06	110.30
2	4-C	2	BGC	O3-C3-C4	-2.14	105.34	110.38
2	18-C	3	BGC	O4-C4-C5	-2.14	104.06	109.32
2	5-C	1	BGC	O5-C5-C4	-2.12	105.88	109.70
2	7-C	3	BGC	C2-C3-C4	2.12	114.59	110.86
2	21-C	2	BGC	O4-C4-C3	2.11	115.35	110.38
2	10-C	1	BGC	O3-C3-C2	-2.11	105.41	110.38
2	19-C	2	BGC	O5-C5-C6	2.10	111.74	107.66
2	4-C	1	BGC	O5-C5-C4	-2.10	105.92	109.70
2	10-B	3	BGC	C2-C3-C4	2.09	114.55	110.86
2	6-C	2	BGC	O6-C6-C5	2.09	118.46	111.33
2	3-B	2	BGC	O5-C1-C2	-2.09	105.80	110.79
2	9-B	3	BGC	O6-C6-C5	2.09	118.44	111.33
2	22-B	1	BGC	O5-C5-C4	-2.08	105.95	109.70
2	11-C	3	BGC	O4-C4-C5	-2.08	104.21	109.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	9-B	1	BGC	O1-C1-O5	-2.07	104.27	110.41
2	25-C	3	BGC	C2-C3-C4	2.07	114.49	110.86
2	19-C	1	BGC	C4-C3-C2	2.06	114.45	110.83
2	13-B	2	BGC	O4-C4-C5	-2.06	104.25	109.32
2	11-B	1	BGC	O3-C3-C2	-2.06	105.53	110.38
2	16-C	1	BGC	O2-C2-C3	2.05	115.22	110.38
2	20-C	1	BGC	O5-C5-C4	-2.05	106.00	109.70
2	6-C	1	BGC	O5-C1-C2	2.05	113.91	110.30
2	17-C	1	BGC	C1-O5-C5	2.05	117.62	113.65
2	17-B	3	BGC	O4-C4-C3	2.05	115.20	110.38
2	8-C	2	BGC	O5-C5-C6	2.05	111.65	107.66
2	6-C	1	BGC	C4-C3-C2	-2.04	107.24	110.83
2	15-C	1	BGC	O5-C1-C2	-2.04	106.71	110.30
2	6-B	1	BGC	C1-C2-C3	2.04	114.51	110.36
2	13-B	1	BGC	C1-C2-C3	2.03	114.49	110.36
2	17-B	2	BGC	O5-C1-C2	-2.02	105.96	110.79
2	19-C	2	BGC	C1-C2-C3	2.02	112.59	109.64
2	25-C	3	BGC	O5-C5-C6	2.02	111.59	107.66
2	11-C	3	BGC	C3-C4-C5	2.02	113.89	110.23
2	8-B	1	BGC	O4-C4-C3	2.02	115.13	110.38
2	17-C	3	BGC	O5-C5-C6	2.02	111.59	107.66
2	2-B	2	BGC	O5-C1-C2	-2.01	105.98	110.79
2	23-C	3	BGC	C6-C5-C4	-2.01	108.08	113.02
2	24-C	1	BGC	C4-C3-C2	2.01	114.36	110.83
2	4-C	1	BGC	C3-C4-C5	2.01	113.88	110.23
2	19-C	2	BGC	O6-C6-C5	2.01	118.17	111.33
2	3-B	2	BGC	O3-C3-C2	-2.01	105.96	110.05
2	25-C	2	BGC	C1-C2-C3	2.00	112.56	109.64
2	21-C	2	BGC	C6-C5-C4	-2.00	108.10	113.02
2	19-B	1	BGC	O4-C4-C5	-2.00	104.39	109.32

There are no chirality outliers.

All (85) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	23-C	1	BGC	C4-C5-C6-O6
2	1-C	2	BGC	O5-C5-C6-O6
2	14-C	2	BGC	O5-C5-C6-O6
2	15-C	2	BGC	O5-C5-C6-O6
2	1-C	1	BGC	C4-C5-C6-O6
2	15-C	1	BGC	C4-C5-C6-O6
2	21-C	1	BGC	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	22-C	1	BGC	O5-C5-C6-O6
2	23-C	1	BGC	O5-C5-C6-O6
2	24-C	1	BGC	C4-C5-C6-O6
2	11-C	2	BGC	O5-C5-C6-O6
2	19-C	2	BGC	O5-C5-C6-O6
2	25-C	1	BGC	O5-C5-C6-O6
2	4-C	1	BGC	C4-C5-C6-O6
2	6-C	1	BGC	O5-C5-C6-O6
2	13-C	2	BGC	O5-C5-C6-O6
2	24-C	2	BGC	O5-C5-C6-O6
2	6-C	1	BGC	C4-C5-C6-O6
2	14-C	2	BGC	C4-C5-C6-O6
2	17-C	2	BGC	C4-C5-C6-O6
2	14-C	1	BGC	O5-C5-C6-O6
2	1-C	1	BGC	O5-C5-C6-O6
2	22-C	1	BGC	C4-C5-C6-O6
2	17-C	2	BGC	O5-C5-C6-O6
2	8-C	1	BGC	O5-C5-C6-O6
2	15-C	1	BGC	O5-C5-C6-O6
2	14-C	1	BGC	C4-C5-C6-O6
2	15-C	2	BGC	C4-C5-C6-O6
2	19-C	2	BGC	C4-C5-C6-O6
2	21-C	1	BGC	C4-C5-C6-O6
2	11-C	2	BGC	C4-C5-C6-O6
2	24-C	2	BGC	C4-C5-C6-O6
2	13-C	1	BGC	O5-C5-C6-O6
2	1-C	2	BGC	C4-C5-C6-O6
2	8-C	1	BGC	C4-C5-C6-O6
2	12-C	3	BGC	O5-C5-C6-O6
2	3-C	1	BGC	O5-C5-C6-O6
2	20-C	1	BGC	O5-C5-C6-O6
2	21-C	2	BGC	O5-C5-C6-O6
2	13-C	2	BGC	C4-C5-C6-O6
2	9-C	2	BGC	O5-C5-C6-O6
2	25-C	1	BGC	C4-C5-C6-O6
2	24-C	1	BGC	O5-C5-C6-O6
2	21-C	2	BGC	C4-C5-C6-O6
2	16-C	1	BGC	O5-C5-C6-O6
2	13-C	1	BGC	C4-C5-C6-O6
2	4-C	2	BGC	C4-C5-C6-O6
2	7-C	1	BGC	O5-C5-C6-O6
2	12-C	3	BGC	C4-C5-C6-O6

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	2-C	1	BGC	O5-C5-C6-O6
2	18-C	2	BGC	O5-C5-C6-O6
2	18-C	1	BGC	O5-C5-C6-O6
2	9-C	2	BGC	C4-C5-C6-O6
2	17-C	1	BGC	O5-C5-C6-O6
2	5-C	1	BGC	O5-C5-C6-O6
2	2-C	3	BGC	O5-C5-C6-O6
2	5-C	1	BGC	C4-C5-C6-O6
2	25-C	3	BGC	O5-C5-C6-O6
2	7-B	3	BGC	O5-C5-C6-O6
2	11-C	3	BGC	C4-C5-C6-O6
2	23-C	2	BGC	O5-C5-C6-O6
2	4-C	1	BGC	O5-C5-C6-O6
2	4-C	2	BGC	O5-C5-C6-O6
2	16-B	3	BGC	O5-C5-C6-O6
2	6-C	3	BGC	O5-C5-C6-O6
2	18-C	3	BGC	O5-C5-C6-O6
2	18-C	3	BGC	C4-C5-C6-O6
2	11-C	3	BGC	O5-C5-C6-O6
2	22-C	2	BGC	C4-C5-C6-O6
2	3-C	1	BGC	C4-C5-C6-O6
2	22-C	2	BGC	O5-C5-C6-O6
2	10-B	3	BGC	O5-C5-C6-O6
2	18-C	2	BGC	C4-C5-C6-O6
2	6-B	3	BGC	O5-C5-C6-O6
2	23-B	3	BGC	O5-C5-C6-O6
2	4-C	3	BGC	C4-C5-C6-O6
2	20-C	2	BGC	O5-C5-C6-O6
2	14-B	3	BGC	O5-C5-C6-O6
2	12-B	3	BGC	O5-C5-C6-O6
2	23-C	2	BGC	C4-C5-C6-O6
2	16-C	2	BGC	O5-C5-C6-O6
2	4-C	3	BGC	O5-C5-C6-O6
2	20-B	3	BGC	O5-C5-C6-O6
2	24-B	3	BGC	O5-C5-C6-O6
2	25-C	3	BGC	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	1-A	549/549 (100%)	1.36	126 (22%) 2 2	0, 1, 1, 1	549 (100%)
1	2-A	0/549	-	-	-	-
1	3-A	0/549	-	-	-	-
1	4-A	0/549	-	-	-	-
1	5-A	0/549	-	-	-	-
1	6-A	0/549	-	-	-	-
1	7-A	0/549	-	-	-	-
1	8-A	0/549	-	-	-	-
1	9-A	0/549	-	-	-	-
1	10-A	0/549	-	-	-	-
1	11-A	0/549	-	-	-	-
1	12-A	0/549	-	-	-	-
1	13-A	0/549	-	-	-	-
1	14-A	0/549	-	-	-	-
1	15-A	0/549	-	-	-	-
1	16-A	0/549	-	-	-	-
1	17-A	0/549	-	-	-	-
1	18-A	0/549	-	-	-	-
1	19-A	0/549	-	-	-	-
1	20-A	0/549	-	-	-	-
1	21-A	0/549	-	-	-	-
1	22-A	0/549	-	-	-	-
1	23-A	0/549	-	-	-	-
1	24-A	0/549	-	-	-	-
1	25-A	0/549	-	-	-	-
All	All	549/13725 (4%)	1.36	126 (22%) 2 2	0, 1, 1, 1	549 (100%)

All (126) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	1-A	295	GLY	8.3
1	1-A	604	PHE	7.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	1-A	296	THR	7.6
1	1-A	59	VAL	7.0
1	1-A	194	TYR	6.9
1	1-A	605	PRO	6.7
1	1-A	282	ALA	6.7
1	1-A	294	ASN	6.6
1	1-A	76	PRO	6.4
1	1-A	313	GLY	6.1
1	1-A	73	PRO	5.7
1	1-A	193	GLY	5.7
1	1-A	422	ALA	5.3
1	1-A	272	ASP	5.2
1	1-A	274	ASP	5.0
1	1-A	58	VAL	4.8
1	1-A	301	SER	4.8
1	1-A	126	LEU	4.7
1	1-A	250	PRO	4.5
1	1-A	586	ASP	4.5
1	1-A	57	GLU	4.5
1	1-A	453	GLY	4.5
1	1-A	81	LYS	4.4
1	1-A	66	PRO	4.4
1	1-A	293	GLY	4.4
1	1-A	297	PRO	4.3
1	1-A	517	ASP	4.3
1	1-A	559	PRO	4.2
1	1-A	196	TRP	4.2
1	1-A	400	GLY	4.2
1	1-A	273	GLY	4.1
1	1-A	63	ASP	4.1
1	1-A	300	GLU	4.0
1	1-A	305	ASP	4.0
1	1-A	82	VAL	4.0
1	1-A	251	GLU	4.0
1	1-A	368	LEU	4.0
1	1-A	127	ASN	3.9
1	1-A	528	ASP	3.9
1	1-A	587	ILE	3.9
1	1-A	97	ASP	3.8
1	1-A	275	ASP	3.7
1	1-A	336	TYR	3.7
1	1-A	401	ALA	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	1-A	452	GLU	3.6
1	1-A	323	VAL	3.6
1	1-A	74	SER	3.6
1	1-A	64	LEU	3.5
1	1-A	298	GLU	3.5
1	1-A	306	GLN	3.4
1	1-A	145	ASP	3.4
1	1-A	560	VAL	3.3
1	1-A	312	PRO	3.3
1	1-A	71	PHE	3.2
1	1-A	192	ASP	3.2
1	1-A	164	VAL	3.2
1	1-A	285	THR	3.1
1	1-A	566	PHE	3.1
1	1-A	457	GLU	3.1
1	1-A	75	THR	3.0
1	1-A	326	GLY	3.0
1	1-A	314	ALA	3.0
1	1-A	99	TYR	3.0
1	1-A	454	VAL	3.0
1	1-A	77	ASP	3.0
1	1-A	546	VAL	2.9
1	1-A	72	ASP	2.9
1	1-A	143	TRP	2.9
1	1-A	80	GLY	2.9
1	1-A	340	GLN	2.9
1	1-A	232	GLY	2.9
1	1-A	276	TYR	2.8
1	1-A	423	GLY	2.8
1	1-A	302	LEU	2.8
1	1-A	270	TYR	2.8
1	1-A	505	TYR	2.8
1	1-A	506	ASP	2.7
1	1-A	440	ILE	2.7
1	1-A	84	GLU	2.7
1	1-A	62	GLY	2.7
1	1-A	564	VAL	2.7
1	1-A	493	ASN	2.7
1	1-A	83	ASP	2.7
1	1-A	603	SER	2.7
1	1-A	271	LEU	2.6
1	1-A	308	TYR	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	1-A	70	VAL	2.5
1	1-A	138	THR	2.5
1	1-A	227	GLY	2.4
1	1-A	144	PHE	2.4
1	1-A	310	VAL	2.4
1	1-A	335	VAL	2.4
1	1-A	246	ALA	2.4
1	1-A	343	GLU	2.4
1	1-A	387	PRO	2.4
1	1-A	570	LEU	2.4
1	1-A	252	PRO	2.3
1	1-A	78	ILE	2.3
1	1-A	518	ILE	2.3
1	1-A	69	LEU	2.3
1	1-A	111	ILE	2.3
1	1-A	597	ILE	2.3
1	1-A	87	ARG	2.3
1	1-A	88	LYS	2.3
1	1-A	286	ASN	2.3
1	1-A	309	VAL	2.3
1	1-A	324	ASP	2.2
1	1-A	532	THR	2.2
1	1-A	463	TYR	2.2
1	1-A	316	ALA	2.2
1	1-A	65	GLY	2.2
1	1-A	397	GLY	2.2
1	1-A	577	LYS	2.2
1	1-A	325	GLN	2.1
1	1-A	249	PHE	2.1
1	1-A	601	VAL	2.1
1	1-A	304	LEU	2.1
1	1-A	317	GLU	2.1
1	1-A	110	ASP	2.1
1	1-A	315	THR	2.1
1	1-A	321	ALA	2.1
1	1-A	365	VAL	2.0
1	1-A	412	LEU	2.0
1	1-A	109	ASN	2.0
1	1-A	180	ARG	2.0
1	1-A	470	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	BGC	1-C	1	12/12	0.38	0.25	21,21,21,21	12
2	BGC	2-B	1	12/12	-	-	15,17,23,26	12
2	BGC	3-B	1	12/12	-	-	15,17,23,26	12
2	BGC	4-B	1	12/12	-	-	15,17,23,26	12
2	BGC	5-B	1	12/12	-	-	15,17,23,26	12
2	BGC	6-B	1	12/12	-	-	15,17,23,26	12
2	BGC	7-B	1	12/12	-	-	15,17,23,26	12
2	BGC	8-B	1	12/12	-	-	15,17,23,26	12
2	BGC	9-B	1	12/12	-	-	15,17,23,26	12
2	BGC	10-B	1	12/12	-	-	15,17,23,26	12
2	BGC	11-B	1	12/12	-	-	15,17,23,26	12
2	BGC	12-B	1	12/12	-	-	15,17,23,26	12
2	BGC	13-B	1	12/12	-	-	15,17,23,26	12
2	BGC	14-B	1	12/12	-	-	15,17,23,26	12
2	BGC	15-B	1	12/12	-	-	15,17,23,26	12
2	BGC	16-B	1	12/12	-	-	15,17,23,26	12
2	BGC	17-B	1	12/12	-	-	15,17,23,26	12
2	BGC	18-B	1	12/12	-	-	15,17,23,26	12
2	BGC	19-B	1	12/12	-	-	15,17,23,26	12
2	BGC	20-B	1	12/12	-	-	15,17,23,26	12
2	BGC	21-B	1	12/12	-	-	15,17,23,26	12
2	BGC	22-B	1	12/12	-	-	15,17,23,26	12
2	BGC	23-B	1	12/12	-	-	15,17,23,26	12
2	BGC	24-B	1	12/12	-	-	15,17,23,26	12
2	BGC	25-B	1	12/12	-	-	15,17,23,26	12
2	BGC	1-C	2	11/12	0.65	0.18	25,27,31,47	11
2	BGC	2-B	2	11/12	-	-	14,16,22,23	11
2	BGC	3-B	2	11/12	-	-	14,16,22,23	11
2	BGC	4-B	2	11/12	-	-	14,16,22,23	11
2	BGC	5-B	2	11/12	-	-	14,16,22,23	11
2	BGC	6-B	2	11/12	-	-	14,16,22,23	11
2	BGC	7-B	2	11/12	-	-	14,16,22,23	11

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	BGC	8-B	2	11/12	-	-	14,16,22,23	11
2	BGC	9-B	2	11/12	-	-	14,16,22,23	11
2	BGC	10-B	2	11/12	-	-	14,16,22,23	11
2	BGC	11-B	2	11/12	-	-	14,16,22,23	11
2	BGC	12-B	2	11/12	-	-	14,16,22,23	11
2	BGC	13-B	2	11/12	-	-	14,16,22,23	11
2	BGC	14-B	2	11/12	-	-	14,16,22,23	11
2	BGC	15-B	2	11/12	-	-	14,16,22,23	11
2	BGC	16-B	2	11/12	-	-	14,16,22,23	11
2	BGC	17-B	2	11/12	-	-	14,16,22,23	11
2	BGC	18-B	2	11/12	-	-	14,16,22,23	11
2	BGC	19-B	2	11/12	-	-	14,16,22,23	11
2	BGC	20-B	2	11/12	-	-	14,16,22,23	11
2	BGC	21-B	2	11/12	-	-	14,16,22,23	11
2	BGC	22-B	2	11/12	-	-	14,16,22,23	11
2	BGC	23-B	2	11/12	-	-	14,16,22,23	11
2	BGC	24-B	2	11/12	-	-	14,16,22,23	11
2	BGC	25-B	2	11/12	-	-	14,16,22,23	11
2	BGC	1-C	3	11/12	0.86	0.13	23,27,32,34	11
2	BGC	2-B	3	11/12	-	-	14,15,20,26	11
2	BGC	3-B	3	11/12	-	-	14,15,20,26	11
2	BGC	4-B	3	11/12	-	-	14,15,20,26	11
2	BGC	5-B	3	11/12	-	-	14,15,20,26	11
2	BGC	6-B	3	11/12	-	-	14,15,20,26	11
2	BGC	7-B	3	11/12	-	-	14,15,20,26	11
2	BGC	8-B	3	11/12	-	-	14,15,20,26	11
2	BGC	9-B	3	11/12	-	-	14,15,20,26	11
2	BGC	10-B	3	11/12	-	-	14,15,20,26	11
2	BGC	11-B	3	11/12	-	-	14,15,20,26	11
2	BGC	12-B	3	11/12	-	-	14,15,20,26	11
2	BGC	13-B	3	11/12	-	-	14,15,20,26	11
2	BGC	14-B	3	11/12	-	-	14,15,20,26	11
2	BGC	15-B	3	11/12	-	-	14,15,20,26	11
2	BGC	16-B	3	11/12	-	-	14,15,20,26	11
2	BGC	17-B	3	11/12	-	-	14,15,20,26	11
2	BGC	18-B	3	11/12	-	-	14,15,20,26	11
2	BGC	19-B	3	11/12	-	-	14,15,20,26	11
2	BGC	20-B	3	11/12	-	-	14,15,20,26	11
2	BGC	21-B	3	11/12	-	-	14,15,20,26	11
2	BGC	22-B	3	11/12	-	-	14,15,20,26	11
2	BGC	23-B	3	11/12	-	-	14,15,20,26	11
2	BGC	24-B	3	11/12	-	-	14,15,20,26	11

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	BGC	25-B	3	11/12	-	-	14,15,20,26	11
2	BGC	1-B	1	12/12	0.92	0.10	15,17,23,26	12
2	BGC	2-C	1	12/12	-	-	21,21,21,21	12
2	BGC	3-C	1	12/12	-	-	21,21,21,21	12
2	BGC	4-C	1	12/12	-	-	21,21,21,21	12
2	BGC	5-C	1	12/12	-	-	21,21,21,21	12
2	BGC	6-C	1	12/12	-	-	21,21,21,21	12
2	BGC	7-C	1	12/12	-	-	21,21,21,21	12
2	BGC	8-C	1	12/12	-	-	21,21,21,21	12
2	BGC	9-C	1	12/12	-	-	21,21,21,21	12
2	BGC	10-C	1	12/12	-	-	21,21,21,21	12
2	BGC	11-C	1	12/12	-	-	21,21,21,21	12
2	BGC	12-C	1	12/12	-	-	21,21,21,21	12
2	BGC	13-C	1	12/12	-	-	21,21,21,21	12
2	BGC	14-C	1	12/12	-	-	21,21,21,21	12
2	BGC	15-C	1	12/12	-	-	21,21,21,21	12
2	BGC	16-C	1	12/12	-	-	21,21,21,21	12
2	BGC	17-C	1	12/12	-	-	21,21,21,21	12
2	BGC	18-C	1	12/12	-	-	21,21,21,21	12
2	BGC	19-C	1	12/12	-	-	21,21,21,21	12
2	BGC	20-C	1	12/12	-	-	21,21,21,21	12
2	BGC	21-C	1	12/12	-	-	21,21,21,21	12
2	BGC	22-C	1	12/12	-	-	21,21,21,21	12
2	BGC	23-C	1	12/12	-	-	21,21,21,21	12
2	BGC	24-C	1	12/12	-	-	21,21,21,21	12
2	BGC	25-C	1	12/12	-	-	21,21,21,21	12
2	BGC	1-B	3	11/12	0.93	0.10	14,15,20,26	11
2	BGC	2-C	2	11/12	-	-	25,27,31,47	11
2	BGC	3-C	2	11/12	-	-	25,27,31,47	11
2	BGC	4-C	2	11/12	-	-	25,27,31,47	11
2	BGC	5-C	2	11/12	-	-	25,27,31,47	11
2	BGC	6-C	2	11/12	-	-	25,27,31,47	11
2	BGC	7-C	2	11/12	-	-	25,27,31,47	11
2	BGC	8-C	2	11/12	-	-	25,27,31,47	11
2	BGC	9-C	2	11/12	-	-	25,27,31,47	11
2	BGC	10-C	2	11/12	-	-	25,27,31,47	11
2	BGC	11-C	2	11/12	-	-	25,27,31,47	11
2	BGC	12-C	2	11/12	-	-	25,27,31,47	11
2	BGC	13-C	2	11/12	-	-	25,27,31,47	11
2	BGC	14-C	2	11/12	-	-	25,27,31,47	11
2	BGC	15-C	2	11/12	-	-	25,27,31,47	11
2	BGC	16-C	2	11/12	-	-	25,27,31,47	11

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	BGC	17-C	2	11/12	-	-	25,27,31,47	11
2	BGC	18-C	2	11/12	-	-	25,27,31,47	11
2	BGC	19-C	2	11/12	-	-	25,27,31,47	11
2	BGC	20-C	2	11/12	-	-	25,27,31,47	11
2	BGC	21-C	2	11/12	-	-	25,27,31,47	11
2	BGC	22-C	2	11/12	-	-	25,27,31,47	11
2	BGC	23-C	2	11/12	-	-	25,27,31,47	11
2	BGC	24-C	2	11/12	-	-	25,27,31,47	11
2	BGC	25-C	2	11/12	-	-	25,27,31,47	11
2	BGC	1-B	2	11/12	0.93	0.09	14,16,22,23	11
2	BGC	2-C	3	11/12	-	-	23,27,32,34	11
2	BGC	3-C	3	11/12	-	-	23,27,32,34	11
2	BGC	4-C	3	11/12	-	-	23,27,32,34	11
2	BGC	5-C	3	11/12	-	-	23,27,32,34	11
2	BGC	6-C	3	11/12	-	-	23,27,32,34	11
2	BGC	7-C	3	11/12	-	-	23,27,32,34	11
2	BGC	8-C	3	11/12	-	-	23,27,32,34	11
2	BGC	9-C	3	11/12	-	-	23,27,32,34	11
2	BGC	10-C	3	11/12	-	-	23,27,32,34	11
2	BGC	11-C	3	11/12	-	-	23,27,32,34	11
2	BGC	12-C	3	11/12	-	-	23,27,32,34	11
2	BGC	13-C	3	11/12	-	-	23,27,32,34	11
2	BGC	14-C	3	11/12	-	-	23,27,32,34	11
2	BGC	15-C	3	11/12	-	-	23,27,32,34	11
2	BGC	16-C	3	11/12	-	-	23,27,32,34	11
2	BGC	17-C	3	11/12	-	-	23,27,32,34	11
2	BGC	18-C	3	11/12	-	-	23,27,32,34	11
2	BGC	19-C	3	11/12	-	-	23,27,32,34	11
2	BGC	20-C	3	11/12	-	-	23,27,32,34	11
2	BGC	21-C	3	11/12	-	-	23,27,32,34	11
2	BGC	22-C	3	11/12	-	-	23,27,32,34	11
2	BGC	23-C	3	11/12	-	-	23,27,32,34	11
2	BGC	24-C	3	11/12	-	-	23,27,32,34	11
2	BGC	25-C	3	11/12	-	-	23,27,32,34	11




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain C:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.