



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 07:20 AM UTC

PDB ID : 5TZH / pdb_00005tzh
Title : CRYSTAL STRUCTURE OF HUMAN PHOSPHODIESTERASE 2A IN
COMPLEX WITH 3,3-difluoro-1-[(4-fluorophenyl)carbonyl]-5-{5-methy
l-[1,2,4]triazolo[1,5-a]pyrimidin-7-yl}piperidine
Authors : Xu, R.; Aertgeerts, K.
Deposited on : 2016-11-21
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	344	 5% 89% 10% .
1	B	344	 6% 90% 8% ..
1	C	344	 13% 83% 11% . 5%
1	D	344	 6% 90% 5% 5%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 11904 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called cGMP-dependent 3',5'-cyclic phosphodiesterase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	341	Total	C	N	O	S	0	0	0
			2786	1774	477	509	26			
1	B	339	Total	C	N	O	S	0	0	0
			2775	1768	475	506	26			
1	C	327	Total	C	N	O	S	0	0	0
			2676	1707	460	484	25			
1	D	327	Total	C	N	O	S	0	0	0
			2676	1707	460	484	25			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	576	SER	-	expression tag	UNP O00408
A	577	ALA	-	expression tag	UNP O00408
A	578	MET	-	expression tag	UNP O00408
B	576	SER	-	expression tag	UNP O00408
B	577	ALA	-	expression tag	UNP O00408
B	578	MET	-	expression tag	UNP O00408
C	576	SER	-	expression tag	UNP O00408
C	577	ALA	-	expression tag	UNP O00408
C	578	MET	-	expression tag	UNP O00408
D	576	SER	-	expression tag	UNP O00408
D	577	ALA	-	expression tag	UNP O00408
D	578	MET	-	expression tag	UNP O00408

- Molecule 2 is [(5S)-3,3-difluoro-5-(5-methyl[1,2,4]triazolo[1,5-a]pyrimidin-7-yl)piperidin-1-yl][(4-fluorophenyl)methanone (CCD ID: 7OP) (formula: C₁₈H₁₆F₃N₅O).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	0	0
			27	18	3	5	1		
2	B	1	Total	C	F	N	O	0	0
			27	18	3	5	1		
2	C	1	Total	C	F	N	O	0	0
			27	18	3	5	1		
2	D	1	Total	C	F	N	O	0	0
			27	18	3	5	1		

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		
3	B	1	Total	Zn	0	0
			1	1		
3	C	1	Total	Zn	0	0
			1	1		
3	D	1	Total	Zn	0	0
			1	1		

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total 1	Mg 1	0	0
4	C	1	Total 1	Mg 1	0	0
4	D	1	Total 1	Mg 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	252	Total 252	O 252	0	0
5	B	229	Total 229	O 229	0	0
5	C	175	Total 175	O 175	0	0
5	D	219	Total 219	O 219	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: cGMP-dependent 3',5'-cyclic phosphodiesterase





- Molecule 1: cGMP-dependent 3',5'-cyclic phosphodiesterase



- Molecule 1: cGMP-dependent 3',5'-cyclic phosphodiesterase



- Molecule 1: cGMP-dependent 3',5'-cyclic phosphodiesterase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	55.84Å 72.84Å 90.71Å 109.15° 90.93° 91.18°	Depositor
Resolution (Å)	68.78 – 1.60 68.78 – 1.60	Depositor EDS
% Data completeness (in resolution range)	94.9 (68.78-1.60) 95.2 (68.78-1.60)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.49 (at 1.60Å)	Xtriage
Refinement program	PHENIX (1.10.1-2155_1692: ???)	Depositor
R, R_{free}	0.214 , 0.256 0.215 , 0.257	Depositor DCC
R_{free} test set	8566 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	17.5	Xtriage
Anisotropy	0.224	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 45.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.014 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11904	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG, 7OP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.31	0/2853	0.48	0/3849
1	B	0.30	0/2842	0.49	0/3834
1	C	0.26	0/2741	0.44	0/3698
1	D	0.28	0/2741	0.48	0/3698
All	All	0.29	0/11177	0.47	0/15079

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2786	0	2728	23	0
1	B	2775	0	2718	22	0
1	C	2676	0	2630	26	0
1	D	2676	0	2630	10	0
2	A	27	0	0	1	0
2	B	27	0	0	2	0
2	C	27	0	0	0	0
2	D	27	0	0	0	0
3	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	252	0	0	2	0
5	B	229	0	0	1	0
5	C	175	0	0	5	0
5	D	219	0	0	0	0
All	All	11904	0	10706	78	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:763:ASP:OD2	1:C:797:ARG:NH1	2.13	0.79
1:A:843:ARG:HH12	1:A:852:LYS:HZ1	1.35	0.71
1:C:783:MET:HE2	1:C:788:TYR:HD1	1.57	0.70
1:A:794:GLN:OE1	1:A:797:ARG:NH1	2.26	0.69
1:A:671:LEU:HD13	1:A:803:LEU:HD22	1.77	0.67
1:C:837:GLU:HA	1:C:840:MET:HE2	1.78	0.66
1:B:864:GLU:OE2	1:B:892:ARG:NH2	2.29	0.65
1:A:824:GLU:HG2	1:A:828:LYS:HE2	1.82	0.62
1:B:856:PRO:HG3	1:B:902:PHE:CD1	2.35	0.61
1:A:864:GLU:OE1	1:A:892:ARG:NH2	2.35	0.60
1:B:883:GLU:OE1	1:B:887:ARG:NH2	2.38	0.57
1:B:910:ASN:HB2	1:B:912:SER:HB3	1.87	0.57
1:B:625:ASP:O	1:C:778:LYS:HE3	2.08	0.54
1:C:680:TYR:O	1:C:788:TYR:OH	2.24	0.54
1:B:720:SER:O	1:B:722:GLU:HG2	2.08	0.53
1:A:578:MET:HE3	1:A:644:LEU:HB2	1.91	0.53
1:C:730:HIS:ND1	5:C:1102:HOH:O	2.34	0.53
1:D:821:LYS:HZ2	1:D:825:LEU:HG	1.73	0.52
1:D:854:TYR:HD2	1:D:857:GLU:HB2	1.75	0.51
2:A:1001:7OP:C16	2:A:1001:7OP:C20	2.86	0.51
1:A:648:LYS:HG2	1:D:790:ARG:CD	2.41	0.50
1:A:660:HIS:HD2	5:A:1109:HOH:O	1.94	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:854:TYR:CD2	1:D:857:GLU:HB2	2.46	0.50
1:C:611:PRO:HG2	1:C:614:ASP:OD2	2.13	0.49
1:B:763:ASP:OD2	1:B:797:ARG:NH1	2.46	0.49
1:B:813:THR:O	1:B:887:ARG:HD2	2.13	0.49
1:C:856:PRO:HG3	1:C:902:PHE:CD1	2.48	0.49
1:D:614:ASP:O	1:D:617:MET:HG3	2.13	0.48
1:C:671:LEU:HD13	1:C:803:LEU:HD22	1.96	0.48
1:A:833:GLN:CD	1:A:848:MET:HE1	2.39	0.47
1:B:826:ILE:HD13	2:B:1001:7OP:N5	2.29	0.47
1:A:843:ARG:HH12	1:A:852:LYS:NZ	2.10	0.47
1:B:793:LYS:HA	1:B:793:LYS:HD2	1.64	0.47
1:C:836:LEU:O	1:C:840:MET:HG3	2.15	0.47
1:C:845:MET:HG3	1:C:847:MET:HG2	1.96	0.47
1:B:578:MET:HG3	1:B:579:ASP:H	1.80	0.47
1:C:880:LYS:HB2	1:C:880:LYS:HE2	1.51	0.47
1:A:843:ARG:NH1	1:A:852:LYS:HZ1	2.08	0.46
1:A:728:ARG:NH2	1:B:720:SER:OG	2.48	0.46
1:C:813:THR:O	1:C:887:ARG:HG2	2.16	0.46
1:B:671:LEU:HD13	1:B:803:LEU:HD22	1.97	0.46
1:C:854:TYR:HD1	1:C:857:GLU:HG2	1.80	0.46
1:B:860:ILE:CD1	1:B:895:TRP:HB3	2.47	0.45
1:A:863:MET:HA	1:A:867:ALA:HB3	1.98	0.45
1:D:837:GLU:OE1	1:D:844:PRO:HB3	2.16	0.45
1:C:746:PHE:CE2	1:C:757:MET:HG2	2.52	0.45
1:C:783:MET:HE2	1:C:788:TYR:CD1	2.44	0.45
1:A:859:GLN:O	1:A:863:MET:HG2	2.17	0.45
1:B:757:MET:HE2	1:B:757:MET:HB2	1.72	0.45
1:C:911:ASN:ND2	5:C:1112:HOH:O	2.50	0.45
1:C:729:HIS:HB3	5:C:1102:HOH:O	2.16	0.44
1:B:741:HIS:HE1	1:D:797:ARG:NH2	2.15	0.44
1:D:727:GLU:HA	1:D:730:HIS:CD2	2.52	0.44
1:A:783:MET:HG3	1:A:795:HIS:CD2	2.52	0.44
1:A:579:ASP:OD2	1:A:579:ASP:N	2.50	0.43
1:A:664:VAL:HG13	1:A:807:CYS:HB3	2.01	0.43
1:C:660:HIS:O	1:C:664:VAL:HG23	2.19	0.43
1:C:730:HIS:CE1	5:C:1102:HOH:O	2.72	0.43
1:C:897:LYS:HE2	1:C:897:LYS:HB3	1.77	0.42
1:A:727:GLU:HA	1:A:730:HIS:CD2	2.54	0.42
1:C:777:PHE:O	1:C:781:GLN:HG3	2.18	0.42
1:D:746:PHE:CZ	1:D:757:MET:HE2	2.55	0.42
1:B:826:ILE:HD13	2:B:1001:7OP:C6	2.50	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:783:MET:HE2	1:A:783:MET:HB3	1.89	0.42
1:A:578:MET:HE1	1:A:645:MET:HG2	2.03	0.41
1:C:782:LYS:HD2	1:C:782:LYS:HA	1.91	0.41
1:A:641:ARG:NH1	1:A:742:GLY:O	2.49	0.41
1:D:838:LYS:NZ	1:D:849:ASP:OD1	2.52	0.41
1:A:599:ASN:ND2	1:A:604:THR:OG1	2.47	0.41
1:C:775:ARG:NH2	5:C:1109:HOH:O	2.48	0.41
1:C:843:ARG:HG3	1:C:843:ARG:O	2.21	0.41
1:B:782:LYS:O	1:B:786:VAL:HG22	2.21	0.41
1:C:773:HIS:CE1	1:C:870:ILE:HG12	2.56	0.41
1:B:761:MET:HE2	1:B:761:MET:HB3	1.92	0.41
1:B:797:ARG:NH2	5:B:1116:HOH:O	2.54	0.41
1:A:852:LYS:NZ	5:A:1110:HOH:O	2.44	0.40
1:B:837:GLU:OE2	1:B:844:PRO:HB3	2.21	0.40
1:B:860:ILE:HG12	1:B:896:THR:HG22	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	339/344 (98%)	335 (99%)	4 (1%)	0	100	100
1	B	337/344 (98%)	332 (98%)	4 (1%)	1 (0%)	36	20
1	C	325/344 (94%)	321 (99%)	4 (1%)	0	100	100
1	D	325/344 (94%)	322 (99%)	3 (1%)	0	100	100
All	All	1326/1376 (96%)	1310 (99%)	15 (1%)	1 (0%)	48	27

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	722	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	307/310 (99%)	305 (99%)	2 (1%)	76	63
1	B	306/310 (99%)	303 (99%)	3 (1%)	68	50
1	C	295/310 (95%)	290 (98%)	5 (2%)	53	30
1	D	295/310 (95%)	293 (99%)	2 (1%)	76	63
All	All	1203/1240 (97%)	1191 (99%)	12 (1%)	68	50

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	820	ARG
1	A	822	ILE
1	B	580	ASP
1	B	720	SER
1	B	910	ASN
1	C	593	VAL
1	C	783	MET
1	C	798	LEU
1	C	880	LYS
1	C	890	SER
1	D	617	MET
1	D	828	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	627	ASN
1	A	660	HIS
1	A	791	ASN
1	A	894	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	741	HIS
1	B	744	ASN
1	B	781	GLN
1	B	842	ASN
1	C	591	GLN
1	C	631	ASN
1	C	679	ASN
1	C	708	GLN
1	C	812	GLN
1	C	900	HIS
1	C	911	ASN
1	D	627	ASN
1	D	679	ASN
1	D	708	GLN
1	D	842	ASN
1	D	894	HIS
1	D	900	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 8 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	7OP	A	1001	-	28,30,30	1.36	4 (14%)	38,45,45	1.43	8 (21%)
2	7OP	D	1001	-	28,30,30	1.34	6 (21%)	38,45,45	1.40	6 (15%)
2	7OP	B	1001	-	28,30,30	1.34	4 (14%)	38,45,45	1.37	4 (10%)
2	7OP	C	1001	-	28,30,30	1.27	4 (14%)	38,45,45	1.32	6 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	7OP	A	1001	-	-	0/12/26/26	0/4/4/4
2	7OP	D	1001	-	-	0/12/26/26	0/4/4/4
2	7OP	B	1001	-	-	0/12/26/26	0/4/4/4
2	7OP	C	1001	-	-	0/12/26/26	0/4/4/4

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1001	7OP	C1-C2	3.26	1.48	1.41
2	A	1001	7OP	C14-N15	-3.14	1.43	1.46
2	B	1001	7OP	C16-N15	-3.02	1.43	1.46
2	C	1001	7OP	C2-N3	-2.85	1.29	1.33
2	A	1001	7OP	C2-N3	-2.82	1.29	1.33
2	D	1001	7OP	C1-C2	2.78	1.47	1.41
2	A	1001	7OP	C1-C2	2.75	1.47	1.41
2	D	1001	7OP	C2-N3	-2.67	1.29	1.33
2	B	1001	7OP	C1-C2	2.57	1.46	1.41
2	D	1001	7OP	C16-N15	-2.50	1.44	1.46
2	A	1001	7OP	C18-C17	-2.44	1.45	1.50
2	B	1001	7OP	C2-N3	-2.36	1.30	1.33
2	B	1001	7OP	N5-N9	-2.35	1.34	1.37
2	D	1001	7OP	N5-N9	-2.20	1.34	1.37
2	C	1001	7OP	C16-N15	-2.17	1.44	1.46
2	D	1001	7OP	C14-N15	-2.13	1.44	1.46
2	D	1001	7OP	C18-C17	-2.04	1.46	1.50
2	C	1001	7OP	N5-N9	-2.01	1.34	1.37

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1001	7OP	C23-C18-C20	3.53	123.06	118.57
2	B	1001	7OP	C10-C2-C1	-3.35	116.06	120.44
2	D	1001	7OP	C23-C18-C20	3.14	122.56	118.57
2	B	1001	7OP	C12-C13-C14	-3.11	111.34	114.30
2	D	1001	7OP	C12-C11-C6	3.09	117.02	111.78
2	A	1001	7OP	C18-C17-N15	-2.84	115.12	118.66
2	D	1001	7OP	C8-N9-N5	2.73	103.08	100.86
2	B	1001	7OP	C10-C2-N3	2.57	119.71	116.84
2	D	1001	7OP	C10-C2-C1	-2.55	117.11	120.44
2	C	1001	7OP	C8-N9-N5	2.54	102.93	100.86
2	C	1001	7OP	C10-C2-C1	-2.54	117.13	120.44
2	C	1001	7OP	C1-C2-N3	2.49	125.16	122.71
2	A	1001	7OP	C22-C23-C18	-2.47	118.16	120.80
2	A	1001	7OP	C12-C11-C6	2.47	115.97	111.78
2	A	1001	7OP	C10-C2-C1	-2.41	117.29	120.44
2	C	1001	7OP	C12-C11-C6	2.36	115.78	111.78
2	A	1001	7OP	C21-C20-C18	-2.36	118.28	120.80
2	B	1001	7OP	C23-C18-C20	2.27	121.45	118.57
2	D	1001	7OP	C22-C23-C18	-2.27	118.38	120.80
2	D	1001	7OP	C1-C2-N3	2.23	124.90	122.71
2	A	1001	7OP	C16-N15-C14	2.14	118.81	114.42
2	C	1001	7OP	C23-C18-C20	2.12	121.26	118.57
2	A	1001	7OP	C14-N15-C17	-2.10	116.39	121.44
2	C	1001	7OP	C12-C13-C14	-2.03	112.37	114.30

There are no chirality outliers.

There are no torsion outliers.



There are no ring outliers.


2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1001	7OP	1	0
2	B	1001	7OP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	341/344 (99%)	0.48	16 (4%)	36 38	10, 23, 43, 59	0
1	B	339/344 (98%)	0.59	22 (6%)	25 25	11, 24, 42, 56	0
1	C	327/344 (95%)	0.96	46 (14%)	6 6	13, 30, 52, 62	0
1	D	327/344 (95%)	0.61	22 (6%)	24 24	12, 26, 43, 58	0
All	All	1334/1376 (96%)	0.66	106 (7%)	18 19	10, 26, 46, 62	0

All (106) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	786	VAL	5.1
1	B	578	MET	4.7
1	C	595	ALA	4.2
1	C	680	TYR	4.0
1	B	723	GLY	3.9
1	D	590	ILE	3.8
1	C	916	LEU	3.8
1	B	915	PHE	3.5
1	D	617	MET	3.5
1	B	748	HIS	3.4
1	D	915	PHE	3.4
1	C	590	ILE	3.3
1	C	783	MET	3.3
1	C	784	ALA	3.3
1	C	785	GLU	3.1
1	A	636	CYS	3.1
1	A	909	SER	3.1
1	D	909	SER	3.1
1	C	627	ASN	3.0
1	C	791	ASN	3.0
1	C	836	LEU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	636	CYS	3.0
1	C	910	ASN	3.0
1	C	594	ALA	3.0
1	C	839	ALA	3.0
1	B	722	GLU	3.0
1	C	617	MET	2.9
1	A	579	ASP	2.9
1	C	593	VAL	2.9
1	C	915	PHE	2.9
1	C	788	TYR	2.9
1	D	596	ILE	2.9
1	A	915	PHE	2.8
1	D	916	LEU	2.8
1	B	910	ASN	2.7
1	A	774	LEU	2.7
1	C	909	SER	2.7
1	B	793	LYS	2.7
1	B	909	SER	2.7
1	A	916	LEU	2.7
1	D	652	ASP	2.7
1	C	787	GLY	2.6
1	C	679	ASN	2.6
1	C	678	THR	2.6
1	C	838	LYS	2.6
1	C	592	PRO	2.6
1	A	904	ILE	2.5
1	C	857	GLU	2.5
1	C	628	PHE	2.5
1	C	624	GLN	2.5
1	D	877	LEU	2.5
1	A	576	SER	2.5
1	C	841	GLY	2.4
1	A	839	ALA	2.4
1	C	844	PRO	2.4
1	D	836	LEU	2.4
1	C	831	PHE	2.4
1	D	866	ILE	2.4
1	C	907	LEU	2.4
1	C	834	GLY	2.3
1	D	842	ASN	2.3
1	A	843	ARG	2.3
1	A	782	LYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	636	CYS	2.3
1	C	591	GLN	2.3
1	C	721	SER	2.3
1	C	797	ARG	2.3
1	B	914	ASP	2.3
1	C	596	ILE	2.3
1	D	722	GLU	2.2
1	C	842	ASN	2.2
1	C	684	ILE	2.2
1	B	894	HIS	2.2
1	C	843	ARG	2.2
1	A	914	ASP	2.2
1	A	907	LEU	2.2
1	B	794	GLN	2.2
1	B	632	TYR	2.2
1	C	790	ARG	2.2
1	D	595	ALA	2.2
1	D	624	GLN	2.2
1	D	910	ASN	2.2
1	C	629	ILE	2.2
1	A	577	ALA	2.1
1	B	836	LEU	2.1
1	B	916	LEU	2.1
1	B	593	VAL	2.1
1	D	594	ALA	2.1
1	C	776	ILE	2.1
1	B	589	GLY	2.1
1	B	897	LYS	2.1
1	A	898	VAL	2.1
1	C	777	PHE	2.1
1	B	860	ILE	2.1
1	C	904	ILE	2.1
1	C	840	MET	2.0
1	B	579	ASP	2.0
1	A	778	LYS	2.0
1	B	824	GLU	2.0
1	D	911	ASN	2.0
1	B	596	ILE	2.0
1	D	628	PHE	2.0
1	D	632	TYR	2.0
1	D	751	ARG	2.0
1	D	636	CYS	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	741	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	7OP	A	1001	27/27	0.90	0.11	11,21,42,55	0
2	7OP	C	1001	27/27	0.90	0.11	13,25,45,46	0
2	7OP	B	1001	27/27	0.91	0.09	15,20,33,38	0
2	7OP	D	1001	27/27	0.92	0.09	16,22,35,47	0
4	MG	C	1003	1/1	0.98	0.03	12,12,12,12	0
4	MG	D	1003	1/1	0.98	0.03	12,12,12,12	0
4	MG	B	1003	1/1	0.99	0.02	11,11,11,11	0
3	ZN	D	1002	1/1	0.99	0.02	16,16,16,16	0
4	MG	A	1003	1/1	0.99	0.03	8,8,8,8	0
3	ZN	C	1002	1/1	1.00	0.01	16,16,16,16	0
3	ZN	A	1002	1/1	1.00	0.03	13,13,13,13	0
3	ZN	B	1002	1/1	1.00	0.01	15,15,15,15	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 7OP A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7OP C 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7OP B 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 7OP D 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.