



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:57 AM UTC

PDB ID : 1U0Z / pdb_00001u0z
Title : N-Domain Of Grp94 Lacking The Charged Domain In Complex With Radicicol
Authors : Gewirth, D.T.; Immormino, R.M.
Deposited on : 2004-07-14
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	236	16% 70% 19% 11%
1	B	236	17% 75% 21% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PG4	A	402	-	-	X	-
4	1PE	A	409	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3851 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Endoplasmin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	211	Total	C	N	O	S	0	4	0
			1651	1059	274	312	6			
1	B	226	Total	C	N	O	S	0	5	0
			1757	1122	298	329	8			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	65	GLY	-	cloning artifact	UNP P41148
A	66	SER	-	cloning artifact	UNP P41148
A	67	HIS	-	cloning artifact	UNP P41148
A	68	MET	-	cloning artifact	UNP P41148
B	65	GLY	-	cloning artifact	UNP P41148
B	66	SER	-	cloning artifact	UNP P41148
B	67	HIS	-	cloning artifact	UNP P41148
B	68	MET	-	cloning artifact	UNP P41148

- Molecule 2 is RADICICOL (CCD ID: RDC) (formula: C₁₈H₁₇ClO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	Cl	O	0	0
			25	18	1	6		
2	B	1	Total	C	Cl	O	0	0
			25	18	1	6		

- Molecule 3 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			10	6	4		
3	A	1	Total	C	O	0	0
			13	8	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			10	6	4		
3	A	1	Total	C	O	0	0
			13	8	5		
3	B	1	Total	C	O	0	0
			10	6	4		
3	B	1	Total	C	O	0	0
			13	8	5		
3	B	1	Total	C	O	0	0
			7	4	3		
3	B	1	Total	C	O	0	0
			13	8	5		
3	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 4 is PENTAETHYLENE GLYCOL (CCD ID: 1PE) (formula: $C_{10}H_{22}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			16	10	6		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	132	Total	O	0	0
			132	132		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	149	Total 149	O 149	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Endoplasmin



• Molecule 1: Endoplasmin



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	65.51Å 84.44Å 95.01Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 1.90 50.00 – 1.90	Depositor EDS
% Data completeness (in resolution range)	94.9 (50.00-1.90) 95.0 (50.00-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.05 (at 1.89Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.222 , 0.253 0.217 , 0.247	Depositor DCC
R_{free} test set	4062 reflections (9.68%)	wwPDB-VP
Wilson B-factor (Å ²)	29.1	Xtriage
Anisotropy	0.174	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 59.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3851	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 39.69 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.0586e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: RDC, PG4, 1PE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.36	0/1675	0.86	4/2267 (0.2%)
1	B	0.38	0/1783	0.87	5/2412 (0.2%)
All	All	0.37	0/3458	0.87	9/4679 (0.2%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	97	LYS	N-CA-C	8.73	121.89	111.33
1	A	226	ASP	N-CA-C	-6.04	105.09	112.88
1	B	251	LEU	N-CA-C	5.67	118.45	110.23
1	A	97	LYS	N-CA-C	5.54	118.08	111.71
1	B	130	GLU	N-CA-C	5.42	118.99	112.38
1	B	226	ASP	N-CA-C	-5.36	105.97	112.88
1	A	251	LEU	N-CA-C	5.08	117.60	110.23
1	B	168	LYS	N-CA-C	-5.05	102.59	110.42
1	A	130	GLU	N-CA-C	5.03	118.67	112.54

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1651	0	1607	51	0
1	B	1757	0	1711	42	0
2	A	25	0	14	1	0
2	B	25	0	14	1	0
3	A	46	0	62	20	0
3	B	50	0	67	11	0
4	A	16	0	22	9	0
5	A	132	0	0	6	0
5	B	149	0	0	3	0
All	All	3851	0	3497	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:237:ARG:HH12	3:A:401:PG4:H32	1.33	0.94
1:A:77:ALA:H	3:A:404:PG4:H52	1.34	0.92
1:B:137:LYS:HZ2	3:B:406:PG4:H42	1.45	0.82
1:A:137:LYS:HE3	3:A:402:PG4:H62	1.64	0.79
3:A:404:PG4:H61	5:A:455:HOH:O	1.86	0.75
4:A:409:1PE:H131	1:B:87:LYS:HZ1	1.52	0.74
1:A:237:ARG:HH22	3:A:401:PG4:H31	1.55	0.71
1:A:87:LYS:HE3	4:A:409:1PE:H141	1.73	0.71
1:A:114:LYS:HE3	5:A:532:HOH:O	1.90	0.71
1:A:114:LYS:HE2	3:A:403:PG4:H52	1.74	0.70
1:B:85[A]:MET:HE1	1:B:174:PHE:HD2	1.57	0.69
4:A:409:1PE:H252	1:B:87:LYS:HE3	1.75	0.68
1:A:137:LYS:CE	3:A:402:PG4:H62	2.24	0.68
1:A:190:GLU:O	1:A:194:GLN:HG3	1.96	0.65
1:A:87:LYS:NZ	4:A:409:1PE:H161	2.13	0.64
1:A:77:ALA:N	3:A:404:PG4:H52	2.09	0.63
4:A:409:1PE:H131	1:B:87:LYS:NZ	2.14	0.63
1:A:137:LYS:HZ1	3:A:402:PG4:H62	1.63	0.63
3:A:403:PG4:H52	3:A:403:PG4:O2	2.00	0.61
1:A:228:ASN:ND2	1:B:84:ARG:HG2	2.17	0.60
1:A:137:LYS:HE3	3:A:402:PG4:C6	2.32	0.60
1:B:90:ILE:HA	1:B:204:LEU:HD21	1.85	0.58
1:B:93:LEU:HD23	1:B:99:ILE:HG21	1.84	0.58
3:A:404:PG4:H42	5:A:455:HOH:O	2.02	0.58
1:A:110:ASP:CG	3:A:403:PG4:H32	2.29	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:137:LYS:HZ1	3:B:406:PG4:H21	1.70	0.56
1:B:137:LYS:HZ2	3:B:406:PG4:C4	2.14	0.56
1:B:137:LYS:NZ	3:B:406:PG4:H21	2.19	0.56
1:A:114:LYS:HE2	3:A:403:PG4:C5	2.35	0.56
3:B:408:PG4:H81	5:B:545:HOH:O	2.06	0.55
1:A:137:LYS:NZ	3:A:402:PG4:H62	2.22	0.55
4:A:409:1PE:H151	1:B:86:MET:HE3	1.89	0.55
1:A:137:LYS:CE	3:A:402:PG4:H72	2.38	0.53
1:B:66:SER:C	1:B:70:ARG:HE	2.16	0.53
1:B:334:GLU:OE2	1:B:336:MET:HE1	2.08	0.53
1:B:174:PHE:HE1	1:B:191:LEU:HB3	1.74	0.53
1:B:67:HIS:N	1:B:70:ARG:HH21	2.06	0.52
1:B:129:ASN:OD1	1:B:131:GLU:HG2	2.09	0.52
1:A:84:ARG:HG2	1:B:228:ASN:ND2	2.25	0.52
1:B:85[A]:MET:SD	1:B:174:PHE:HE2	2.34	0.51
3:B:405:PG4:H51	5:B:456:HOH:O	2.08	0.51
1:A:275:ILE:HG22	1:A:277:PHE:H	1.76	0.51
1:A:82:VAL:HG12	1:A:86:MET:HE2	1.94	0.50
1:B:272:SER:HB2	1:B:279:ILE:HD12	1.93	0.50
3:B:410:PG4:H11	5:B:548:HOH:O	2.12	0.49
1:B:85[A]:MET:HE1	1:B:174:PHE:CD2	2.44	0.49
1:A:98[A]:GLU:CD	1:A:98[A]:GLU:H	2.21	0.49
1:A:334:GLU:OE2	1:A:336:MET:HE1	2.12	0.49
1:B:99:ILE:HD11	1:B:102:ARG:NH2	2.28	0.49
1:A:137:LYS:HE2	3:A:402:PG4:H72	1.93	0.49
1:B:137:LYS:NZ	3:B:406:PG4:H42	2.21	0.48
1:B:263:THR:HA	3:B:408:PG4:H12	1.96	0.48
1:A:237:ARG:HH12	3:A:401:PG4:C3	2.15	0.48
1:A:178:MET:CE	1:A:192:ILE:HD11	2.43	0.48
1:A:93:LEU:HD13	1:A:99[A]:ILE:HG21	1.96	0.47
1:A:335:LEU:O	1:A:336:MET:HE2	2.14	0.47
1:B:263:THR:HA	3:B:408:PG4:C1	2.44	0.47
1:B:211:VAL:HB	1:B:223:TRP:HB3	1.97	0.46
1:A:93:LEU:HB2	1:A:204:LEU:HD11	1.97	0.46
1:A:188:THR:O	1:A:192:ILE:HG12	2.16	0.46
1:A:87:LYS:HZ3	4:A:409:1PE:H161	1.80	0.46
1:B:92:SER:HB3	1:B:182:GLN:OE1	2.16	0.46
1:A:110:ASP:O	1:A:114:LYS:HG2	2.16	0.46
1:B:281:VAL:HG23	1:B:336:MET:HG3	1.98	0.46
1:A:135:LYS:HB3	1:A:333:TRP:CH2	2.51	0.46
1:A:237:ARG:NH1	3:A:401:PG4:H11	2.31	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:264:ILE:O	1:B:268:VAL:HG23	2.16	0.45
1:A:280:TYR:CE1	1:A:335:LEU:HD13	2.52	0.45
1:B:74:GLU:O	1:B:231:SER:HA	2.17	0.45
1:A:87:LYS:HZ1	4:A:409:1PE:H161	1.81	0.45
4:A:409:1PE:H131	1:B:87:LYS:CE	2.47	0.45
1:B:93:LEU:HD21	1:B:192:ILE:HD12	1.99	0.45
1:B:94:TYR:C	1:B:94:TYR:CD1	2.96	0.44
1:A:178:MET:HE1	1:A:192:ILE:HD11	1.99	0.44
1:A:114:LYS:CE	3:A:403:PG4:H52	2.46	0.44
1:A:91:ASN:O	1:A:94:TYR:HD2	2.00	0.43
1:A:272:SER:HB2	1:A:279:ILE:HD12	1.99	0.43
1:A:129:ASN:OD1	1:A:131:GLU:HG2	2.18	0.43
1:B:226:ASP:O	1:B:227:SER:OG	2.36	0.43
1:B:135:LYS:HB3	1:B:333:TRP:CH2	2.53	0.43
1:B:335:LEU:O	1:B:336:MET:HE2	2.18	0.42
1:B:99:ILE:CD1	1:B:189:SER:HB2	2.50	0.42
1:B:210[A]:ILE:HB	1:B:248:THR:HB	2.01	0.42
1:A:264:ILE:O	1:A:268:VAL:HG23	2.20	0.42
1:A:276:ASN:HA	5:A:537:HOH:O	2.20	0.42
1:A:90:ILE:HA	1:A:204:LEU:HD21	2.01	0.41
1:A:221:HIS:HB2	5:A:526:HOH:O	2.19	0.41
1:A:85:MET:HE3	1:A:175:LEU:HD21	2.02	0.41
1:A:335:LEU:C	1:A:336:MET:HE2	2.45	0.41
1:A:94:TYR:CD1	1:A:94:TYR:C	2.98	0.41
1:A:272:SER:CB	1:A:279:ILE:HD12	2.51	0.41
1:B:242:GLY:HA2	3:B:407:PG4:H12	2.01	0.41
1:B:85[A]:MET:SD	1:B:174:PHE:CE2	3.13	0.41
1:B:133:THR:HG22	1:B:278:PRO:HG2	2.03	0.41
1:A:199:PHE:CD1	2:A:301:RDC:CL1	3.11	0.40
1:A:156:ARG:HB3	5:A:533:HOH:O	2.21	0.40
1:B:199:PHE:CD1	2:B:302:RDC:CL1	3.12	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	207/236 (88%)	201 (97%)	6 (3%)	0	100	100
1	B	225/236 (95%)	210 (93%)	15 (7%)	0	100	100
All	All	432/472 (92%)	411 (95%)	21 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	173/207 (84%)	173 (100%)	0	100	100
1	B	182/207 (88%)	182 (100%)	0	100	100
All	All	355/414 (86%)	355 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	79	GLN
1	A	91	ASN
1	B	273	GLN
1	B	276	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	PG4	B	408	-	12,12,12	0.53	0	11,11,11	0.49	0
3	PG4	B	405	-	9,9,12	0.51	0	8,8,11	0.49	0
3	PG4	A	403	-	9,9,12	0.52	0	8,8,11	0.43	0
3	PG4	B	406	-	12,12,12	0.53	0	11,11,11	0.45	0
3	PG4	A	401	-	9,9,12	0.51	0	8,8,11	0.43	0
2	RDC	A	301	-	26,27,27	2.00	7 (26%)	33,39,39	2.15	5 (15%)
4	1PE	A	409	-	15,15,15	0.53	0	14,14,14	0.37	0
3	PG4	B	410	-	6,6,12	0.51	0	5,5,11	0.46	0
3	PG4	A	402	-	12,12,12	0.52	0	11,11,11	0.50	0
3	PG4	A	404	-	12,12,12	0.54	0	11,11,11	0.32	0
2	RDC	B	302	-	26,27,27	2.00	5 (19%)	33,39,39	2.15	5 (15%)
3	PG4	B	407	-	6,6,12	0.51	0	5,5,11	0.37	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PG4	B	408	-	-	0/10/10/10	-
3	PG4	B	405	-	-	0/7/7/10	-
3	PG4	A	403	-	-	0/7/7/10	-
3	PG4	B	406	-	-	2/10/10/10	-
3	PG4	A	401	-	-	1/7/7/10	-
2	RDC	A	301	-	-	8/23/28/28	0/2/3/3
4	1PE	A	409	-	-	4/13/13/13	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PG4	B	410	-	-	0/4/4/10	-
3	PG4	A	402	-	-	2/10/10/10	-
3	PG4	A	404	-	-	2/10/10/10	-
2	RDC	B	302	-	-	8/23/28/28	0/2/3/3
3	PG4	B	407	-	-	0/4/4/10	-

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	RDC	C5-C6	4.92	1.46	1.40
2	B	302	RDC	C5-C6	4.86	1.46	1.40
2	B	302	RDC	C2-C7	4.73	1.49	1.40
2	A	301	RDC	C2-C7	4.68	1.49	1.40
2	B	302	RDC	C2-C3	4.40	1.48	1.41
2	A	301	RDC	C2-C3	3.90	1.47	1.41
2	B	302	RDC	O6-C14	-2.99	1.38	1.45
2	B	302	RDC	C8-C7	2.91	1.57	1.51
2	A	301	RDC	O6-C14	-2.83	1.38	1.45
2	A	301	RDC	C8-C7	2.78	1.57	1.51
2	A	301	RDC	C4-C3	2.46	1.42	1.38
2	A	301	RDC	C4-C5	2.44	1.42	1.38

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	RDC	O6-C14-C13	6.58	131.27	115.43
2	A	301	RDC	O6-C15-C16	6.39	129.69	116.34
2	B	302	RDC	O6-C14-C13	6.35	130.74	115.43
2	B	302	RDC	O6-C15-C16	6.15	129.18	116.34
2	B	302	RDC	C14-C13-C12	5.51	137.05	125.88
2	A	301	RDC	C14-C13-C12	5.31	136.66	125.88
2	B	302	RDC	C7-C8-C9	3.42	120.29	114.48
2	B	302	RDC	C17-O1-C1	3.37	123.95	117.67
2	A	301	RDC	C7-C8-C9	3.33	120.14	114.48
2	A	301	RDC	C17-O1-C1	3.07	123.39	117.67

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	RDC	C11-C10-C9-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	301	RDC	C11-C10-C9-O5
2	A	301	RDC	C12-C13-C14-C15
2	A	301	RDC	C12-C13-C14-O6
2	B	302	RDC	C11-C10-C9-C8
2	B	302	RDC	C11-C10-C9-O5
2	B	302	RDC	C12-C13-C14-C15
3	A	402	PG4	C3-C4-O3-C5
2	A	301	RDC	C7-C8-C9-C10
2	B	302	RDC	C7-C8-C9-C10
2	B	302	RDC	C12-C13-C14-O6
2	A	301	RDC	O2-C1-C2-C3
2	B	302	RDC	O2-C1-C2-C3
3	B	406	PG4	C6-C5-O3-C4
2	B	302	RDC	O1-C1-C2-C3
2	A	301	RDC	O1-C1-C2-C3
3	A	402	PG4	O3-C5-C6-O4
4	A	409	1PE	C15-C25-OH5-C14
4	A	409	1PE	C24-C14-OH5-C25
3	A	404	PG4	O3-C5-C6-O4
3	B	406	PG4	O2-C3-C4-O3
4	A	409	1PE	OH5-C14-C24-OH4
3	A	401	PG4	O2-C3-C4-O3
3	A	404	PG4	O2-C3-C4-O3
4	A	409	1PE	OH4-C13-C23-OH3
2	A	301	RDC	C7-C8-C9-O5
2	B	302	RDC	C7-C8-C9-O5

There are no ring outliers.

12 monomers are involved in 42 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	408	PG4	3	0
3	B	405	PG4	1	0
3	A	403	PG4	5	0
3	B	406	PG4	5	0
3	A	401	PG4	4	0
2	A	301	RDC	1	0
4	A	409	1PE	9	0
3	B	410	PG4	1	0
3	A	402	PG4	7	0
3	A	404	PG4	4	0
2	B	302	RDC	1	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	407	PG4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	211/236 (89%)	0.97	37 (17%)	4 4	11, 32, 64, 70	4 (1%)
1	B	226/236 (95%)	1.03	41 (18%)	3 3	10, 32, 73, 94	5 (2%)
All	All	437/472 (92%)	1.00	78 (17%)	4 3	10, 32, 67, 94	9 (2%)

All (78) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	170	GLY	8.1
1	B	66	SER	6.8
1	B	65	GLY	5.9
1	B	69	LEU	5.3
1	A	266	ASN	5.2
1	B	181	ALA	5.1
1	A	274	PHE	4.6
1	B	68	MET	4.3
1	A	174	PHE	4.2
1	B	167	ALA	4.2
1	B	67	HIS	4.1
1	A	179	THR	3.9
1	B	174	PHE	3.8
1	A	189	SER	3.7
1	A	284	SER	3.6
1	B	73	SER	3.6
1	B	122	ASP	3.6
1	A	122	ASP	3.6
1	A	124	ASN	3.6
1	B	71	GLU	3.5
1	B	274	PHE	3.5
1	A	191	LEU	3.5
1	A	94	TYR	3.4
1	B	72	LYS	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	70	ARG	3.3
1	B	171	THR	3.1
1	B	124	ASN	3.1
1	B	90	ILE	3.0
1	B	192	ILE	3.0
1	A	261	LEU	3.0
1	A	92	SER	3.0
1	B	172	SER	3.0
1	A	91	ASN	2.9
1	B	169	SER	2.9
1	B	193	GLY	2.9
1	B	168	LYS	2.8
1	A	331	TRP	2.8
1	B	179	THR	2.7
1	A	330	VAL	2.7
1	A	180	GLU	2.7
1	B	285	LYS	2.7
1	A	171	THR	2.7
1	B	91	ASN	2.6
1	A	192	ILE	2.6
1	A	170	GLY	2.6
1	A	172	SER	2.6
1	A	175	LEU	2.6
1	A	141	GLU	2.6
1	A	166	ILE	2.6
1	A	193	GLY	2.6
1	A	273	GLN	2.5
1	A	99[A]	ILE	2.5
1	B	286	THR	2.5
1	A	93	LEU	2.4
1	B	94	TYR	2.4
1	B	330	VAL	2.4
1	A	256	SER	2.4
1	A	188	THR	2.3
1	A	90	ILE	2.3
1	B	191	LEU	2.3
1	A	269	LYS	2.3
1	B	256	SER	2.3
1	A	195	PHE	2.2
1	B	182	GLN	2.2
1	B	89	ILE	2.2
1	B	121	THR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	118[A]	ILE	2.1
1	A	333	TRP	2.1
1	A	262	ASP	2.1
1	B	188	THR	2.1
1	A	276	ASN	2.1
1	A	89	ILE	2.1
1	B	166	ILE	2.1
1	A	285	LYS	2.1
1	B	96[A]	ASN	2.0
1	B	255	ALA	2.0
1	B	180	GLU	2.0
1	B	195	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	PG4	A	402	13/13	0.80	0.18	61,64,68,68	0
3	PG4	B	406	13/13	0.81	0.20	59,62,66,68	0
3	PG4	B	408	13/13	0.81	0.19	54,64,71,71	0
3	PG4	B	410	7/13	0.83	0.17	57,61,63,64	0
4	1PE	A	409	16/16	0.83	0.20	42,47,57,60	0
3	PG4	A	403	10/13	0.84	0.21	62,63,64,65	0
3	PG4	A	404	13/13	0.85	0.19	55,57,58,58	0
2	RDC	A	301	25/25	0.85	0.14	29,36,45,47	0
3	PG4	B	407	7/13	0.85	0.15	65,65,65,66	0
3	PG4	B	405	10/13	0.86	0.15	41,45,49,52	0
3	PG4	A	401	10/13	0.86	0.15	41,43,49,49	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	RDC	B	302	25/25	0.89	0.13	29,35,44,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around RDC B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.