



Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 02:46 PM UTC

PDB ID : 8U0T / pdb_00008u0t
EMDB ID : EMD-41784
Title : PRD-0038 RBD bound to Rhinolophus alcyone ACE2 (local refinement)
Authors : Park, Y.J.; Veesler, D.; Seattle Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on : 2023-08-29
Resolution : 3.20 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	15020 (2.70 - 3.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	767	 81% 5% • 12% 7%
2	B	258	 60% 6% • 33% 7%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6761 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Angiotensin-converting enzyme.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	675	Total	C	N	O	S	0	0
			5342	3463	907	940	32		


There are 27 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	741	HIS	-	expression tag	UNP A0A0N7IQX6
A	742	HIS	-	expression tag	UNP A0A0N7IQX6
A	743	HIS	-	expression tag	UNP A0A0N7IQX6
A	744	HIS	-	expression tag	UNP A0A0N7IQX6
A	745	HIS	-	expression tag	UNP A0A0N7IQX6
A	746	HIS	-	expression tag	UNP A0A0N7IQX6
A	747	HIS	-	expression tag	UNP A0A0N7IQX6
A	748	HIS	-	expression tag	UNP A0A0N7IQX6
A	749	GLY	-	expression tag	UNP A0A0N7IQX6
A	750	GLY	-	expression tag	UNP A0A0N7IQX6
A	751	SER	-	expression tag	UNP A0A0N7IQX6
A	752	SER	-	expression tag	UNP A0A0N7IQX6
A	753	GLY	-	expression tag	UNP A0A0N7IQX6
A	754	LEU	-	expression tag	UNP A0A0N7IQX6
A	755	ASN	-	expression tag	UNP A0A0N7IQX6
A	756	ASP	-	expression tag	UNP A0A0N7IQX6
A	757	ILE	-	expression tag	UNP A0A0N7IQX6
A	758	PHE	-	expression tag	UNP A0A0N7IQX6
A	759	GLU	-	expression tag	UNP A0A0N7IQX6
A	760	ALA	-	expression tag	UNP A0A0N7IQX6
A	761	GLN	-	expression tag	UNP A0A0N7IQX6
A	762	LYS	-	expression tag	UNP A0A0N7IQX6
A	763	ILE	-	expression tag	UNP A0A0N7IQX6
A	764	GLU	-	expression tag	UNP A0A0N7IQX6
A	765	TRP	-	expression tag	UNP A0A0N7IQX6
A	766	HIS	-	expression tag	UNP A0A0N7IQX6
A	767	GLU	-	expression tag	UNP A0A0N7IQX6

- Molecule 2 is a protein called PRD-0038.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	174	1292	842	218	226	6	0	0

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
3	A	1	Total 14	8	1	5	0
3	A	1	Total 14	8	1	5	0
3	A	1	Total 14	8	1	5	0
3	A	1	Total 14	8	1	5	0
3	A	1	Total 14	8	1	5	0
3	A	1	Total 14	8	1	5	0
3	A	1	Total 14	8	1	5	0
3	B	1	Total 14	8	1	5	0
3	B	1	Total 14	8	1	5	0

- Molecule 4 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
4	A	1	Total	Zn	0
			1	1	

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	284934	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	6.567	Depositor
Minimum map value	-4.701	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.094	Depositor
Recommended contour level	0.6	Depositor
Map size ($\text{\AA}$)	320.0, 320.0, 320.0	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.0, 1.0, 1.0	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.79	12/5501 (0.2%)	1.00	60/7487 (0.8%)
2	B	0.62	0/1329	1.11	21/1812 (1.2%)
All	All	0.76	12/6830 (0.2%)	1.02	81/9299 (0.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	402	GLU	C-O	-16.02	1.03	1.24
1	A	402	GLU	CA-CB	-12.46	1.33	1.53
1	A	406	GLU	C-O	-8.00	1.14	1.24
1	A	134	ARG	CD-NE	7.75	1.57	1.46
1	A	546	ASN	N-CA	6.91	1.55	1.46
1	A	344	CYS	C-O	6.50	1.31	1.23
1	A	546	ASN	C-O	6.25	1.35	1.24
1	A	378	HIS	CB-CG	5.99	1.58	1.50
1	A	329	ASN	C-O	-5.70	1.16	1.24
1	A	134	ARG	CB-CG	5.33	1.68	1.52
1	A	344	CYS	C-N	-5.16	1.28	1.33
1	A	402	GLU	CG-CD	-5.06	1.39	1.52

All (81) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	475	LEU	CD1-CG-CD2	10.43	133.75	110.80
1	A	351	LEU	CD1-CG-CD2	10.30	133.46	110.80
1	A	134	ARG	CA-C-N	9.32	131.49	119.84
1	A	134	ARG	C-N-CA	9.32	131.49	119.84
2	B	363	SER	N-CA-C	-8.89	102.21	113.23
1	A	137	ASN	CA-C-N	8.09	127.76	119.19
1	A	137	ASN	C-N-CA	8.09	127.76	119.19
1	A	283	VAL	CA-C-N	8.09	127.65	119.24
1	A	283	VAL	C-N-CA	8.09	127.65	119.24
1	A	136	ASN	N-CA-C	-7.71	105.03	114.75
1	A	105	SER	CA-C-N	7.32	127.32	119.78
1	A	105	SER	C-N-CA	7.32	127.32	119.78
1	A	335	ASP	CA-C-N	7.31	127.47	119.87
1	A	335	ASP	C-N-CA	7.31	127.47	119.87
1	A	537	GLY	CA-C-N	7.13	127.10	119.76
1	A	537	GLY	C-N-CA	7.13	127.10	119.76
2	B	326	CYS	CA-C-N	7.03	128.63	119.84
2	B	326	CYS	C-N-CA	7.03	128.63	119.84
2	B	479	GLU	CA-C-N	6.92	126.55	119.56
2	B	479	GLU	C-N-CA	6.92	126.55	119.56
1	A	489	GLU	CA-C-N	6.91	126.52	119.19
1	A	489	GLU	C-N-CA	6.91	126.52	119.19
2	B	374	SER	CA-C-N	6.88	128.44	119.84
2	B	374	SER	C-N-CA	6.88	128.44	119.84
2	B	337	PHE	CA-C-N	6.84	127.02	120.31
2	B	337	PHE	C-N-CA	6.84	127.02	120.31
1	A	388	GLN	CA-C-N	6.82	126.86	119.90
1	A	388	GLN	C-N-CA	6.82	126.86	119.90
1	A	320	LEU	CA-C-N	6.82	126.80	119.78
1	A	320	LEU	C-N-CA	6.82	126.80	119.78
1	A	257	SER	CA-C-N	6.74	126.36	119.56
1	A	257	SER	C-N-CA	6.74	126.36	119.56
1	A	582	GLY	CA-C-N	6.64	127.17	119.47
1	A	582	GLY	C-N-CA	6.64	127.17	119.47
2	B	362	SER	CA-C-O	6.62	127.40	119.59
1	A	401	HIS	O-C-N	-6.53	115.20	122.12
1	A	468	ILE	CA-C-N	6.50	126.48	119.78
1	A	468	ILE	C-N-CA	6.50	126.48	119.78
2	B	416	LEU	CA-C-N	6.47	126.39	119.85
2	B	416	LEU	C-N-CA	6.47	126.39	119.85
1	A	279	TYR	CA-C-N	6.29	125.98	119.56
1	A	279	TYR	C-N-CA	6.29	125.98	119.56
1	A	414	THR	CA-C-N	6.21	126.40	119.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	414	THR	C-N-CA	6.21	126.40	119.32
1	A	564	GLN	CA-C-N	6.20	126.14	119.76
1	A	564	GLN	C-N-CA	6.20	126.14	119.76
1	A	288	LYS	CA-C-N	6.19	126.10	119.85
1	A	288	LYS	C-N-CA	6.19	126.10	119.85
2	B	402	ALA	CA-C-N	6.12	126.08	119.78
2	B	402	ALA	C-N-CA	6.12	126.08	119.78
2	B	491	GLY	N-CA-C	6.10	119.05	112.33
1	A	491	VAL	CA-C-N	6.09	126.00	119.85
1	A	491	VAL	C-N-CA	6.09	126.00	119.85
1	A	252	TYR	CA-C-N	6.00	125.92	119.85
1	A	252	TYR	C-N-CA	6.00	125.92	119.85
1	A	611	SER	CA-C-N	5.99	127.33	119.84
1	A	611	SER	C-N-CA	5.99	127.33	119.84
1	A	425	SER	CA-C-N	5.90	125.66	119.76
1	A	425	SER	C-N-CA	5.90	125.66	119.76
1	A	676	LYS	CA-C-N	5.89	127.21	119.84
1	A	676	LYS	C-N-CA	5.89	127.21	119.84
1	A	212	SER	CA-C-N	5.80	127.09	119.84
1	A	212	SER	C-N-CA	5.80	127.09	119.84
2	B	487	THR	CA-C-N	5.79	126.19	119.47
2	B	487	THR	C-N-CA	5.79	126.19	119.47
1	A	697	ARG	CA-C-N	5.72	125.40	119.56
1	A	697	ARG	C-N-CA	5.72	125.40	119.56
1	A	20	THR	CA-C-N	5.71	125.56	119.28
1	A	20	THR	C-N-CA	5.71	125.56	119.28
2	B	386	VAL	N-CA-C	-5.70	99.42	107.75
1	A	402	GLU	O-C-N	-5.67	114.73	122.33
1	A	262	LEU	CA-C-N	5.54	125.81	119.83
1	A	262	LEU	C-N-CA	5.54	125.81	119.83
2	B	362	SER	CB-CA-C	-5.42	101.55	110.72
1	A	402	GLU	N-CA-CB	-5.32	102.10	110.30
1	A	345	HIS	CA-C-N	5.25	125.55	119.93
1	A	345	HIS	C-N-CA	5.25	125.55	119.93
2	B	387	TYR	N-CA-C	-5.22	101.37	109.72
1	A	695	ILE	CA-C-N	5.07	125.35	119.93
1	A	695	ILE	C-N-CA	5.07	125.35	119.93
1	A	402	GLU	CB-CG-CD	-5.02	104.07	112.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	402	GLU	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5342	0	4989	14	0
2	B	1292	0	1128	8	0
3	A	98	0	91	0	0
3	B	28	0	26	0	0
4	A	1	0	0	0	0
All	All	6761	0	6234	22	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (22) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:487:THR:CG2	2:B:488:PRO:HD2	1.81	1.10
2:B:487:THR:HG23	2:B:488:PRO:HD2	1.38	1.03
2:B:487:THR:HG22	2:B:488:PRO:HD2	1.60	0.83
2:B:487:THR:CG2	2:B:488:PRO:CD	2.61	0.76
2:B:487:THR:HG23	2:B:488:PRO:CD	2.22	0.65
2:B:487:THR:HG22	2:B:488:PRO:CD	2.29	0.62
2:B:345:ARG:HD3	2:B:389:ASP:OD1	2.04	0.57
1:A:450:LEU:N	1:A:451:PRO:HD2	2.25	0.52
1:A:499:ASP:N	1:A:500:PRO:HD2	2.27	0.49
1:A:279:TYR:N	1:A:280:PRO:CD	2.76	0.49
1:A:137:ASN:OD1	1:A:137:ASN:C	2.58	0.46
1:A:177:ARG:N	1:A:178:PRO:HD2	2.30	0.46
1:A:697:ARG:N	1:A:698:PRO:CD	2.78	0.46
1:A:589:GLU:N	1:A:590:PRO:CD	2.79	0.45
2:B:475:LEU:C	2:B:475:LEU:HD13	2.43	0.44
1:A:134:ARG:HA	1:A:135:PRO:HD3	1.86	0.43
1:A:582:GLY:N	1:A:583:PRO:CD	2.83	0.42
1:A:581:VAL:O	1:A:582:GLY:C	2.63	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:402:GLU:OE1	1:A:402:GLU:HA	2.21	0.41
1:A:20:THR:N	1:A:21:PRO:HD2	2.35	0.41
1:A:279:TYR:HB3	1:A:280:PRO:HD3	2.01	0.41
1:A:697:ARG:HB3	1:A:698:PRO:HD3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	671/767 (88%)	653 (97%)	18 (3%)	0	100	100
2	B	168/258 (65%)	162 (96%)	5 (3%)	1 (1%)	21	56
All	All	839/1025 (82%)	815 (97%)	23 (3%)	1 (0%)	49	79

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	471	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	529/684 (77%)	528 (100%)	1 (0%)	87	89

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	114/224 (51%)	112 (98%)	2 (2%)	51	74
All	All	643/908 (71%)	640 (100%)	3 (0%)	78	85

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	378	HIS
2	B	360	ASN
2	B	387	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	76	GLN
1	A	255	HIS
1	A	322	HIS
1	A	378	HIS
1	A	401	HIS
1	A	417	HIS
1	A	493	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 10 ligands modelled in this entry, 1 is monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	804	1	14,14,15	1.28	2 (14%)	17,19,21	1.02	1 (5%)
3	NAG	A	806	1	14,14,15	1.21	2 (14%)	17,19,21	1.42	2 (11%)
3	NAG	A	802	1	14,14,15	1.31	2 (14%)	17,19,21	0.99	1 (5%)
3	NAG	A	803	1	14,14,15	1.37	1 (7%)	17,19,21	1.10	2 (11%)
3	NAG	B	601	2	14,14,15	1.13	1 (7%)	17,19,21	1.01	1 (5%)
3	NAG	A	807	1	14,14,15	1.43	2 (14%)	17,19,21	1.86	4 (23%)
3	NAG	A	801	1	14,14,15	1.29	2 (14%)	17,19,21	1.17	2 (11%)
3	NAG	A	805	1	14,14,15	1.25	1 (7%)	17,19,21	1.39	3 (17%)
3	NAG	B	602	2	14,14,15	1.30	1 (7%)	17,19,21	0.99	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	804	1	-	2/6/23/26	0/1/1/1
3	NAG	A	806	1	-	0/6/23/26	0/1/1/1
3	NAG	A	802	1	-	0/6/23/26	0/1/1/1
3	NAG	A	803	1	-	0/6/23/26	0/1/1/1
3	NAG	B	601	2	-	0/6/23/26	0/1/1/1
3	NAG	A	807	1	-	0/6/23/26	0/1/1/1
3	NAG	A	801	1	-	0/6/23/26	0/1/1/1
3	NAG	A	805	1	-	2/6/23/26	0/1/1/1
3	NAG	B	602	2	-	0/6/23/26	0/1/1/1

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	803	NAG	C1-C2	4.17	1.58	1.52
3	B	602	NAG	C1-C2	3.80	1.57	1.52
3	A	801	NAG	C1-C2	3.69	1.57	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	802	NAG	C1-C2	3.64	1.57	1.52
3	A	807	NAG	C1-C2	3.36	1.56	1.52
3	A	804	NAG	C1-C2	3.33	1.56	1.52
3	A	805	NAG	C1-C2	3.33	1.56	1.52
3	B	601	NAG	C1-C2	3.15	1.56	1.52
3	A	807	NAG	O5-C5	2.87	1.49	1.43
3	A	806	NAG	C1-C2	2.78	1.56	1.52
3	A	802	NAG	O5-C5	2.29	1.47	1.43
3	A	804	NAG	O5-C5	2.20	1.47	1.43
3	A	806	NAG	O5-C5	2.06	1.47	1.43
3	A	801	NAG	O5-C5	2.05	1.47	1.43

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	807	NAG	C1-C2-N2	-4.74	102.96	110.43
3	A	807	NAG	C1-O5-C5	-3.04	108.11	112.19
3	A	801	NAG	C8-C7-N2	2.94	121.00	116.12
3	A	806	NAG	C8-C7-N2	2.90	120.93	116.12
3	A	804	NAG	C1-C2-N2	-2.78	106.06	110.43
3	A	805	NAG	C4-C3-C2	-2.75	106.98	111.02
3	A	805	NAG	C8-C7-N2	2.71	120.61	116.12
3	A	803	NAG	C8-C7-N2	2.56	120.36	116.12
3	A	806	NAG	C2-N2-C7	-2.56	119.47	122.90
3	A	807	NAG	O4-C4-C3	-2.55	104.38	110.38
3	B	602	NAG	C8-C7-N2	2.45	120.17	116.12
3	A	802	NAG	C8-C7-N2	2.42	120.13	116.12
3	B	601	NAG	C8-C7-N2	2.41	120.12	116.12
3	A	805	NAG	C2-N2-C7	-2.38	119.71	122.90
3	A	801	NAG	C2-N2-C7	-2.25	119.88	122.90
3	A	807	NAG	O5-C5-C6	2.18	111.91	107.66
3	A	803	NAG	C2-N2-C7	-2.02	120.20	122.90

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	804	NAG	O5-C5-C6-O6
3	A	805	NAG	O5-C5-C6-O6
3	A	804	NAG	C4-C5-C6-O6
3	A	805	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-41784. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 190



Y Index: 147




Z Index: 134

6.3.2 Raw map



X Index: 194



Y Index: 152




Z Index: 135


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.6. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 50 nm^3 ; this corresponds to an approximate mass of 45 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.312 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.312 Å⁻¹

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.20	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.82	4.39	3.86

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.82 differs from the reported value 3.2 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-41784 and PDB model 8U0T. Per-residue inclusion information can be found in section 3 on page 6.

9.1 Map-model overlay [i](#)


This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.6).

9.4 Atom inclusion [i](#)



At the recommended contour level, 84% of all backbone atoms, 83% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.6) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8290	0.5170
A	0.8470	0.5240
B	0.7520	0.4870

