



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 04:04 PM UTC

PDB ID : 1U1D / pdb_00001u1d
Title : Structure of e. coli uridine phosphorylase complexed to 5-(phenylthio)acyclo uridine (ptau)
Authors : Bu, W.; Settembre, E.C.; Ealick, S.E.
Deposited on : 2004-07-15
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	256	10% 86%12%..
1	B	256	13% 88%9%..
1	C	256	2% 88%9%..
1	D	256	7% 88%9%..
1	E	256	16% 87%11%.

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	256	29% 88% 9%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 11932 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Uridine phosphorylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	253	Total	C	N	O	S	0	0	0
			1895	1186	330	367	12			
1	B	251	Total	C	N	O	S	0	0	0
			1881	1178	328	364	11			
1	C	250	Total	C	N	O	S	0	0	0
			1872	1172	326	363	11			
1	D	250	Total	C	N	O	S	0	0	0
			1872	1172	326	363	11			
1	E	251	Total	C	N	O	S	0	0	0
			1881	1178	328	364	11			
1	F	250	Total	C	N	O	S	0	0	0
			1872	1172	326	363	11			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	cloning artifact	UNP P12758
A	-1	SER	-	cloning artifact	UNP P12758
A	0	HIS	-	cloning artifact	UNP P12758
A	1	MET	-	cloning artifact	UNP P12758
B	-2	GLY	-	cloning artifact	UNP P12758
B	-1	SER	-	cloning artifact	UNP P12758
B	0	HIS	-	cloning artifact	UNP P12758
B	1	MET	-	cloning artifact	UNP P12758
C	-2	GLY	-	cloning artifact	UNP P12758
C	-1	SER	-	cloning artifact	UNP P12758
C	0	HIS	-	cloning artifact	UNP P12758
C	1	MET	-	cloning artifact	UNP P12758
D	-2	GLY	-	cloning artifact	UNP P12758
D	-1	SER	-	cloning artifact	UNP P12758
D	0	HIS	-	cloning artifact	UNP P12758
D	1	MET	-	cloning artifact	UNP P12758
E	-2	GLY	-	cloning artifact	UNP P12758

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-1	SER	-	cloning artifact	UNP P12758
E	0	HIS	-	cloning artifact	UNP P12758
E	1	MET	-	cloning artifact	UNP P12758
F	-2	GLY	-	cloning artifact	UNP P12758
F	-1	SER	-	cloning artifact	UNP P12758
F	0	HIS	-	cloning artifact	UNP P12758
F	1	MET	-	cloning artifact	UNP P12758

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		
2	D	1	Total	O	P	0	0
			5	4	1		
2	E	1	Total	O	P	0	0
			5	4	1		
2	F	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total K 1 1	0	0
3	C	1	Total K 1 1	0	0
3	E	1	Total K 1 1	0	0

- Molecule 4 is 1-((2-HYDROXYETHOXY)METHYL)-5-(PHENYLTHIO)PYRIMIDINE-2,4(1H,3H)-DIONE (CCD ID: 181) (formula: C₁₃H₁₄N₂O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C N O S 20 13 2 4 1	0	0
4	B	1	Total C N O S 20 13 2 4 1	0	0
4	C	1	Total C N O S 20 13 2 4 1	0	0
4	D	1	Total C N O S 20 13 2 4 1	0	0
4	E	1	Total C N O S 20 13 2 4 1	0	0
4	F	1	Total C N O S 20 13 2 4 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	91	Total 91	O 91	0	0
5	B	84	Total 84	O 84	0	0
5	C	120	Total 120	O 120	0	0
5	D	91	Total 91	O 91	0	0
5	E	67	Total 67	O 67	0	0
5	F	53	Total 53	O 53	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Uridine phosphorylase




• Molecule 1: Uridine phosphorylase




• Molecule 1: Uridine phosphorylase





• Molecule 1: Uridine phosphorylase








- Molecule 1: Uridine phosphorylase



- Molecule 1: Uridine phosphorylase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	91.15Å 125.75Å 140.88Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.14 – 2.00 47.14 – 2.00	Depositor EDS
% Data completeness (in resolution range)	96.7 (47.14-2.00) 96.7 (47.14-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.26 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.1.24, CNS	Depositor
R, R_{free}	0.209 , 0.226 0.206 , 0.223	Depositor DCC
R_{free} test set	11027 reflections (10.07%)	wwPDB-VP
Wilson B-factor (Å ²)	30.9	Xtriage
Anisotropy	0.318	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 32.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	11932	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, 181, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/1927	0.84	0/2616
1	B	0.40	0/1913	0.84	0/2598
1	C	0.41	0/1904	0.84	0/2587
1	D	0.41	0/1904	0.85	0/2587
1	E	0.40	0/1913	0.83	1/2598 (0.0%)
1	F	0.40	0/1904	0.84	1/2587 (0.0%)
All	All	0.40	0/11465	0.84	2/15573 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	194	ASN	N-CA-C	5.12	116.08	108.60
1	E	194	ASN	N-CA-C	5.00	115.90	108.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1895	0	1892	12	0
1	B	1881	0	1875	10	0
1	C	1872	0	1862	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	1872	0	1862	13	0
1	E	1881	0	1875	11	0
1	F	1872	0	1862	10	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	1	0
2	D	5	0	0	0	0
2	E	5	0	0	0	0
2	F	5	0	0	0	0
3	A	1	0	0	0	0
3	C	1	0	0	0	0
3	E	1	0	0	0	0
4	A	20	0	14	0	0
4	B	20	0	14	0	0
4	C	20	0	14	0	0
4	D	20	0	14	0	0
4	E	20	0	14	0	0
4	F	20	0	14	0	0
5	A	91	0	0	0	0
5	B	84	0	0	0	0
5	C	120	0	0	0	0
5	D	91	0	0	0	0
5	E	67	0	0	0	0
5	F	53	0	0	0	0
All	All	11932	0	11312	61	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (61) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:158:SER:HB3	1:F:200:ALA:HB2	1.84	0.59
1:D:158:SER:HB3	1:D:200:ALA:HB2	1.86	0.58
1:E:48:ARG:HD3	1:F:69:ILE:HD11	1.85	0.57
1:E:158:SER:HB3	1:E:200:ALA:HB2	1.87	0.56
1:C:158:SER:HB3	1:C:200:ALA:HB2	1.88	0.55
1:E:38:MET:HG2	1:E:57:LEU:HD13	1.88	0.54
1:E:193:MET:HB2	1:E:194:ASN:HD22	1.73	0.54
1:B:158:SER:HB3	1:B:200:ALA:HB2	1.90	0.53
1:D:38:MET:HG2	1:D:57:LEU:HD13	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:158:SER:HB3	1:A:200:ALA:HB2	1.90	0.53
1:A:163:TYR:HB2	1:A:164:PRO:HD3	1.92	0.52
1:F:193:MET:HB2	1:F:194:ASN:HD22	1.75	0.52
1:E:99:GLN:HB2	1:E:102:ILE:HD12	1.92	0.51
1:E:163:TYR:HB2	1:E:164:PRO:CD	2.41	0.51
1:D:194:ASN:HD22	1:D:194:ASN:N	2.09	0.51
1:B:193:MET:HB2	1:B:194:ASN:HD22	1.77	0.50
1:D:102:ILE:O	1:D:222:ASN:ND2	2.44	0.50
1:A:38:MET:HG2	1:A:57:LEU:HD13	1.93	0.50
1:F:27:ASP:HB3	1:F:30:ARG:HB2	1.94	0.49
1:F:163:TYR:HB2	1:F:164:PRO:HD3	1.93	0.49
1:D:163:TYR:HB2	1:D:164:PRO:CD	2.42	0.49
1:A:102:ILE:O	1:A:222:ASN:ND2	2.44	0.49
1:A:163:TYR:HB2	1:A:164:PRO:CD	2.43	0.49
1:F:163:TYR:HB2	1:F:164:PRO:CD	2.43	0.48
1:B:163:TYR:HB2	1:B:164:PRO:HD3	1.95	0.48
1:C:230:ASN:HD21	1:C:232:GLU:HB3	1.79	0.48
1:F:102:ILE:O	1:F:222:ASN:ND2	2.47	0.48
1:B:163:TYR:HB2	1:B:164:PRO:CD	2.44	0.48
1:E:163:TYR:HB2	1:E:164:PRO:HD3	1.95	0.47
1:B:38:MET:HG2	1:B:57:LEU:HD13	1.96	0.47
1:D:163:TYR:HB2	1:D:164:PRO:HD3	1.97	0.47
1:A:193:MET:HB2	1:A:194:ASN:HD22	1.80	0.47
1:C:193:MET:HB2	1:C:194:ASN:HD22	1.81	0.46
1:C:163:TYR:HB2	1:C:164:PRO:CD	2.45	0.46
1:A:49:GLU:HB3	1:B:49:GLU:HB3	1.97	0.46
1:C:102:ILE:O	1:C:222:ASN:ND2	2.47	0.46
1:C:163:TYR:HB2	1:C:164:PRO:HD3	1.98	0.46
1:C:27:ASP:HA	1:C:28:PRO:HD2	1.88	0.45
2:C:5401:PO4:O1	1:D:48:ARG:NH2	2.47	0.45
1:B:230:ASN:HD22	1:B:233:THR:H	1.63	0.45
1:D:190:MET:HG2	1:E:208:SER:HB2	1.99	0.45
1:D:27:ASP:HA	1:D:28:PRO:HD2	1.88	0.44
1:F:38:MET:HG2	1:F:57:LEU:HD13	2.00	0.43
1:A:194:ASN:HD22	1:A:194:ASN:N	2.16	0.43
1:A:27:ASP:HA	1:A:28:PRO:HD2	1.89	0.43
1:A:48:ARG:HD3	1:B:69:ILE:HD11	2.00	0.43
1:D:144:ALA:HA	1:D:244:ILE:HG12	2.01	0.42
1:E:9:LEU:HB3	1:E:11:LEU:HD12	2.00	0.42
1:D:99:GLN:HB2	1:D:102:ILE:HD12	2.02	0.42
1:A:140:LEU:HD22	1:A:216:VAL:HB	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:99:GLN:HB2	1:C:102:ILE:HD12	2.02	0.41
1:C:38:MET:HG2	1:C:57:LEU:HD13	2.02	0.41
1:A:72:PRO:HA	1:B:160:ASP:O	2.20	0.41
1:B:44:LEU:HD11	1:B:54:ARG:HB2	2.03	0.41
1:D:163:TYR:CB	1:D:164:PRO:CD	2.99	0.41
1:F:99:GLN:HB2	1:F:102:ILE:HD12	2.02	0.41
1:D:193:MET:HB2	1:D:194:ASN:HD22	1.86	0.40
1:E:144:ALA:HA	1:E:244:ILE:HG12	2.04	0.40
1:C:60:LYS:HE3	1:C:253:LEU:HB3	2.04	0.40
1:E:99:GLN:HA	1:E:100:PRO:HD3	1.92	0.40
1:F:99:GLN:HA	1:F:100:PRO:HD3	1.92	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	251/256 (98%)	246 (98%)	4 (2%)	1 (0%)	30	27
1	B	249/256 (97%)	244 (98%)	3 (1%)	2 (1%)	16	11
1	C	248/256 (97%)	242 (98%)	5 (2%)	1 (0%)	30	27
1	D	248/256 (97%)	242 (98%)	5 (2%)	1 (0%)	30	27
1	E	249/256 (97%)	243 (98%)	5 (2%)	1 (0%)	30	27
1	F	248/256 (97%)	241 (97%)	6 (2%)	1 (0%)	30	27
All	All	1493/1536 (97%)	1458 (98%)	28 (2%)	7 (0%)	24	21

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	163	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	163	TYR
1	C	163	TYR
1	D	163	TYR
1	E	163	TYR
1	F	163	TYR
1	B	232	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	202/206 (98%)	186 (92%)	16 (8%)	11	8
1	B	200/206 (97%)	187 (94%)	13 (6%)	15	12
1	C	199/206 (97%)	187 (94%)	12 (6%)	17	14
1	D	199/206 (97%)	189 (95%)	10 (5%)	22	20
1	E	200/206 (97%)	187 (94%)	13 (6%)	15	12
1	F	199/206 (97%)	187 (94%)	12 (6%)	17	14
All	All	1199/1236 (97%)	1123 (94%)	76 (6%)	16	13

All (76) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	2	SER
1	A	3	LYS
1	A	13	LYS
1	A	37	LEU
1	A	40	LYS
1	A	42	VAL
1	A	92	ILE
1	A	147	ILE
1	A	181	LYS
1	A	194	ASN
1	A	196	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	221	VAL
1	A	226	GLN
1	A	250	ARG
1	A	251	ARG
1	B	3	LYS
1	B	37	LEU
1	B	92	ILE
1	B	147	ILE
1	B	181	LYS
1	B	194	ASN
1	B	196	GLU
1	B	221	VAL
1	B	225	GLN
1	B	226	GLN
1	B	232	GLU
1	B	236	GLN
1	B	240	HIS
1	C	40	LYS
1	C	92	ILE
1	C	145	LYS
1	C	147	ILE
1	C	181	LYS
1	C	194	ASN
1	C	196	GLU
1	C	221	VAL
1	C	226	GLN
1	C	228	ILE
1	C	230	ASN
1	C	232	GLU
1	D	37	LEU
1	D	43	LYS
1	D	92	ILE
1	D	147	ILE
1	D	181	LYS
1	D	194	ASN
1	D	196	GLU
1	D	221	VAL
1	D	232	GLU
1	D	243	LYS
1	E	3	LYS
1	E	5	ASP
1	E	13	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	37	LEU
1	E	92	ILE
1	E	147	ILE
1	E	194	ASN
1	E	196	GLU
1	E	221	VAL
1	E	227	GLU
1	E	228	ILE
1	E	236	GLN
1	E	250	ARG
1	F	11	LEU
1	F	21	LEU
1	F	32	GLU
1	F	37	LEU
1	F	92	ILE
1	F	147	ILE
1	F	181	LYS
1	F	194	ASN
1	F	196	GLU
1	F	221	VAL
1	F	226	GLN
1	F	251	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	GLN
1	A	99	GLN
1	A	194	ASN
1	A	225	GLN
1	B	47	HIS
1	B	99	GLN
1	B	194	ASN
1	B	225	GLN
1	B	230	ASN
1	C	17	GLN
1	C	47	HIS
1	C	99	GLN
1	C	194	ASN
1	C	225	GLN
1	C	230	ASN
1	D	99	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	194	ASN
1	E	17	GLN
1	E	99	GLN
1	E	194	ASN
1	E	240	HIS
1	F	14	ASN
1	F	17	GLN
1	F	47	HIS
1	F	99	GLN
1	F	103	ASN
1	F	152	HIS
1	F	194	ASN
1	F	226	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 3 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PO4	F	8401	-	4,4,4	0.95	0	6,6,6	0.45	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PO4	A	3401	-	4,4,4	0.94	0	6,6,6	0.45	0
4	181	A	3400	-	21,21,21	2.58	11 (52%)	22,27,27	2.35	5 (22%)
2	PO4	D	6401	-	4,4,4	0.92	0	6,6,6	0.44	0
2	PO4	C	5401	-	4,4,4	0.94	0	6,6,6	0.53	0
2	PO4	E	7401	-	4,4,4	0.95	0	6,6,6	0.45	0
4	181	D	6400	-	21,21,21	2.57	11 (52%)	22,27,27	2.33	5 (22%)
4	181	B	4400	-	21,21,21	2.59	11 (52%)	22,27,27	2.33	5 (22%)
4	181	E	7400	-	21,21,21	2.59	11 (52%)	22,27,27	2.34	5 (22%)
2	PO4	B	4401	-	4,4,4	0.95	0	6,6,6	0.44	0
4	181	C	5400	-	21,21,21	2.58	11 (52%)	22,27,27	2.37	6 (27%)
4	181	F	8400	-	21,21,21	2.58	11 (52%)	22,27,27	2.33	6 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	181	A	3400	-	-	0/9/9/9	0/2/2/2
4	181	D	6400	-	-	0/9/9/9	0/2/2/2
4	181	B	4400	-	-	0/9/9/9	0/2/2/2
4	181	E	7400	-	-	0/9/9/9	0/2/2/2
4	181	C	5400	-	-	0/9/9/9	0/2/2/2
4	181	F	8400	-	-	0/9/9/9	0/2/2/2

All (66) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	4400	181	CAS-NAT	5.06	1.44	1.37
4	F	8400	181	CAS-NAT	4.97	1.44	1.37
4	E	7400	181	CAS-NAT	4.96	1.44	1.37
4	C	5400	181	CAS-NAT	4.92	1.44	1.37
4	A	3400	181	CAS-NAT	4.84	1.44	1.37
4	D	6400	181	CAS-NAT	4.84	1.44	1.37
4	C	5400	181	CAL-NAT	-4.01	1.41	1.47
4	E	7400	181	CAL-NAT	-4.01	1.41	1.47
4	E	7400	181	CAE-CAG	4.00	1.45	1.38
4	D	6400	181	CAL-NAT	-3.99	1.41	1.47
4	A	3400	181	CAE-CAG	3.98	1.45	1.38
4	D	6400	181	CAE-CAG	3.96	1.45	1.38
4	B	4400	181	CAL-NAT	-3.95	1.41	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	F	8400	181	CAL-NAT	-3.92	1.41	1.47
4	C	5400	181	CAE-CAG	3.92	1.45	1.38
4	F	8400	181	CAE-CAG	3.91	1.45	1.38
4	A	3400	181	CAL-NAT	-3.86	1.41	1.47
4	B	4400	181	CAE-CAG	3.82	1.45	1.38
4	C	5400	181	CAF-CAH	3.75	1.45	1.38
4	D	6400	181	CAF-CAH	3.75	1.45	1.38
4	E	7400	181	CAF-CAH	3.75	1.45	1.38
4	F	8400	181	CAF-CAH	3.75	1.45	1.38
4	A	3400	181	CAF-CAH	3.74	1.45	1.38
4	B	4400	181	CAF-CAH	3.61	1.45	1.38
4	A	3400	181	CAG-CAP	3.35	1.45	1.39
4	B	4400	181	CAI-CAQ	3.34	1.41	1.35
4	C	5400	181	CAI-CAQ	3.30	1.41	1.35
4	F	8400	181	CAI-CAQ	3.29	1.41	1.35
4	E	7400	181	CAG-CAP	3.28	1.45	1.39
4	C	5400	181	CAG-CAP	3.27	1.45	1.39
4	A	3400	181	CAI-CAQ	3.26	1.41	1.35
4	E	7400	181	CAI-CAQ	3.26	1.41	1.35
4	D	6400	181	CAG-CAP	3.23	1.45	1.39
4	F	8400	181	CAG-CAP	3.21	1.45	1.39
4	D	6400	181	CAI-CAQ	3.16	1.41	1.35
4	B	4400	181	CAG-CAP	3.13	1.45	1.39
4	A	3400	181	CAD-CAF	3.09	1.45	1.38
4	D	6400	181	CAD-CAF	3.06	1.45	1.38
4	E	7400	181	CAD-CAF	3.04	1.44	1.38
4	F	8400	181	CAD-CAF	3.02	1.44	1.38
4	C	5400	181	CAD-CAF	3.02	1.44	1.38
4	B	4400	181	CAI-NAT	3.01	1.43	1.37
4	B	4400	181	CAD-CAF	2.98	1.44	1.38
4	A	3400	181	CAI-NAT	2.96	1.42	1.37
4	F	8400	181	CAI-NAT	2.94	1.42	1.37
4	C	5400	181	CAI-NAT	2.92	1.42	1.37
4	F	8400	181	CAH-CAP	2.87	1.44	1.39
4	E	7400	181	CAH-CAP	2.87	1.44	1.39
4	A	3400	181	CAH-CAP	2.86	1.44	1.39
4	C	5400	181	CAH-CAP	2.86	1.44	1.39
4	E	7400	181	CAI-NAT	2.85	1.42	1.37
4	B	4400	181	CAH-CAP	2.84	1.44	1.39
4	D	6400	181	CAH-CAP	2.82	1.44	1.39
4	D	6400	181	CAI-NAT	2.82	1.42	1.37
4	E	7400	181	CAE-CAD	2.69	1.44	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	4400	181	CAE-CAD	2.69	1.44	1.38
4	C	5400	181	CAE-CAD	2.68	1.44	1.38
4	A	3400	181	CAE-CAD	2.68	1.44	1.38
4	F	8400	181	CAE-CAD	2.67	1.44	1.38
4	D	6400	181	CAE-CAD	2.65	1.44	1.38
4	B	4400	181	CAS-NAM	2.63	1.42	1.38
4	D	6400	181	CAS-NAM	2.59	1.42	1.38
4	F	8400	181	CAS-NAM	2.57	1.42	1.38
4	E	7400	181	CAS-NAM	2.54	1.42	1.38
4	A	3400	181	CAS-NAM	2.52	1.42	1.38
4	C	5400	181	CAS-NAM	2.52	1.42	1.38

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	7400	181	CAR-NAM-CAS	-5.48	120.15	127.34
4	B	4400	181	CAR-NAM-CAS	-5.42	120.24	127.34
4	D	6400	181	CAR-NAM-CAS	-5.38	120.29	127.34
4	C	5400	181	CAR-NAM-CAS	-5.37	120.30	127.34
4	A	3400	181	CAR-NAM-CAS	-5.34	120.34	127.34
4	F	8400	181	CAR-NAM-CAS	-5.31	120.38	127.34
4	D	6400	181	CAL-NAT-CAS	5.13	123.09	117.20
4	C	5400	181	NAM-CAS-NAT	5.13	119.26	114.86
4	E	7400	181	NAM-CAS-NAT	5.09	119.23	114.86
4	C	5400	181	CAL-NAT-CAS	5.06	123.01	117.20
4	F	8400	181	NAM-CAS-NAT	5.03	119.17	114.86
4	A	3400	181	NAM-CAS-NAT	5.00	119.15	114.86
4	F	8400	181	CAL-NAT-CAS	4.99	122.93	117.20
4	D	6400	181	NAM-CAS-NAT	4.97	119.13	114.86
4	B	4400	181	NAM-CAS-NAT	4.96	119.11	114.86
4	B	4400	181	CAL-NAT-CAS	4.92	122.85	117.20
4	A	3400	181	CAL-NAT-CAS	4.90	122.83	117.20
4	E	7400	181	CAL-NAT-CAS	4.85	122.77	117.20
4	A	3400	181	OAN-CAL-NAT	4.45	120.50	111.58
4	C	5400	181	OAN-CAL-NAT	4.30	120.19	111.58
4	E	7400	181	OAN-CAL-NAT	4.21	120.01	111.58
4	F	8400	181	OAN-CAL-NAT	4.14	119.88	111.58
4	B	4400	181	OAN-CAL-NAT	3.99	119.58	111.58
4	D	6400	181	OAN-CAL-NAT	3.83	119.26	111.58
4	B	4400	181	CAQ-CAR-NAM	2.80	121.31	114.37
4	E	7400	181	CAQ-CAR-NAM	2.74	121.17	114.37
4	A	3400	181	CAQ-CAR-NAM	2.72	121.10	114.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	6400	181	CAQ-CAR-NAM	2.70	121.06	114.37
4	F	8400	181	CAQ-CAR-NAM	2.70	121.05	114.37
4	C	5400	181	CAQ-CAR-NAM	2.69	121.04	114.37
4	F	8400	181	CAI-NAT-CAS	-2.08	119.23	121.29
4	C	5400	181	CAI-NAT-CAS	-2.01	119.30	121.29

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	5401	PO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	253/256 (98%)	0.84	25 (9%) 13 11	14, 16, 22, 26	0
1	B	251/256 (98%)	1.03	34 (13%) 7 6	14, 16, 19, 23	0
1	C	250/256 (97%)	0.27	6 (2%) 59 59	14, 16, 21, 25	0
1	D	250/256 (97%)	0.60	19 (7%) 20 18	14, 16, 22, 26	0
1	E	251/256 (98%)	1.21	40 (15%) 5 4	15, 16, 19, 22	0
1	F	250/256 (97%)	1.61	73 (29%) 1 1	15, 16, 19, 20	0
All	All	1505/1536 (97%)	0.93	197 (13%) 7 6	14, 16, 20, 26	0

All (197) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	SER	8.9
1	B	231	ALA	8.5
1	D	228	ILE	7.0
1	F	228	ILE	6.8
1	D	231	ALA	6.7
1	A	1	MET	6.1
1	A	227	GLU	6.1
1	A	226	GLN	5.8
1	C	226	GLN	5.7
1	D	227	GLU	5.7
1	D	226	GLN	5.6
1	E	229	PRO	5.4
1	E	227	GLU	5.3
1	C	228	ILE	5.2
1	F	227	GLU	5.1
1	F	126	LEU	4.9
1	F	229	PRO	4.6
1	E	228	ILE	4.6
1	C	227	GLU	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	189	ALA	4.3
1	F	231	ALA	4.2
1	D	229	PRO	4.1
1	A	36	ALA	3.9
1	F	16	LEU	3.9
1	F	121	LEU	3.8
1	B	125	PRO	3.8
1	F	177	VAL	3.8
1	E	18	GLY	3.7
1	F	230	ASN	3.7
1	C	231	ALA	3.6
1	E	178	ARG	3.6
1	B	232	GLU	3.6
1	F	118	GLY	3.5
1	A	189	ALA	3.5
1	B	121	LEU	3.5
1	B	148	GLY	3.5
1	F	38	MET	3.5
1	E	239	SER	3.5
1	F	236	GLN	3.5
1	F	53	TRP	3.4
1	D	234	MET	3.4
1	A	230	ASN	3.4
1	E	148	GLY	3.4
1	E	182	GLY	3.4
1	B	172	TYR	3.4
1	F	128	PHE	3.4
1	F	180	PHE	3.4
1	F	34	ILE	3.3
1	B	126	LEU	3.3
1	A	14	ASN	3.3
1	F	181	LYS	3.2
1	A	176	VAL	3.2
1	A	229	PRO	3.2
1	B	200	ALA	3.1
1	E	36	ALA	3.1
1	F	172	TYR	3.1
1	F	232	GLU	3.1
1	F	125	PRO	3.1
1	F	42	VAL	3.1
1	D	232	GLU	3.1
1	F	252	LEU	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	228	ILE	3.1
1	E	232	GLU	3.1
1	F	58	ASP	3.1
1	B	177	VAL	3.0
1	F	246	VAL	3.0
1	D	148	GLY	3.0
1	E	191	GLY	3.0
1	F	220	ILE	3.0
1	F	165	GLY	2.9
1	E	57	LEU	2.9
1	D	233	THR	2.9
1	F	226	GLN	2.9
1	F	134	PHE	2.8
1	F	253	LEU	2.8
1	F	241	ALA	2.7
1	A	146	SER	2.7
1	B	189	ALA	2.7
1	E	13	LYS	2.7
1	F	54	ARG	2.7
1	F	178	ARG	2.7
1	B	241	ALA	2.7
1	E	233	THR	2.7
1	E	230	ASN	2.7
1	F	191	GLY	2.7
1	D	121	LEU	2.6
1	E	246	VAL	2.6
1	F	234	MET	2.6
1	A	240	HIS	2.6
1	D	240	HIS	2.6
1	F	72	PRO	2.6
1	B	146	SER	2.6
1	E	63	ILE	2.6
1	F	69	ILE	2.6
1	F	192	VAL	2.6
1	C	232	GLU	2.6
1	E	53	TRP	2.6
1	B	134	PHE	2.6
1	A	169	TYR	2.6
1	E	4	SER	2.6
1	F	11	LEU	2.6
1	B	142	GLU	2.5
1	F	141	VAL	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	124	ALA	2.5
1	A	232	GLU	2.5
1	F	175	ARG	2.5
1	F	183	SER	2.5
1	F	179	HIS	2.5
1	F	182	GLY	2.5
1	F	170	ASP	2.4
1	B	171	THR	2.4
1	E	250	ARG	2.4
1	E	10	GLY	2.4
1	E	176	VAL	2.4
1	F	23	ILE	2.4
1	F	4	SER	2.4
1	B	105	GLY	2.4
1	F	162	PHE	2.4
1	A	184	MET	2.4
1	F	119	ALA	2.4
1	F	44	LEU	2.4
1	F	202	LEU	2.4
1	B	123	PHE	2.4
1	A	177	VAL	2.4
1	D	225	GLN	2.3
1	D	230	ASN	2.3
1	A	178	ARG	2.3
1	B	180	PHE	2.3
1	B	24	VAL	2.3
1	F	164	PRO	2.3
1	E	169	TYR	2.3
1	F	14	ASN	2.3
1	F	171	THR	2.3
1	F	237	THR	2.3
1	F	189	ALA	2.3
1	E	187	TRP	2.3
1	F	62	VAL	2.3
1	F	138	THR	2.3
1	F	150	THR	2.3
1	F	104	VAL	2.2
1	B	170	ASP	2.2
1	A	231	ALA	2.2
1	D	126	LEU	2.2
1	E	34	ILE	2.2
1	F	245	VAL	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	118	GLY	2.2
1	F	71	GLY	2.2
1	E	183	SER	2.2
1	B	178	ARG	2.2
1	E	220	ILE	2.2
1	F	52	THR	2.2
1	E	155	VAL	2.2
1	F	148	GLY	2.2
1	F	124	ALA	2.2
1	B	179	HIS	2.2
1	B	234	MET	2.2
1	F	210	GLY	2.1
1	E	231	ALA	2.1
1	B	57	LEU	2.1
1	E	103	ASN	2.1
1	D	29	ASP	2.1
1	E	164	PRO	2.1
1	B	7	PHE	2.1
1	F	8	HIS	2.1
1	A	250	ARG	2.1
1	C	124	ALA	2.1
1	E	167	GLU	2.1
1	A	233	THR	2.1
1	B	164	PRO	2.1
1	A	148	GLY	2.1
1	B	220	ILE	2.1
1	B	128	PHE	2.1
1	D	239	SER	2.1
1	F	57	LEU	2.1
1	F	116	LEU	2.1
1	F	208	SER	2.1
1	E	29	ASP	2.1
1	B	151	THR	2.1
1	E	100	PRO	2.1
1	F	115	ARG	2.1
1	F	250	ARG	2.1
1	A	10	GLY	2.1
1	E	3	LYS	2.1
1	E	245	VAL	2.1
1	A	173	SER	2.1
1	E	124	ALA	2.1
1	F	225	GLN	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	161	THR	2.0
1	A	220	ILE	2.0
1	D	147	ILE	2.0
1	B	104	VAL	2.0
1	B	131	VAL	2.0
1	D	128	PHE	2.0
1	B	251	ARG	2.0
1	E	175	ARG	2.0
1	D	125	PRO	2.0
1	E	195	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	K	E	1003	1/1	0.58	0.30	74,74,74,74	0
3	K	A	1001	1/1	0.77	0.40	64,64,64,64	0
4	181	F	8400	20/20	0.80	0.15	44,45,46,46	0
2	PO4	F	8401	5/5	0.87	0.16	47,47,47,47	0
4	181	B	4400	20/20	0.88	0.14	35,37,38,38	0
2	PO4	A	3401	5/5	0.90	0.14	41,41,41,42	0
2	PO4	E	7401	5/5	0.91	0.12	48,49,49,49	0
2	PO4	D	6401	5/5	0.91	0.13	40,40,41,41	0
2	PO4	B	4401	5/5	0.92	0.10	40,40,40,41	0
4	181	E	7400	20/20	0.92	0.10	41,42,43,43	0
4	181	A	3400	20/20	0.92	0.10	35,37,39,39	0
3	K	C	1002	1/1	0.93	0.38	56,56,56,56	0
4	181	C	5400	20/20	0.93	0.09	30,32,33,33	0

Continued on next page...



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	181	D	6400	20/20	0.94	0.08	30,31,32,32	0
2	PO4	C	5401	5/5	0.96	0.10	35,36,36,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 181 F 8400:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 181 B 4400:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 181 E 7400:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 181 A 3400:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 181 C 5400:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 181 D 6400:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.