



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 07:08 AM UTC

PDB ID : 3U4R / pdb_00003u4r
Title : Novel HCV NS5B polymerase Inhibitors: Discovery of Indole C2 Acyl sulfonamides
Authors : Anilkumar, G.N.; Selyutin, O.; Rosenblum, S.B.; Zeng, Q.; Jiang, Y.; Chan, T.-Y.; Pu, H.; Wang, L.; Bennett, F.; Chen, K.X.; Lesburg, C.A.; Duca, J.S.; Gavalas, S.; Huang, Y.; Pinto, P.; Sannagrahi, M.; Velazquez, F.; Venkataraman, S.; Vilbubhan, B.; Agrawal, S.; Ferrari, E.; Jiang, C.-K.; Huang, H.-C.; Shih, N.-Y.; Njoroge, F.G.; Kozlowski, J.A.
Deposited on : 2011-10-10
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	578	
1	B	578	

Ideal geometry (proteins) : Engh & Huber (2001)
 Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
 Validation Pipeline (wwPDB-VP) : 2.49

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 10100 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called RNA-directed RNA polymerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	558	Total	C	N	O	S	0	0	0
			4347	2739	769	807	32			
1	B	558	Total	C	N	O	S	0	0	0
			4347	2739	769	807	32			

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	440	GLY	GLU	conflict	UNP O92972
A	520	ILE	THR	conflict	UNP O92972
A	571	LEU	-	expression tag	UNP O92972
A	572	GLU	-	expression tag	UNP O92972
A	573	HIS	-	expression tag	UNP O92972
A	574	HIS	-	expression tag	UNP O92972
A	575	HIS	-	expression tag	UNP O92972
A	576	HIS	-	expression tag	UNP O92972
A	577	HIS	-	expression tag	UNP O92972
A	578	HIS	-	expression tag	UNP O92972
B	440	GLY	GLU	conflict	UNP O92972
B	520	ILE	THR	conflict	UNP O92972
B	571	LEU	-	expression tag	UNP O92972
B	572	GLU	-	expression tag	UNP O92972
B	573	HIS	-	expression tag	UNP O92972
B	574	HIS	-	expression tag	UNP O92972
B	575	HIS	-	expression tag	UNP O92972
B	576	HIS	-	expression tag	UNP O92972
B	577	HIS	-	expression tag	UNP O92972
B	578	HIS	-	expression tag	UNP O92972

- Molecule 2 is 1-[(2-aminopyridin-4-yl)methyl]-5-chloro-N-({3-[(methylsulfonyl)amino]phenyl}sulfonyl)-3-(2-oxo-1,2-dihydropyridin-3-yl)-1H-indole-2-carboxamide (CCD ID: 08F) (formula: C₂₇H₂₃ClN₆O₆S₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
2	A	1	Total	C	Cl	N	O	S	0	0
			42	27	1	6	6	2		
2	B	1	Total	C	Cl	N	O	S	0	0
			42	27	1	6	6	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	723	Total	O	0	0
			723	723		
3	B	599	Total	O	0	0
			599	599		

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	89.92Å 106.68Å 134.32Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 20.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.3 (20.00-2.00) 99.2 (20.00-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.20 (at 2.01Å)	Xtriage
Refinement program	BUSTER 2.11.1	Depositor
R, R_{free}	0.192 , 0.237 (Not available) , 0.247	Depositor DCC
R_{free} test set	4337 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	34.0	Xtriage
Anisotropy	0.400	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 59.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10100	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 08F

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.83	1/4441 (0.0%)	1.18	6/6026 (0.1%)
1	B	0.83	1/4441 (0.0%)	1.25	11/6026 (0.2%)
All	All	0.83	2/8882 (0.0%)	1.21	17/12052 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	173	MET	SD-CE	-6.55	1.63	1.79
1	B	173	MET	SD-CE	-5.11	1.66	1.79

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	261	TYR	N-CA-C	6.38	118.23	111.28
1	B	288	SER	CA-C-N	5.94	128.16	120.44
1	B	288	SER	C-N-CA	5.94	128.16	120.44
1	B	11	ILE	N-CA-C	-5.89	99.08	107.98
1	A	244	ASP	N-CA-C	-5.84	100.48	109.76
1	A	261	TYR	N-CA-C	5.64	117.43	111.28
1	B	531	ARG	N-CA-C	-5.54	101.64	109.96
1	A	66	ASP	CA-CB-CG	5.52	118.12	112.60
1	B	131	GLU	N-CA-C	5.45	120.84	114.62
1	A	129	ASP	CA-CB-CG	5.43	118.03	112.60
1	B	330	GLN	CA-C-N	5.27	127.34	120.28
1	B	330	GLN	C-N-CA	5.27	127.34	120.28
1	A	196	SER	N-CA-C	-5.21	102.46	110.07
1	A	31	LEU	N-CA-CB	-5.13	102.40	110.77
1	B	41	THR	CA-C-N	5.12	127.66	120.28
1	B	41	THR	C-N-CA	5.12	127.66	120.28
1	B	329	THR	N-CA-C	5.05	116.78	111.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4347	0	4365	34	0
1	B	4347	0	4365	48	0
2	A	42	0	23	5	0
2	B	42	0	23	8	0
3	A	723	0	0	15	0
3	B	599	0	0	10	0
All	All	10100	0	8776	87	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (87) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:291:ASN:HD22	2:B:579:08F:H23	1.07	1.12
1:B:291:ASN:ND2	2:B:579:08F:H23	1.86	0.89
1:B:24:ASN:HD21	1:B:27:SER:HB3	1.37	0.87
1:B:201:VAL:HG22	1:B:384:LEU:HG	1.61	0.81
1:B:451:CYS:HB2	3:B:805:HOH:O	1.81	0.79
1:A:461:GLN:HG2	1:A:541:ALA:HB3	1.66	0.78
1:B:120:ARG:HD2	3:B:846:HOH:O	1.86	0.76
2:A:579:08F:H5	2:A:579:08F:H10	1.51	0.76
1:A:477:TYR:HB2	1:A:482:ILE:HD11	1.69	0.74
1:B:291:ASN:HD22	2:B:579:08F:C27	1.96	0.72
1:A:230:GLU:HG2	3:A:744:HOH:O	1.91	0.70
1:A:201:VAL:HG22	1:A:384:LEU:HG	1.77	0.67
2:B:579:08F:H10	2:B:579:08F:H5	1.59	0.66
1:A:563:SER:O	3:A:876:HOH:O	2.13	0.65
1:B:234:ARG:HG3	1:B:262:ILE:HD11	1.77	0.65
1:B:317:GLY:HA3	2:B:579:08F:O2	1.96	0.65
1:A:114:ARG:NH1	3:A:1283:HOH:O	2.32	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:141:LYS:HD2	1:B:160:ILE:HD11	1.81	0.61
2:A:579:08F:H5	2:A:579:08F:N3	2.16	0.60
1:A:563:SER:HB2	3:A:1292:HOH:O	2.02	0.60
2:A:579:08F:H7	3:A:1144:HOH:O	2.02	0.59
1:A:247:PRO:HG3	1:B:234:ARG:NH1	2.18	0.58
1:A:535:LYS:NZ	3:A:1172:HOH:O	2.36	0.58
1:A:200:ARG:HD3	1:A:384:LEU:HD11	1.88	0.56
1:B:234:ARG:NH1	1:B:258:GLU:OE2	2.39	0.56
1:B:544:GLN:HB2	3:B:1198:HOH:O	2.05	0.55
1:B:545:LEU:HG	3:B:1311:HOH:O	2.06	0.55
1:A:201:VAL:CG2	1:A:384:LEU:HG	2.35	0.54
1:A:184:GLN:NE2	3:A:1023:HOH:O	2.41	0.54
1:B:219:TYR:HB3	1:B:320:LEU:HD23	1.91	0.53
1:A:154:ARG:NH1	3:A:698:HOH:O	2.40	0.53
1:A:508:ARG:NE	3:A:726:HOH:O	2.20	0.53
1:B:300:THR:HA	1:B:313:MET:HE1	1.92	0.52
1:A:316:ASN:HB3	2:A:579:08F:H11	1.91	0.52
2:B:579:08F:H5	2:B:579:08F:N3	2.24	0.52
1:B:303:CYS:SG	1:B:313:MET:HE2	2.50	0.51
1:B:531:ARG:HH11	1:B:531:ARG:HG3	1.77	0.50
1:B:531:ARG:HG3	1:B:531:ARG:NH1	2.26	0.49
2:B:579:08F:H22	3:B:848:HOH:O	2.13	0.49
1:B:498:ARG:NH1	3:B:879:HOH:O	2.45	0.49
1:A:234:ARG:HD2	1:A:258:GLU:OE2	2.12	0.49
1:B:309:GLN:HE22	1:B:327:ALA:HB2	1.77	0.48
1:A:172:LYS:HE3	1:A:560:ILE:HD13	1.94	0.48
1:A:84:SER:OG	1:A:86:GLU:HG2	2.14	0.48
1:B:201:VAL:CG2	1:B:384:LEU:HG	2.38	0.47
1:B:268:ASN:HB3	1:B:274:CYS:SG	2.55	0.47
1:B:172:LYS:HE3	1:B:560:ILE:HD13	1.97	0.47
1:A:197:PRO:O	1:A:201:VAL:HG23	2.15	0.46
1:B:57:LEU:C	3:B:869:HOH:O	2.58	0.46
1:A:154:ARG:N	3:A:1168:HOH:O	2.47	0.46
2:A:579:08F:N3	2:A:579:08F:C11	2.79	0.46
1:B:309:GLN:O	1:B:324:CYS:HB2	2.16	0.46
1:B:465:ARG:NH2	3:B:1090:HOH:O	2.46	0.45
1:B:74:LYS:NZ	3:B:904:HOH:O	2.49	0.45
1:A:402:HIS:HB3	3:A:1187:HOH:O	2.15	0.45
1:B:426:MET:O	1:B:430:PHE:HB2	2.17	0.45
1:A:477:TYR:HB2	1:A:482:ILE:CD1	2.43	0.45
1:A:508:ARG:HH22	1:A:534:LEU:HG	1.82	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:GLU:HG3	3:A:867:HOH:O	2.16	0.44
1:A:361:GLU:HG2	1:A:370:VAL:O	2.17	0.44
1:B:106:LYS:HD3	3:B:714:HOH:O	2.18	0.44
1:B:462:ILE:O	1:B:466:LEU:HG	2.18	0.44
1:B:144:VAL:HB	1:B:394:ARG:HG2	1.99	0.44
1:B:375:ASP:OD1	1:B:379:LYS:HB3	2.17	0.44
1:B:82:LEU:HD13	1:B:249:ALA:HB2	2.00	0.44
1:A:461:GLN:HG2	1:A:541:ALA:CB	2.42	0.43
1:B:32:ARG:NH2	1:B:495:PRO:HG3	2.33	0.43
1:A:490:ARG:NH1	3:A:905:HOH:O	2.51	0.43
1:B:32:ARG:N	1:B:32:ARG:HD2	2.33	0.43
1:A:183:PRO:HG3	1:A:289:CYS:SG	2.59	0.43
1:A:247:PRO:CB	1:B:234:ARG:HH11	2.31	0.42
1:B:466:LEU:HD22	1:B:551:PHE:HE2	1.84	0.42
1:B:331:GLU:H	1:B:331:GLU:CD	2.27	0.42
2:B:579:08F:N3	2:B:579:08F:C11	2.83	0.42
1:B:32:ARG:HD3	1:B:493:GLY:O	2.19	0.42
1:A:106:LYS:HD3	3:A:658:HOH:O	2.19	0.42
1:B:461:GLN:HB3	1:B:542:ALA:HA	2.00	0.42
1:A:247:PRO:HB3	1:B:234:ARG:HH11	1.86	0.41
1:B:388:PRO:HB3	1:B:420:TRP:CD2	2.56	0.41
1:B:314:LEU:HB3	1:B:321:VAL:HG13	2.01	0.41
1:B:419:LEU:HD21	1:B:497:LEU:HD13	2.01	0.41
1:A:170:CYS:HA	1:A:173:MET:HE3	2.03	0.41
1:B:144:VAL:HG21	1:B:397:TRP:CG	2.55	0.41
1:B:469:LEU:HD23	1:B:472:PHE:HD2	1.86	0.41
1:A:545:LEU:HB3	1:A:547:LEU:HG	2.03	0.40
1:A:432:ILE:HD11	3:A:1125:HOH:O	2.21	0.40
1:B:562:HIS:HB3	1:B:563:SER:H	1.76	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	554/578 (96%)	547 (99%)	7 (1%)	0	100	100
1	B	554/578 (96%)	538 (97%)	13 (2%)	3 (0%)	24	21
All	All	1108/1156 (96%)	1085 (98%)	20 (2%)	3 (0%)	36	35

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	535	LYS
1	B	541	ALA
1	B	540	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	475/492 (96%)	455 (96%)	20 (4%)	26	25
1	B	475/492 (96%)	444 (94%)	31 (6%)	15	12
All	All	950/984 (96%)	899 (95%)	51 (5%)	20	17

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	LEU
1	A	51	LYS
1	A	57	LEU
1	A	86	GLU
1	A	100	LYS
1	A	113	SER
1	A	114	ARG
1	A	158	ARG
1	A	159	LEU
1	A	184	GLN
1	A	209	LYS
1	A	234	ARG
1	A	329	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	336	LEU
1	A	367	SER
1	A	432	ILE
1	A	482	ILE
1	A	487	SER
1	A	535	LYS
1	A	544	GLN
1	B	11	ILE
1	B	21	LEU
1	B	23	ILE
1	B	24	ASN
1	B	26	LEU
1	B	42	SER
1	B	57	LEU
1	B	81	LYS
1	B	83	LEU
1	B	86	GLU
1	B	90	LYS
1	B	100	LYS
1	B	184	GLN
1	B	209	LYS
1	B	262	ILE
1	B	330	GLN
1	B	336	LEU
1	B	372	VAL
1	B	377	SER
1	B	402	HIS
1	B	403	THR
1	B	419	LEU
1	B	434	LEU
1	B	461	GLN
1	B	484	ARG
1	B	487	SER
1	B	492	LEU
1	B	531	ARG
1	B	533	LYS
1	B	534	LEU
1	B	547	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	28	ASN
1	B	273	ASN
1	B	291	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	08F	A	579	-	46,46,46	1.94	6 (13%)	66,69,69	1.47	10 (15%)
2	08F	B	579	-	46,46,46	1.87	7 (15%)	66,69,69	1.52	9 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	08F	A	579	-	-	6/28/28/28	0/5/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	08F	B	579	-	-	8/28/28/28	0/5/5/5

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	579	08F	S1-N6	9.22	1.75	1.63
2	B	579	08F	S1-N6	8.58	1.74	1.63
2	A	579	08F	C1-C12	4.55	1.53	1.45
2	B	579	08F	C1-C12	4.50	1.53	1.45
2	A	579	08F	C4-C7	-2.41	1.40	1.46
2	B	579	08F	C14-C15	2.39	1.47	1.41
2	A	579	08F	C14-C15	2.31	1.47	1.41
2	B	579	08F	C10-N3	2.19	1.41	1.38
2	B	579	08F	C4-C7	-2.16	1.41	1.46
2	B	579	08F	S2-N3	2.09	1.69	1.64
2	B	579	08F	C8-C3	2.08	1.41	1.38
2	A	579	08F	C8-C3	2.07	1.41	1.38
2	A	579	08F	C26-C16	2.04	1.42	1.39

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	579	08F	C15-C1-C12	-4.78	116.69	119.39
2	A	579	08F	O4-S2-C16	-4.11	102.79	107.98
2	A	579	08F	C15-C1-C12	-4.09	117.08	119.39
2	B	579	08F	O4-S2-C16	-3.87	103.10	107.98
2	B	579	08F	O4-S2-O3	3.85	124.19	119.52
2	A	579	08F	O4-S2-O3	3.45	123.71	119.52
2	A	579	08F	O3-S2-C16	-3.36	103.74	107.98
2	B	579	08F	O3-S2-C16	-3.21	103.94	107.98
2	A	579	08F	O2-S1-C27	-3.19	103.21	108.26
2	B	579	08F	O2-S1-C27	-2.77	103.87	108.26
2	B	579	08F	C17-C21-C20	2.74	119.89	117.86
2	B	579	08F	O1-S1-N6	2.60	112.29	107.10
2	B	579	08F	O6-C12-C1	-2.54	120.39	125.98
2	B	579	08F	C7-C6-N1	-2.44	107.24	109.38
2	A	579	08F	C7-C6-N1	-2.39	107.28	109.38
2	A	579	08F	O6-C12-C1	-2.39	120.72	125.98
2	A	579	08F	C6-C10-N3	-2.29	112.75	116.14
2	A	579	08F	C17-C21-C20	2.22	119.51	117.86
2	A	579	08F	C13-N2-C12	-2.01	123.35	124.54

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	579	08F	O5-C10-C6-N1
2	A	579	08F	N3-C10-C6-N1
2	B	579	08F	C25-N6-S1-O2
2	B	579	08F	C25-N6-S1-C27
2	B	579	08F	O5-C10-C6-N1
2	B	579	08F	N3-C10-C6-N1
2	A	579	08F	O5-C10-C6-C7
2	A	579	08F	N3-C10-C6-C7
2	B	579	08F	O5-C10-C6-C7
2	B	579	08F	N3-C10-C6-C7
2	A	579	08F	N1-C11-C17-C21
2	A	579	08F	N1-C11-C17-C18
2	B	579	08F	C25-N6-S1-O1
2	B	579	08F	N1-C11-C17-C21


There are no ring outliers.


2 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	579	08F	5	0
2	B	579	08F	8	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand 08F A 579





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	558/578 (96%)	-0.27	2 (0%) 88 88	25, 33, 54, 79	0
1	B	558/578 (96%)	0.05	24 (4%) 40 39	24, 39, 78, 108	0
All	All	1116/1156 (96%)	-0.11	26 (2%) 61 60	24, 36, 64, 108	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	563	SER	6.3
1	B	26	LEU	4.7
1	B	530	VAL	4.4
1	A	563	SER	4.4
1	B	542	ALA	4.2
1	B	541	ALA	4.1
1	B	545	LEU	3.9
1	B	23	ILE	3.5
1	B	25	PRO	3.5
1	B	27	SER	2.8
1	B	536	LEU	2.8
1	B	544	GLN	2.8
1	B	402	HIS	2.7
1	B	534	LEU	2.6
1	A	57	LEU	2.6
1	B	488	CYS	2.5
1	B	562	HIS	2.5
1	B	24	ASN	2.4
1	B	540	PRO	2.2
1	B	21	LEU	2.2
1	B	543	SER	2.2
1	B	30	LEU	2.1
1	B	487	SER	2.1
1	B	548	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	529	ALA	2.1
1	B	539	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	08F	B	579	42/42	0.87	0.12	52,57,70,74	0
2	08F	A	579	42/42	0.89	0.11	40,54,60,61	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 08F B 579:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 08F A 579:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.