



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 02:39 PM UTC

PDB ID : 7U48 / pdb_00007u48
Title : Clavulanic acid-CTX-M-15
Authors : Ahmadvand, P.; Kang, C.H.
Deposited on : 2022-02-28
Resolution : 1.67 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.67 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1054 (1.68-1.68)
Clashscore	190562	1078 (1.68-1.68)
Ramachandran outliers	187476	1068 (1.68-1.68)
Sidechain outliers	187428	1067 (1.68-1.68)
RSRZ outliers	180081	1055 (1.68-1.68)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	291	18% 70% 18% 9%
1	B	291	20% 69% 19% 9%
1	C	291	18% 70% 18% 9%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6440 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-lactamase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	264	Total 1997	C 1240	N 362	O 388	S 7	0	4	0
1	B	264	Total 1997	C 1240	N 362	O 388	S 7	0	4	0
1	C	264	Total 1997	C 1240	N 362	O 388	S 7	3	4	0

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	25	PRO	ALA	engineered mutation	UNP C7S9T0
A	26	LEU	GLN	engineered mutation	UNP C7S9T0
B	25	PRO	ALA	engineered mutation	UNP C7S9T0
B	26	LEU	GLN	engineered mutation	UNP C7S9T0
C	25	PRO	ALA	engineered mutation	UNP C7S9T0
C	26	LEU	GLN	engineered mutation	UNP C7S9T0

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is (E)-5-hydroxy-3-oxo-N-(3-oxopropylidene)-L-norvaline (CCD ID: LBX) (formula: $C_8H_{11}NO_5$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	139	Total	O	0	0
			139	139		
5	B	123	Total	O	0	0
			123	123		
5	C	113	Total	O	0	0
			113	113		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Beta-lactamase




• Molecule 1: Beta-lactamase



• Molecule 1: Beta-lactamase





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	170.69Å 50.98Å 106.70Å 90.00° 113.23° 90.00°	Depositor
Resolution (Å)	49.02 – 1.67 49.02 – 1.67	Depositor EDS
% Data completeness (in resolution range)	82.5 (49.02-1.67) 82.8 (49.02-1.67)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.03 (at 1.67Å)	Xtriage
Refinement program	PHENIX 1.17.1 _3660	Depositor
R, R_{free}	0.250 , 0.285 0.250 , 0.285	Depositor DCC
R_{free} test set	2000 reflections (2.03%)	wwPDB-VP
Wilson B-factor (Å ²)	30.0	Xtriage
Anisotropy	0.380	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 44.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6440	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.69% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, LBX, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	1/2035 (0.0%)	0.93	11/2761 (0.4%)
1	B	0.51	1/2035 (0.0%)	0.91	11/2761 (0.4%)
1	C	0.51	1/2035 (0.0%)	0.90	9/2761 (0.3%)
All	All	0.51	3/6105 (0.0%)	0.92	31/8283 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
1	B	0	4
1	C	0	3
All	All	0	11

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	266	PRO	C-N	5.43	1.44	1.33
1	A	266	PRO	C-N	5.40	1.44	1.33
1	B	266	PRO	C-N	5.40	1.44	1.33

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	103	VAL	CA-C-N	-10.59	106.50	121.33
1	B	103	VAL	C-N-CA	-10.59	106.50	121.33
1	A	103	VAL	CA-C-N	-10.56	106.54	121.33
1	A	103	VAL	C-N-CA	-10.56	106.54	121.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	103	VAL	CA-C-N	-10.55	106.56	121.33
1	C	103	VAL	C-N-CA	-10.55	106.56	121.33
1	A	27	THR	CA-C-N	-8.82	101.95	122.95
1	A	27	THR	C-N-CA	-8.82	101.95	122.95
1	A	39	ARG	CB-CG-CD	-8.05	92.78	111.30
1	B	39	ARG	CB-CG-CD	-8.04	92.81	111.30
1	C	39	ARG	CB-CG-CD	-8.03	92.83	111.30
1	A	282	LYS	CB-CG-CD	-7.43	94.22	111.30
1	B	282	LYS	CB-CG-CD	-7.41	94.25	111.30
1	C	282	LYS	CB-CG-CD	-7.41	94.26	111.30
1	B	110	GLU	CA-CB-CG	-7.03	100.05	114.10
1	C	110	GLU	CA-CB-CG	-7.01	100.07	114.10
1	A	110	GLU	CA-CB-CG	-6.99	100.11	114.10
1	C	110	GLU	N-CA-C	5.77	118.34	111.71
1	A	110	GLU	N-CA-C	5.75	118.32	111.71
1	B	110	GLU	N-CA-C	5.73	118.30	111.71
1	A	104	ASN	N-CA-C	5.46	116.47	107.20
1	C	110	GLU	CB-CG-CD	-5.44	103.35	112.60
1	C	104	ASN	N-CA-C	5.43	116.43	107.20
1	B	104	ASN	N-CA-C	5.43	116.43	107.20
1	A	110	GLU	CB-CG-CD	-5.42	103.39	112.60
1	B	110	GLU	CB-CG-CD	-5.41	103.40	112.60
1	C	39	ARG	CA-CB-CG	5.18	124.46	114.10
1	A	39	ARG	CA-CB-CG	5.17	124.44	114.10
1	B	39	ARG	CA-CB-CG	5.16	124.43	114.10
1	B	27	THR	CA-C-N	-5.04	115.32	122.93
1	B	27	THR	C-N-CA	-5.04	115.32	122.93

There are no chirality outliers.

All (11) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	102	LEU	Peptide
1	A	103	VAL	Peptide
1	A	104	ASN	Peptide
1	A	27	THR	Peptide
1	B	102	LEU	Peptide
1	B	103	VAL	Peptide
1	B	104	ASN	Peptide
1	B	27	THR	Peptide
1	C	102	LEU	Peptide
1	C	103	VAL	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	C	104	ASN	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1997	0	2037	71	1
1	B	1997	0	2037	66	0
1	C	1997	0	2037	62	1
2	A	12	0	16	0	0
3	A	14	0	0	0	0
3	B	14	0	0	0	0
3	C	14	0	0	0	0
4	A	5	0	0	0	0
4	B	5	0	0	0	0
4	C	10	0	0	0	0
5	A	139	0	0	15	2
5	B	123	0	0	10	1
5	C	113	0	0	9	3
All	All	6440	0	6127	187	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (187) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:52:THR:O	1:B:191:ARG:NH2	1.75	1.20
1:A:26:LEU:HD12	1:A:30:VAL:HG21	1.39	1.04
1:A:27:THR:HB	1:A:29:ASP:H	1.32	0.92
1:C:254[A]:ARG:NH2	1:C:288:LEU:O	2.04	0.89
1:C:254[A]:ARG:HH12	1:C:288:LEU:C	1.84	0.85
1:A:55:ASN:HD21	1:B:55:ASN:CG	1.86	0.82
1:A:53:ALA:O	1:B:191:ARG:NE	2.13	0.82
1:A:110:GLU:O	1:A:110:GLU:OE1	1.98	0.80
1:C:110:GLU:O	1:C:110:GLU:OE1	1.99	0.80

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:288:LEU:HD21	1:B:197:LYS:HE2	1.63	0.79
1:B:110:GLU:OE1	1:B:110:GLU:O	1.99	0.79
1:C:130:SER:O	5:C:401:HOH:O	2.01	0.79
1:A:55:ASN:OD1	1:B:55:ASN:ND2	2.15	0.78
1:A:103:VAL:O	1:A:104:ASN:HB2	1.85	0.77
1:B:103:VAL:O	1:B:104:ASN:HB2	1.85	0.77
1:C:103:VAL:O	1:C:104:ASN:HB2	1.85	0.77
1:C:27:THR:O	1:C:29:ASP:N	2.18	0.77
1:C:267:GLN:HG2	1:C:270:ALA:HB2	1.68	0.74
1:B:254[B]:ARG:NH2	5:B:403:HOH:O	2.22	0.72
1:B:114:ASN:ND2	5:B:404:HOH:O	2.23	0.70
1:A:27:THR:HB	1:A:29:ASP:N	2.05	0.69
1:B:84:SER:O	5:B:401:HOH:O	2.11	0.69
1:C:102:LEU:C	1:C:103:VAL:O	2.33	0.69
1:A:267:GLN:HG2	1:A:270:ALA:HB2	1.74	0.69
1:B:99:LYS:HG2	1:B:100:SER:N	2.08	0.69
1:A:99:LYS:HG2	1:A:100:SER:N	2.08	0.69
1:A:102:LEU:C	1:A:103:VAL:O	2.33	0.68
1:C:99:LYS:HG2	1:C:100:SER:N	2.08	0.68
1:B:267:GLN:HG2	1:B:270:ALA:HB2	1.74	0.67
1:C:254[B]:ARG:HH22	1:C:288:LEU:HB3	1.58	0.67
1:B:102:LEU:C	1:B:103:VAL:O	2.33	0.65
1:A:267:GLN:NE2	5:A:502:HOH:O	2.18	0.65
1:C:254[A]:ARG:NH1	1:C:288:LEU:O	2.30	0.64
1:A:212:LYS:NZ	5:A:507:HOH:O	2.30	0.62
1:B:26:LEU:N	1:B:26:LEU:HD22	2.14	0.62
1:A:254[B]:ARG:NH2	1:A:288:LEU:HD22	2.14	0.62
1:C:75:MET:HE1	1:C:189:THR:HG21	1.82	0.61
1:A:75:MET:HE1	1:A:189:THR:HG21	1.82	0.61
1:B:75:MET:HE1	1:B:189:THR:HG21	1.82	0.61
1:B:25:PRO:O	1:B:26:LEU:HD13	2.03	0.59
1:C:254[A]:ARG:CZ	1:C:288:LEU:O	2.50	0.59
1:C:106:ASN:C	5:C:432:HOH:O	2.45	0.59
1:A:25:PRO:O	1:A:26:LEU:HG	2.04	0.58
1:B:201:ASP:OD1	1:B:204[B]:ARG:NH2	2.37	0.57
1:B:25:PRO:HB2	1:B:26:LEU:HD22	1.86	0.56
1:C:137:LYS:HD2	5:C:500:HOH:O	2.06	0.56
1:C:254[B]:ARG:NH2	1:C:288:LEU:HB3	2.20	0.56
1:A:229:TRP:CE2	1:A:251:PRO:HB3	2.41	0.56
1:C:254[A]:ARG:HH12	1:C:288:LEU:CA	2.18	0.56
1:A:53:ALA:O	1:B:191:ARG:CZ	2.54	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:26:LEU:HD12	1:B:32:GLN:NE2	2.21	0.55
1:C:229:TRP:CE2	1:C:251:PRO:HB3	2.41	0.55
1:B:229:TRP:CE2	1:B:251:PRO:HB3	2.41	0.55
1:C:254[B]:ARG:HH12	1:C:288:LEU:HB3	1.73	0.54
1:B:154:GLN:HG2	1:B:154:GLN:O	2.07	0.54
1:A:254[A]:ARG:NH1	1:A:288:LEU:O	2.41	0.54
1:B:82:LYS:CE	1:B:85:GLU:OE1	2.56	0.53
1:B:144:GLY:O	1:B:147[B]:SER:OG	2.26	0.53
1:C:82:LYS:CE	1:C:85:GLU:OE1	2.56	0.53
1:B:69:CYS:SG	5:B:483:HOH:O	2.59	0.53
1:A:82:LYS:CE	1:A:85:GLU:OE1	2.56	0.53
1:C:154:GLN:HG2	1:C:154:GLN:O	2.07	0.52
1:A:154:GLN:O	1:A:154:GLN:HG2	2.07	0.52
1:A:25:PRO:HB3	5:A:561:HOH:O	2.08	0.52
1:A:282:LYS:CE	5:A:501:HOH:O	2.55	0.52
1:C:54:ASP:OD2	5:C:402:HOH:O	2.19	0.52
1:A:25:PRO:CB	1:A:31:GLN:HE21	2.23	0.52
1:B:89:ASN:O	1:B:91:LEU:N	2.41	0.52
1:B:137:LYS:HD2	5:B:511:HOH:O	2.10	0.52
1:A:111:LYS:NZ	5:A:513:HOH:O	2.43	0.52
1:A:25:PRO:HD2	1:A:28:ALA:HB2	1.92	0.51
1:B:89:ASN:OD1	5:B:402:HOH:O	2.18	0.51
1:C:271[A]:GLU:CD	1:C:272:SER:H	2.18	0.51
1:C:26:LEU:HD13	1:C:27:THR:N	2.25	0.51
1:B:242:THR:HG22	5:B:483:HOH:O	2.09	0.51
1:A:55:ASN:HD21	1:B:55:ASN:ND2	2.08	0.51
1:C:54:ASP:O	1:C:55:ASN:HB2	2.11	0.51
1:A:89:ASN:O	1:A:91:LEU:N	2.41	0.50
1:C:158:GLU:OE2	1:C:158:GLU:HA	2.12	0.50
1:A:158:GLU:HA	1:A:158:GLU:OE2	2.12	0.50
1:A:282:LYS:NZ	5:A:501:HOH:O	2.06	0.50
1:B:158:GLU:HA	1:B:158:GLU:OE2	2.12	0.49
1:A:54:ASP:O	1:A:55:ASN:HB2	2.11	0.49
1:A:254[A]:ARG:NH2	5:A:515:HOH:O	2.45	0.49
1:B:25:PRO:C	1:B:26:LEU:HD13	2.37	0.49
5:A:513:HOH:O	1:C:222:GLN:NE2	2.46	0.49
1:A:191:ARG:HD2	5:A:598:HOH:O	2.12	0.48
1:B:54:ASP:CG	1:B:56:SER:HG	2.20	0.48
1:C:204[A]:ARG:NE	5:C:406:HOH:O	2.36	0.48
1:A:28:ALA:HB1	1:A:31:GLN:CG	2.44	0.48
1:A:98:LYS:O	1:A:101:ASP:HB2	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:222:GLN:OE1	5:A:503:HOH:O	2.20	0.48
1:C:28:ALA:HB1	1:C:31:GLN:CG	2.44	0.48
1:C:89:ASN:O	1:C:91:LEU:N	2.41	0.48
1:A:55:ASN:CG	1:B:55:ASN:ND2	2.71	0.48
1:B:54:ASP:O	1:B:55:ASN:HB2	2.11	0.48
1:B:99:LYS:HG2	1:B:100:SER:H	1.77	0.48
1:C:98:LYS:O	1:C:101:ASP:HB2	2.13	0.48
1:C:54:ASP:CG	1:C:56:SER:HG	2.21	0.48
1:A:282:LYS:HE3	5:A:501:HOH:O	2.14	0.48
1:B:110:GLU:OE1	1:B:110:GLU:C	2.57	0.48
1:B:26:LEU:HD12	1:B:32:GLN:HE21	1.79	0.47
1:C:99:LYS:HG2	1:C:100:SER:H	1.77	0.47
1:B:98:LYS:O	1:B:101:ASP:HB2	2.14	0.47
1:C:110:GLU:OE2	1:C:113:VAL:HG21	2.14	0.47
1:A:82:LYS:HE3	1:A:85:GLU:OE1	2.14	0.47
1:B:110:GLU:OE2	1:B:113:VAL:HG21	2.14	0.47
1:C:82:LYS:HE3	1:C:85:GLU:OE1	2.14	0.47
1:B:28:ALA:HB1	1:B:31:GLN:CG	2.44	0.47
1:B:103:VAL:HG12	1:B:133:VAL:CG2	2.45	0.47
1:A:110:GLU:OE2	1:A:113:VAL:HG21	2.14	0.47
1:B:82:LYS:HE3	1:B:85:GLU:OE1	2.14	0.47
1:A:110:GLU:OE1	1:A:110:GLU:C	2.57	0.47
1:A:103:VAL:HG12	1:A:133:VAL:CG2	2.45	0.47
1:C:112:HIS:HE1	5:C:501:HOH:O	1.98	0.47
1:A:99:LYS:HG2	1:A:100:SER:H	1.77	0.46
1:C:254[B]:ARG:NH1	1:C:288:LEU:HB3	2.30	0.46
1:A:254[B]:ARG:HH22	1:A:288:LEU:HD22	1.77	0.46
1:C:110:GLU:OE1	1:C:110:GLU:C	2.57	0.46
1:A:68:MET:HG2	1:A:181:THR:HG22	1.98	0.46
1:C:103:VAL:HG12	1:C:133:VAL:CG2	2.45	0.46
1:A:227:ALA:O	1:C:111:LYS:HB3	2.17	0.45
1:C:254[B]:ARG:HH12	1:C:288:LEU:HD22	1.80	0.45
1:A:82:LYS:HE2	1:A:85:GLU:OE1	2.17	0.45
1:C:287:GLY:HA2	5:C:418:HOH:O	2.16	0.45
1:B:25:PRO:C	1:B:26:LEU:HD22	2.42	0.45
1:B:82:LYS:HE2	1:B:85:GLU:OE1	2.17	0.45
1:C:68:MET:HG2	1:C:181:THR:HG22	1.98	0.45
1:A:55:ASN:ND2	1:B:55:ASN:ND2	2.64	0.45
1:B:68:MET:HG2	1:B:181:THR:HG22	1.98	0.45
1:C:26:LEU:HD22	1:C:27:THR:H	1.80	0.45
1:C:188:GLN:HB2	5:C:481:HOH:O	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:103:VAL:HG22	1:B:104:ASN:N	2.33	0.44
1:B:93:GLN:O	1:B:118:SER:HA	2.18	0.44
1:C:82:LYS:HE2	1:C:85:GLU:OE1	2.17	0.44
1:C:103:VAL:HG22	1:C:104:ASN:N	2.33	0.44
1:B:28:ALA:HB1	1:B:31:GLN:HG3	2.00	0.44
1:B:103:VAL:HG23	1:B:167:PRO:HD3	2.00	0.43
1:A:28:ALA:HB1	1:A:31:GLN:HG3	2.00	0.43
1:A:229:TRP:CD2	1:A:251:PRO:HB3	2.53	0.43
5:A:514:HOH:O	1:B:55:ASN:ND2	2.50	0.43
1:A:288:LEU:CD2	1:B:197:LYS:HE2	2.39	0.43
1:B:229:TRP:CD2	1:B:251:PRO:HB3	2.53	0.43
1:A:103:VAL:HG23	1:A:167:PRO:HD3	2.00	0.43
1:C:28:ALA:HB1	1:C:31:GLN:HG3	2.00	0.43
1:C:29:ASP:HA	1:C:32:GLN:OE1	2.19	0.43
1:A:103:VAL:HG22	1:A:104:ASN:N	2.33	0.43
1:A:29:ASP:HA	1:A:32:GLN:OE1	2.19	0.43
1:A:70:SER:HB2	1:A:236:GLY:HA2	2.01	0.43
1:B:29:ASP:HA	1:B:32:GLN:OE1	2.19	0.43
1:C:229:TRP:CD2	1:C:251:PRO:HB3	2.53	0.43
1:A:53:ALA:HA	1:B:191:ARG:HH21	1.84	0.42
1:B:142:VAL:HB	5:B:503:HOH:O	2.19	0.42
1:C:70:SER:HB2	1:C:236:GLY:HA2	2.01	0.42
1:C:103:VAL:HG23	1:C:167:PRO:HD3	2.00	0.42
1:A:254[B]:ARG:NH2	5:A:523:HOH:O	2.53	0.42
1:B:36:GLU:O	1:B:40:GLN:HB3	2.19	0.42
1:A:27:THR:HB	1:A:28:ALA:CA	2.49	0.42
1:B:70:SER:HB2	1:B:236:GLY:HA2	2.01	0.42
1:A:36:GLU:O	1:A:40:GLN:HB3	2.19	0.42
1:A:90:LEU:HD12	1:A:90:LEU:HA	1.84	0.42
1:A:25:PRO:HG2	1:A:31:GLN:HG3	2.02	0.41
1:A:103:VAL:HG12	1:A:133:VAL:HG22	2.02	0.41
1:B:204[B]:ARG:NH1	5:B:421:HOH:O	2.53	0.41
1:C:25:PRO:O	1:C:26:LEU:HB2	2.20	0.41
1:C:103:VAL:HG12	1:C:133:VAL:HG22	2.03	0.41
1:C:122:LEU:HD22	1:C:134:ALA:HA	2.03	0.41
1:A:110:GLU:C	1:A:112:HIS:H	2.29	0.41
1:B:99:LYS:CD	5:B:404:HOH:O	2.69	0.41
1:C:223:ALA:HB3	1:C:278:ALA:HB2	2.03	0.41
1:A:223:ALA:HB3	1:A:278:ALA:HB2	2.03	0.41
1:A:282:LYS:HD2	5:A:578:HOH:O	2.19	0.41
1:C:90:LEU:HD12	1:C:90:LEU:HA	1.84	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:110:GLU:C	1:C:112:HIS:H	2.29	0.41
1:B:122:LEU:HD22	1:B:134:ALA:HA	2.03	0.41
1:C:204[B]:ARG:NE	5:C:405:HOH:O	2.24	0.41
1:A:153:ARG:HD2	1:A:158:GLU:OE2	2.22	0.40
1:C:254[A]:ARG:NH1	1:C:288:LEU:HB3	2.36	0.40
1:C:254[B]:ARG:HH22	1:C:288:LEU:CB	2.32	0.40
1:A:173:ILE:HG13	5:A:510:HOH:O	2.21	0.40
1:B:223:ALA:HB3	1:B:278:ALA:HB2	2.03	0.40
1:A:122:LEU:HD22	1:A:134:ALA:HA	2.02	0.40
1:B:153:ARG:HD2	1:B:158:GLU:OE2	2.21	0.40
1:A:49:LEU:O	1:A:57:GLN:HA	2.21	0.40
1:B:101:ASP:O	1:B:103:VAL:N	2.55	0.40
1:B:110:GLU:C	1:B:112:HIS:H	2.29	0.40
1:C:65:ARG:HD3	1:C:180:THR:OG1	2.22	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:40:GLN:O	1:C:89:ASN:ND2[1_565]	1.97	0.23
5:A:570:HOH:O	5:C:443:HOH:O[4_456]	2.12	0.08
5:B:491:HOH:O	5:C:506:HOH:O[3_545]	2.13	0.07
5:A:617:HOH:O	5:C:465:HOH:O[4_456]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	265/291 (91%)	251 (95%)	8 (3%)	6 (2%)	5	0
1	B	265/291 (91%)	252 (95%)	9 (3%)	4 (2%)	8	1
1	C	265/291 (91%)	251 (95%)	9 (3%)	5 (2%)	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	795/873 (91%)	754 (95%)	26 (3%)	15 (2%)	6	0

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	26	LEU
1	A	103	VAL
1	B	103	VAL
1	C	28	ALA
1	C	103	VAL
1	A	27	THR
1	A	99	LYS
1	B	99	LYS
1	C	99	LYS
1	A	90	LEU
1	B	90	LEU
1	C	90	LEU
1	A	102	LEU
1	B	102	LEU
1	C	102	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	213/234 (91%)	213 (100%)	0	100	100
1	B	213/234 (91%)	210 (99%)	3 (1%)	59	36
1	C	213/234 (91%)	213 (100%)	0	100	100
All	All	639/702 (91%)	636 (100%)	3 (0%)	86	72

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	40	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	147[A]	SER
1	B	147[B]	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	GLN
1	A	55	ASN
1	A	89	ASN
1	A	112	HIS
1	A	141	HIS
1	B	55	ASN
1	B	92	ASN
1	B	106	ASN
1	B	112	HIS
1	B	114	ASN
1	B	141	HIS
1	B	222	GLN
1	B	244	ASN
1	C	92	ASN
1	C	112	HIS
1	C	114	ASN
1	C	188	GLN
1	C	244	ASN
1	C	267	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	A	401	-	5,5,5	1.10	0	5,5,5	0.88	0
4	SO4	B	302	-	4,4,4	0.29	0	6,6,6	0.27	0
3	LBX	A	402	1	10,13,13	1.00	0	8,15,15	1.89	4 (50%)
2	GOL	A	404	-	5,5,5	1.11	0	5,5,5	1.23	0
4	SO4	C	302	-	4,4,4	0.28	0	6,6,6	0.26	0
3	LBX	C	301	1	10,13,13	1.09	0	8,15,15	1.25	1 (12%)
4	SO4	C	303	-	4,4,4	0.29	0	6,6,6	0.06	0
4	SO4	A	403	-	4,4,4	0.32	0	6,6,6	0.65	0
3	LBX	B	301	1	10,13,13	1.34	1 (10%)	8,15,15	1.83	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	401	-	-	2/4/4/4	-
3	LBX	A	402	1	-	6/13/16/16	-
2	GOL	A	404	-	-	2/4/4/4	-
3	LBX	C	301	1	-	6/13/16/16	-
3	LBX	B	301	1	-	7/13/16/16	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	301	LBX	C12-C10	2.32	1.54	1.51

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	301	LBX	C06-N05-C04	3.35	122.55	117.94
3	A	402	LBX	C06-N05-C04	-3.05	113.75	117.94
3	C	301	LBX	C10-C06-N05	2.52	114.22	110.02
3	B	301	LBX	C07-C06-N05	2.46	114.22	109.96
3	A	402	LBX	O08-C07-O09	-2.34	118.78	124.08
3	A	402	LBX	C07-C06-N05	2.20	113.76	109.96
3	A	402	LBX	C03-C04-N05	2.07	127.51	119.99

There are no chirality outliers.

All (23) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	401	GOL	O1-C1-C2-O2
2	A	404	GOL	C1-C2-C3-O3
3	A	402	LBX	C10-C12-C13-O14
3	A	402	LBX	N05-C06-C07-O08
3	A	402	LBX	C07-C06-N05-C04
3	B	301	LBX	C07-C06-C10-C12
3	B	301	LBX	C07-C06-C10-O11
3	B	301	LBX	C10-C06-N05-C04
3	C	301	LBX	C07-C06-C10-C12
3	C	301	LBX	C07-C06-C10-O11
3	C	301	LBX	C07-C06-N05-C04
2	A	401	GOL	O1-C1-C2-C3
3	B	301	LBX	O11-C10-C12-C13
2	A	404	GOL	O2-C2-C3-O3
3	A	402	LBX	C10-C06-C07-O08
3	B	301	LBX	C06-C10-C12-C13
3	A	402	LBX	C10-C06-N05-C04
3	A	402	LBX	N05-C06-C07-O09
3	C	301	LBX	C10-C06-C07-O08
3	B	301	LBX	C10-C12-C13-O14
3	C	301	LBX	C10-C12-C13-O14
3	C	301	LBX	C10-C06-C07-O09
3	B	301	LBX	N05-C06-C10-O11


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is


within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	264/291 (90%)	1.32	52 (19%) 3 4	20, 35, 83, 162	3 (1%)
1	B	264/291 (90%)	1.38	59 (22%) 2 3	17, 35, 83, 166	4 (1%)
1	C	264/291 (90%)	1.33	51 (19%) 3 4	16, 35, 83, 175	3 (1%)
All	All	792/873 (90%)	1.34	162 (20%) 2 3	16, 35, 83, 175	10 (1%)

All (162) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	288	LEU	12.8
1	C	287	GLY	9.3
1	B	288	LEU	8.7
1	A	25	PRO	8.3
1	B	141	HIS	8.2
1	B	103	VAL	7.6
1	B	89	ASN	7.5
1	A	103	VAL	7.4
1	C	105	TYR	7.2
1	A	288	LEU	7.1
1	A	26	LEU	7.1
1	A	28	ALA	7.0
1	C	89	ASN	6.8
1	A	105	TYR	6.5
1	C	141	HIS	6.4
1	C	87	GLU	5.9
1	C	88	PRO	5.9
1	B	105	TYR	5.9
1	B	250	TRP	5.4
1	B	25	PRO	5.4
1	A	252	LYS	5.4
1	A	27	THR	5.3
1	B	104	ASN	5.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	103	VAL	5.2
1	C	104	ASN	5.2
1	A	110	GLU	5.1
1	A	141	HIS	5.0
1	B	88	PRO	4.9
1	B	287	GLY	4.9
1	B	26	LEU	4.8
1	C	26	LEU	4.8
1	C	110	GLU	4.7
1	B	173	ILE	4.6
1	B	41	SER	4.6
1	B	240	TYR	4.4
1	B	39	ARG	4.4
1	C	55	ASN	4.4
1	B	28	ALA	4.2
1	B	111	LYS	4.2
1	B	252	LYS	4.2
1	C	41	SER	4.2
1	C	28	ALA	4.1
1	A	104	ASN	4.1
1	A	287	GLY	4.1
1	B	253	ASP	4.1
1	B	99	LYS	4.0
1	A	282	LYS	3.9
1	C	27	THR	3.8
1	B	29	ASP	3.8
1	A	253	ASP	3.8
1	B	191	ARG	3.7
1	C	83	LYS	3.7
1	C	25	PRO	3.7
1	A	286	ASP	3.7
1	B	110	GLU	3.7
1	A	41	SER	3.6
1	A	39	ARG	3.5
1	A	88	PRO	3.5
1	A	35	ALA	3.5
1	C	53	ALA	3.5
1	C	102	LEU	3.5
1	C	39	ARG	3.5
1	C	282	LYS	3.4
1	C	286	ASP	3.4
1	C	252	LYS	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	240	TYR	3.3
1	C	173	ILE	3.3
1	A	89	ASN	3.2
1	B	55	ASN	3.2
1	A	227	ALA	3.2
1	C	111	LYS	3.2
1	B	27	THR	3.2
1	A	42	GLY	3.2
1	B	30	VAL	3.2
1	B	286	ASP	3.2
1	B	269	LYS	3.1
1	B	102	LEU	3.1
1	C	253	ASP	3.1
1	B	90	LEU	3.1
1	B	175	GLY	3.0
1	C	90	LEU	3.0
1	A	29	ASP	3.0
1	A	30	VAL	2.9
1	A	250	TRP	2.9
1	C	99	LYS	2.8
1	C	227	ALA	2.7
1	C	33	LYS	2.7
1	C	82	LYS	2.7
1	C	269	LYS	2.7
1	C	30	VAL	2.7
1	B	268	PRO	2.7
1	B	87	GLU	2.7
1	C	29	ASP	2.7
1	C	266	PRO	2.6
1	A	102	LEU	2.6
1	B	36	GLU	2.6
1	A	266	PRO	2.6
1	A	269	LYS	2.6
1	B	197	LYS	2.6
1	C	263	PHE	2.6
1	A	36	GLU	2.6
1	A	267	GLN	2.6
1	A	43	GLY	2.6
1	B	35	ALA	2.6
1	A	91	LEU	2.5
1	A	113	VAL	2.5
1	A	158	GLU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	267	GLN	2.5
1	B	263	PHE	2.5
1	C	114	ASN	2.5
1	C	155	LEU	2.5
1	A	175	GLY	2.5
1	B	82	LYS	2.5
1	C	202	SER	2.5
1	B	267	GLN	2.5
1	C	54	ASP	2.5
1	B	271[A]	GLU	2.4
1	A	86	SER	2.4
1	B	251	PRO	2.4
1	A	106	ASN	2.4
1	A	87	GLU	2.4
1	B	266	PRO	2.4
1	C	101	ASP	2.4
1	A	114	ASN	2.3
1	A	228	SER	2.3
1	B	282	LYS	2.3
1	B	254[A]	ARG	2.3
1	A	33	LYS	2.3
1	B	83	LYS	2.3
1	B	270	ALA	2.3
1	C	223	ALA	2.3
1	B	86	SER	2.3
1	B	147[A]	SER	2.3
1	B	174	PRO	2.2
1	C	34	LEU	2.2
1	B	177	PRO	2.2
1	B	229	TRP	2.2
1	A	40	GLN	2.2
1	B	32	GLN	2.2
1	A	92	ASN	2.2
1	A	111	LYS	2.2
1	B	98	LYS	2.2
1	A	191	ARG	2.1
1	B	42	GLY	2.1
1	C	250	TRP	2.1
1	A	55	ASN	2.1
1	A	279	SER	2.1
1	A	268	PRO	2.1
1	B	225	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	272	SER	2.1
1	B	146	ALA	2.1
1	B	202	SER	2.1
1	C	45	LEU	2.1
1	B	205	ALA	2.0
1	A	90	LEU	2.0
1	C	37	LEU	2.0
1	A	174	PRO	2.0
1	C	197	LYS	2.0
1	B	40	GLN	2.0
1	C	229	TRP	2.0
1	A	262	TYR	2.0
1	A	270	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GOL	A	401	6/6	0.58	0.21	51,54,99,132	0
3	LBX	B	301	14/14	0.77	0.18	33,83,168,168	0
3	LBX	C	301	14/14	0.77	0.21	33,88,171,172	0
2	GOL	A	404	6/6	0.79	0.14	49,51,62,74	0
4	SO4	C	303	5/5	0.80	0.13	51,63,150,211	0
3	LBX	A	402	14/14	0.85	0.17	32,77,147,181	0
4	SO4	C	302	5/5	0.96	0.10	41,45,55,107	0
4	SO4	A	403	5/5	0.96	0.07	32,40,49,51	0
4	SO4	B	302	5/5	0.97	0.06	38,43,54,94	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around LBX B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LBX C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GOL A 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 C 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LBX A 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SO4 C 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SO4 A 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around SO4 B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.