



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 12:02 AM UTC

PDB ID : 4U5J / pdb_00004u5j
Title : C-Src in complex with Ruxolitinib
Authors : Chen, Y.; Duan, Y.; Chen, L.
Deposited on : 2014-07-25
Resolution : 2.26 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.26 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1898 (2.26-2.26)
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)
RSRZ outliers	180081	1898 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	286	18% 80% 13% 7%
1	B	286	26% 72% 18% 7%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4516 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Proto-oncogene tyrosine-protein kinase Src.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	267	Total	C	N	O	S	0	0	0
			2145	1378	359	391	17			
1	B	267	Total	C	N	O	S	0	0	0
			2145	1378	359	391	17			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	248	GLY	-	expression tag	UNP P00523
A	249	HIS	-	expression tag	UNP P00523
A	250	MET	-	expression tag	UNP P00523
B	248	GLY	-	expression tag	UNP P00523
B	249	HIS	-	expression tag	UNP P00523
B	250	MET	-	expression tag	UNP P00523

- Molecule 2 is (3R)-3-cyclopentyl-3-[4-(7H-pyrrolo[2,3-d]pyrimidin-4-yl)-1H-pyrazol-1-yl]propanenitrile (CCD ID: RXT) (formula: C₁₇H₁₈N₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	N	0	0
			23	17	6		
2	B	1	Total	C	N	0	0
			23	17	6		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	94	Total	O	0	0
			94	94		
3	B	86	Total	O	0	0
			86	86		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Proto-oncogene tyrosine-protein kinase Src



- Molecule 1: Proto-oncogene tyrosine-protein kinase Src



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	42.11Å 63.23Å 73.99Å 79.27° 89.27° 90.29°	Depositor
Resolution (Å)	43.40 – 2.26 43.40 – 2.26	Depositor EDS
% Data completeness (in resolution range)	96.8 (43.40-2.26) 89.8 (43.40-2.26)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.49 (at 2.16Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.4_1496)	Depositor
R, R_{free}	0.197 , 0.236 0.203 , 0.241	Depositor DCC
R_{free} test set	1984 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å ²)	25.6	Xtriage
Anisotropy	0.272	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 40.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.022 for h,-k,-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4516	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.29% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: RXT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.58	0/2197	0.83	0/2973
1	B	0.62	0/2197	0.94	4/2973 (0.1%)
All	All	0.60	0/4394	0.89	4/5946 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	303	SER	CA-C-N	-12.20	104.59	119.84
1	B	303	SER	C-N-CA	-12.20	104.59	119.84
1	B	306	ALA	N-CA-C	-6.33	105.56	113.28
1	B	312	GLN	N-CA-C	-5.07	105.67	111.14

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	302	MET	Peptide
1	B	309	GLN	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2145	0	2139	26	0
1	B	2145	0	2139	42	1
2	A	23	0	18	4	0
2	B	23	0	18	1	0
3	A	94	0	0	5	3
3	B	86	0	0	6	3
All	All	4516	0	4314	71	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (71) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:460:ARG:NH1	3:B:742:HOH:O	1.98	0.94
1:A:381:ASN:ND2	3:A:756:HOH:O	2.03	0.90
1:A:259:ALA:N	3:A:701:HOH:O	2.11	0.84
1:B:340:TYR:OH	3:B:779:HOH:O	1.97	0.81
1:B:259:ALA:O	3:B:756:HOH:O	2.01	0.78
1:B:381:ASN:HB3	1:B:411:ILE:HG12	1.64	0.77
1:A:460:ARG:NH1	3:A:702:HOH:O	2.18	0.74
1:B:309:GLN:HG2	1:B:312:GLN:CD	2.12	0.74
1:A:477:ARG:HG3	1:A:477:ARG:HH11	1.54	0.73
1:B:305:GLU:HG3	1:B:308:LEU:HG	1.70	0.73
1:B:424:PHE:HD1	1:B:425:PRO:HD2	1.54	0.72
1:B:479:TYR:OH	3:B:737:HOH:O	1.95	0.70
1:A:266:SER:OG	1:A:287:ASN:OD1	2.11	0.68
1:A:426:ILE:H	1:A:426:ILE:HD12	1.57	0.68
1:A:500:ARG:HD3	1:A:505:GLU:HB3	1.77	0.67
1:A:477:ARG:NH2	3:A:704:HOH:O	2.28	0.67
1:B:309:GLN:HG3	1:B:312:GLN:N	2.11	0.66
1:B:261:GLU:OE1	1:B:330:SER:OG	2.08	0.64
2:B:601:RXT:H21	2:B:601:RXT:H19	1.82	0.62
1:A:528:GLN:NE2	3:A:768:HOH:O	2.33	0.62
1:B:302:MET:HG3	1:B:303:SER:HB3	1.80	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:303:SER:OG	1:B:306:ALA:HB3	2.00	0.61
1:A:278:PHE:HA	1:A:301:THR:HG21	1.83	0.61
1:B:424:PHE:CD1	1:B:425:PRO:HD2	2.37	0.60
1:B:381:ASN:HB3	1:B:411:ILE:CG1	2.31	0.59
1:B:473:ASP:O	1:B:477:ARG:HG3	2.02	0.59
1:B:278:PHE:O	1:B:301:THR:HG21	2.01	0.59
1:B:314:MET:HG2	1:B:405:PHE:CD2	2.38	0.58
1:A:264:ARG:NH2	1:A:331:GLU:O	2.35	0.57
2:A:601:RXT:H21	2:A:601:RXT:H18	1.86	0.56
1:B:278:PHE:HA	1:B:301:THR:HG23	1.88	0.55
1:B:297:LEU:HD11	1:B:307:PHE:CD2	2.42	0.54
1:A:302:MET:HE3	1:A:307:PHE:HD1	1.72	0.54
1:B:260:TRP:CD1	1:B:315:LYS:HD3	2.42	0.54
1:A:323:VAL:HG21	1:A:393:LEU:HD12	1.90	0.53
1:A:280:GLU:OE1	1:A:282:TRP:NE1	2.39	0.53
1:B:526:GLN:HB2	3:B:771:HOH:O	2.09	0.52
1:A:477:ARG:HG3	1:A:477:ARG:NH1	2.21	0.52
1:B:309:GLN:HB3	1:B:312:GLN:HB2	1.91	0.52
1:A:312:GLN:HA	1:A:312:GLN:OE1	2.10	0.51
1:A:527:TYR:OH	1:A:533:LEU:O	2.30	0.50
1:B:314:MET:HG2	1:B:405:PHE:HD2	1.77	0.50
1:A:391:ASN:HA	2:A:601:RXT:H4	1.92	0.50
1:B:307:PHE:O	1:B:308:LEU:C	2.55	0.50
1:B:332:GLU:HG3	1:B:333:PRO:HA	1.93	0.50
1:B:275:GLN:HA	1:B:280:GLU:HA	1.93	0.50
1:B:366:MET:HE2	1:B:400:CYS:SG	2.51	0.49
1:B:383:VAL:HG12	1:B:385:ARG:HG2	1.93	0.49
1:B:301:THR:HG22	1:B:302:MET:HG2	1.93	0.49
1:B:309:GLN:C	1:B:311:ALA:N	2.72	0.48
1:B:280:GLU:OE2	1:B:282:TRP:NE1	2.46	0.47
1:A:304:PRO:HB3	1:A:334:ILE:HD11	1.95	0.47
1:A:404:ASP:HB2	2:A:601:RXT:H6	1.97	0.47
1:B:362:GLN:O	1:B:366:MET:HG3	2.16	0.46
1:A:273:LEU:HD11	1:A:283:MET:HB2	1.98	0.44
1:B:308:LEU:HA	1:B:308:LEU:HD23	1.55	0.44
1:A:260:TRP:HH2	1:A:318:ARG:HH22	1.66	0.44
1:A:435:LEU:HD21	1:A:472:LEU:HD21	2.00	0.44
1:B:309:GLN:HG2	1:B:312:GLN:OE1	2.17	0.44
1:A:298:LYS:HE2	1:A:298:LYS:HB2	1.65	0.43
1:B:411:ILE:HD11	3:B:767:HOH:O	2.19	0.43
1:A:309:GLN:HA	1:A:312:GLN:HB2	1.99	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:322:LEU:HD22	1:B:402:VAL:HG22	2.00	0.42
1:A:275:GLN:O	1:A:275:GLN:HG3	2.20	0.42
1:B:428:TRP:HE1	1:B:454:GLU:CD	2.27	0.42
1:B:311:ALA:O	1:B:315:LYS:HB2	2.19	0.42
1:B:272:LYS:NZ	1:B:275:GLN:OE1	2.44	0.41
1:B:500:ARG:NH1	1:B:505:GLU:O	2.50	0.41
1:B:404:ASP:OD2	1:B:407:LEU:HD21	2.21	0.40
2:A:601:RXT:H18	2:A:601:RXT:CAD	2.50	0.40
1:B:330:SER:O	1:B:334:ILE:HG12	2.22	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:722:HOH:O	3:B:736:HOH:O[1_554]	2.03	0.17
1:B:397:ASN:OD1	1:B:438:ARG:NE[1_455]	2.13	0.07
3:A:701:HOH:O	3:B:713:HOH:O[1_554]	2.15	0.05
3:A:716:HOH:O	3:B:712:HOH:O[1_545]	2.18	0.02

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	263/286 (92%)	255 (97%)	8 (3%)	0	100	100
1	B	263/286 (92%)	236 (90%)	22 (8%)	5 (2%)	6	3
All	All	526/572 (92%)	491 (93%)	30 (6%)	5 (1%)	12	10

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	303	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	304	PRO
1	B	422	ALA
1	B	299	PRO
1	B	300	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	230/245 (94%)	225 (98%)	5 (2%)	45	56
1	B	230/245 (94%)	216 (94%)	14 (6%)	17	17
All	All	460/490 (94%)	441 (96%)	19 (4%)	27	33

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	298	LYS
1	A	312	GLN
1	A	402	VAL
1	A	411	ILE
1	A	458	LYS
1	B	265	GLU
1	B	297	LEU
1	B	298	LYS
1	B	301	THR
1	B	309	GLN
1	B	312	GLN
1	B	398	LEU
1	B	402	VAL
1	B	407	LEU
1	B	409	ARG
1	B	423	LYS
1	B	426	ILE
1	B	451	LEU
1	B	526	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	381	ASN
1	B	526	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	RXT	B	601	-	25,26,26	2.86	12 (48%)	27,36,36	6.43	10 (37%)
2	RXT	A	601	-	25,26,26	2.84	13 (52%)	27,36,36	6.49	10 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	RXT	B	601	-	-	7/14/22/22	0/4/4/4
2	RXT	A	601	-	-	2/14/22/22	0/4/4/4

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	RXT	CAB-NAA	7.30	1.42	1.14
2	A	601	RXT	CAB-NAA	7.27	1.42	1.14
2	A	601	RXT	CAL-CAU	-6.55	1.37	1.53
2	B	601	RXT	CAL-CAU	-6.22	1.38	1.53
2	A	601	RXT	CAS-CAR	3.88	1.45	1.41
2	B	601	RXT	CAV-NAW	-3.78	1.42	1.47
2	B	601	RXT	CAJ-CAB	3.74	1.53	1.46
2	A	601	RXT	CAI-CAL	3.61	1.66	1.51
2	B	601	RXT	CAS-CAR	3.60	1.45	1.41
2	B	601	RXT	CAI-CAL	3.59	1.66	1.51
2	A	601	RXT	CAJ-CAB	3.42	1.53	1.46
2	A	601	RXT	CAV-NAW	-3.34	1.43	1.47
2	B	601	RXT	NAW-NAO	-2.95	1.30	1.36
2	B	601	RXT	CAG-CAQ	2.83	1.43	1.38
2	A	601	RXT	CAC-NAN	-2.65	1.33	1.38
2	B	601	RXT	CAC-NAN	-2.61	1.33	1.38
2	A	601	RXT	CAG-CAQ	2.51	1.42	1.38
2	A	601	RXT	CAT-NAP	2.51	1.38	1.35
2	B	601	RXT	CAT-NAP	2.48	1.38	1.35
2	B	601	RXT	CAK-CAU	2.46	1.59	1.53
2	A	601	RXT	CAC-CAD	2.38	1.40	1.36
2	A	601	RXT	NAW-NAO	-2.32	1.32	1.36
2	B	601	RXT	CAH-CAK	2.15	1.60	1.51
2	A	601	RXT	CAK-CAU	2.11	1.59	1.53
2	A	601	RXT	CAH-CAK	2.07	1.60	1.51

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	RXT	CAJ-CAB-NAA	-27.45	108.69	177.84
2	B	601	RXT	CAJ-CAB-NAA	-27.01	109.82	177.84
2	B	601	RXT	CAF-NAO-NAW	13.13	110.89	104.14
2	A	601	RXT	CAF-NAO-NAW	12.43	110.53	104.14
2	A	601	RXT	CAS-CAT-NAP	-9.79	118.74	126.40
2	B	601	RXT	CAS-CAT-NAP	-8.86	119.47	126.40
2	B	601	RXT	CAQ-CAR-NAM	6.63	121.92	115.30
2	A	601	RXT	CAQ-CAR-NAM	5.66	120.94	115.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	RXT	CAT-NAN-CAC	4.77	110.86	108.11
2	B	601	RXT	NAP-CAE-NAM	-4.59	121.63	128.58
2	A	601	RXT	NAP-CAE-NAM	-4.42	121.90	128.58
2	A	601	RXT	CAT-NAN-CAC	4.40	110.65	108.11
2	A	601	RXT	CAV-NAW-CAG	-3.76	122.81	128.46
2	A	601	RXT	NAN-CAT-NAP	3.73	132.73	126.69
2	B	601	RXT	NAN-CAT-NAP	3.62	132.56	126.69
2	A	601	RXT	CAG-NAW-NAO	-3.18	110.31	112.45
2	B	601	RXT	CAG-NAW-NAO	-2.98	110.44	112.45
2	B	601	RXT	CAV-NAW-CAG	-2.51	124.68	128.46
2	B	601	RXT	CAE-NAM-CAR	2.24	121.22	116.72
2	A	601	RXT	CAV-CAJ-CAB	-2.08	109.19	112.28

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	601	RXT	CAJ-CAV-NAW-NAO
2	B	601	RXT	CAG-CAQ-CAR-NAM
2	B	601	RXT	CAJ-CAV-NAW-CAG
2	B	601	RXT	CAG-CAQ-CAR-CAS
2	A	601	RXT	CAB-CAJ-CAV-NAW
2	B	601	RXT	CAB-CAJ-CAV-NAW
2	B	601	RXT	CAF-CAQ-CAR-CAS
2	A	601	RXT	CAB-CAJ-CAV-CAU
2	B	601	RXT	CAB-CAJ-CAV-CAU


There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	601	RXT	1	0
2	A	601	RXT	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	267/286 (93%)	1.06	51 (19%) 3 2	23, 39, 86, 105	0
1	B	267/286 (93%)	1.59	74 (27%) 1 1	23, 42, 127, 166	0
All	All	534/572 (93%)	1.33	125 (23%) 2 1	23, 40, 111, 166	0

All (125) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	411	ILE	9.9
1	B	408	ALA	8.8
1	B	407	LEU	8.7
1	B	299	PRO	8.5
1	A	422	ALA	8.1
1	B	297	LEU	8.0
1	B	424	PHE	7.5
1	B	308	LEU	7.1
1	B	406	GLY	7.1
1	B	422	ALA	6.7
1	B	278	PHE	6.7
1	B	306	ALA	6.4
1	B	405	PHE	6.3
1	B	304	PRO	6.1
1	B	302	MET	6.0
1	B	410	LEU	6.0
1	B	313	VAL	5.9
1	B	298	LYS	5.9
1	B	421	GLY	5.8
1	B	300	GLY	5.6
1	A	278	PHE	5.5
1	B	423	LYS	5.4
1	B	307	PHE	5.0
1	A	421	GLY	4.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	411	ILE	4.9
1	B	311	ALA	4.9
1	B	277	CYS	4.8
1	B	412	GLU	4.8
1	B	276	GLY	4.7
1	B	279	GLY	4.7
1	B	404	ASP	4.5
1	B	409	ARG	4.5
1	A	299	PRO	4.4
1	B	265	GLU	4.4
1	A	412	GLU	4.3
1	B	310	GLU	4.3
1	B	303	SER	4.3
1	A	423	LYS	4.2
1	B	280	GLU	4.1
1	A	277	CYS	4.0
1	B	309	GLN	3.9
1	B	301	THR	3.9
1	B	259	ALA	3.7
1	B	403	ALA	3.6
1	B	296	THR	3.6
1	A	332	GLU	3.6
1	A	305	GLU	3.5
1	B	332	GLU	3.5
1	A	301	THR	3.5
1	B	275	GLN	3.5
1	A	302	MET	3.3
1	A	303	SER	3.3
1	B	305	GLU	3.3
1	A	304	PRO	3.2
1	A	271	VAL	3.1
1	A	276	GLY	3.1
1	B	381	ASN	3.1
1	A	306	ALA	3.1
1	B	469	ARG	3.0
1	A	269	LEU	3.0
1	B	260	TRP	3.0
1	A	307	PHE	2.9
1	B	271	VAL	2.9
1	B	312	GLN	2.9
1	A	268	ARG	2.9
1	A	300	GLY	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	409	ARG	2.8
1	B	472	LEU	2.8
1	A	353	GLU	2.8
1	B	295	LYS	2.8
1	B	264	ARG	2.8
1	B	289	THR	2.8
1	B	314	MET	2.8
1	A	333	PRO	2.7
1	B	316	LYS	2.7
1	A	267	LEU	2.7
1	A	334	ILE	2.7
1	A	298	LYS	2.7
1	B	331	GLU	2.7
1	B	272	LYS	2.6
1	B	502	ASP	2.6
1	A	308	LEU	2.6
1	B	473	ASP	2.6
1	A	297	LEU	2.6
1	A	309	GLN	2.6
1	B	505	GLU	2.6
1	B	436	TYR	2.6
1	A	283	MET	2.5
1	B	288	GLY	2.5
1	B	477	ARG	2.5
1	A	289	THR	2.5
1	B	354	MET	2.5
1	B	353	GLU	2.4
1	A	424	PHE	2.4
1	B	425	PRO	2.4
1	A	426	ILE	2.4
1	A	287	ASN	2.4
1	A	329	VAL	2.4
1	B	269	LEU	2.4
1	A	318	ARG	2.4
1	A	436	TYR	2.3
1	B	385	ARG	2.3
1	A	281	VAL	2.3
1	A	335	TYR	2.3
1	B	274	GLY	2.3
1	B	268	ARG	2.3
1	A	275	GLN	2.2
1	A	504	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	382	TYR	2.2
1	A	330	SER	2.2
1	B	317	LEU	2.2
1	A	526	GLN	2.2
1	A	282	TRP	2.2
1	A	266	SER	2.2
1	A	408	ALA	2.2
1	B	315	LYS	2.1
1	B	334	ILE	2.1
1	B	426	ILE	2.1
1	B	526	GLN	2.1
1	A	331	GLU	2.1
1	A	259	ALA	2.0
1	A	354	MET	2.0
1	B	531	GLU	2.0
1	B	325	LEU	2.0
1	A	279	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	RXT	B	601	23/23	0.85	0.18	32,48,70,71	0
2	RXT	A	601	23/23	0.87	0.14	36,43,54,62	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around RXT B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around RXT A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.