



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:19 AM UTC

PDB ID : 3U6A / pdb_00003u6a
Title : Rational Design and Synthesis of Aminopiperazinones as Beta Secretase (BACE) Inhibitors
Authors : Spurlino, J.C.; Alexander, R.S.
Deposited on : 2011-10-12
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	390	4% 75% 19% • •
1	B	390	2% 83% 15% • •
1	C	390	5% 83% 13% • •

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	A	388	-	-	X	-
3	SO4	B	387	-	-	X	-
3	SO4	B	388	-	-	X	-
3	SO4	C	387	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 9761 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Beta-secretase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	374	Total	C	N	O	S	11	0	0
			2940	1883	489	554	14			
1	B	386	Total	C	N	O	S	0	0	0
			3021	1934	502	571	14			
1	C	384	Total	C	N	O	S	6	1	0
			3002	1924	502	562	14			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	ALA	-	expression tag	UNP P56817
B	-4	ALA	-	expression tag	UNP P56817
C	-4	ALA	-	expression tag	UNP P56817

- Molecule 2 is N-{3-[(2R)-6-amino-2,4-dimethyl-3-oxo-2,3,4,5-tetrahydropyrazin-2-yl]phenyl}-5-chloropyridine-2-carboxamide (CCD ID: 18P) (formula: C₁₈H₁₈ClN₅O₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Cl	N	O	0	0
			26	18	1	5	2		
2	B	1	Total	C	Cl	N	O	0	0
			26	18	1	5	2		
2	C	1	Total	C	Cl	N	O	0	0
			26	18	1	5	2		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	183	Total 183	O 183	0	0
4	B	229	Total 229	O 229	0	0
4	C	263	Total 263	O 263	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Beta-secretase 1



• Molecule 1: Beta-secretase 1



• Molecule 1: Beta-secretase 1



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	225.30Å 104.45Å 66.76Å 90.00° 102.66° 90.00°	Depositor
Resolution (Å)	38.02 – 2.20 38.02 – 2.20	Depositor EDS
% Data completeness (in resolution range)	95.8 (38.02-2.20) 95.8 (38.02-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.88 (at 2.20Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.1_743)	Depositor
R, R_{free}	0.187 , 0.237 0.185 , 0.230	Depositor DCC
R_{free} test set	2012 reflections (2.74%)	wwPDB-VP
Wilson B-factor (Å ²)	25.8	Xtriage
Anisotropy	0.899	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 48.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9761	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, 18P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/3014	0.79	2/4093 (0.0%)
1	B	0.46	0/3098	0.78	1/4210 (0.0%)
1	C	0.51	0/3082	0.86	4/4188 (0.1%)
All	All	0.48	0/9194	0.81	7/12491 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	69	VAL	CA-C-N	9.58	130.59	119.47
1	C	69	VAL	C-N-CA	9.58	130.59	119.47
1	A	260	GLY	N-CA-C	-6.53	104.62	113.37
1	C	23	PRO	CA-C-N	5.52	125.79	119.83
1	C	23	PRO	C-N-CA	5.52	125.79	119.83
1	B	178	GLY	N-CA-C	5.28	118.84	111.19
1	A	72	THR	N-CA-C	-5.16	104.92	111.11

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	72	THR	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2940	0	2848	72	0
1	B	3021	0	2922	48	0
1	C	3002	0	2905	59	1
2	A	26	0	18	0	0
2	B	26	0	18	1	0
2	C	26	0	18	4	0
3	A	15	0	0	3	1
3	B	20	0	0	5	0
3	C	10	0	0	4	0
4	A	183	0	0	4	0
4	B	229	0	0	2	2
4	C	263	0	0	2	1
All	All	9761	0	8729	179	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:71:TYR:HB2	1:C:74:GLY:O	1.44	1.14
1:B:215:MET:HE1	1:B:239:LYS:HG2	1.41	0.99
1:C:71:TYR:HB3	1:C:72:THR:HB	1.46	0.95
1:C:204:VAL:HG11	1:C:379:MET:HE2	1.50	0.93
1:C:72:THR:HG22	2:C:386:18P:H01	1.52	0.91
1:C:71:TYR:CB	1:C:72:THR:HB	2.01	0.90
1:A:144:THR:HG21	1:A:146:VAL:HG23	1.61	0.82
1:A:203:ILE:HD11	1:A:333:MET:HE2	1.64	0.78
1:A:125:GLU:OE1	1:A:195:ARG:NH2	2.17	0.77
1:C:70:PRO:O	1:C:71:TYR:O	2.03	0.75
1:B:168:ALA:O	1:B:169:SER:HB2	1.88	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:72:THR:HG21	4:C:651:HOH:O	1.86	0.74
1:A:295:SER:HB3	1:A:379:MET:CE	2.17	0.74
1:C:295:SER:HB3	1:C:379:MET:HE1	1.68	0.74
1:A:144:THR:CG2	1:A:146:VAL:HG23	2.18	0.71
1:B:256:LYS:HE3	4:B:688:HOH:O	1.90	0.71
1:A:295:SER:HB3	1:A:379:MET:HE3	1.72	0.70
1:A:2:MET:HG2	1:A:90:GLY:HA2	1.74	0.70
1:A:144:THR:HG22	1:A:145:HIS:N	2.07	0.69
1:B:167:LEU:HD12	1:B:310:GLU:HG3	1.74	0.69
1:C:72:THR:CG2	2:C:386:18P:H01	2.22	0.69
1:A:288:MET:HA	1:A:379:MET:CE	2.22	0.68
1:C:71:TYR:HB3	1:C:72:THR:CB	2.21	0.68
1:A:259:ASP:OD2	1:A:259:ASP:O	2.12	0.68
1:A:204:VAL:HG21	1:A:379:MET:HE3	1.76	0.67
1:A:144:THR:HG22	1:A:146:VAL:H	1.60	0.66
1:C:168:ALA:O	1:C:169:SER:HB3	1.94	0.66
1:C:71:TYR:HA	1:C:72:THR:OG1	1.95	0.66
1:A:9:LYS:HE3	1:A:12:GLN:HG3	1.77	0.66
1:B:155:CYS:O	1:B:170:VAL:HG13	1.96	0.65
1:C:2:MET:HG3	3:C:387:SO4:O1	1.96	0.64
1:C:295:SER:HB3	1:C:379:MET:CE	2.28	0.64
1:C:311:ASP:O	1:C:312:VAL:HB	1.96	0.64
1:B:104:GLU:HG2	3:B:388:SO4:O2	1.98	0.64
1:C:71:TYR:HB3	1:C:73:GLN:N	2.12	0.63
1:C:13:GLY:HA3	1:C:30:LEU:CD1	2.30	0.62
1:B:125:GLU:OE2	1:B:195:ARG:NH2	2.32	0.62
1:C:71:TYR:HA	1:C:72:THR:CB	2.30	0.62
1:C:71:TYR:CA	1:C:72:THR:CB	2.78	0.61
1:A:288:MET:HE2	1:A:379:MET:HB3	1.81	0.61
1:B:95:VAL:HG11	1:B:140:LEU:HA	1.82	0.61
1:B:77:GLU:HG3	3:B:388:SO4:O1	2.00	0.60
1:C:245:VAL:O	1:C:249:LYS:HG3	2.03	0.59
1:A:73:GLN:CB	1:A:74:GLY:HA2	2.33	0.59
1:B:14:TYR:CE2	1:B:170:VAL:CG1	2.86	0.58
1:B:20:VAL:HG12	1:B:85:VAL:HG22	1.86	0.58
1:A:156:GLY:O	1:A:170:VAL:HG12	2.04	0.58
1:C:204:VAL:HG21	1:C:379:MET:HE3	1.84	0.58
1:A:75:LYS:HG3	3:A:387:SO4:O3	2.04	0.57
1:A:288:MET:HA	1:A:379:MET:HE2	1.86	0.57
1:C:13:GLY:HA3	1:C:30:LEU:HD11	1.85	0.57
1:A:65:LYS:HD3	3:A:388:SO4:O3	2.04	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:71:TYR:CA	1:C:72:THR:HB	2.34	0.57
1:C:261:PHE:CD1	1:C:268:VAL:HG23	2.40	0.57
1:A:288:MET:HA	1:A:379:MET:HE1	1.85	0.57
1:A:295:SER:HB3	1:A:379:MET:HE1	1.87	0.57
1:A:142:LYS:NZ	4:A:444:HOH:O	2.38	0.56
1:A:204:VAL:HG11	1:A:379:MET:HE2	1.88	0.56
1:A:9:LYS:CE	1:A:12:GLN:HG3	2.35	0.56
1:A:71:TYR:HB2	1:A:74:GLY:O	2.06	0.55
1:C:2:MET:HE3	3:C:387:SO4:O1	2.05	0.55
1:B:69:VAL:O	1:B:75:LYS:HG3	2.06	0.55
1:A:4:ASP:OD2	1:A:7:ARG:NH2	2.39	0.55
1:B:2:MET:HG3	3:B:387:SO4:O3	2.07	0.55
1:A:63:LEU:HD13	3:A:388:SO4:O4	2.07	0.54
1:A:199:TYR:HB3	1:A:352:ILE:HD11	1.89	0.54
1:A:144:THR:CG2	1:A:145:HIS:N	2.71	0.53
1:A:378:ASP:HB3	1:A:381:ASP:OD2	2.08	0.53
1:A:197:TRP:CG	1:A:198:TYR:H	2.27	0.53
1:A:11:GLY:HA2	4:A:661:HOH:O	2.09	0.53
1:B:69:VAL:HG13	1:B:70:PRO:O	2.09	0.52
1:B:42:ALA:CB	1:B:101:ALA:HB1	2.40	0.52
1:C:71:TYR:CB	1:C:72:THR:CB	2.82	0.52
1:C:69:VAL:HG12	1:C:71:TYR:CE1	2.45	0.52
1:B:174:MET:HG2	1:B:176:ILE:CD1	2.39	0.52
1:A:326:GLN:NE2	4:A:613:HOH:O	2.42	0.51
1:C:71:TYR:HB3	1:C:72:THR:CA	2.41	0.51
1:A:144:THR:HG22	1:A:146:VAL:N	2.25	0.51
1:B:19:THR:HA	1:B:25:GLN:O	2.10	0.51
1:A:156:GLY:N	1:A:157:ALA:HB2	2.25	0.51
1:A:293:ASN:HA	1:A:376:THR:O	2.11	0.51
1:A:130:ASP:OD2	1:A:132:SER:OG	2.24	0.51
1:C:69:VAL:HG21	1:C:76:TRP:CZ2	2.46	0.51
1:A:271:GLN:O	1:A:274:THR:HB	2.10	0.51
1:A:307:ARG:CG	1:A:323:ALA:HB2	2.41	0.51
1:C:71:TYR:HE2	1:C:108:PHE:CE1	2.29	0.51
1:B:14:TYR:CE2	1:B:170:VAL:HG12	2.46	0.50
1:B:215:MET:CE	1:B:239:LYS:HG2	2.27	0.50
1:B:314:THR:HG22	1:B:315:SER:N	2.24	0.50
1:B:197:TRP:CG	1:B:198:TYR:H	2.29	0.50
1:B:14:TYR:CZ	1:B:170:VAL:HG11	2.47	0.50
1:C:302:PRO:HA	1:C:305:TYR:CE2	2.46	0.49
1:B:68:TYR:HB2	1:B:77:GLU:HG2	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:313:ALA:O	1:C:314:THR:C	2.54	0.49
1:A:274:THR:HG22	1:A:274:THR:O	2.12	0.49
1:B:14:TYR:CE2	1:B:170:VAL:HG11	2.48	0.48
1:C:71:TYR:HB3	1:C:72:THR:C	2.38	0.48
1:A:144:THR:HG22	1:A:145:HIS:H	1.76	0.48
1:A:47:PHE:CD2	1:A:111:ASN:HB3	2.49	0.48
1:B:286:TYR:CZ	1:B:297:ARG:HD3	2.49	0.48
1:B:174:MET:HG2	1:B:176:ILE:HD12	1.96	0.47
1:C:1:GLU:HB2	3:C:387:SO4:O4	2.14	0.47
1:B:283:ILE:CD1	1:B:305:TYR:CE2	2.97	0.47
1:C:312:VAL:CG1	1:C:313:ALA:N	2.78	0.47
1:C:125:GLU:OE1	1:C:195:ARG:NH2	2.33	0.47
1:B:2:MET:HE1	1:B:176:ILE:O	2.15	0.47
1:B:68:TYR:CB	1:B:77:GLU:HG2	2.45	0.47
1:B:235:ARG:NH2	4:B:492:HOH:O	2.46	0.47
1:B:256:LYS:NZ	1:B:256:LYS:HB3	2.30	0.47
1:C:199:TYR:HB3	1:C:352:ILE:HD11	1.95	0.47
1:A:298:ILE:HB	1:A:341:PHE:CZ	2.50	0.47
1:C:312:VAL:HG13	1:C:313:ALA:N	2.30	0.47
1:C:204:VAL:HG11	1:C:379:MET:CE	2.34	0.47
1:A:157:ALA:HA	1:A:361:VAL:CG2	2.44	0.46
1:C:197:TRP:CG	1:C:198:TYR:H	2.34	0.46
1:B:222:TYR:HA	1:B:223:ASP:HA	1.66	0.46
1:C:230:GLY:HA2	2:C:386:18P:H15	1.96	0.46
1:B:168:ALA:O	1:B:169:SER:CB	2.59	0.46
1:C:77:GLU:HB2	1:C:104:GLU:CG	2.45	0.46
1:A:222:TYR:HA	1:A:223:ASP:HA	1.62	0.46
1:C:69:VAL:CG1	1:C:71:TYR:CE1	2.99	0.46
1:B:-1:PHE:HB3	3:B:387:SO4:O3	2.15	0.46
1:A:257:PHE:CD2	1:A:268:VAL:HG11	2.51	0.46
1:A:155:CYS:HB3	1:A:157:ALA:HB2	1.97	0.46
1:A:274:THR:O	1:A:274:THR:CG2	2.64	0.45
1:A:333:MET:HG2	1:A:337:ILE:HD12	1.98	0.45
1:A:149:LEU:C	1:A:149:LEU:HD23	2.41	0.45
1:C:77:GLU:HB2	1:C:104:GLU:HG3	1.99	0.45
1:C:75:LYS:HG3	3:C:388:SO4:O2	2.17	0.45
1:A:213:LEU:HD23	1:A:213:LEU:HA	1.82	0.45
1:C:222:TYR:HA	1:C:223:ASP:HA	1.66	0.44
1:A:44:PRO:HD3	1:A:51:TYR:CZ	2.51	0.44
1:A:234:LEU:HD13	1:A:337:ILE:HD11	1.99	0.44
1:A:73:GLN:OE1	1:A:107:LYS:HD2	2.16	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:42:ALA:CB	1:A:101:ALA:HB1	2.48	0.44
1:B:125:GLU:CD	1:B:195:ARG:HH21	2.25	0.44
1:C:297:ARG:HG2	1:C:374:PHE:CE1	2.52	0.44
1:A:144:THR:CG2	1:A:145:HIS:H	2.31	0.44
1:B:167:LEU:O	1:B:168:ALA:C	2.60	0.44
2:B:386:18P:C03	2:B:386:18P:H12	2.48	0.44
1:C:204:VAL:HG21	1:C:379:MET:CE	2.47	0.44
1:B:235:ARG:HD3	1:B:332:VAL:HB	1.99	0.44
1:C:234:LEU:HB2	1:C:336:VAL:HG22	2.00	0.43
1:A:228:ASP:O	1:A:334:GLY:HA2	2.19	0.43
1:C:72:THR:CG2	2:C:386:18P:C01	2.93	0.43
1:B:125:GLU:O	1:B:125:GLU:HG3	2.17	0.43
1:C:151:SER:OG	1:C:175:ILE:HB	2.18	0.43
1:C:96[B]:ARG:NH1	4:C:497:HOH:O	2.36	0.43
1:B:149:LEU:C	1:B:149:LEU:HD23	2.43	0.43
1:B:245:VAL:HG13	1:B:246:LYS:N	2.33	0.43
1:A:294:GLN:HG3	1:A:373:PRO:HB2	1.99	0.43
1:A:271:GLN:O	1:A:272:ALA:C	2.62	0.42
1:A:272:ALA:O	1:A:318:ASP:OD2	2.37	0.42
1:A:64:ARG:HD2	4:A:725:HOH:O	2.19	0.42
1:A:144:THR:HG22	1:A:146:VAL:HG23	2.01	0.42
1:B:130:ASP:OD2	1:B:132:SER:HB2	2.19	0.42
1:A:190:TYR:CD2	1:A:351:ARG:HG3	2.54	0.42
1:A:234:LEU:HB2	1:A:336:VAL:HG22	2.02	0.42
1:A:2:MET:CG	1:A:90:GLY:HA2	2.46	0.42
1:A:234:LEU:HB2	1:A:336:VAL:CG2	2.48	0.42
1:B:-2:SER:HB2	3:B:390:SO4:O3	2.19	0.42
1:C:68:TYR:CB	1:C:77:GLU:HG2	2.50	0.42
1:C:301:LEU:HD11	1:C:367:THR:HA	2.01	0.42
1:B:189:TRP:O	1:B:353:GLY:HA2	2.20	0.41
1:A:17:GLU:O	1:A:88:PRO:HD2	2.20	0.41
1:B:22:SER:HA	1:B:23:PRO:C	2.45	0.41
1:A:222:TYR:O	1:A:330:GLY:HA2	2.21	0.41
1:A:362:HIS:HB2	1:A:366:ARG:O	2.20	0.41
1:B:182:SER:HB3	1:C:63:LEU:HD23	2.03	0.41
1:C:238:LYS:HE2	1:C:238:LYS:HB3	1.95	0.41
1:A:214:LYS:HA	1:A:214:LYS:HD2	1.93	0.41
1:C:154:LEU:O	1:C:339:GLU:HA	2.21	0.41
1:A:197:TRP:CG	1:A:198:TYR:N	2.89	0.41
1:B:30:LEU:C	1:B:30:LEU:HD23	2.46	0.41
1:C:215:MET:HE1	1:C:239:LYS:HB3	2.04	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:333:MET:CB	1:A:337:ILE:HD12	2.51	0.40
1:B:267:LEU:HD12	1:B:312:VAL:HG21	2.03	0.40
1:B:176:ILE:HD12	1:B:176:ILE:N	2.37	0.40
1:C:218:LYS:NZ	1:C:381:ASP:O	2.43	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:C:463:HOH:O	4:C:463:HOH:O[2_555]	1.94	0.26
1:C:238:LYS:NZ	4:B:455:HOH:O[4_555]	2.00	0.20
3:A:389:SO4:O3	4:B:465:HOH:O[4_546]	2.07	0.13

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	368/390 (94%)	353 (96%)	12 (3%)	3 (1%)	16	16
1	B	382/390 (98%)	365 (96%)	15 (4%)	2 (0%)	24	27
1	C	381/390 (98%)	366 (96%)	9 (2%)	6 (2%)	7	6
All	All	1131/1170 (97%)	1084 (96%)	36 (3%)	11 (1%)	12	11

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	169	SER
1	C	71	TYR
1	C	72	THR
1	C	311	ASP
1	C	312	VAL
1	A	272	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	160	PRO
1	C	314	THR
1	A	169	SER
1	C	169	SER
1	A	156	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	317/331 (96%)	312 (98%)	5 (2%)	55	71
1	B	325/331 (98%)	316 (97%)	9 (3%)	38	52
1	C	320/331 (97%)	316 (99%)	4 (1%)	61	76
All	All	962/993 (97%)	944 (98%)	18 (2%)	50	66

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	73	GLN
1	A	149	LEU
1	A	197	TRP
1	A	266	GLN
1	A	336	VAL
1	B	22	SER
1	B	59	THR
1	B	69	VAL
1	B	93	VAL
1	B	125	GLU
1	B	195	ARG
1	B	249	LYS
1	B	326	GLN
1	B	349	ARG
1	C	181	HIS
1	C	197	TRP
1	C	336	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	367	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	89	HIS
1	C	385	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	18P	C	386	-	26,28,28	1.40	2 (7%)	30,41,41	1.08	2 (6%)
3	SO4	A	389	-	4,4,4	0.29	0	6,6,6	0.41	0
2	18P	A	386	-	26,28,28	1.44	3 (11%)	30,41,41	0.80	1 (3%)
3	SO4	A	388	-	4,4,4	0.33	0	6,6,6	0.47	0
3	SO4	B	390	-	4,4,4	0.23	0	6,6,6	0.36	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	C	387	-	4,4,4	0.72	0	6,6,6	0.70	0
3	SO4	B	389	-	4,4,4	0.34	0	6,6,6	0.91	0
3	SO4	A	387	-	4,4,4	0.29	0	6,6,6	0.23	0
3	SO4	B	388	-	4,4,4	0.21	0	6,6,6	0.30	0
3	SO4	C	388	-	4,4,4	0.38	0	6,6,6	0.45	0
3	SO4	B	387	-	4,4,4	0.51	0	6,6,6	0.77	0
2	18P	B	386	-	26,28,28	1.60	3 (11%)	30,41,41	0.91	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	18P	C	386	-	-	6/14/33/33	0/2/3/3
2	18P	A	386	-	-	6/14/33/33	0/2/3/3
2	18P	B	386	-	-	2/14/33/33	0/2/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	386	18P	C03-N03	4.91	1.35	1.27
2	C	386	18P	C03-N03	4.44	1.34	1.27
2	A	386	18P	C03-N03	4.27	1.34	1.27
2	A	386	18P	C06-N01	2.90	1.36	1.34
2	B	386	18P	C06-N01	2.86	1.36	1.34
2	A	386	18P	C02-N01	2.25	1.47	1.45
2	C	386	18P	C06-N01	2.06	1.35	1.34
2	B	386	18P	C16-C17	2.02	1.41	1.38

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	386	18P	O01-C06-N01	-2.60	119.90	122.53
2	B	386	18P	C01-N01-C06	2.36	121.64	118.84
2	C	386	18P	C01-N01-C06	2.13	121.37	118.84
2	A	386	18P	C05-C04-N03	-2.07	106.75	108.81

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	386	18P	N04-C13-C14-C15
2	C	386	18P	O-C13-C14-C15
2	C	386	18P	O-C13-C14-N
2	A	386	18P	N04-C13-C14-C15
2	A	386	18P	O-C13-C14-C15
2	A	386	18P	N04-C13-C14-N
2	A	386	18P	O-C13-C14-N
2	C	386	18P	N04-C13-C14-N
2	B	386	18P	C06-C04-C07-C08
2	B	386	18P	C06-C04-C07-C12
2	C	386	18P	C06-C04-C07-C08
2	A	386	18P	C06-C04-C07-C08
2	A	386	18P	C06-C04-C07-C12
2	C	386	18P	C06-C04-C07-C12


There are no ring outliers.

10 monomers are involved in 18 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	386	18P	4	0
3	A	389	SO4	0	1
3	A	388	SO4	2	0
3	B	390	SO4	1	0
3	C	387	SO4	3	0
3	A	387	SO4	1	0
3	B	388	SO4	2	0
3	C	388	SO4	1	0
3	B	387	SO4	2	0
2	B	386	18P	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand 18P C 386



Ligand 18P A 386





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	374/390 (95%)	0.24	17 (4%) 38 35	18, 31, 55, 82	3 (0%)
1	B	386/390 (98%)	0.05	9 (2%) 61 58	17, 29, 46, 97	0
1	C	384/390 (98%)	-0.08	18 (4%) 36 33	12, 24, 43, 82	3 (0%)
All	All	1144/1170 (97%)	0.07	44 (3%) 44 41	12, 28, 50, 97	6 (0%)

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	168	ALA	6.9
1	B	162	ASN	6.2
1	B	161	LEU	6.1
1	C	168	ALA	5.5
1	A	315	SER	5.2
1	A	157	ALA	4.9
1	C	314	THR	4.7
1	C	161	LEU	4.7
1	C	311	ASP	4.4
1	B	166	VAL	4.0
1	C	313	ALA	3.9
1	C	315	SER	3.9
1	C	158	GLY	3.8
1	A	272	ALA	3.7
1	A	92	ASN	3.3
1	B	92	ASN	3.3
1	C	312	VAL	3.1
1	C	71	TYR	3.1
1	A	0	VAL	3.1
1	B	160	PRO	3.0
1	C	316	GLN	2.9
1	C	160	PRO	2.9
1	C	68	TYR	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	70	PRO	2.8
1	A	111	ASN	2.7
1	A	169	SER	2.7
1	A	156	GLY	2.7
1	C	69	VAL	2.6
1	A	181	HIS	2.6
1	C	156	GLY	2.5
1	B	167	LEU	2.5
1	A	9	LYS	2.5
1	C	72	THR	2.3
1	B	49	HIS	2.3
1	B	312	VAL	2.3
1	A	72	THR	2.2
1	A	112	GLY	2.2
1	A	11	GLY	2.2
1	A	73	GLN	2.2
1	C	-4	ALA	2.1
1	C	49	HIS	2.1
1	A	316	GLN	2.1
1	B	168	ALA	2.1
1	A	-1	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	18P	B	386	26/26	0.95	0.07	19,25,29,32	0
2	18P	C	386	26/26	0.95	0.06	17,23,27,30	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	SO4	A	389	5/5	0.95	0.16	24,29,43,46	0
2	18P	A	386	26/26	0.96	0.07	24,31,34,36	0
3	SO4	B	387	5/5	0.97	0.10	6,22,29,39	0
3	SO4	B	390	5/5	0.97	0.13	13,19,39,44	0
3	SO4	B	389	5/5	0.98	0.12	7,25,33,47	0
3	SO4	A	388	5/5	0.98	0.10	11,26,38,40	0
3	SO4	A	387	5/5	0.99	0.08	18,30,41,51	0
3	SO4	B	388	5/5	0.99	0.09	10,27,43,47	0
3	SO4	C	387	5/5	0.99	0.13	0,14,42,44	0
3	SO4	C	388	5/5	0.99	0.10	5,25,39,41	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 18P B 386:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 18P C 386:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 18P A 386:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.