



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 04:27 AM UTC

PDB ID : 5U6Q / pdb_00005u6q
Title : Structure of human MR1-3-F-SA in complex with human MAIT A-F7 TCR
Authors : Keller, A.N.; Rossjohn, J.
Deposited on : 2016-12-08
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	271	5% 87% 8% ..
1	C	271	6% 89% 7% ..
2	B	203	20% 84% 12% .
2	D	203	4% 88% 10% .
3	E	245	3% 91% 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	G	245	13% 87% 10%
4	F	99	7% 82% 13%
4	H	99	2% 94% 6%

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 14317 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Major histocompatibility complex class I-related gene protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	261	Total	C	N	O	S	0	1	0
			2157	1377	372	397	11			
1	A	263	Total	C	N	O	S	0	2	0
			2184	1401	373	399	11			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	0	MET	-	initiating methionine	UNP Q95460
C	261	SER	CYS	conflict	UNP Q95460
A	0	MET	-	initiating methionine	UNP Q95460
A	261	SER	CYS	conflict	UNP Q95460

- Molecule 2 is a protein called MAIT T-cell receptor alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	200	Total	C	N	O	S	0	1	0
			1565	986	251	319	9			
2	B	195	Total	C	N	O	S	0	0	0
			1503	954	239	301	9			


- Molecule 3 is a protein called MAIT T-cell receptor beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	244	Total	C	N	O	S	0	2	0
			1943	1219	339	376	9			
3	G	239	Total	C	N	O	S	0	0	0
			1879	1183	323	364	9			

- Molecule 4 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F	97	Total	C	N	O	S	0	0	0
			800	511	135	152	2			
4	H	99	Total	C	N	O	S	0	0	0
			820	522	138	157	3			

- Molecule 5 is 3-methanoyl-2-oxidanyl-benzoic acid (CCD ID: 7ZS) (formula: $C_8H_6O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	C	O	0	0
			11	8	3		
5	A	1	Total	C	O	0	0
			11	8	3		

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2^-$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	C	1	Total	C	O	0	0
			4	2	2		
7	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 8 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	G	1	Total	Na	0	0
			1	1		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	C	253	Total	O	0	0
			253	253		
9	D	227	Total	O	0	0
			227	227		
9	E	291	Total	O	0	0
			291	291		
9	F	78	Total	O	0	0
			78	78		
9	A	229	Total	O	0	0
			229	229		
9	B	106	Total	O	0	0
			106	106		
9	G	139	Total	O	0	0
			139	139		
9	H	106	Total	O	0	0
			106	106		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Major histocompatibility complex class I-related gene protein




- Molecule 1: Major histocompatibility complex class I-related gene protein




- Molecule 2: MAIT T-cell receptor alpha chain




- Molecule 2: MAIT T-cell receptor alpha chain




- Molecule 3: MAIT T-cell receptor beta chain




- Molecule 3: MAIT T-cell receptor beta chain



- Molecule 4: Beta-2-microglobulin



- Molecule 4: Beta-2-microglobulin



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	217.67Å 70.51Å 143.37Å 90.00° 104.77° 90.00°	Depositor
Resolution (Å)	44.39 – 1.90 44.39 – 1.90	Depositor EDS
% Data completeness (in resolution range)	97.4 (44.39-1.90) 97.4 (44.39-1.90)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.57 (at 1.89Å)	Xtriage
Refinement program	PHENIX 1.11.1 _2575	Depositor
R, R_{free}	0.182 , 0.222 0.182 , 0.222	Depositor DCC
R_{free} test set	8117 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	23.4	Xtriage
Anisotropy	0.657	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 46.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14317	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 7ZS, NA, ACT, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	0/2250	0.74	1/3059 (0.0%)
1	C	0.51	0/2223	0.74	0/3023
2	B	0.46	0/1537	0.78	0/2088
2	D	0.54	0/1600	0.84	2/2170 (0.1%)
3	E	0.52	0/1994	0.78	2/2712 (0.1%)
3	G	0.43	0/1927	0.76	0/2620
4	F	0.39	0/823	0.72	0/1118
4	H	0.44	0/843	0.72	0/1144
All	All	0.48	0/13197	0.76	5/17934 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	3	ASN	N-CA-C	6.95	119.64	109.07
3	E	181	GLN	CA-C-N	5.89	126.30	119.47
3	E	181	GLN	C-N-CA	5.89	126.30	119.47
1	A	66	LEU	CA-CB-CG	-5.22	98.03	116.30
2	D	96	GLN	N-CA-C	-5.05	101.48	109.76

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2184	0	2062	16	0
1	C	2157	0	2026	11	0
2	B	1503	0	1399	15	0
2	D	1565	0	1474	18	0
3	E	1943	0	1836	20	0
3	G	1879	0	1773	20	0
4	F	800	0	753	9	0
4	H	820	0	772	4	0
5	A	11	0	0	0	0
5	C	11	0	0	0	0
6	C	6	0	8	2	0
7	A	4	0	3	0	0
7	C	4	0	3	0	0
8	G	1	0	0	0	0
9	A	229	0	0	3	0
9	B	106	0	0	1	0
9	C	253	0	0	1	0
9	D	227	0	0	2	0
9	E	291	0	0	7	0
9	F	78	0	0	1	0
9	G	139	0	0	2	0
9	H	106	0	0	2	0
All	All	14317	0	12109	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:150:ASP:HB2	2:D:177:LYS:HD2	1.63	0.78
2:D:170:SER:OG	3:E:194:ARG:NE	2.17	0.77
3:G:111:ARG:NH1	3:G:154:ASP:O	2.17	0.77
3:E:65[A]:ASN:OD1	3:E:77:ARG:HB3	1.88	0.74
2:B:112:GLN:NE2	9:B:301:HOH:O	2.20	0.73
2:D:28:GLY:HA3	2:D:93[B]:SER:OG	1.91	0.70
2:B:172:VAL:HG23	3:G:194:ARG:NH2	2.07	0.70
1:A:43:LYS:HD3	1:A:62:TYR:HB3	1.75	0.68
2:D:1:GLY:HA2	2:D:27:SER:H	1.60	0.66
1:C:0:MET:O	1:C:102:GLU:HG3	1.96	0.66
2:D:170:SER:O	3:E:194:ARG:NH1	2.28	0.64
1:A:152:TYR:CD1	3:G:100:GLY:HA3	2.33	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:170:SER:OG	3:G:194:ARG:HD3	2.01	0.60
4:H:21:ASN:HB3	4:H:70:PHE:CE2	2.37	0.59
3:G:165:LYS:HG2	3:G:166:GLU:H	1.68	0.59
1:A:82:ARG:HD2	9:A:518:HOH:O	2.02	0.58
1:C:268:GLN:OE1	9:C:401:HOH:O	2.17	0.58
4:H:71:THR:O	9:H:101:HOH:O	2.17	0.57
1:C:149:GLU:OE2	3:E:100:GLY:HA3	2.05	0.57
2:B:111:ILE:HG23	2:B:112:GLN:NE2	2.19	0.57
2:D:91:LYS:HE3	9:D:414:HOH:O	2.04	0.56
1:A:198:LEU:HD13	1:A:269:VAL:HG21	1.87	0.56
2:D:148:ASP:OD2	2:D:177:LYS:NZ	2.39	0.56
2:B:28:GLY:HA3	2:B:93:SER:OG	2.06	0.55
2:D:170:SER:HG	3:E:194:ARG:HE	1.54	0.55
3:E:8:PRO:HD2	3:E:21:LEU:HD22	1.89	0.54
3:G:223:GLU:OE1	3:G:223:GLU:N	2.33	0.54
3:G:26:ASP:OD1	3:G:72:ARG:HD2	2.07	0.53
2:D:177:LYS:HE2	2:D:179:ASP:HB2	1.90	0.53
2:B:2:GLN:OE1	2:B:27:SER:N	2.38	0.53
1:C:113:ALA:HB2	4:F:60:TRP:CE2	2.44	0.53
1:C:152:TYR:CD2	3:E:100:GLY:HA2	2.43	0.52
3:G:155:HIS:HB3	3:G:216:TYR:HB2	1.92	0.52
3:E:243:ARG:NH1	9:E:309:HOH:O	2.43	0.51
3:G:165:LYS:HG2	3:G:166:GLU:N	2.26	0.50
1:A:152:TYR:CE1	3:G:100:GLY:HA3	2.46	0.50
1:A:113:ALA:HB2	4:H:60:TRP:CE2	2.47	0.50
2:B:24:TYR:CZ	2:B:69:GLY:HA2	2.47	0.50
3:G:108:GLU:OE1	9:G:401:HOH:O	2.20	0.49
4:F:21:ASN:HB3	4:F:70:PHE:CE2	2.47	0.49
3:E:141:LYS:NZ	9:E:312:HOH:O	2.44	0.49
3:G:30:ASN:O	3:G:51:SER:HA	2.12	0.49
2:B:158:VAL:HG22	2:B:169:ASN:OD1	2.13	0.48
2:D:138:ASP:OD2	2:D:140:GLN:HG3	2.12	0.48
3:E:116:GLU:OE1	9:E:301:HOH:O	2.20	0.48
1:A:4:SER:HB3	1:A:99:GLU:HG2	1.96	0.48
3:E:174:ASP:HB2	3:E:191:LEU:HD12	1.96	0.47
2:B:142:ASN:O	2:B:189:SER:OG	2.31	0.47
3:G:181:GLN:O	3:G:187:SER:HB2	2.14	0.47
4:H:41:LYS:NZ	9:H:106:HOH:O	2.46	0.47
4:F:19:LYS:O	4:F:72:PRO:HD2	2.15	0.47
2:D:28:GLY:N	9:D:302:HOH:O	2.32	0.46
1:C:4:SER:HB3	1:C:99:GLU:HG2	1.96	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:200:THR:HG23	9:E:496:HOH:O	2.15	0.46
3:E:72:ARG:NH1	9:E:305:HOH:O	2.36	0.46
2:D:28:GLY:HA3	2:D:93[A]:SER:HB3	1.98	0.45
1:A:151:LEU:HD22	2:B:51:LEU:HD12	1.98	0.45
3:G:174:ASP:OD1	3:G:194:ARG:NH1	2.48	0.45
4:F:17:ASN:HD21	4:F:74:GLU:HG2	1.80	0.45
2:D:121:LEU:HD11	2:D:133:LEU:HB2	1.97	0.45
2:B:50:VAL:O	2:B:66:ARG:HD3	2.17	0.45
1:C:34:THR:HB	1:C:43:LYS:HE3	1.99	0.45
1:A:1:ARG:HG2	9:A:550:HOH:O	2.17	0.45
4:F:87:LEU:O	9:F:101:HOH:O	2.21	0.45
3:G:128:VAL:HG23	3:G:238:ALA:HB3	1.99	0.45
2:B:131:VAL:HG22	2:B:174:TRP:HB3	1.97	0.45
2:B:3:ASN:ND2	2:B:25:GLN:OE1	2.41	0.44
4:F:50:GLU:HB2	4:F:67:TYR:CZ	2.52	0.44
6:C:302:GOL:H31	2:D:93[B]:SER:OG	2.18	0.44
4:F:41:LYS:HE2	4:F:78:TYR:CE1	2.53	0.44
1:C:265:MET:HE2	1:C:265:MET:HB2	1.86	0.43
1:A:6:ARG:HD3	9:A:528:HOH:O	2.17	0.43
2:D:1:GLY:H3	2:D:98:ILE:HD11	1.82	0.43
3:E:117[A]:ASP:OD1	3:E:119:LYS:HG3	2.18	0.43
2:B:134:PHE:HB2	2:B:186:PHE:CE1	2.54	0.43
3:G:111:ARG:HH12	3:G:154:ASP:HB3	1.83	0.43
1:C:151:LEU:HD22	2:D:51:LEU:HD12	2.00	0.43
1:C:14:ASP:HB3	1:C:89:SER:HB2	2.00	0.43
3:E:206:ARG:HG2	1:A:210:ILE:O	2.18	0.43
1:A:101:LEU:HD21	1:A:107:THR:HG23	2.00	0.43
3:E:141:LYS:NZ	9:E:325:HOH:O	2.52	0.42
4:F:73:THR:OG1	4:F:76:ASP:OD2	2.35	0.42
2:D:4:ILE:HD11	2:D:88:CYS:SG	2.59	0.42
3:E:101:SER:HA	9:E:308:HOH:O	2.18	0.42
3:G:11:GLN:NE2	9:G:414:HOH:O	2.52	0.42
3:G:95:VAL:HG12	3:G:96:TRP:CD1	2.54	0.42
3:E:212:GLN:HG3	3:E:235:ILE:HG23	2.01	0.42
3:G:154:ASP:CG	3:G:177:PRO:HG3	2.45	0.41
3:E:200:THR:HG21	1:A:221:ILE:O	2.20	0.41
1:A:123:ASN:OD1	1:A:126:THR:N	2.44	0.41
1:A:215:MET:HG3	1:A:257:HIS:CD2	2.56	0.41
6:C:302:GOL:H31	2:D:28:GLY:CA	2.51	0.41
4:F:97:ARG:HE	4:F:97:ARG:HB2	1.69	0.40
1:A:28:VAL:HG23	1:A:33:ILE:HD13	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:172:VAL:HG23	3:G:194:ARG:HH22	1.83	0.40
1:C:244:ILE:HG12	1:C:245:GLU:N	2.35	0.40
3:E:128:VAL:HG23	3:E:238:ALA:HB3	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	259/271 (96%)	256 (99%)	3 (1%)	0	100	100
1	C	258/271 (95%)	253 (98%)	4 (2%)	1 (0%)	30	22
2	B	191/203 (94%)	183 (96%)	7 (4%)	1 (0%)	24	16
2	D	199/203 (98%)	196 (98%)	3 (2%)	0	100	100
3	E	244/245 (100%)	239 (98%)	5 (2%)	0	100	100
3	G	235/245 (96%)	227 (97%)	8 (3%)	0	100	100
4	F	95/99 (96%)	94 (99%)	1 (1%)	0	100	100
4	H	97/99 (98%)	96 (99%)	1 (1%)	0	100	100
All	All	1578/1636 (96%)	1544 (98%)	32 (2%)	2 (0%)	48	40

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	112	GLN
1	C	222	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	232/241 (96%)	226 (97%)	6 (3%)	40	35
1	C	230/241 (95%)	225 (98%)	5 (2%)	45	42
2	B	164/180 (91%)	162 (99%)	2 (1%)	63	63
2	D	176/180 (98%)	173 (98%)	3 (2%)	53	52
3	E	211/211 (100%)	210 (100%)	1 (0%)	81	84
3	G	203/211 (96%)	199 (98%)	4 (2%)	48	46
4	F	89/94 (95%)	85 (96%)	4 (4%)	24	17
4	H	92/94 (98%)	91 (99%)	1 (1%)	65	67
All	All	1397/1452 (96%)	1371 (98%)	26 (2%)	50	47

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	46	ARG
1	C	221	ILE
1	C	222	VAL
1	C	223	GLN
1	C	244	ILE
2	D	2	GLN
2	D	96	GLN
2	D	145	GLN
3	E	194	ARG
4	F	44	GLU
4	F	50	GLU
4	F	74	GLU
4	F	97	ARG
1	A	66	LEU
1	A	73	PHE
1	A	79	ARG
1	A	215	MET
1	A	221	ILE
1	A	222	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	157	CYS
2	B	163	SER
3	G	79	GLU
3	G	99	GLU
3	G	162	VAL
3	G	194	ARG
4	H	35	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	17	HIS
1	C	93	GLN
2	D	19	GLN
2	D	21	ASN
2	D	94	ASN
2	D	96	GLN
2	D	112	GLN
2	D	140	GLN
3	E	120	ASN
1	A	93	GLN
1	A	141	GLN
1	A	217	ASN
3	G	234	GLN
4	H	31	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 6 ligands modelled in this entry, 1 is monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	ACT	A	302	-	3,3,3	0.91	0	3,3,3	1.40	0
7	ACT	C	303	-	3,3,3	0.88	0	3,3,3	1.65	1 (33%)
6	GOL	C	302	-	5,5,5	0.45	0	5,5,5	0.85	0
5	7ZS	C	301	1	11,11,12	0.71	1 (9%)	15,15,16	0.85	1 (6%)
5	7ZS	A	301	1	11,11,12	1.39	3 (27%)	15,15,16	1.29	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	C	302	-	-	4/4/4/4	-
5	7ZS	A	301	1	-	0/4/4/6	0/1/1/1
5	7ZS	C	301	1	-	0/4/4/6	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	301	7ZS	O-C	3.01	1.31	1.22
5	A	301	7ZS	C7-C5	-2.46	1.46	1.51
5	A	301	7ZS	O1-C	-2.26	1.23	1.30
5	C	301	7ZS	C7-C5	-2.06	1.47	1.51

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	301	7ZS	O-C-C1	-3.30	114.10	121.97
5	A	301	7ZS	O1-C-C1	2.36	122.00	115.28
7	C	303	ACT	OXT-C-O	-2.21	113.83	122.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	301	7ZS	C1-C6-C5	-2.11	119.74	120.96

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	C	302	GOL	O1-C1-C2-C3
6	C	302	GOL	O2-C2-C3-O3
6	C	302	GOL	C1-C2-C3-O3
6	C	302	GOL	O1-C1-C2-O2

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	C	302	GOL	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	263/271 (97%)	0.02	13 (4%)	35 37	13, 27, 52, 71	3 (1%)
1	C	261/271 (96%)	0.02	16 (6%)	27 29	16, 28, 62, 92	2 (0%)
2	B	195/203 (96%)	0.90	41 (21%)	2 2	22, 42, 95, 106	0
2	D	200/203 (98%)	-0.06	8 (4%)	42 45	11, 25, 54, 74	1 (0%)
3	E	244/245 (99%)	-0.16	7 (2%)	53 57	15, 26, 47, 73	3 (1%)
3	G	239/245 (97%)	0.70	32 (13%)	7 7	23, 39, 88, 109	0
4	F	97/99 (97%)	0.58	7 (7%)	21 23	22, 47, 75, 94	0
4	H	99/99 (100%)	0.17	2 (2%)	65 69	19, 33, 60, 77	0
All	All	1598/1636 (97%)	0.23	126 (7%)	18 20	11, 30, 73, 109	9 (0%)

All (126) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	211	TYR	5.2
1	C	222	VAL	5.1
2	B	191	ILE	5.1
2	D	200	PRO	5.0
3	G	2	ALA	5.0
3	G	244	ALA	5.0
2	B	200	PRO	5.0
2	B	176	ASN	5.0
3	G	99	GLU	4.7
2	D	1	GLY	4.7
3	G	241	TRP	4.7
1	A	246	LEU	4.7
2	B	151	VAL	4.6
3	G	162	VAL	4.4
2	B	124	SER	4.3
2	B	150	ASP	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	27	SER	4.2
3	G	204	ASN	4.2
1	C	221	ILE	4.0
1	A	221	ILE	4.0
2	B	148	ASP	4.0
2	B	112	GLN	3.9
1	C	197	ALA	3.9
2	B	146	SER	3.8
1	A	16	ILE	3.7
2	B	123	ASP	3.6
3	G	136	ILE	3.5
3	E	244	ALA	3.5
2	B	190	ILE	3.5
3	G	201	PHE	3.5
4	H	70	PHE	3.5
2	B	177	LYS	3.4
2	B	164	MET	3.4
2	B	125	LYS	3.4
3	E	184	LEU	3.4
3	G	200	THR	3.3
1	C	249	GLN	3.3
3	G	242	GLY	3.3
2	B	113	ASN	3.3
1	A	195	VAL	3.3
3	G	161	TRP	3.3
1	C	187	ASN	3.2
2	B	144	SER	3.2
3	G	225	THR	3.2
2	B	122	ARG	3.1
4	F	74	GLU	3.1
3	E	65[A]	ASN	3.1
3	G	129	PHE	3.1
3	G	164	GLY	3.1
1	C	264[A]	HIS	3.0
2	B	189	SER	3.0
3	G	100	GLY	3.0
3	G	209	PHE	3.0
2	B	149	SER	2.9
3	G	185	ASN	2.9
2	B	147	LYS	2.9
2	B	179	ASP	2.9
3	G	194	ARG	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	0	MET	2.8
2	B	180	PHE	2.8
2	D	2	GLN	2.7
2	B	185	ALA	2.7
1	A	211[A]	TYR	2.6
1	A	270	PRO	2.6
1	A	219	GLU	2.6
2	B	199	SER	2.6
2	D	162	ARG	2.6
1	C	251	SER	2.6
2	B	163	SER	2.6
3	E	194	ARG	2.5
2	B	181	ALA	2.5
1	A	0	MET	2.5
3	G	165	LYS	2.5
2	B	178	SER	2.5
1	A	223	GLN	2.4
4	H	99	MET	2.4
3	G	227	ASP	2.4
1	C	244	ILE	2.4
1	A	222	VAL	2.4
2	B	130	SER	2.4
4	F	97	ARG	2.3
1	C	16	ILE	2.3
2	B	142	ASN	2.3
2	B	143	VAL	2.3
3	G	229	ALA	2.3
2	D	179	ASP	2.3
2	B	184	ASN	2.2
2	B	187	ASN	2.2
3	G	202	TRP	2.2
3	G	163	ASN	2.2
3	E	243	ARG	2.2
1	C	247	ASP	2.2
3	G	224	TRP	2.2
3	E	185	ASN	2.2
3	G	226	GLN	2.2
3	G	3	GLY	2.2
2	B	114	PRO	2.2
2	B	183	ALA	2.2
3	G	239	GLU	2.1
4	F	70	PHE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	194	ASP	2.1
2	B	141	THR	2.1
2	B	27	SER	2.1
2	B	175	SER	2.1
4	F	88	SER	2.1
1	A	218	GLY	2.1
2	B	162	ARG	2.1
3	G	238	ALA	2.1
2	B	165	ASP	2.1
4	F	48	LYS	2.1
1	A	220	GLU	2.1
3	G	223	GLU	2.1
1	A	103	ASP	2.1
2	B	153	ILE	2.1
1	C	250	SER	2.1
2	B	166	PHE	2.0
3	G	220	GLU	2.0
4	F	1	ILE	2.0
3	E	1	ASN	2.0
4	F	89	GLN	2.0
1	C	248	PRO	2.0
1	C	253	LEU	2.0
3	G	134	ALA	2.0
3	G	243	ARG	2.0
2	D	146	SER	2.0
1	C	17	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	GOL	C	302	6/6	0.80	0.20	40,45,47,51	0
7	ACT	A	302	4/4	0.83	0.16	39,42,42,44	0
7	ACT	C	303	4/4	0.90	0.13	35,38,39,43	0
8	NA	G	301	1/1	0.93	0.09	30,30,30,30	0
5	7ZS	C	301	11/12	0.95	0.07	19,22,24,26	0
5	7ZS	A	301	11/12	0.95	0.07	24,28,32,33	0

6.5 Other polymers [i](#)

There are no such residues in this entry.