



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 11:26 PM UTC

PDB ID : 7U60 / pdb_00007u60
Title : Integrin alpha IIB beta3 complex with cRGDfV
Authors : Zhu, J.; Lin, F.Y.; Zhu, J.; Springer, T.A.
Deposited on : 2022-03-03
Resolution : 2.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1091 (2.54-2.54)
Clashscore	190562	1120 (2.54-2.54)
Ramachandran outliers	187476	1106 (2.54-2.54)
Sidechain outliers	187428	1106 (2.54-2.54)
RSRZ outliers	180081	1091 (2.54-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	455	93% 7%
1	C	455	92% 8%
2	B	471	9% 91% 8%
2	D	471	4% 92% 7%
3	E	216	30% 94% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	H	216	
4	F	214	
4	L	214	
5	M	5	
5	N	5	
6	G	4	
6	J	4	
7	I	2	
7	K	2	

2 Entry composition [i](#)

There are 13 unique types of molecules in this entry. The entry contains 22350 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Integrin alpha-IIb.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	455	Total	C	N	O	S	0	6	0
			3521	2240	607	666	8			
1	C	453	Total	C	N	O	S	0	3	0
			3492	2219	603	662	8			

- Molecule 2 is a protein called Integrin beta-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	464	Total	C	N	O	S	4	5	0
			3613	2252	614	714	33			
2	D	469	Total	C	N	O	S	4	2	0
			3626	2260	618	714	34			

- Molecule 3 is a protein called Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	216	Total	C	N	O	S	0	0	0
			1642	1041	266	329	6			
3	H	216	Total	C	N	O	S	0	0	0
			1642	1041	266	329	6			

- Molecule 4 is a protein called Fab light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F	214	Total	C	N	O	S	0	0	0
			1637	1019	268	341	9			
4	L	214	Total	C	N	O	S	0	0	0
			1637	1019	268	341	9			

- Molecule 5 is a protein called ARG-GLY-ASP-DPN-VAL.


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	M	5	Total	C	N	O	0	0	0
			41	26	8	7			
5	N	5	Total	C	N	O	0	0	0
			41	26	8	7			

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	G	4	Total	C	N	O	0	0	0
			50	28	2	20			
6	J	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 7 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
7	I	2	Total	C	N	O	0	0	0
			28	16	2	10			
7	K	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 8 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	4	Total	Ca	0	0
			4	4		
8	C	4	Total	Ca	0	0
			4	4		

- Molecule 9 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O	0	0
			6	3	3		
9	A	1	Total	C	O	0	0
			6	3	3		
9	A	1	Total	C	O	0	0
			6	3	3		
9	A	1	Total	C	O	0	0
			6	3	3		
9	A	1	Total	C	O	0	0
			6	3	3		
9	A	1	Total	C	O	0	0
			6	3	3		
9	C	1	Total	C	O	0	0
			6	3	3		
9	C	1	Total	C	O	0	0
			6	3	3		
9	D	1	Total	C	O	0	0
			6	3	3		
9	L	1	Total	C	O	0	0
			6	3	3		

- Molecule 10 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	O	S	0	0
			5	4	1		
10	A	1	Total	O	S	0	0
			5	4	1		
10	A	1	Total	O	S	0	0
			5	4	1		
10	A	1	Total	O	S	0	0
			5	4	1		
10	B	1	Total	O	S	0	0
			5	4	1		
10	C	1	Total	O	S	0	0
			5	4	1		
10	C	1	Total	O	S	0	0
			5	4	1		
10	L	1	Total	O	S	0	0
			5	4	1		

- Molecule 11 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	B	3	Total	Mn	0	0
			3	3		
11	D	3	Total	Mn	0	0
			3	3		

- Molecule 12 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
12	B	1	Total	C	N	O	0	0
			14	8	1	5		
12	D	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 13 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	A	396	Total	O	0	0
			396	396		
13	B	181	Total	O	0	0
			181	181		
13	C	246	Total	O	0	0
			246	246		
13	D	192	Total	O	0	0
			192	192		
13	E	20	Total	O	0	0
			20	20		
13	F	22	Total	O	0	0
			22	22		
13	H	35	Total	O	0	0
			35	35		
13	L	53	Total	O	0	0
			53	53		
13	M	3	Total	O	0	0
			3	3		
13	N	6	Total	O	0	0
			6	6		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Integrin alpha-IIb




- Molecule 1: Integrin alpha-IIb





- Molecule 2: Integrin beta-3




- Molecule 2: Integrin beta-3




- Molecule 3: Fab heavy chain



- Molecule 3: Fab heavy chain




- Molecule 4: Fab light chain



- Molecule 4: Fab light chain



- Molecule 5: ARG-GLY-ASP-DPN-VAL





- Molecule 5: ARG-GLY-ASP-DPN-VAL



- Molecule 6: alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	260.89Å 145.77Å 105.16Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.60 – 2.55 48.60 – 2.55	Depositor EDS
% Data completeness (in resolution range)	98.8 (48.60-2.55) 98.8 (48.60-2.55)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.32 (at 2.54Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.188 , 0.225 0.189 , 0.225	Depositor DCC
R_{free} test set	1023 reflections (0.78%)	wwPDB-VP
Wilson B-factor (Å ²)	37.8	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 63.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	22350	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.29% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MN, CA, MAN, NAG, GOL, SO4, DPN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.14	0/3636	0.38	0/4954
1	C	0.13	0/3598	0.36	0/4902
2	B	0.13	0/3692	0.33	0/5006
2	D	0.12	0/3700	0.33	0/5017
3	E	0.10	0/1684	0.28	0/2305
3	H	0.10	0/1684	0.31	0/2305
4	F	0.08	0/1673	0.26	0/2269
4	L	0.11	0/1673	0.31	0/2269
5	M	2.45	2/28 (7.1%)	2.05	1/34 (2.9%)
5	N	2.46	2/28 (7.1%)	2.07	1/34 (2.9%)
All	All	0.17	4/21396 (0.0%)	0.35	2/29095 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	N	1	ARG	NE-CZ	8.72	1.42	1.33
5	M	1	ARG	NE-CZ	8.38	1.42	1.33
5	N	1	ARG	CZ-NH2	5.60	1.40	1.33
5	M	1	ARG	CZ-NH2	5.28	1.40	1.33

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	N	1	ARG	NE-CZ-NH1	6.52	128.02	121.50
5	M	1	ARG	NE-CZ-NH1	6.29	127.80	121.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3521	0	3377	16	0
1	C	3492	0	3333	16	0
2	B	3613	0	3528	18	0
2	D	3626	0	3541	20	0
3	E	1642	0	1600	7	0
3	H	1642	0	1600	9	0
4	F	1637	0	1553	4	0
4	L	1637	0	1553	4	0
5	M	41	0	38	1	0
5	N	41	0	37	2	0
6	G	50	0	43	0	0
6	J	50	0	43	0	0
7	I	28	0	25	0	0
7	K	28	0	25	0	0
8	A	4	0	0	0	0
8	C	4	0	0	0	0
9	A	42	0	56	4	0
9	C	12	0	16	0	0
9	D	6	0	8	1	0
9	L	6	0	8	0	0
10	A	20	0	0	0	0
10	B	5	0	0	0	0
10	C	10	0	0	0	0
10	L	5	0	0	0	0
11	B	3	0	0	0	0
11	D	3	0	0	0	0
12	B	14	0	13	0	0
12	D	14	0	13	0	0
13	A	396	0	0	6	1
13	B	181	0	0	0	0
13	C	246	0	0	3	1
13	D	192	0	0	1	0
13	E	20	0	0	0	0
13	F	22	0	0	0	0
13	H	35	0	0	1	0
13	L	53	0	0	0	0
13	M	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
13	N	6	0	0	1	0
All	All	22350	0	20410	94	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (94) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:400:ARG:HE	9:A:506:GOL:H12	1.60	0.65
3:H:219:ARG:NH2	13:H:301:HOH:O	2.28	0.65
3:E:67:LYS:NZ	3:E:85:SER:O	2.33	0.61
3:H:125:PRO:HB3	3:H:151:TYR:HB3	1.84	0.60
2:D:471:CYS:SG	13:D:2227:HOH:O	2.57	0.59
2:D:76:ASP:HB3	2:D:79:GLN:HG2	1.85	0.59
1:A:422:ARG:NH2	13:A:608:HOH:O	2.35	0.58
1:A:355:ARG:NH1	13:A:601:HOH:O	2.27	0.58
1:C:68:LEU:O	13:C:601:HOH:O	2.18	0.56
2:B:202:ARG:NH2	2:B:206:GLU:OE2	2.39	0.56
1:A:177:GLN:NE2	13:A:610:HOH:O	2.39	0.55
2:D:202:ARG:NH2	2:D:206:GLU:OE2	2.39	0.55
2:D:126:ASP:OD1	2:D:126:ASP:N	2.40	0.54
2:B:233:ASP:OD2	2:B:302:LYS:NZ	2.26	0.53
1:A:90[B]:ARG:NH1	13:A:606:HOH:O	2.41	0.53
4:F:37:GLN:HB2	4:F:47:LEU:HD11	1.90	0.53
2:D:306:LEU:HB3	2:D:328:THR:HG22	1.90	0.52
13:A:609:HOH:O	5:M:1:ARG:NH2	2.43	0.51
3:H:213:ASP:OD1	3:H:213:ASP:N	2.41	0.51
1:A:262:TRP:HB3	2:B:317:LEU:HD13	1.94	0.50
4:L:37:GLN:HB2	4:L:47:LEU:HD11	1.93	0.50
2:D:123[B]:SER:OG	2:D:251:ASP:OD2	2.26	0.50
2:D:303:ASN:HA	9:D:2005:GOL:H12	1.93	0.49
1:C:9:THR:HB	1:C:447:VAL:HB	1.94	0.49
3:E:98:ARG:HG3	3:E:108:TYR:HB2	1.95	0.49
2:B:456:GLU:OE2	2:B:461:ARG:NH1	2.45	0.49
4:L:4:MET:HE3	4:L:23:CYS:SG	2.53	0.48
2:D:249:THR:HG22	2:D:309:ALA:HB3	1.94	0.48
2:D:117:LEU:HD11	2:D:225:ALA:HB1	1.96	0.48
2:B:14:GLN:HB2	2:B:438:GLN:HE22	1.77	0.48
1:A:105:VAL:HG22	1:A:132:LEU:HG	1.96	0.48
2:D:449:ASN:HB2	2:D:452:ASN:HB2	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:317:ARG:HB2	1:C:321:LYS:HB2	1.96	0.48
3:H:177:GLN:N	3:H:180:LEU:O	2.39	0.48
4:F:149:LYS:HB2	4:F:193:THR:HB	1.96	0.47
1:C:294:ALA:HB3	1:C:307:LEU:HB2	1.96	0.47
2:B:117:LEU:HD11	2:B:225:ALA:HB1	1.97	0.47
2:B:333:LEU:HD11	2:B:337:SER:HA	1.96	0.47
1:C:83:THR:HB	1:C:116:LEU:HB2	1.97	0.47
2:B:10:VAL:HG21	2:B:16:CYS:HB2	1.96	0.47
2:B:125:LYS:HA	2:B:212:VAL:HG11	1.96	0.47
2:D:218:ALA:HB2	5:N:2:GLY:HA2	1.95	0.47
3:H:19:LYS:HE2	3:H:80:TYR:CD2	2.50	0.47
2:B:63:VAL:HA	2:B:88:ILE:HG22	1.97	0.46
2:B:178[B]:TYR:CG	2:B:179:ASP:N	2.82	0.46
3:H:194:TRP:CG	3:H:195:PRO:HA	2.49	0.46
1:C:413:THR:O	13:C:602:HOH:O	2.20	0.45
2:D:139:ALA:HB2	2:D:200:VAL:HG11	1.98	0.45
2:D:249:THR:HA	2:D:309:ALA:O	2.15	0.45
1:A:335:ARG:NE	13:A:623:HOH:O	2.47	0.45
2:B:114:ILE:HB	2:B:151:ILE:HG22	1.99	0.45
2:B:159:LYS:HE2	2:B:289:TYR:CE1	2.52	0.45
2:D:136:THR:OG1	2:D:204:ASN:ND2	2.47	0.45
1:C:278[A]:HIS:CD2	1:C:339:ALA:HB1	2.52	0.44
2:D:456:GLU:OE2	2:D:461:ARG:NH1	2.51	0.44
1:A:394:GLY:HA2	1:A:399:LEU:HD23	1.99	0.44
3:E:125:PRO:HB3	3:E:151:TYR:HB3	2.00	0.44
2:B:164:TYR:O	2:B:215:ASN:HB2	2.18	0.44
2:B:178[B]:TYR:CZ	2:B:179:ASP:HB3	2.52	0.44
3:H:67:LYS:HE2	3:H:84:SER:O	2.17	0.43
1:C:107:CYS:HA	1:C:130:CYS:HA	2.00	0.43
3:E:18:VAL:HG23	3:E:86:LEU:HD11	2.01	0.43
1:C:61:GLU:H	1:C:61:GLU:CD	2.27	0.43
1:C:377:ALA:HB2	1:C:421:LEU:HD11	2.00	0.43
1:C:390:LEU:HD23	1:C:403:PRO:HG3	2.00	0.43
2:D:310:VAL:HG11	2:D:318:TYR:CD1	2.52	0.43
1:C:303:ARG:CZ	1:C:335:ARG:HG2	2.49	0.42
2:D:418:PRO:HB2	2:D:421:PHE:CD1	2.53	0.42
1:A:401:SER:H	9:A:506:GOL:H2	1.83	0.42
3:H:51:ILE:O	3:H:53:PRO:HD3	2.19	0.42
2:B:311:THR:HA	2:B:333:LEU:O	2.19	0.42
2:B:139:ALA:HB2	2:B:200:VAL:HG11	2.01	0.41
1:C:215:HIS:CE1	3:E:32:THR:HG22	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:67:LYS:HE2	3:E:67:LYS:HB2	1.90	0.41
4:L:167:ASP:HB3	4:L:170:ASP:OD1	2.20	0.41
1:A:258:PRO:HA	1:A:289:PHE:O	2.20	0.41
1:C:280:LEU:HD11	1:C:306:LEU:HD23	2.01	0.41
2:D:22:MET:HE2	2:D:22:MET:HB3	1.83	0.41
4:L:13:VAL:HG11	4:L:19:VAL:HG11	2.02	0.41
1:A:3:LEU:O	1:A:5:PRO:HD3	2.21	0.41
1:C:355:ARG:NH1	13:C:606:HOH:O	2.37	0.41
4:F:201:SER:OG	4:F:203:SER:O	2.38	0.41
3:H:12:VAL:HG21	3:H:86:LEU:HD13	2.03	0.41
2:D:417:LYS:HG3	2:D:424:SER:HB3	2.02	0.41
2:D:120:LEU:HA	2:D:120:LEU:HD23	1.77	0.41
3:E:102:ASP:HB3	3:E:105:ALA:HB2	2.03	0.40
1:A:83:THR:HB	1:A:116:LEU:HB2	2.02	0.40
1:A:227:ASN:HD22	9:A:510:GOL:H31	1.87	0.40
5:N:1:ARG:NH2	13:N:102:HOH:O	2.54	0.40
1:A:40:PRO:HA	1:A:93:LEU:O	2.22	0.40
1:A:2:ASN:HA	9:A:511:GOL:H32	2.03	0.40
1:C:432:TYR:CZ	1:C:452:PRO:HA	2.56	0.40
2:B:311:THR:O	2:B:315:VAL:HG23	2.21	0.40
4:F:4:MET:HE3	4:F:23:CYS:SG	2.61	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
13:A:831:HOH:O	13:C:814:HOH:O[1_554]	2.10	0.10

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	459/455 (101%)	444 (97%)	14 (3%)	1 (0%)	43	56
1	C	454/455 (100%)	439 (97%)	14 (3%)	1 (0%)	43	56
2	B	467/471 (99%)	447 (96%)	18 (4%)	2 (0%)	30	39
2	D	469/471 (100%)	451 (96%)	18 (4%)	0	100	100
3	E	212/216 (98%)	201 (95%)	9 (4%)	2 (1%)	14	20
3	H	212/216 (98%)	203 (96%)	9 (4%)	0	100	100
4	F	212/214 (99%)	204 (96%)	8 (4%)	0	100	100
4	L	212/214 (99%)	206 (97%)	6 (3%)	0	100	100
5	M	2/5 (40%)	2 (100%)	0	0	100	100
5	N	2/5 (40%)	2 (100%)	0	0	100	100
All	All	2701/2722 (99%)	2599 (96%)	96 (4%)	6 (0%)	43	56

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	E	133	VAL
2	B	33	LEU
2	B	375	LEU
1	A	123	GLU
1	C	123	GLU
3	E	150	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	369/363 (102%)	361 (98%)	8 (2%)	45	64
1	C	364/363 (100%)	355 (98%)	9 (2%)	42	60
2	B	416/416 (100%)	411 (99%)	5 (1%)	63	78
2	D	417/416 (100%)	412 (99%)	5 (1%)	63	78
3	E	187/187 (100%)	187 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	H	187/187 (100%)	185 (99%)	2 (1%)	65	79
4	F	188/188 (100%)	187 (100%)	1 (0%)	81	88
4	L	188/188 (100%)	187 (100%)	1 (0%)	81	88
5	M	3/3 (100%)	3 (100%)	0	100	100
5	N	3/3 (100%)	2 (67%)	1 (33%)	0	0
All	All	2322/2314 (100%)	2290 (99%)	32 (1%)	61	75

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	LEU
1	A	166	TYR
1	A	195	LEU
1	A	270	LEU
1	A	280	LEU
1	A	288	TYR
1	A	344	SER
1	A	395	GLN
2	B	54	ILE
2	B	215	ASN
2	B	262	LEU
2	B	374	CYS
2	B	417	LYS
1	C	15	ASN
1	C	23	LEU
1	C	36	VAL
1	C	61	GLU
1	C	166	TYR
1	C	195	LEU
1	C	197	GLN
1	C	270	LEU
1	C	288	TYR
2	D	123[A]	SER
2	D	123[B]	SER
2	D	215	ASN
2	D	303	ASN
2	D	365	GLU
4	F	214	CYS
3	H	67	LYS
3	H	133	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	L	207	LYS
5	N	1	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	291	HIS
2	B	79	GLN
2	B	305	ASN
2	B	376	ASN
2	B	428	GLN
2	B	438	GLN
2	B	444	ASN
1	C	64	GLN
1	C	197	GLN
1	C	372	ASN
1	C	395	GLN
2	D	82	GLN
2	D	204	ASN
2	D	438	GLN
2	D	450	ASN
3	E	170	HIS
4	F	37	GLN
4	F	190	ASN
3	H	39	GLN
4	L	38	GLN
4	L	53	ASN
4	L	190	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	DPN	M	4	5	10,11,12	0.62	0	8,13,15	0.65	0
5	DPN	N	4	5	10,11,12	0.82	0	8,13,15	0.77	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	DPN	M	4	5	-	1/5/6/8	0/1/1/1
5	DPN	N	4	5	-	1/5/6/8	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	M	4	DPN	O-C-CA-CB
5	N	4	DPN	C-CA-CB-CG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates

12 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	G	1	6,2	14,14,15	0.30	0	17,19,21	0.68	1 (5%)
6	NAG	G	2	6	14,14,15	0.19	0	17,19,21	0.52	0
6	MAN	G	3	6	11,11,12	0.78	0	15,15,17	1.01	2 (13%)
6	MAN	G	4	6	11,11,12	0.67	0	15,15,17	1.11	2 (13%)
7	NAG	I	1	7,2	14,14,15	0.32	0	17,19,21	0.36	0
7	NAG	I	2	7	14,14,15	0.21	0	17,19,21	0.36	0
6	NAG	J	1	6,2	14,14,15	0.44	0	17,19,21	0.49	0
6	NAG	J	2	6	14,14,15	0.25	0	17,19,21	0.54	0
6	MAN	J	3	6	11,11,12	0.88	0	15,15,17	0.85	1 (6%)
6	MAN	J	4	6	11,11,12	0.87	0	15,15,17	0.92	1 (6%)
7	NAG	K	1	7,2	14,14,15	0.37	0	17,19,21	0.42	0
7	NAG	K	2	7	14,14,15	0.26	0	17,19,21	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	G	1	6,2	-	1/6/23/26	0/1/1/1
6	NAG	G	2	6	-	0/6/23/26	0/1/1/1
6	MAN	G	3	6	-	0/2/19/22	1/1/1/1
6	MAN	G	4	6	-	0/2/19/22	0/1/1/1
7	NAG	I	1	7,2	-	0/6/23/26	0/1/1/1
7	NAG	I	2	7	-	1/6/23/26	0/1/1/1
6	NAG	J	1	6,2	-	0/6/23/26	0/1/1/1
6	NAG	J	2	6	-	0/6/23/26	0/1/1/1
6	MAN	J	3	6	-	2/2/19/22	1/1/1/1
6	MAN	J	4	6	-	0/2/19/22	0/1/1/1
7	NAG	K	1	7,2	-	0/6/23/26	0/1/1/1
7	NAG	K	2	7	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	G	4	MAN	C1-O5-C5	3.12	116.36	112.19
6	G	3	MAN	C1-O5-C5	2.76	115.88	112.19
6	G	4	MAN	O2-C2-C3	-2.26	105.46	110.15
6	G	3	MAN	O2-C2-C3	-2.24	105.52	110.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	G	1	NAG	C1-O5-C5	2.14	115.05	112.19
6	J	4	MAN	O2-C2-C3	-2.08	105.85	110.15
6	J	3	MAN	C1-O5-C5	2.03	114.90	112.19

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	J	3	MAN	O5-C5-C6-O6
6	J	3	MAN	C4-C5-C6-O6
7	I	2	NAG	O5-C5-C6-O6
6	G	1	NAG	C1-C2-N2-C7


All (2) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	G	3	MAN	C1-C2-C3-C4-C5-O5
6	J	3	MAN	C1-C2-C3-C4-C5-O5


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

Of 35 ligands modelled in this entry, 14 are monoatomic - leaving 21 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	GOL	L	301	-	5,5,5	0.92	0	5,5,5	1.07	0
10	SO4	C	508	-	4,4,4	0.24	0	6,6,6	0.08	0
9	GOL	A	510	-	5,5,5	0.89	0	5,5,5	1.10	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	SO4	C	507	-	4,4,4	0.24	0	6,6,6	0.07	0
9	GOL	A	506	-	5,5,5	0.97	0	5,5,5	1.07	0
12	NAG	D	2004	2	14,14,15	0.41	0	17,19,21	0.51	0
9	GOL	A	505	-	5,5,5	0.88	0	5,5,5	1.09	0
9	GOL	A	508	-	5,5,5	0.92	0	5,5,5	1.05	0
9	GOL	D	2005	-	5,5,5	1.00	0	5,5,5	0.94	0
10	SO4	A	512	-	4,4,4	0.24	0	6,6,6	0.07	0
9	GOL	C	506	-	5,5,5	0.91	0	5,5,5	1.09	0
9	GOL	A	507	-	5,5,5	0.89	0	5,5,5	1.14	1 (20%)
10	SO4	A	515	-	4,4,4	0.24	0	6,6,6	0.07	0
10	SO4	A	514	-	4,4,4	0.23	0	6,6,6	0.09	0
10	SO4	B	2005	-	4,4,4	0.23	0	6,6,6	0.08	0
10	SO4	A	513	-	4,4,4	0.24	0	6,6,6	0.07	0
9	GOL	A	511	-	5,5,5	0.94	0	5,5,5	1.05	0
10	SO4	L	302	-	4,4,4	0.24	0	6,6,6	0.09	0
9	GOL	A	509	-	5,5,5	0.92	0	5,5,5	1.12	0
9	GOL	C	505	-	5,5,5	0.94	0	5,5,5	1.04	0
12	NAG	B	2004	2	14,14,15	0.39	0	17,19,21	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	GOL	D	2005	-	-	2/4/4/4	-
9	GOL	A	511	-	-	2/4/4/4	-
9	GOL	L	301	-	-	2/4/4/4	-
9	GOL	C	506	-	-	2/4/4/4	-
9	GOL	A	510	-	-	2/4/4/4	-
9	GOL	A	509	-	-	2/4/4/4	-
9	GOL	C	505	-	-	3/4/4/4	-
9	GOL	A	507	-	-	3/4/4/4	-
9	GOL	A	506	-	-	0/4/4/4	-
12	NAG	B	2004	2	-	0/6/23/26	0/1/1/1
12	NAG	D	2004	2	-	0/6/23/26	0/1/1/1
9	GOL	A	505	-	-	2/4/4/4	-
9	GOL	A	508	-	-	0/4/4/4	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	A	507	GOL	C3-C2-C1	-2.08	104.18	111.80

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	A	505	GOL	O1-C1-C2-O2
9	A	505	GOL	O1-C1-C2-C3
9	A	507	GOL	O1-C1-C2-C3
9	A	509	GOL	O1-C1-C2-C3
9	A	510	GOL	O1-C1-C2-C3
9	C	506	GOL	O1-C1-C2-C3
9	D	2005	GOL	O1-C1-C2-C3
9	L	301	GOL	O1-C1-C2-O2
9	L	301	GOL	O1-C1-C2-C3
9	A	511	GOL	O1-C1-C2-C3
9	C	505	GOL	O1-C1-C2-C3
9	A	507	GOL	O1-C1-C2-O2
9	A	509	GOL	O1-C1-C2-O2
9	A	510	GOL	O1-C1-C2-O2
9	C	505	GOL	O1-C1-C2-O2
9	C	506	GOL	O1-C1-C2-O2
9	D	2005	GOL	O1-C1-C2-O2
9	C	505	GOL	C1-C2-C3-O3
9	A	511	GOL	O1-C1-C2-O2
9	A	507	GOL	O2-C2-C3-O3

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	A	510	GOL	1	0
9	A	506	GOL	2	0
9	D	2005	GOL	1	0
9	A	511	GOL	1	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

The following chains have linkage breaks:

Mol	Chain	Number of breaks
3	E	1
3	H	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	E	134:CYS	C	138:THR	N	8.32
1	H	134:CYS	C	138:THR	N	6.44

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	455/455 (100%)	-0.50	3 (0%) 84 86	14, 27, 50, 110	6 (1%)
1	C	453/455 (99%)	-0.13	3 (0%) 84 86	21, 42, 70, 111	3 (0%)
2	B	464/471 (98%)	0.43	41 (8%) 15 15	18, 57, 133, 175	7 (1%)
2	D	469/471 (99%)	0.27	19 (4%) 41 42	23, 52, 107, 139	4 (0%)
3	E	216/216 (100%)	1.55	64 (29%) 1 1	50, 105, 166, 186	0
3	H	216/216 (100%)	0.59	8 (3%) 45 46	31, 77, 128, 146	0
4	F	214/214 (100%)	1.19	37 (17%) 4 3	53, 100, 163, 226	0
4	L	214/214 (100%)	0.30	5 (2%) 61 62	36, 64, 90, 143	0
5	M	4/5 (80%)	1.50	1 (25%) 2 1	48, 49, 57, 79	0
5	N	4/5 (80%)	4.00	4 (100%) 0 0	90, 95, 97, 104	0
All	All	2709/2722 (99%)	0.31	185 (6%) 23 22	14, 53, 135, 226	20 (0%)

All (185) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
5	N	5	VAL	5.2
3	E	165	LEU	5.2
3	E	199	ILE	4.9
2	B	33	LEU	4.9
5	N	3	ASP	4.9
4	F	126	THR	4.5
3	E	144	LEU	4.2
3	E	160	TRP	4.2
3	E	168	GLY	4.0
3	E	216	ILE	4.0
3	E	138	THR	4.0
3	E	164	SER	4.0
4	F	205	ILE	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	74	SER	3.9
3	E	166	SER	3.9
3	E	127	VAL	3.8
3	E	131	ALA	3.8
3	E	194	TRP	3.8
2	D	471	CYS	3.7
4	F	115	VAL	3.7
3	E	130	LEU	3.7
2	B	36	PRO	3.7
5	M	5	VAL	3.6
3	E	196	SER	3.6
3	E	134	CYS	3.6
2	D	469	SER	3.6
3	E	177	GLN	3.6
3	H	177	GLN	3.6
2	B	466	TRP	3.5
4	L	212	ASN	3.5
2	D	181	LYS	3.5
5	N	1	ARG	3.5
4	F	160	LEU	3.5
2	B	4	ILE	3.5
1	A	45	PRO	3.5
3	E	128	TYR	3.4
2	B	129	TRP	3.4
2	B	75	GLY	3.4
3	E	176	LEU	3.4
3	E	183	LEU	3.4
3	E	192	SER	3.4
3	E	212	VAL	3.3
3	E	219	ARG	3.3
3	E	169	VAL	3.3
3	E	129	PRO	3.3
3	E	203	VAL	3.3
3	E	198	SER	3.2
3	E	195	PRO	3.2
3	E	188	THR	3.2
3	E	167	SER	3.2
3	E	132	PRO	3.2
3	E	142	VAL	3.2
2	B	375	LEU	3.2
4	F	181	LEU	3.1
3	E	157	THR	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	E	190	THR	3.1
3	E	145	GLY	3.1
4	F	135	PHE	3.1
4	F	117	ILE	3.1
4	F	125	LEU	3.1
4	F	214	CYS	3.0
3	E	158	LEU	3.0
2	B	77	SER	3.0
4	F	182	THR	3.0
3	E	201	CYS	3.0
2	B	52	GLU	3.0
3	E	182	THR	3.0
4	F	130	ALA	3.0
2	B	10	VAL	2.9
4	F	196	ALA	2.9
4	F	119	PRO	2.9
3	E	11	LEU	2.9
3	E	156	VAL	2.9
2	B	461	ARG	2.9
2	B	9	GLY	2.9
3	H	168	GLY	2.9
3	E	147	LEU	2.8
2	B	11	SER	2.8
3	E	189	VAL	2.8
4	F	136	LEU	2.8
4	F	116	SER	2.8
3	E	133	VAL	2.8
4	F	159	VAL	2.8
2	D	178	TYR	2.7
2	D	77	SER	2.7
3	E	187	VAL	2.7
2	D	468	GLY	2.7
3	E	153	PRO	2.7
2	B	462	CYS	2.6
2	D	375	LEU	2.6
2	D	8	ARG	2.6
2	D	9	GLY	2.6
2	D	34	GLY	2.6
3	E	217	GLU	2.6
3	E	161	ASN	2.6
3	E	200	THR	2.6
2	B	434	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	206	VAL	2.5
3	E	207	ALA	2.5
3	E	18	VAL	2.5
2	B	433	CYS	2.5
4	L	145	ASN	2.5
2	D	30	ALA	2.5
2	D	4	ILE	2.5
2	D	129[A]	TRP	2.5
1	C	320	ARG	2.5
2	B	404	ARG	2.5
3	E	204	ALA	2.5
2	B	27	SER	2.5
1	C	453	VAL	2.4
3	H	214	LYS	2.4
5	N	2	GLY	2.4
4	F	155	ARG	2.4
2	B	30	ALA	2.4
4	F	131	SER	2.4
3	E	163	GLY	2.4
2	B	383	LEU	2.4
2	B	439	ALA	2.4
3	E	141	SER	2.4
2	B	458	GLY	2.4
2	B	22	MET	2.4
4	F	118	PHE	2.4
3	E	218	PRO	2.3
3	E	119	SER	2.3
3	H	167	SER	2.3
2	B	40	LEU	2.3
2	D	467	LEU	2.3
4	F	134	CYS	2.3
2	B	19	VAL	2.3
4	F	180	THR	2.3
4	F	177	SER	2.3
2	B	440	GLN	2.3
2	B	63	VAL	2.3
2	B	67	ARG	2.3
2	D	404	ARG	2.3
4	F	153	SER	2.3
4	L	168	SER	2.3
4	F	120	PRO	2.3
2	B	78	SER	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	F	157	ASN	2.2
3	E	75	SER	2.2
4	F	145	ASN	2.2
4	F	186	TYR	2.2
2	B	465	GLY	2.2
3	E	121	LYS	2.2
1	A	455	LYS	2.2
2	B	438	GLN	2.2
3	E	13	LYS	2.2
3	E	143	THR	2.2
2	B	31	LEU	2.2
2	B	446	HIS	2.2
2	B	451	GLY	2.2
3	H	134	CYS	2.2
4	F	15	LEU	2.2
4	L	214	CYS	2.2
4	F	122	SER	2.2
4	F	201	SER	2.2
2	D	51	PRO	2.2
3	E	175	VAL	2.1
3	E	120	ALA	2.1
4	F	179	LEU	2.1
2	B	76	ASP	2.1
3	E	211	LYS	2.1
2	D	466	TRP	2.1
2	B	38	CYS	2.1
3	E	140	SER	2.1
2	B	46	LYS	2.1
1	C	336	GLY	2.1
4	F	128	GLY	2.1
4	F	204	PRO	2.1
1	A	47	GLN	2.1
3	E	171	THR	2.1
3	H	138	THR	2.1
4	L	184	ASP	2.1
2	B	181	LYS	2.0
3	H	178	SER	2.0
3	H	196	SER	2.0
2	B	58	VAL	2.0
2	D	143	ARG	2.0
4	F	112	ALA	2.0
2	B	34	GLY	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	377	ASN	2.0
4	F	202	THR	2.0
4	F	143	ASP	2.0
3	E	181	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	DPN	N	4	11/12	0.67	0.31	105,108,112,112	0
5	DPN	M	4	11/12	0.82	0.17	61,65,71,77	0

6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	NAG	G	1	14/15	-	-	25,38,41,57	0
6	NAG	G	2	14/15	-	-	65,71,94,99	0
6	MAN	G	3	11/12	-	-	96,103,108,109	0
6	MAN	G	4	11/12	-	-	109,111,113,114	0
6	NAG	J	1	14/15	-	-	28,46,56,70	0
6	NAG	J	2	14/15	-	-	76,82,93,98	0
6	MAN	J	3	11/12	-	-	103,113,124,125	0
6	MAN	J	4	11/12	-	-	124,128,131,132	0
7	NAG	I	1	14/15	-	-	74,84,93,99	0
7	NAG	I	2	14/15	-	-	106,112,115,118	0
7	NAG	K	2	14/15	0.80	0.14	111,116,122,124	0
7	NAG	K	1	14/15	0.93	0.07	67,80,94,104	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain G:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain J:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain K:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
9	GOL	C	506	6/6	0.53	0.20	99,100,104,107	0
12	NAG	B	2004	14/15	0.60	0.17	80,92,102,104	0
12	NAG	D	2004	14/15	0.71	0.16	73,82,87,88	0
9	GOL	C	505	6/6	0.75	0.20	73,79,84,85	0
10	SO4	B	2005	5/5	0.80	0.23	149,150,151,151	0
10	SO4	C	507	5/5	0.80	0.13	117,121,122,125	0
10	SO4	C	508	5/5	0.81	0.16	115,117,117,122	0
11	MN	B	2002	1/1	0.82	0.15	159,159,159,159	0
10	SO4	L	302	5/5	0.83	0.15	115,115,115,118	0
9	GOL	L	301	6/6	0.84	0.18	111,112,113,113	0
10	SO4	A	512	5/5	0.85	0.23	133,135,136,138	0
11	MN	D	2002	1/1	0.87	0.17	94,94,94,94	0
9	GOL	A	506	6/6	0.88	0.14	52,56,65,69	0
9	GOL	A	510	6/6	0.89	0.14	44,63,70,75	0
9	GOL	D	2005	6/6	0.89	0.20	78,90,97,99	0
9	GOL	A	511	6/6	0.90	0.18	70,73,76,82	0
9	GOL	A	508	6/6	0.90	0.19	41,51,60,64	0
10	SO4	A	513	5/5	0.90	0.14	90,101,105,108	0
11	MN	D	2001	1/1	0.90	0.08	46,46,46,46	0
10	SO4	A	515	5/5	0.90	0.22	172,172,174,174	0
9	GOL	A	509	6/6	0.90	0.16	57,73,76,77	0
9	GOL	A	507	6/6	0.90	0.15	45,54,79,86	0
10	SO4	A	514	5/5	0.91	0.13	104,105,106,106	0
8	CA	A	501	1/1	0.92	0.08	32,32,32,32	0
11	MN	B	2001	1/1	0.93	0.28	87,87,87,87	0
8	CA	A	502	1/1	0.94	0.04	26,26,26,26	0
8	CA	C	502	1/1	0.95	0.07	46,46,46,46	0
8	CA	C	504	1/1	0.95	0.05	48,48,48,48	0
9	GOL	A	505	6/6	0.95	0.09	29,34,49,60	0
8	CA	C	501	1/1	0.96	0.06	63,63,63,63	0
11	MN	D	2003	1/1	0.96	0.06	43,43,43,43	0
8	CA	C	503	1/1	0.98	0.03	40,40,40,40	0
8	CA	A	504	1/1	0.98	0.05	20,20,20,20	0
11	MN	B	2003	1/1	0.99	0.07	26,26,26,26	0
8	CA	A	503	1/1	0.99	0.02	22,22,22,22	0

6.5 Other polymers [i](#)

There are no such residues in this entry.