



wwPDB EM Validation Summary Report ⓘ

Mar 29, 2026 – 01:55 PM UTC

PDB ID : 8U63 / pdb_00008u63
EMDB ID : EMD-41942
Title : Cryo-EM structure of PsBphP in Pfr state, Dimer of Dimers PSM only
Authors : Basore, K.; Burgie, E.S.; Vierstra, D.
Deposited on : 2023-09-13
Resolution : 3.01 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	13882 (2.51 - 3.51)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	746	
1	B	746	

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 7758 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called histidine kinase.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	492	Total	C	N	O	S	0	0
			3836	2414	671	728	23		
1	B	492	Total	C	N	O	S	0	0
			3836	2414	671	728	23		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	expression tag	UNP Q885D3
B	0	GLY	-	expression tag	UNP Q885D3

- Molecule 2 is 3-[2-[(Z)-[3-(2-carboxyethyl)-5-[(Z)-(4-ethenyl-3-methyl-5-oxidanylidene-pyrro- l-2-ylidene)methyl]-4-methyl-pyrrol-1-ium -2-ylidene]methyl]-5-[(Z)-[(3E)-3-ethylidene-4-methyl-5-oxidanylidene-pyrrolidin-2-ylidene]methyl]-4-methyl-1H-pyrrol-3-yl]propanoic acid (CCD ID: LBV) (formula: C₃₃H₃₇N₄O₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
2	A	1	Total 43	C 33	N 4	O 6	0
2	B	1	Total 43	C 33	N 4	O 6	0



PHE	ARG	THR	VAL	THR	SER	THR	P469	L349	F194	GLY	GLY	E101	F102	GLY	MET
ARG	ASP	ARG	ASP	ARG	ARG	THR	S472	L355	F199	ARG	ARG	F199	F102	ARG	S2
PHE	ASP	THR	LYS	ILE	ILE	THR	M480	L356	P200	THR	THR	E111	F102	THR	Q3
VAL	GLY	THR	SER	SER	SER	THR	H489	M357	I204	THR	THR	E111	F102	THR	L4
ILE	GLY	THR	ILE	GLU	GLU	THR	H489	D358	I204	THR	THR	A112	F102	THR	D5
ALA	ILE	THR	ILE	GLU	GLU	THR	A494	T363	R209	THR	THR	L113	F102	THR	K6
PRO	PRO	ASP	PHE	ASP	ASP	THR	A494	T363	E210	THR	THR	E116	F102	THR	D7
GLU	GLU	ASP	ASN	THR	THR	THR	N505	I367	L211	THR	THR	L117	F102	THR	
GLN	GLN	MET	ALA	MET	MET	THR	D506	I367	R214	THR	THR	L117	F102	THR	A16
ALA	ALA	GLU	GLU	GLN	GLN	THR	D506	I368	R214	THR	THR	K122	F102	THR	C17
GLU	GLU	GLN	GLU	GLN	GLN	THR	D506	E369	R214	THR	THR	K122	F102	THR	D13
PRO	PRO	PRO	PRO	GLN	GLN	THR	D506	R370	L217	THR	THR	A123	F102	THR	Q22
HIS	HIS	ASP	ASP	ALA	ALA	THR	D506	R371	R218	THR	THR	A123	F102	THR	
ILE	ILE	ALA	ALA	ALA	ALA	THR	D506	V511	I219	THR	THR	A124	F102	THR	
PHE	PHE	SER	LYS	SER	SER	THR	S512	N378	I220	THR	THR	Q125	F102	THR	
GLU	GLU	VAL	VAL	ARG	ARG	THR	S512	N378	I220	THR	THR	Q125	F102	THR	T35
ARG	ARG	ASN	ASN	MET	MET	THR	S512	R386	P221	THR	THR	ALA	F102	THR	L36
TYR	TYR	ALA	ALA	ASN	ASN	THR	S512	R386	P221	THR	THR	ALA	F102	THR	L36
TRP	TRP	VAL	VAL	VAL	VAL	THR	S512	H389	S245	THR	THR	ILE	F102	THR	K37
THR	THR	PRO	PRO	VAL	VAL	THR	S512	H389	S245	THR	THR	ILE	F102	THR	E38
VAL	VAL	GLU	GLU	LEU	LEU	THR	S512	H389	S245	THR	THR	ILE	F102	THR	P39
LYS	LYS	ARG	ARG	LEU	LEU	THR	S512	M392	L249	THR	THR	E131	F102	THR	T42
GLY	GLY	LEU	LEU	LEU	LEU	THR	S512	M392	L249	THR	THR	E131	F102	THR	
GLY	GLY	LEU	LEU	LEU	LEU	THR	S512	M393	M269	THR	THR	R132	F102	THR	Q45
ASN	ASN	PHE	PHE	ASP	ASP	THR	S512	M393	M269	THR	THR	R132	F102	THR	V46
PRO	PRO	ASN	ASN	GLN	GLN	THR	S512	Y400	W280	THR	THR	T133	F102	THR	V50
THR	THR	VAL	VAL	GLU	GLU	THR	S512	Y400	W280	THR	THR	T133	F102	THR	V50
GLY	GLY	LEU	LEU	LEU	LEU	THR	S512	Y409	G281	THR	THR	G134	F102	THR	V53
THR	THR	LEU	LEU	LEU	LEU	THR	S512	Y409	G281	THR	THR	G134	F102	THR	L54
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P410	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P410	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR	E150	F102	THR	
THR	THR	LEU	LEU	LEU	LEU	THR	S512	P411	R288	THR	THR				

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	805196	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	51.78	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	96000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	1.775	Depositor
Minimum map value	-0.002	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.014	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	328.5, 328.5, 328.5	wwPDB
Map dimensions	500, 500, 500	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.657, 0.657, 0.657	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: LBV

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.13	0/3912	0.29	0/5313
1	B	0.13	0/3912	0.29	0/5313
All	All	0.13	0/7824	0.29	0/10626

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3836	0	3805	71	0
1	B	3836	0	3805	71	0
2	A	43	0	33	2	0
2	B	43	0	33	2	0
All	All	7758	0	7676	139	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 139 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:400:TYR:H	1:A:424:ALA:HB3	1.42	0.84
1:B:400:TYR:H	1:B:424:ALA:HB3	1.42	0.83
1:A:392:MET:HE1	1:A:436:ILE:HG23	1.72	0.71
1:B:392:MET:HE1	1:B:436:ILE:HG23	1.72	0.71
1:A:293:VAL:HG13	1:A:297:LEU:HB3	1.77	0.67

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	486/746 (65%)	472 (97%)	14 (3%)	0	100	100
1	B	486/746 (65%)	473 (97%)	13 (3%)	0	100	100
All	All	972/1492 (65%)	945 (97%)	27 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	420/633 (66%)	418 (100%)	2 (0%)	81	88
1	B	420/633 (66%)	418 (100%)	2 (0%)	81	88
All	All	840/1266 (66%)	836 (100%)	4 (0%)	78	88

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	433	ASN
1	A	489	HIS
1	B	433	ASN
1	B	489	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 9 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	323	GLN
1	B	433	ASN
1	A	416	GLN
1	A	433	ASN
1	B	144	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	LBV	A	900	1	46,46,46	1.11	2 (4%)	58,67,67	0.90	1 (1%)
2	LBV	B	900	1	46,46,46	1.10	2 (4%)	58,67,67	0.90	1 (1%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LBV	A	900	1	-	13/26/74/74	0/4/4/4
2	LBV	B	900	1	-	13/26/74/74	0/4/4/4

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	900	LBV	C1C-C2C	-3.66	1.40	1.45
2	A	900	LBV	C1C-C2C	-3.65	1.40	1.45
2	A	900	LBV	C4C-C3C	-2.60	1.40	1.45
2	B	900	LBV	C4C-C3C	-2.60	1.40	1.45

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	900	LBV	CMC-C3C-C4C	2.15	128.45	125.10
2	A	900	LBV	CMC-C3C-C4C	2.13	128.41	125.10

There are no chirality outliers.

5 of 26 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	900	LBV	C2D-C1D-CHD-C4C
2	A	900	LBV	N_D-C1D-CHD-C4C
2	A	900	LBV	C2A-C3A-CAA-CBA
2	A	900	LBV	C4A-C3A-CAA-CBA
2	A	900	LBV	N_C-C4C-CHD-C1D


There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	900	LBV	2	0
2	B	900	LBV	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-41942. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 250




Y Index: 250




Z Index: 250


6.2.2 Raw map



X Index: 250



Y Index: 250



Z Index: 250


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 225




Y Index: 250




Z Index: 312


6.3.2 Raw map



X Index: 225



Y Index: 250




Z Index: 312


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 39 nm³; this corresponds to an approximate mass of 35 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of $0.332 \text{ \AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.332 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.01	-	-
Author-provided FSC curve	3.01	3.55	3.04
Unmasked-calculated*	3.63	4.12	3.70

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.63 differs from the reported value 3.01 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-41942 and PDB model 8U63. Per-residue inclusion information can be found in section [3](#) on page [5](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).

9.4 Atom inclusion [i](#)



At the recommended contour level, 83% of all backbone atoms, 76% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7570	0.4690
A	0.7580	0.4670
B	0.7560	0.4720

