



wwPDB EM Validation Summary Report ⓘ

Mar 9, 2026 – 03:58 PM UTC

PDB ID : 6U7K / pdb_00006u7k
EMDB ID : EMD-20672
Title : Prefusion structure of PEDV spike
Authors : Wrapp, D.; McLellan, J.S.
Deposited on : 2019-09-03
Resolution : 3.14 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis	:	0.0.1.dev132
Mogul	:	2022.3.0, CSD as543be (2022)
MolProbity	:	4-5-2 with Phenix2.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics	:	202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14483 (2.64 - 3.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1399	5% 71% 24%
1	B	1399	5% 71% 24%
1	C	1399	5% 71% 24%
2	D	6	17% 33% 67%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	I	6	
2	N	6	
3	E	2	
3	F	2	
3	G	2	
3	H	2	
3	J	2	
3	K	2	
3	L	2	
3	M	2	
3	O	2	
3	P	2	
3	Q	2	
3	R	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	D	1	-	X	-	-
2	NAG	N	1	X	-	-	-
3	NAG	E	1	-	-	X	-
3	NAG	F	2	X	-	-	-
3	NAG	G	1	-	X	-	-
3	NAG	K	2	X	-	-	-
3	NAG	L	1	-	X	-	-
3	NAG	P	2	X	-	-	-
3	NAG	Q	1	-	X	X	-
4	NAG	B	1413	X	-	-	-
4	NAG	C	1401	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 25515 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1064	Total	C	N	O	S	0	0
			8139	5189	1320	1594	36		
1	B	1064	Total	C	N	O	S	0	0
			8139	5189	1320	1594	36		
1	C	1064	Total	C	N	O	S	0	0
			8139	5189	1320	1594	36		

There are 240 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1320	GLY	-	expression tag	UNP Q91AV1
A	1321	SER	-	expression tag	UNP Q91AV1
A	1322	GLY	-	expression tag	UNP Q91AV1
A	1323	TYR	-	expression tag	UNP Q91AV1
A	1324	ILE	-	expression tag	UNP Q91AV1
A	1325	PRO	-	expression tag	UNP Q91AV1
A	1326	GLU	-	expression tag	UNP Q91AV1
A	1327	ALA	-	expression tag	UNP Q91AV1
A	1328	PRO	-	expression tag	UNP Q91AV1
A	1329	ARG	-	expression tag	UNP Q91AV1
A	1330	ASP	-	expression tag	UNP Q91AV1
A	1331	GLY	-	expression tag	UNP Q91AV1
A	1332	GLN	-	expression tag	UNP Q91AV1
A	1333	ALA	-	expression tag	UNP Q91AV1
A	1334	TYR	-	expression tag	UNP Q91AV1
A	1335	VAL	-	expression tag	UNP Q91AV1
A	1336	ARG	-	expression tag	UNP Q91AV1
A	1337	LYS	-	expression tag	UNP Q91AV1
A	1338	ASP	-	expression tag	UNP Q91AV1
A	1339	GLY	-	expression tag	UNP Q91AV1
A	1340	GLU	-	expression tag	UNP Q91AV1
A	1341	TRP	-	expression tag	UNP Q91AV1
A	1342	VAL	-	expression tag	UNP Q91AV1
A	1343	LEU	-	expression tag	UNP Q91AV1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1344	LEU	-	expression tag	UNP Q91AV1
A	1345	SER	-	expression tag	UNP Q91AV1
A	1346	THR	-	expression tag	UNP Q91AV1
A	1347	PHE	-	expression tag	UNP Q91AV1
A	1348	LEU	-	expression tag	UNP Q91AV1
A	1349	GLY	-	expression tag	UNP Q91AV1
A	1350	ARG	-	expression tag	UNP Q91AV1
A	1351	SER	-	expression tag	UNP Q91AV1
A	1352	LEU	-	expression tag	UNP Q91AV1
A	1353	GLU	-	expression tag	UNP Q91AV1
A	1354	VAL	-	expression tag	UNP Q91AV1
A	1355	LEU	-	expression tag	UNP Q91AV1
A	1356	PHE	-	expression tag	UNP Q91AV1
A	1357	GLN	-	expression tag	UNP Q91AV1
A	1358	GLY	-	expression tag	UNP Q91AV1
A	1359	PRO	-	expression tag	UNP Q91AV1
A	1360	GLY	-	expression tag	UNP Q91AV1
A	1361	HIS	-	expression tag	UNP Q91AV1
A	1362	HIS	-	expression tag	UNP Q91AV1
A	1363	HIS	-	expression tag	UNP Q91AV1
A	1364	HIS	-	expression tag	UNP Q91AV1
A	1365	HIS	-	expression tag	UNP Q91AV1
A	1366	HIS	-	expression tag	UNP Q91AV1
A	1367	HIS	-	expression tag	UNP Q91AV1
A	1368	HIS	-	expression tag	UNP Q91AV1
A	1369	SER	-	expression tag	UNP Q91AV1
A	1370	ALA	-	expression tag	UNP Q91AV1
A	1371	TRP	-	expression tag	UNP Q91AV1
A	1372	SER	-	expression tag	UNP Q91AV1
A	1373	HIS	-	expression tag	UNP Q91AV1
A	1374	PRO	-	expression tag	UNP Q91AV1
A	1375	GLN	-	expression tag	UNP Q91AV1
A	1376	PHE	-	expression tag	UNP Q91AV1
A	1377	GLU	-	expression tag	UNP Q91AV1
A	1378	LYS	-	expression tag	UNP Q91AV1
A	1379	GLY	-	expression tag	UNP Q91AV1
A	1380	GLY	-	expression tag	UNP Q91AV1
A	1381	GLY	-	expression tag	UNP Q91AV1
A	1382	SER	-	expression tag	UNP Q91AV1
A	1383	GLY	-	expression tag	UNP Q91AV1
A	1384	GLY	-	expression tag	UNP Q91AV1
A	1385	GLY	-	expression tag	UNP Q91AV1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1386	GLY	-	expression tag	UNP Q91AV1
A	1387	SER	-	expression tag	UNP Q91AV1
A	1388	GLY	-	expression tag	UNP Q91AV1
A	1389	GLY	-	expression tag	UNP Q91AV1
A	1390	SER	-	expression tag	UNP Q91AV1
A	1391	ALA	-	expression tag	UNP Q91AV1
A	1392	TRP	-	expression tag	UNP Q91AV1
A	1393	SER	-	expression tag	UNP Q91AV1
A	1394	HIS	-	expression tag	UNP Q91AV1
A	1395	PRO	-	expression tag	UNP Q91AV1
A	1396	GLN	-	expression tag	UNP Q91AV1
A	1397	PHE	-	expression tag	UNP Q91AV1
A	1398	GLU	-	expression tag	UNP Q91AV1
A	1399	LYS	-	expression tag	UNP Q91AV1
B	1320	GLY	-	expression tag	UNP Q91AV1
B	1321	SER	-	expression tag	UNP Q91AV1
B	1322	GLY	-	expression tag	UNP Q91AV1
B	1323	TYR	-	expression tag	UNP Q91AV1
B	1324	ILE	-	expression tag	UNP Q91AV1
B	1325	PRO	-	expression tag	UNP Q91AV1
B	1326	GLU	-	expression tag	UNP Q91AV1
B	1327	ALA	-	expression tag	UNP Q91AV1
B	1328	PRO	-	expression tag	UNP Q91AV1
B	1329	ARG	-	expression tag	UNP Q91AV1
B	1330	ASP	-	expression tag	UNP Q91AV1
B	1331	GLY	-	expression tag	UNP Q91AV1
B	1332	GLN	-	expression tag	UNP Q91AV1
B	1333	ALA	-	expression tag	UNP Q91AV1
B	1334	TYR	-	expression tag	UNP Q91AV1
B	1335	VAL	-	expression tag	UNP Q91AV1
B	1336	ARG	-	expression tag	UNP Q91AV1
B	1337	LYS	-	expression tag	UNP Q91AV1
B	1338	ASP	-	expression tag	UNP Q91AV1
B	1339	GLY	-	expression tag	UNP Q91AV1
B	1340	GLU	-	expression tag	UNP Q91AV1
B	1341	TRP	-	expression tag	UNP Q91AV1
B	1342	VAL	-	expression tag	UNP Q91AV1
B	1343	LEU	-	expression tag	UNP Q91AV1
B	1344	LEU	-	expression tag	UNP Q91AV1
B	1345	SER	-	expression tag	UNP Q91AV1
B	1346	THR	-	expression tag	UNP Q91AV1
B	1347	PHE	-	expression tag	UNP Q91AV1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1348	LEU	-	expression tag	UNP Q91AV1
B	1349	GLY	-	expression tag	UNP Q91AV1
B	1350	ARG	-	expression tag	UNP Q91AV1
B	1351	SER	-	expression tag	UNP Q91AV1
B	1352	LEU	-	expression tag	UNP Q91AV1
B	1353	GLU	-	expression tag	UNP Q91AV1
B	1354	VAL	-	expression tag	UNP Q91AV1
B	1355	LEU	-	expression tag	UNP Q91AV1
B	1356	PHE	-	expression tag	UNP Q91AV1
B	1357	GLN	-	expression tag	UNP Q91AV1
B	1358	GLY	-	expression tag	UNP Q91AV1
B	1359	PRO	-	expression tag	UNP Q91AV1
B	1360	GLY	-	expression tag	UNP Q91AV1
B	1361	HIS	-	expression tag	UNP Q91AV1
B	1362	HIS	-	expression tag	UNP Q91AV1
B	1363	HIS	-	expression tag	UNP Q91AV1
B	1364	HIS	-	expression tag	UNP Q91AV1
B	1365	HIS	-	expression tag	UNP Q91AV1
B	1366	HIS	-	expression tag	UNP Q91AV1
B	1367	HIS	-	expression tag	UNP Q91AV1
B	1368	HIS	-	expression tag	UNP Q91AV1
B	1369	SER	-	expression tag	UNP Q91AV1
B	1370	ALA	-	expression tag	UNP Q91AV1
B	1371	TRP	-	expression tag	UNP Q91AV1
B	1372	SER	-	expression tag	UNP Q91AV1
B	1373	HIS	-	expression tag	UNP Q91AV1
B	1374	PRO	-	expression tag	UNP Q91AV1
B	1375	GLN	-	expression tag	UNP Q91AV1
B	1376	PHE	-	expression tag	UNP Q91AV1
B	1377	GLU	-	expression tag	UNP Q91AV1
B	1378	LYS	-	expression tag	UNP Q91AV1
B	1379	GLY	-	expression tag	UNP Q91AV1
B	1380	GLY	-	expression tag	UNP Q91AV1
B	1381	GLY	-	expression tag	UNP Q91AV1
B	1382	SER	-	expression tag	UNP Q91AV1
B	1383	GLY	-	expression tag	UNP Q91AV1
B	1384	GLY	-	expression tag	UNP Q91AV1
B	1385	GLY	-	expression tag	UNP Q91AV1
B	1386	GLY	-	expression tag	UNP Q91AV1
B	1387	SER	-	expression tag	UNP Q91AV1
B	1388	GLY	-	expression tag	UNP Q91AV1
B	1389	GLY	-	expression tag	UNP Q91AV1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1390	SER	-	expression tag	UNP Q91AV1
B	1391	ALA	-	expression tag	UNP Q91AV1
B	1392	TRP	-	expression tag	UNP Q91AV1
B	1393	SER	-	expression tag	UNP Q91AV1
B	1394	HIS	-	expression tag	UNP Q91AV1
B	1395	PRO	-	expression tag	UNP Q91AV1
B	1396	GLN	-	expression tag	UNP Q91AV1
B	1397	PHE	-	expression tag	UNP Q91AV1
B	1398	GLU	-	expression tag	UNP Q91AV1
B	1399	LYS	-	expression tag	UNP Q91AV1
C	1320	GLY	-	expression tag	UNP Q91AV1
C	1321	SER	-	expression tag	UNP Q91AV1
C	1322	GLY	-	expression tag	UNP Q91AV1
C	1323	TYR	-	expression tag	UNP Q91AV1
C	1324	ILE	-	expression tag	UNP Q91AV1
C	1325	PRO	-	expression tag	UNP Q91AV1
C	1326	GLU	-	expression tag	UNP Q91AV1
C	1327	ALA	-	expression tag	UNP Q91AV1
C	1328	PRO	-	expression tag	UNP Q91AV1
C	1329	ARG	-	expression tag	UNP Q91AV1
C	1330	ASP	-	expression tag	UNP Q91AV1
C	1331	GLY	-	expression tag	UNP Q91AV1
C	1332	GLN	-	expression tag	UNP Q91AV1
C	1333	ALA	-	expression tag	UNP Q91AV1
C	1334	TYR	-	expression tag	UNP Q91AV1
C	1335	VAL	-	expression tag	UNP Q91AV1
C	1336	ARG	-	expression tag	UNP Q91AV1
C	1337	LYS	-	expression tag	UNP Q91AV1
C	1338	ASP	-	expression tag	UNP Q91AV1
C	1339	GLY	-	expression tag	UNP Q91AV1
C	1340	GLU	-	expression tag	UNP Q91AV1
C	1341	TRP	-	expression tag	UNP Q91AV1
C	1342	VAL	-	expression tag	UNP Q91AV1
C	1343	LEU	-	expression tag	UNP Q91AV1
C	1344	LEU	-	expression tag	UNP Q91AV1
C	1345	SER	-	expression tag	UNP Q91AV1
C	1346	THR	-	expression tag	UNP Q91AV1
C	1347	PHE	-	expression tag	UNP Q91AV1
C	1348	LEU	-	expression tag	UNP Q91AV1
C	1349	GLY	-	expression tag	UNP Q91AV1
C	1350	ARG	-	expression tag	UNP Q91AV1
C	1351	SER	-	expression tag	UNP Q91AV1

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	1352	LEU	-	expression tag	UNP Q91AV1
C	1353	GLU	-	expression tag	UNP Q91AV1
C	1354	VAL	-	expression tag	UNP Q91AV1
C	1355	LEU	-	expression tag	UNP Q91AV1
C	1356	PHE	-	expression tag	UNP Q91AV1
C	1357	GLN	-	expression tag	UNP Q91AV1
C	1358	GLY	-	expression tag	UNP Q91AV1
C	1359	PRO	-	expression tag	UNP Q91AV1
C	1360	GLY	-	expression tag	UNP Q91AV1
C	1361	HIS	-	expression tag	UNP Q91AV1
C	1362	HIS	-	expression tag	UNP Q91AV1
C	1363	HIS	-	expression tag	UNP Q91AV1
C	1364	HIS	-	expression tag	UNP Q91AV1
C	1365	HIS	-	expression tag	UNP Q91AV1
C	1366	HIS	-	expression tag	UNP Q91AV1
C	1367	HIS	-	expression tag	UNP Q91AV1
C	1368	HIS	-	expression tag	UNP Q91AV1
C	1369	SER	-	expression tag	UNP Q91AV1
C	1370	ALA	-	expression tag	UNP Q91AV1
C	1371	TRP	-	expression tag	UNP Q91AV1
C	1372	SER	-	expression tag	UNP Q91AV1
C	1373	HIS	-	expression tag	UNP Q91AV1
C	1374	PRO	-	expression tag	UNP Q91AV1
C	1375	GLN	-	expression tag	UNP Q91AV1
C	1376	PHE	-	expression tag	UNP Q91AV1
C	1377	GLU	-	expression tag	UNP Q91AV1
C	1378	LYS	-	expression tag	UNP Q91AV1
C	1379	GLY	-	expression tag	UNP Q91AV1
C	1380	GLY	-	expression tag	UNP Q91AV1
C	1381	GLY	-	expression tag	UNP Q91AV1
C	1382	SER	-	expression tag	UNP Q91AV1
C	1383	GLY	-	expression tag	UNP Q91AV1
C	1384	GLY	-	expression tag	UNP Q91AV1
C	1385	GLY	-	expression tag	UNP Q91AV1
C	1386	GLY	-	expression tag	UNP Q91AV1
C	1387	SER	-	expression tag	UNP Q91AV1
C	1388	GLY	-	expression tag	UNP Q91AV1
C	1389	GLY	-	expression tag	UNP Q91AV1
C	1390	SER	-	expression tag	UNP Q91AV1
C	1391	ALA	-	expression tag	UNP Q91AV1
C	1392	TRP	-	expression tag	UNP Q91AV1
C	1393	SER	-	expression tag	UNP Q91AV1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1394	HIS	-	expression tag	UNP Q91AV1
C	1395	PRO	-	expression tag	UNP Q91AV1
C	1396	GLN	-	expression tag	UNP Q91AV1
C	1397	PHE	-	expression tag	UNP Q91AV1
C	1398	GLU	-	expression tag	UNP Q91AV1
C	1399	LYS	-	expression tag	UNP Q91AV1

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
2	D	6	Total	C	N	O	0	0
			72	40	2	30		
2	I	6	Total	C	N	O	0	0
			72	40	2	30		
2	N	6	Total	C	N	O	0	0
			72	40	2	30		

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
3	E	2	Total	C	N	O	0	0
			28	16	2	10		
3	F	2	Total	C	N	O	0	0
			28	16	2	10		
3	G	2	Total	C	N	O	0	0
			28	16	2	10		
3	H	2	Total	C	N	O	0	0
			28	16	2	10		
3	J	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
3	K	2	Total	C	N	O	0	0
			28	16	2	10		
3	L	2	Total	C	N	O	0	0
			28	16	2	10		
3	M	2	Total	C	N	O	0	0
			28	16	2	10		
3	O	2	Total	C	N	O	0	0
			28	16	2	10		
3	P	2	Total	C	N	O	0	0
			28	16	2	10		
3	Q	2	Total	C	N	O	0	0
			28	16	2	10		
3	R	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				AltConf
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0


Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
4	B	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	C	1	Total	C	N	O	0
			14	8	1	5	




• Molecule 1: Spike glycoprotein





- Molecule 2: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  50% 50% 50%


MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  100%

MAG1
MAG2

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C3	Depositor
Number of particles used	112655	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	48	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	4.217	Depositor
Minimum map value	-0.031	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.046	Depositor
Recommended contour level	0.43	Depositor
Map size (Å)	464.40002, 464.40002, 464.40002	wwPDB
Map dimensions	432, 432, 432	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.075, 1.075, 1.075	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, MAN, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.98	52/8305 (0.6%)	1.41	39/11318 (0.3%)
1	B	1.00	56/8305 (0.7%)	1.43	41/11318 (0.4%)
1	C	1.04	64/8305 (0.8%)	1.42	44/11318 (0.4%)
All	All	1.00	172/24915 (0.7%)	1.42	124/33954 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5
1	B	0	7
1	C	0	4
All	All	0	16

The worst 5 of 172 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	511	ASN	C-O	-14.53	1.06	1.24
1	C	422	ASN	C-O	-13.46	1.08	1.23
1	A	422	ASN	C-O	-12.68	1.10	1.23
1	B	422	ASN	CA-CB	-12.58	1.43	1.53
1	C	511	ASN	C-O	-11.22	1.10	1.23

The worst 5 of 124 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	723	ASN	N-CA-C	11.68	127.33	113.20
1	C	723	ASN	N-CA-C	11.32	126.88	113.18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	723	ASN	N-CA-C	10.61	125.75	113.02
1	B	348	ASN	N-CA-CB	-10.53	92.42	110.32
1	C	685	ASN	N-CA-C	-9.60	91.78	108.20

There are no chirality outliers.

5 of 16 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	410	TYR	Sidechain
1	A	511	ASN	Mainchain
1	A	544	ARG	Sidechain
1	A	684	LYS	Mainchain
1	A	950	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8139	0	7923	62	0
1	B	8139	0	7923	42	0
1	C	8139	0	7922	41	0
2	D	72	0	59	8	0
2	I	72	0	61	3	0
2	N	72	0	61	4	0
3	E	28	0	25	13	0
3	F	28	0	25	2	0
3	G	28	0	24	6	0
3	H	28	0	25	0	0
3	J	28	0	23	0	0
3	K	28	0	23	5	0
3	L	28	0	23	5	0
3	M	28	0	25	0	0
3	O	28	0	25	2	0
3	P	28	0	25	1	0
3	Q	28	0	24	11	0
3	R	28	0	25	0	0
4	A	182	0	168	33	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	182	0	167	24	0
4	C	182	0	168	22	0
All	All	25515	0	24744	179	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 179 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:341:ASN:ND2	4:B:1411:NAG:C1	1.68	1.55
1:A:740:ASN:ND2	4:A:1421:NAG:C1	1.67	1.55
1:C:341:ASN:ND2	4:C:1411:NAG:C1	1.68	1.55
1:A:341:ASN:ND2	4:A:1411:NAG:C1	1.68	1.54
1:B:553:ASN:ND2	4:B:1416:NAG:C1	1.70	1.54

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1050/1399 (75%)	994 (95%)	56 (5%)	0	100	100
1	B	1050/1399 (75%)	992 (94%)	58 (6%)	0	100	100
1	C	1050/1399 (75%)	996 (95%)	54 (5%)	0	100	100
All	All	3150/4197 (75%)	2982 (95%)	168 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	914/1200 (76%)	891 (98%)	23 (2%)	42	64
1	B	914/1200 (76%)	889 (97%)	25 (3%)	39	63
1	C	914/1200 (76%)	889 (97%)	25 (3%)	39	63
All	All	2742/3600 (76%)	2669 (97%)	73 (3%)	40	63

5 of 73 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	415	LEU
1	C	1154	VAL
1	C	628	THR
1	C	927	VAL
1	B	261	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 46 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	992	ASN
1	C	237	ASN
1	B	1006	ASN
1	B	1097	GLN
1	C	255	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

42 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	D	1	2	14,14,15	3.18	12 (85%)	17,19,21	3.48	9 (52%)
2	NAG	D	2	2	14,14,15	2.99	7 (50%)	17,19,21	3.58	11 (64%)
2	BMA	D	3	2	11,11,12	2.92	6 (54%)	15,15,17	2.33	5 (33%)
2	MAN	D	4	2	11,11,12	1.59	2 (18%)	15,15,17	2.14	6 (40%)
2	MAN	D	5	2	11,11,12	1.00	0	15,15,17	1.96	5 (33%)
2	MAN	D	6	2	11,11,12	1.43	2 (18%)	15,15,17	1.77	5 (33%)
3	NAG	E	1	3	14,14,15	2.06	1 (7%)	17,19,21	2.52	6 (35%)
3	NAG	E	2	3	14,14,15	0.74	0	17,19,21	2.18	4 (23%)
3	NAG	F	1	3	14,14,15	2.14	6 (42%)	17,19,21	2.87	6 (35%)
3	NAG	F	2	3	14,14,15	1.69	3 (21%)	17,19,21	1.63	4 (23%)
3	NAG	G	1	3	14,14,15	3.75	11 (78%)	17,19,21	5.63	11 (64%)
3	NAG	G	2	3	14,14,15	1.99	6 (42%)	17,19,21	2.97	10 (58%)
3	NAG	H	1	3	14,14,15	2.41	6 (42%)	17,19,21	4.16	8 (47%)
3	NAG	H	2	3	14,14,15	1.39	3 (21%)	17,19,21	1.78	4 (23%)
2	NAG	I	1	2	14,14,15	2.67	10 (71%)	17,19,21	2.97	8 (47%)
2	NAG	I	2	2	14,14,15	2.85	8 (57%)	17,19,21	3.23	8 (47%)
2	BMA	I	3	2	11,11,12	2.65	6 (54%)	15,15,17	2.28	3 (20%)
2	MAN	I	4	2	11,11,12	1.59	3 (27%)	15,15,17	2.38	7 (46%)
2	MAN	I	5	2	11,11,12	1.13	1 (9%)	15,15,17	2.03	4 (26%)
2	MAN	I	6	2	11,11,12	1.31	1 (9%)	15,15,17	1.75	5 (33%)
3	NAG	J	1	3	14,14,15	1.79	1 (7%)	17,19,21	2.52	6 (35%)
3	NAG	J	2	3	14,14,15	0.74	0	17,19,21	1.55	5 (29%)
3	NAG	K	1	3	14,14,15	1.80	6 (42%)	17,19,21	5.76	9 (52%)
3	NAG	K	2	3	14,14,15	1.81	5 (35%)	17,19,21	1.31	2 (11%)
3	NAG	L	1	3	14,14,15	3.50	11 (78%)	17,19,21	6.45	14 (82%)
3	NAG	L	2	3	14,14,15	2.14	7 (50%)	17,19,21	1.99	7 (41%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	M	1	3	14,14,15	2.62	7 (50%)	17,19,21	3.32	9 (52%)
3	NAG	M	2	3	14,14,15	1.33	3 (21%)	17,19,21	1.93	3 (17%)
2	NAG	N	1	2,1	14,14,15	3.13	10 (71%)	17,19,21	3.06	6 (35%)
2	NAG	N	2	2	14,14,15	2.58	7 (50%)	17,19,21	3.29	8 (47%)
2	BMA	N	3	2	11,11,12	1.39	2 (18%)	15,15,17	1.74	3 (20%)
2	MAN	N	4	2	11,11,12	0.95	0	15,15,17	1.68	3 (20%)
2	MAN	N	5	2	11,11,12	0.53	0	15,15,17	1.51	3 (20%)
2	MAN	N	6	2	11,11,12	1.45	2 (18%)	15,15,17	1.83	3 (20%)
3	NAG	O	1	3	14,14,15	1.95	2 (14%)	17,19,21	4.75	7 (41%)
3	NAG	O	2	3	14,14,15	0.84	0	17,19,21	1.97	5 (29%)
3	NAG	P	1	3	14,14,15	2.25	8 (57%)	17,19,21	3.30	7 (41%)
3	NAG	P	2	3	14,14,15	1.86	3 (21%)	17,19,21	1.43	2 (11%)
3	NAG	Q	1	3	14,14,15	3.42	11 (78%)	17,19,21	3.45	9 (52%)
3	NAG	Q	2	3	14,14,15	2.14	6 (42%)	17,19,21	2.31	6 (35%)
3	NAG	R	1	3	14,14,15	2.58	6 (42%)	17,19,21	3.94	9 (52%)
3	NAG	R	2	3	14,14,15	1.44	3 (21%)	17,19,21	1.73	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	2	-	3/6/23/26	0/1/1/1
2	NAG	D	2	2	-	2/6/23/26	0/1/1/1
2	BMA	D	3	2	-	0/2/19/22	0/1/1/1
2	MAN	D	4	2	-	0/2/19/22	0/1/1/1
2	MAN	D	5	2	-	2/2/19/22	0/1/1/1
2	MAN	D	6	2	-	0/2/19/22	0/1/1/1
3	NAG	E	1	3	-	3/6/23/26	0/1/1/1
3	NAG	E	2	3	-	3/6/23/26	0/1/1/1
3	NAG	F	1	3	-	2/6/23/26	0/1/1/1
3	NAG	F	2	3	1/1/5/7	4/6/23/26	0/1/1/1
3	NAG	G	1	3	-	2/6/23/26	0/1/1/1
3	NAG	G	2	3	-	3/6/23/26	0/1/1/1
3	NAG	H	1	3	-	2/6/23/26	0/1/1/1
3	NAG	H	2	3	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	I	1	2	-	3/6/23/26	0/1/1/1
2	NAG	I	2	2	-	2/6/23/26	0/1/1/1
2	BMA	I	3	2	-	0/2/19/22	0/1/1/1
2	MAN	I	4	2	-	0/2/19/22	0/1/1/1
2	MAN	I	5	2	-	2/2/19/22	0/1/1/1
2	MAN	I	6	2	-	0/2/19/22	0/1/1/1
3	NAG	J	1	3	-	2/6/23/26	0/1/1/1
3	NAG	J	2	3	-	5/6/23/26	0/1/1/1
3	NAG	K	1	3	-	3/6/23/26	0/1/1/1
3	NAG	K	2	3	1/1/5/7	2/6/23/26	0/1/1/1
3	NAG	L	1	3	-	5/6/23/26	0/1/1/1
3	NAG	L	2	3	-	4/6/23/26	0/1/1/1
3	NAG	M	1	3	-	2/6/23/26	0/1/1/1
3	NAG	M	2	3	-	0/6/23/26	0/1/1/1
2	NAG	N	1	2,1	1/1/5/7	3/6/23/26	0/1/1/1
2	NAG	N	2	2	-	2/6/23/26	0/1/1/1
2	BMA	N	3	2	-	0/2/19/22	0/1/1/1
2	MAN	N	4	2	-	0/2/19/22	0/1/1/1
2	MAN	N	5	2	-	1/2/19/22	0/1/1/1
2	MAN	N	6	2	-	2/2/19/22	0/1/1/1
3	NAG	O	1	3	-	4/6/23/26	0/1/1/1
3	NAG	O	2	3	-	3/6/23/26	0/1/1/1
3	NAG	P	1	3	-	0/6/23/26	0/1/1/1
3	NAG	P	2	3	1/1/5/7	3/6/23/26	0/1/1/1
3	NAG	Q	1	3	-	3/6/23/26	0/1/1/1
3	NAG	Q	2	3	-	3/6/23/26	0/1/1/1
3	NAG	R	1	3	-	4/6/23/26	0/1/1/1
3	NAG	R	2	3	-	1/6/23/26	0/1/1/1

The worst 5 of 194 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	1	NAG	C2-N2	-8.86	1.31	1.46
3	E	1	NAG	C1-C2	7.12	1.62	1.52
2	D	2	NAG	C1-C2	-6.78	1.43	1.52
2	I	2	NAG	C1-C2	-6.67	1.43	1.52
3	J	1	NAG	C1-C2	6.14	1.60	1.52

The worst 5 of 258 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	1	NAG	C1-C2-N2	-15.94	85.31	110.43
3	O	1	NAG	O5-C5-C6	-13.87	80.67	107.66
3	K	1	NAG	O5-C1-C2	-13.35	90.63	111.29
3	L	1	NAG	C1-C2-N2	-12.71	90.41	110.43
3	L	1	NAG	O5-C1-C2	-12.70	91.64	111.29

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	N	1	NAG	C1
3	F	2	NAG	C1
3	K	2	NAG	C1
3	P	2	NAG	C1

5 of 85 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	1	NAG	C1-C2-N2-C7
3	E	2	NAG	C3-C2-N2-C7
3	E	2	NAG	C8-C7-N2-C2
3	E	2	NAG	O7-C7-N2-C2
3	G	1	NAG	C8-C7-N2-C2

There are no ring outliers.

23 monomers are involved in 60 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	L	1	NAG	4	0
2	D	1	NAG	1	0
2	N	5	MAN	1	0
3	F	1	NAG	1	0
2	N	2	NAG	2	0
2	I	6	MAN	1	0
3	G	2	NAG	1	0
3	P	2	NAG	1	0
2	D	6	MAN	1	0
3	Q	1	NAG	7	0
3	E	1	NAG	12	0
3	Q	2	NAG	5	0
2	N	1	NAG	1	0
3	P	1	NAG	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	G	1	NAG	5	0
3	E	2	NAG	1	0
3	L	2	NAG	1	0
2	I	2	NAG	2	0
3	O	2	NAG	2	0
2	D	2	NAG	2	0
2	D	5	MAN	5	0
3	F	2	NAG	2	0
3	K	1	NAG	5	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









































5.6 Ligand geometry [i](#)

39 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	C	1413	-	14,14,15	2.62	2 (14%)	17,19,21	3.15	11 (64%)
4	NAG	A	1417	-	14,14,15	1.52	2 (14%)	17,19,21	2.35	5 (29%)
4	NAG	A	1413	-	14,14,15	2.38	5 (35%)	17,19,21	3.58	5 (29%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	C	1412	-	14,14,15	1.89	1 (7%)	17,19,21	2.57	7 (41%)
4	NAG	B	1422	-	14,14,15	1.87	4 (28%)	17,19,21	2.91	8 (47%)
4	NAG	B	1401	-	14,14,15	1.33	1 (7%)	17,19,21	2.97	7 (41%)
4	NAG	B	1427	-	14,14,15	1.85	3 (21%)	17,19,21	4.41	6 (35%)
4	NAG	C	1417	-	14,14,15	1.22	2 (14%)	17,19,21	2.43	6 (35%)
4	NAG	B	1421	-	14,14,15	1.83	3 (21%)	17,19,21	2.47	7 (41%)
4	NAG	C	1421	-	14,14,15	1.66	3 (21%)	17,19,21	2.88	5 (29%)
4	NAG	B	1411	-	14,14,15	2.37	4 (28%)	17,19,21	3.15	9 (52%)
4	NAG	A	1426	-	14,14,15	1.49	1 (7%)	17,19,21	3.29	8 (47%)
4	NAG	C	1416	-	14,14,15	1.22	1 (7%)	17,19,21	1.83	3 (17%)
4	NAG	B	1408	-	14,14,15	1.18	1 (7%)	17,19,21	2.05	4 (23%)
4	NAG	A	1416	-	14,14,15	2.05	1 (7%)	17,19,21	2.93	6 (35%)
4	NAG	C	1408	-	14,14,15	1.13	1 (7%)	17,19,21	1.99	4 (23%)
4	NAG	C	1423	-	14,14,15	2.04	4 (28%)	17,19,21	4.43	9 (52%)
4	NAG	B	1417	-	14,14,15	1.26	2 (14%)	17,19,21	2.34	5 (29%)
4	NAG	A	1423	-	14,14,15	2.23	4 (28%)	17,19,21	4.21	9 (52%)
4	NAG	B	1413	-	14,14,15	2.81	6 (42%)	17,19,21	3.20	6 (35%)
4	NAG	B	1420	-	14,14,15	1.82	6 (42%)	17,19,21	3.09	7 (41%)
4	NAG	C	1420	-	14,14,15	1.84	5 (35%)	17,19,21	3.11	8 (47%)
4	NAG	B	1412	-	14,14,15	1.59	1 (7%)	17,19,21	2.17	3 (17%)
4	NAG	A	1420	-	14,14,15	1.77	6 (42%)	17,19,21	2.93	6 (35%)
4	NAG	C	1426	-	14,14,15	1.77	4 (28%)	17,19,21	1.87	5 (29%)
4	NAG	A	1408	-	14,14,15	1.76	1 (7%)	17,19,21	1.73	5 (29%)
4	NAG	C	1422	-	14,14,15	1.98	3 (21%)	17,19,21	3.28	7 (41%)
4	NAG	B	1426	-	14,14,15	1.47	2 (14%)	17,19,21	4.17	8 (47%)
4	NAG	C	1401	-	14,14,15	1.77	1 (7%)	17,19,21	2.48	7 (41%)
4	NAG	A	1422	-	14,14,15	2.09	3 (21%)	17,19,21	3.47	9 (52%)
4	NAG	C	1427	1	14,14,15	1.15	1 (7%)	17,19,21	3.17	8 (47%)
4	NAG	C	1411	-	14,14,15	2.32	5 (35%)	17,19,21	3.35	8 (47%)
4	NAG	A	1401	-	14,14,15	1.06	1 (7%)	17,19,21	2.93	6 (35%)
4	NAG	A	1412	-	14,14,15	1.98	2 (14%)	17,19,21	3.40	5 (29%)
4	NAG	B	1416	-	14,14,15	2.04	1 (7%)	17,19,21	2.69	5 (29%)
4	NAG	A	1411	-	14,14,15	2.44	3 (21%)	17,19,21	3.21	8 (47%)
4	NAG	A	1421	-	14,14,15	1.83	3 (21%)	17,19,21	2.85	6 (35%)
4	NAG	A	1427	-	14,14,15	1.72	3 (21%)	17,19,21	4.10	10 (58%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	B	1423	-	14,14,15	2.14	5 (35%)	17,19,21	4.58	9 (52%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	C	1413	-	-	3/6/23/26	0/1/1/1
4	NAG	A	1417	-	-	3/6/23/26	0/1/1/1
4	NAG	A	1413	-	-	3/6/23/26	0/1/1/1
4	NAG	C	1412	-	-	3/6/23/26	0/1/1/1
4	NAG	B	1422	-	-	0/6/23/26	0/1/1/1
4	NAG	B	1401	-	-	4/6/23/26	0/1/1/1
4	NAG	B	1427	-	-	4/6/23/26	0/1/1/1
4	NAG	C	1417	-	-	2/6/23/26	0/1/1/1
4	NAG	B	1421	-	-	3/6/23/26	0/1/1/1
4	NAG	C	1421	-	-	3/6/23/26	0/1/1/1
4	NAG	B	1411	-	-	2/6/23/26	0/1/1/1
4	NAG	A	1426	-	-	4/6/23/26	0/1/1/1
4	NAG	C	1416	-	-	3/6/23/26	0/1/1/1
4	NAG	B	1408	-	-	5/6/23/26	0/1/1/1
4	NAG	A	1416	-	-	2/6/23/26	0/1/1/1
4	NAG	C	1408	-	-	3/6/23/26	0/1/1/1
4	NAG	C	1423	-	-	2/6/23/26	0/1/1/1
4	NAG	B	1417	-	-	3/6/23/26	0/1/1/1
4	NAG	A	1423	-	-	2/6/23/26	0/1/1/1
4	NAG	B	1413	-	1/1/5/7	4/6/23/26	0/1/1/1
4	NAG	B	1420	-	-	3/6/23/26	0/1/1/1
4	NAG	C	1420	-	-	2/6/23/26	0/1/1/1
4	NAG	B	1412	-	-	5/6/23/26	0/1/1/1
4	NAG	A	1420	-	-	2/6/23/26	0/1/1/1
4	NAG	C	1426	-	-	2/6/23/26	0/1/1/1
4	NAG	A	1408	-	-	4/6/23/26	0/1/1/1
4	NAG	C	1422	-	-	2/6/23/26	0/1/1/1
4	NAG	B	1426	-	-	3/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	C	1401	-	-	4/6/23/26	0/1/1/1
4	NAG	A	1422	-	-	2/6/23/26	0/1/1/1
4	NAG	C	1427	1	-	4/6/23/26	0/1/1/1
4	NAG	C	1411	-	-	2/6/23/26	0/1/1/1
4	NAG	A	1401	-	-	3/6/23/26	0/1/1/1
4	NAG	A	1412	-	-	2/6/23/26	0/1/1/1
4	NAG	B	1416	-	-	3/6/23/26	0/1/1/1
4	NAG	A	1411	-	-	2/6/23/26	0/1/1/1
4	NAG	A	1421	-	-	3/6/23/26	0/1/1/1
4	NAG	A	1427	-	-	3/6/23/26	0/1/1/1
4	NAG	B	1423	-	-	2/6/23/26	0/1/1/1

The worst 5 of 107 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	1413	NAG	C1-C2	9.11	1.64	1.52
4	A	1411	NAG	C1-C2	7.40	1.62	1.52
4	B	1411	NAG	C1-C2	7.08	1.62	1.52
4	B	1416	NAG	C1-C2	6.94	1.61	1.52
4	C	1411	NAG	C1-C2	6.81	1.61	1.52

The worst 5 of 260 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1426	NAG	O5-C1-C2	-12.97	91.23	111.29
4	A	1412	NAG	C2-N2-C7	-11.45	107.56	122.90
4	A	1427	NAG	O5-C1-C2	-11.13	94.08	111.29
4	B	1427	NAG	C2-N2-C7	-10.37	109.00	122.90
4	C	1423	NAG	C2-N2-C7	-10.09	109.38	122.90

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	B	1413	NAG	C3

5 of 111 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1401	NAG	C8-C7-N2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	1401	NAG	O7-C7-N2-C2
4	A	1408	NAG	C1-C2-N2-C7
4	A	1412	NAG	C8-C7-N2-C2
4	A	1412	NAG	O7-C7-N2-C2

There are no ring outliers.

22 monomers are involved in 79 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	1413	NAG	3	0
4	A	1417	NAG	4	0
4	A	1413	NAG	5	0
4	C	1412	NAG	4	0
4	B	1411	NAG	4	0
4	A	1426	NAG	4	0
4	B	1408	NAG	4	0
4	A	1416	NAG	3	0
4	C	1408	NAG	3	0
4	A	1423	NAG	4	0
4	B	1413	NAG	4	0
4	B	1420	NAG	1	0
4	C	1420	NAG	1	0
4	B	1412	NAG	3	0
4	A	1408	NAG	3	0
4	B	1426	NAG	3	0
4	C	1401	NAG	7	0
4	C	1411	NAG	4	0
4	A	1412	NAG	3	0
4	B	1416	NAG	5	0
4	A	1411	NAG	4	0
4	A	1421	NAG	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20672. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 216




Y Index: 216




Z Index: 216


6.2.2 Raw map



X Index: 216



Y Index: 216




Z Index: 216

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 225




Y Index: 226




Z Index: 199


6.3.2 Raw map



X Index: 204



Y Index: 226




Z Index: 199


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

This section was not generated.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 130 nm³; this corresponds to an approximate mass of 117 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.318 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.318 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.14	-	-
Author-provided FSC curve	3.14	3.46	3.18
Unmasked-calculated*	4.03	7.46	4.15

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.03 differs from the reported value 3.14 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-20672 and PDB model 6U7K. Per-residue inclusion information can be found in [section 3](#) on [page 14](#).

9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.43 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 79% of all backbone atoms, 74% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.43) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7400	0.5180
A	0.7400	0.5170
B	0.7410	0.5180
C	0.7410	0.5160
D	0.7920	0.5830
E	0.3930	0.5010
F	0.7140	0.6030
G	0.7860	0.5750
H	0.6430	0.5460
I	0.7780	0.5820
J	0.3930	0.4920
K	0.6790	0.6060
L	0.7860	0.6010
M	0.6790	0.5640
N	0.7920	0.5570
O	0.2500	0.5480
P	0.7500	0.5960
Q	0.8570	0.5980
R	0.6430	0.5610

