



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:34 PM UTC

PDB ID : 3U9U / pdb_00003u9u
Title : Crystal Structure of Extracellular Domain of Human ErbB4/Her4 in complex with the Fab fragment of mAb1479
Authors : Hollmen, M.; Liu, P.; Wildiers, H.; Reinvall, I.; Vandorpe, T.; Smeets, A.; Deraedt, K.; Vahlberg, T.; Joensuu, H.; Leahy, D.J.; Schoffski, P.; Elenius, K.
Deposited on : 2011-10-19
Resolution : 3.42 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 3.42 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1210 (3.48-3.36)
Clashscore	190562	1234 (3.48-3.36)
Ramachandran outliers	187476	1222 (3.48-3.36)
Sidechain outliers	187428	1222 (3.48-3.36)
RSRZ outliers	180081	1210 (3.48-3.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	224	
1	C	224	
2	B	219	
2	D	219	
3	E	625	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	625	5% 74% 17% • 7%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 15819 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fab Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	219	Total	C	N	O	S	0	0	0
			1675	1069	275	326	5			
1	C	215	Total	C	N	O	S	0	0	0
			1644	1048	270	321	5			

- Molecule 2 is a protein called Fab Light Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	219	Total	C	N	O	S	0	0	0
			1701	1064	288	342	7			
2	D	219	Total	C	N	O	S	0	0	0
			1701	1064	288	342	7			

- Molecule 3 is a protein called Receptor tyrosine-protein kinase erbB-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	585	Total	C	N	O	S	0	0	0
			4563	2835	795	878	55			
3	F	580	Total	C	N	O	S	0	0	0
			4535	2827	784	870	54			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	524	ASP	GLY	conflict	UNP Q15303
F	524	ASP	GLY	conflict	UNP Q15303


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Fab Heavy Chain



• Molecule 1: Fab Heavy Chain




• Molecule 2: Fab Light Chain





• Molecule 2: Fab Light Chain





• Molecule 3: Receptor tyrosine-protein kinase erbB-4



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	83.12Å 110.91Å 362.05Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.26 – 3.42 45.26 – 3.42	Depositor EDS
% Data completeness (in resolution range)	95.3 (45.26-3.42) 95.2 (45.26-3.42)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.80 (at 3.40Å)	Xtriage
Refinement program	BUSTER-TNT BUSTER 2.8.0, BUSTER 2.10.0	Depositor
R, R_{free}	0.234 , 0.272 0.250 , 0.291	Depositor DCC
R_{free} test set	2236 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	81.0	Xtriage
Anisotropy	1.144	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 85.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	15819	wwPDB-VP
Average B, all atoms (Å ²)	112.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 15.83% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.79	0/1721	1.30	8/2357 (0.3%)
1	C	0.81	0/1689	1.33	11/2313 (0.5%)
2	B	0.75	1/1741 (0.1%)	1.24	6/2363 (0.3%)
2	D	0.73	0/1741	1.22	7/2363 (0.3%)
3	E	0.75	1/4659 (0.0%)	1.30	17/6307 (0.3%)
3	F	0.74	0/4630	1.31	21/6269 (0.3%)
All	All	0.76	2/16181 (0.0%)	1.29	70/21972 (0.3%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	500	ARG	CA-C	6.50	1.55	1.52
2	B	52	LEU	CA-C	5.60	1.56	1.52

All (70) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	385	ASN	CA-CB-CG	8.81	121.42	112.60
1	A	66	ARG	CA-C-N	7.78	130.71	120.28
1	A	66	ARG	C-N-CA	7.78	130.71	120.28
2	B	81	SER	N-CA-C	7.38	120.77	111.69
1	A	116	THR	CB-CA-C	7.30	121.65	110.62
1	C	116	THR	CB-CA-C	7.26	121.58	110.62
2	D	81	SER	N-CA-C	7.19	120.53	111.69
1	C	179	ASP	N-CA-C	-7.04	104.96	113.97
1	A	179	ASP	N-CA-C	-6.90	105.14	113.97
3	E	385	ASN	CA-CB-CG	6.83	119.43	112.60
3	F	412	LEU	N-CA-C	6.57	119.62	108.90
3	E	412	LEU	N-CA-C	6.55	119.57	108.90
3	F	14	LEU	CA-C-N	6.51	129.30	120.38
3	F	14	LEU	C-N-CA	6.51	129.30	120.38
1	C	179	ASP	CA-CB-CG	6.48	119.08	112.60
2	B	75	ASP	CA-CB-CG	6.45	119.05	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	75	THR	CA-C-N	6.42	129.18	120.38
1	C	75	THR	C-N-CA	6.42	129.18	120.38
3	F	203	ASP	CA-CB-CG	6.39	118.99	112.60
3	F	443	TYR	CA-C-N	6.39	129.71	120.38
3	F	443	TYR	C-N-CA	6.39	129.71	120.38
3	E	136	ILE	N-CA-C	6.38	118.81	109.63
1	A	179	ASP	CA-CB-CG	6.13	118.73	112.60
3	E	443	TYR	CA-C-N	6.13	129.33	120.38
3	E	443	TYR	C-N-CA	6.13	129.33	120.38
1	C	67	SER	CA-C-N	6.08	130.85	121.19
1	C	67	SER	C-N-CA	6.08	130.85	121.19
1	C	63	ILE	N-CA-C	6.07	116.81	110.62
2	D	17	ASP	CA-CB-CG	5.77	118.37	112.60
3	E	560	ASP	CA-CB-CG	5.65	118.25	112.60
3	F	79	ILE	N-CA-C	5.61	116.19	108.12
2	D	185	THR	N-CA-C	5.55	117.14	109.15
3	E	79	ILE	N-CA-C	5.53	116.08	108.12
1	C	34	ILE	CB-CA-C	5.43	117.57	111.59
3	F	515	ASP	CA-CB-CG	5.40	118.00	112.60
1	C	202	ASN	N-CA-C	5.40	117.32	108.52
2	B	17	ASP	CA-CB-CG	5.35	117.95	112.60
3	E	536	LYS	CA-C-N	5.32	128.40	120.95
3	E	536	LYS	C-N-CA	5.32	128.40	120.95
3	F	347	GLY	CA-C-N	5.32	127.34	120.70
3	F	347	GLY	C-N-CA	5.32	127.34	120.70
2	D	142	ASN	N-CA-C	5.29	118.37	109.95
3	F	560	ASP	CA-CB-CG	5.29	117.89	112.60
3	F	609	ILE	N-CA-CB	5.27	118.42	111.25
1	A	69	LEU	N-CA-C	5.26	118.13	109.76
3	E	516	GLY	N-CA-C	5.25	118.15	110.38
3	E	515	ASP	CA-CB-CG	5.25	117.85	112.60
2	B	142	ASN	N-CA-C	5.22	118.25	109.95
3	F	111	LEU	CA-C-N	5.19	127.19	120.44
3	F	111	LEU	C-N-CA	5.19	127.19	120.44
3	F	116	GLU	N-CA-C	5.18	117.85	108.69
3	F	118	LEU	N-CA-C	5.17	117.58	111.33
3	F	516	GLY	N-CA-C	5.15	118.01	110.38
1	A	216	ILE	CB-CA-C	5.15	117.79	111.25
3	E	118	LEU	N-CA-C	5.15	117.56	111.33
3	E	411	ILE	CB-CA-C	5.12	117.52	111.32
2	D	22	SER	N-CA-C	5.12	116.86	108.52
3	F	189	ALA	CA-C-N	5.11	128.49	120.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	189	ALA	C-N-CA	5.11	128.49	120.82
3	E	116	GLU	N-CA-C	5.11	117.73	108.69
3	E	203	ASP	CA-CB-CG	5.10	117.70	112.60
2	B	64	PRO	CA-C-N	5.09	128.74	120.60
2	B	64	PRO	C-N-CA	5.09	128.74	120.60
3	F	411	ILE	CB-CA-C	5.06	117.44	111.32
3	E	117	ILE	CA-C-N	5.05	127.29	120.38
3	E	117	ILE	C-N-CA	5.05	127.29	120.38
2	D	23	CYS	N-CA-C	5.04	116.84	108.02
2	D	37	TYR	N-CA-C	5.03	116.80	109.71
1	C	67	SER	N-CA-C	-5.03	106.98	113.01
1	A	24	PHE	N-CA-C	5.02	116.70	109.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1675	0	1645	24	0
1	C	1644	0	1607	18	0
2	B	1701	0	1637	19	0
2	D	1701	0	1637	25	0
3	E	4563	0	4325	35	0
3	F	4535	0	4307	56	0
All	All	15819	0	15158	171	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (171) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:208:GLU:HA	3:F:225:MET:CE	1.36	1.52
3:F:208:GLU:CA	3:F:225:MET:HE2	1.40	1.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:208:GLU:CD	3:F:225:MET:HE3	1.69	1.17
2:D:218:GLU:H	2:D:218:GLU:CD	1.51	1.13
2:D:217:ASN:HB2	2:D:218:GLU:OE2	1.52	1.07
2:B:218:GLU:H	2:B:218:GLU:CD	1.57	1.06
3:F:208:GLU:CD	3:F:225:MET:CE	2.33	1.00
2:B:217:ASN:HB2	2:B:218:GLU:OE2	1.64	0.96
3:F:208:GLU:CB	3:F:225:MET:HE2	1.99	0.92
2:D:218:GLU:CD	2:D:218:GLU:N	2.29	0.91
2:B:218:GLU:CD	2:B:218:GLU:N	2.29	0.86
2:D:190:GLU:OE1	3:E:353:TYR:CB	2.27	0.83
2:D:217:ASN:HB2	2:D:218:GLU:CD	2.05	0.82
2:D:189:ASP:O	2:D:193:ARG:HG3	1.81	0.81
3:F:208:GLU:OE2	3:F:225:MET:HE3	1.83	0.79
2:D:217:ASN:CB	2:D:218:GLU:OE2	2.30	0.78
3:F:208:GLU:CG	3:F:225:MET:HE2	2.19	0.72
2:D:160:ARG:NH2	2:D:190:GLU:OE2	2.23	0.69
2:B:217:ASN:HB2	2:B:218:GLU:CD	2.16	0.69
3:F:208:GLU:HA	3:F:225:MET:SD	2.32	0.68
3:F:208:GLU:CG	3:F:225:MET:CE	2.71	0.68
1:A:66:ARG:HD2	1:A:67:SER:H	1.59	0.68
3:E:322:THR:HB	3:E:344:LEU:HD12	1.76	0.68
2:D:190:GLU:CD	3:E:353:TYR:CB	2.67	0.68
3:F:269:PRO:O	3:F:272:PHE:HB2	1.94	0.67
3:F:322:THR:HB	3:F:344:LEU:HD12	1.77	0.65
3:F:137:HIS:H	3:F:181:GLN:HE22	1.43	0.65
3:F:208:GLU:HA	3:F:225:MET:HE2	0.67	0.63
3:F:208:GLU:CD	3:F:225:MET:HE2	2.24	0.62
2:B:217:ASN:CB	2:B:218:GLU:OE2	2.45	0.61
2:D:190:GLU:OE2	3:E:353:TYR:CB	2.48	0.61
3:F:138:TRP:HE1	3:F:153:VAL:HG11	1.66	0.60
1:A:40:ARG:HG2	1:A:50:LEU:HD21	1.84	0.59
3:F:208:GLU:CA	3:F:225:MET:CE	2.28	0.58
1:A:156:VAL:HG23	1:A:205:HIS:CD2	2.38	0.58
1:C:189:VAL:HG12	3:F:191:GLN:HE22	1.69	0.57
3:F:56:ARG:HA	3:F:77:LEU:HA	1.86	0.57
2:D:71:GLY:HA3	2:D:76:PHE:HA	1.86	0.57
3:F:192:CYS:HG	3:F:204:CYS:HG	1.53	0.56
1:A:53:ILE:HD12	1:A:59:LYS:HG2	1.87	0.56
2:B:71:GLY:HA3	2:B:76:PHE:HA	1.87	0.56
1:C:74:ASP:OD2	1:C:77:ASN:HB2	2.05	0.56
3:F:295:ILE:HB	3:F:297:MET:HE3	1.88	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:22:CYS:HB2	1:A:38:TRP:CZ2	2.40	0.56
1:A:169:VAL:HG22	1:A:187:VAL:HG23	1.87	0.55
2:D:192:GLU:HA	2:D:216:ARG:HE	1.71	0.55
3:F:52:LEU:HB3	3:F:74:LEU:HD23	1.89	0.54
3:E:593:HIS:HD2	3:E:595:ASN:H	1.54	0.54
2:B:113:ARG:HD3	2:B:114:ALA:O	2.08	0.54
2:D:198:THR:HG23	2:D:213:SER:HB3	1.89	0.54
3:F:593:HIS:HD2	3:F:595:ASN:H	1.55	0.54
2:D:113:ARG:HD3	2:D:114:ALA:O	2.08	0.54
2:D:218:GLU:N	2:D:218:GLU:OE1	2.29	0.53
3:E:436:THR:HG23	3:E:463:ARG:HB3	1.91	0.53
3:E:52:LEU:HB3	3:E:74:LEU:HD23	1.90	0.53
2:B:29:ILE:HD11	2:B:38:LEU:HD23	1.90	0.52
3:F:428:ILE:HD13	3:F:433:ILE:HD11	1.91	0.52
3:F:192:CYS:SG	3:F:204:CYS:SG	3.06	0.52
1:C:22:CYS:HB2	1:C:38:TRP:CZ2	2.45	0.52
1:C:37:GLY:O	1:C:97:CYS:HA	2.10	0.51
1:C:161:ASN:HD22	1:C:165:LEU:HD13	1.74	0.51
3:F:407:LEU:HD22	3:F:434:TYR:HB2	1.93	0.51
1:C:165:LEU:HD23	1:C:187:VAL:HG21	1.91	0.51
3:E:428:ILE:HD13	3:E:433:ILE:HD11	1.92	0.51
3:F:454:SER:H	3:F:458:GLN:NE2	2.09	0.51
3:F:593:HIS:CE1	3:F:605:SER:HB3	2.46	0.51
1:A:13:GLN:HB2	1:A:16:GLN:NE2	2.26	0.51
3:F:436:THR:HG23	3:F:463:ARG:HB3	1.91	0.50
3:E:454:SER:H	3:E:458:GLN:NE2	2.10	0.50
3:F:76:ASN:HA	3:F:113:ASN:HD22	1.76	0.50
3:F:560:ASP:HA	3:F:589:CYS:HB2	1.92	0.50
1:C:13:GLN:HB2	1:C:16:GLN:NE2	2.25	0.50
3:E:593:HIS:CE1	3:E:605:SER:HB3	2.47	0.50
3:E:348:ILE:HD12	3:E:383:PRO:HD3	1.94	0.49
3:F:417:ILE:HD12	3:F:441:LEU:HD13	1.94	0.49
3:E:407:LEU:HD22	3:E:434:TYR:HB2	1.94	0.49
3:F:208:GLU:OE1	3:F:225:MET:HE3	2.10	0.49
3:E:560:ASP:HA	3:E:589:CYS:HB2	1.93	0.49
3:F:79:ILE:HD11	3:F:118:LEU:HG	1.94	0.49
3:F:247:THR:HB	3:F:249:GLN:HE21	1.78	0.48
2:B:198:THR:HG23	2:B:213:SER:HB3	1.96	0.48
2:D:52:LEU:HA	2:D:63:VAL:HG21	1.96	0.48
3:E:417:ILE:HD12	3:E:441:LEU:HD13	1.94	0.48
3:E:247:THR:HB	3:E:249:GLN:HE21	1.79	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:3:VAL:HG13	3:F:35:MET:HG3	1.96	0.47
2:D:39:GLU:HG3	2:D:54:TYR:HA	1.97	0.47
3:E:3:VAL:HG13	3:E:35:MET:HG3	1.95	0.47
3:F:274:VAL:HG13	3:F:297:MET:HB3	1.96	0.47
1:A:222:THR:HG23	1:A:222:THR:O	2.15	0.47
2:B:138:VAL:HG22	2:B:183:THR:HG23	1.95	0.47
3:E:2:SER:HB3	3:E:32:GLU:H	1.80	0.47
2:B:39:GLU:HG3	2:B:54:TYR:HA	1.97	0.46
3:F:38:LEU:HD23	3:F:62:VAL:HG13	1.98	0.46
2:B:52:LEU:HA	2:B:63:VAL:HG21	1.97	0.46
3:F:2:SER:HB3	3:F:32:GLU:H	1.80	0.46
1:A:37:GLY:O	1:A:97:CYS:HA	2.16	0.46
3:F:397:THR:HG22	3:F:427:GLU:HB2	1.97	0.46
2:B:218:GLU:N	2:B:218:GLU:OE1	2.30	0.46
3:E:79:ILE:HD11	3:E:118:LEU:HG	1.97	0.46
1:A:144:LEU:HD22	1:A:216:ILE:HD11	1.97	0.45
3:E:397:THR:HG22	3:E:427:GLU:HB2	1.98	0.45
2:D:65:ASP:N	2:D:65:ASP:OD1	2.50	0.45
3:F:378:ASN:HD21	3:F:380:GLN:HE21	1.65	0.45
1:A:66:ARG:HD2	1:A:67:SER:N	2.30	0.45
3:E:409:LEU:HB3	3:E:433:ILE:HG13	1.99	0.45
3:E:378:ASN:HD21	3:E:380:GLN:HE21	1.64	0.45
3:E:399:GLY:O	3:E:429:SER:HB2	2.17	0.44
3:F:399:GLY:O	3:F:429:SER:HB2	2.17	0.44
3:E:109:LEU:HG	3:E:130:LEU:HD11	1.99	0.44
1:A:153:PRO:HD2	1:A:207:ALA:CB	2.47	0.44
1:A:160:TRP:CZ3	1:A:201:CYS:HB2	2.53	0.44
2:D:29:ILE:HD11	2:D:38:LEU:HD23	2.00	0.44
1:A:65:LEU:HB2	1:A:69:LEU:CD1	2.48	0.44
1:A:127:VAL:HB	1:A:214:LYS:HD3	1.98	0.44
3:F:138:TRP:NE1	3:F:153:VAL:HG11	2.32	0.44
2:B:3:LEU:HB3	2:B:26:SER:HB3	1.99	0.44
1:C:92:THR:HG23	1:C:116:THR:HA	2.00	0.44
1:C:141:SER:HB2	3:F:202:SER:HA	1.99	0.44
2:D:53:ILE:HA	2:D:58:ASN:O	2.18	0.44
3:E:115:THR:HB	3:E:195:ARG:HH12	1.83	0.44
2:B:65:ASP:OD1	2:B:65:ASP:N	2.51	0.44
3:F:383:PRO:HA	3:F:384:PRO:HD3	1.88	0.43
3:F:359:ILE:H	3:F:359:ILE:HG13	1.72	0.43
2:D:40:TRP:CH2	2:D:93:CYS:HB3	2.53	0.43
1:A:156:VAL:HG12	1:A:183:LEU:HD21	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:165:HIS:CE1	3:E:177:GLU:HG3	2.53	0.43
1:A:69:LEU:HD23	1:A:82:LEU:HD11	2.00	0.43
1:A:92:THR:HG23	1:A:116:THR:HA	1.99	0.43
1:C:99:ARG:NH1	1:C:108:TYR:HD2	2.17	0.43
3:E:454:SER:H	3:E:458:GLN:HE22	1.66	0.43
1:A:56:ASN:HB2	3:F:591:PRO:HG2	2.00	0.43
2:D:3:LEU:HB3	2:D:26:SER:HB3	2.00	0.43
3:F:433:ILE:HG23	3:F:435:ILE:HD12	2.01	0.43
2:D:147:LYS:HB3	2:D:178:TYR:CE2	2.54	0.43
3:E:38:LEU:HD23	3:E:62:VAL:HG13	2.01	0.43
3:F:409:LEU:HB3	3:F:433:ILE:HG13	2.00	0.43
2:B:147:LYS:HB3	2:B:178:TYR:CE2	2.55	0.42
3:F:444:TYR:HA	3:F:447:ILE:HD12	2.01	0.42
3:E:433:ILE:HG23	3:E:435:ILE:HD12	2.01	0.42
1:C:18:LEU:HD23	1:C:84:ILE:HD12	2.01	0.42
3:F:78:ARG:HA	3:F:114:LEU:HA	2.01	0.42
2:B:40:TRP:CH2	2:B:93:CYS:HB3	2.54	0.42
3:F:454:SER:H	3:F:458:GLN:HE22	1.66	0.42
1:C:129:PRO:HB3	1:C:216:ILE:HG13	2.01	0.42
3:E:444:TYR:HA	3:E:447:ILE:HD12	2.01	0.42
1:A:32:TYR:O	1:A:34:ILE:N	2.51	0.42
3:E:342:ILE:HG22	3:E:344:LEU:HG	2.02	0.42
3:F:351:ASP:H	3:F:356:ILE:HB	1.84	0.42
3:F:512:ASN:HB3	3:F:516:GLY:HA3	2.02	0.42
1:C:101:PRO:HG3	1:C:107:ASP:CG	2.45	0.42
1:C:69:LEU:HD23	1:C:84:ILE:HG12	2.01	0.41
3:E:501:PHE:CD2	3:E:525:SER:HA	2.56	0.41
2:D:155:ILE:HD11	2:D:184:LEU:HD21	2.02	0.41
3:E:168:CYS:HB3	3:E:180:CYS:HB3	1.96	0.41
3:F:342:ILE:HG22	3:F:344:LEU:HG	2.02	0.41
3:E:78:ARG:HA	3:E:114:LEU:HA	2.01	0.41
1:C:160:TRP:HZ3	1:C:216:ILE:HD13	1.86	0.41
2:D:7:THR:HA	2:D:8:PRO:HA	1.95	0.41
3:E:383:PRO:HA	3:E:384:PRO:HD3	1.88	0.41
1:A:99:ARG:NH1	1:A:108:TYR:HD2	2.18	0.41
1:C:102:ASP:O	1:C:103:ASP:C	2.64	0.41
1:C:153:PRO:HD2	1:C:207:ALA:CB	2.51	0.41
1:C:193:THR:O	1:C:197:GLN:HB2	2.21	0.41
1:A:151:TYR:OH	1:A:183:LEU:HD23	2.21	0.41
3:E:137:HIS:NE2	3:E:139:GLN:HB2	2.35	0.41
1:A:193:THR:O	1:A:197:GLN:HB2	2.22	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:125:PRO:HB2	1:A:148:VAL:HG13	2.04	0.40
2:B:23:CYS:HB2	2:B:40:TRP:CH2	2.56	0.40
3:F:52:LEU:HB3	3:F:74:LEU:CD2	2.50	0.40
2:B:14:SER:HA	2:B:111:ILE:HD12	2.02	0.40
3:F:341:LEU:HD23	3:F:341:LEU:HA	1.96	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	215/224 (96%)	189 (88%)	20 (9%)	6 (3%)	4	19
1	C	211/224 (94%)	184 (87%)	23 (11%)	4 (2%)	6	26
2	B	217/219 (99%)	201 (93%)	13 (6%)	3 (1%)	9	31
2	D	217/219 (99%)	198 (91%)	15 (7%)	4 (2%)	6	26
3	E	577/625 (92%)	516 (89%)	53 (9%)	8 (1%)	9	31
3	F	566/625 (91%)	500 (88%)	56 (10%)	10 (2%)	6	26
All	All	2003/2136 (94%)	1788 (89%)	180 (9%)	35 (2%)	7	27

All (35) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	2	VAL
1	A	43	SER
1	A	66	ARG
1	A	103	ASP
1	C	43	SER
1	C	66	ARG
1	C	103	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	E	423	GLN
3	F	423	GLN
3	F	575	ALA
1	A	33	GLY
1	A	196	SER
1	C	196	SER
3	E	315	GLY
3	E	569	PRO
3	F	45	HIS
3	F	145	PRO
3	F	315	GLY
2	D	217	ASN
3	E	169	THR
3	F	114	LEU
3	F	569	PRO
2	B	143	ASN
2	D	143	ASN
3	E	114	LEU
3	E	194	GLY
3	E	539	ASP
3	F	539	ASP
2	B	83	VAL
2	D	56	VAL
2	D	83	VAL
2	B	56	VAL
3	F	290	VAL
3	E	290	VAL
3	F	261	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	192/195 (98%)	169 (88%)	23 (12%)	5	19
1	C	188/195 (96%)	169 (90%)	19 (10%)	7	25
2	B	196/196 (100%)	175 (89%)	21 (11%)	6	22

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	D	196/196 (100%)	176 (90%)	20 (10%)	7	24
3	E	518/553 (94%)	481 (93%)	37 (7%)	13	38
3	F	515/553 (93%)	481 (93%)	34 (7%)	15	40
All	All	1805/1888 (96%)	1651 (92%)	154 (8%)	10	32

All (154) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	LYS
1	A	6	GLU
1	A	11	ILE
1	A	20	LEU
1	A	34	ILE
1	A	40	ARG
1	A	66	ARG
1	A	69	LEU
1	A	73	LYS
1	A	75	THR
1	A	81	PHE
1	A	102	ASP
1	A	111	GLN
1	A	140	SER
1	A	154	GLU
1	A	156	VAL
1	A	176	LEU
1	A	196	SER
1	A	200	THR
1	A	202	ASN
1	A	211	LYS
1	A	216	ILE
1	A	219	ARG
2	B	11	LEU
2	B	18	GLN
2	B	29	ILE
2	B	38	LEU
2	B	53	ILE
2	B	58	ASN
2	B	61	SER
2	B	65	ASP
2	B	74	THR
2	B	75	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	77	THR
2	B	111	ILE
2	B	113	ARG
2	B	119	THR
2	B	120	VAL
2	B	121	SER
2	B	149	ILE
2	B	183	THR
2	B	186	LEU
2	B	216	ARG
2	B	218	GLU
1	C	3	THR
1	C	11	ILE
1	C	20	LEU
1	C	25	SER
1	C	34	ILE
1	C	39	ILE
1	C	40	ARG
1	C	66	ARG
1	C	73	LYS
1	C	75	THR
1	C	102	ASP
1	C	111	GLN
1	C	142	VAL
1	C	154	GLU
1	C	176	LEU
1	C	196	SER
1	C	200	THR
1	C	202	ASN
1	C	211	LYS
2	D	11	LEU
2	D	18	GLN
2	D	29	ILE
2	D	38	LEU
2	D	53	ILE
2	D	61	SER
2	D	65	ASP
2	D	74	THR
2	D	77	THR
2	D	111	ILE
2	D	113	ARG
2	D	119	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	120	VAL
2	D	121	SER
2	D	149	ILE
2	D	186	LEU
2	D	187	THR
2	D	211	VAL
2	D	216	ARG
2	D	218	GLU
3	E	3	VAL
3	E	14	LEU
3	E	24	LEU
3	E	43	ILE
3	E	56	ARG
3	E	66	LEU
3	E	68	GLN
3	E	84	LYS
3	E	115	THR
3	E	168	CYS
3	E	176	THR
3	E	184	THR
3	E	186	THR
3	E	249	GLN
3	E	255	ASN
3	E	259	THR
3	E	279	CYS
3	E	286	SER
3	E	333	ASN
3	E	364	LEU
3	E	379	ILE
3	E	433	ILE
3	E	435	ILE
3	E	454	SER
3	E	455	THR
3	E	460	ILE
3	E	462	ILE
3	E	482	CYS
3	E	495	CYS
3	E	508	ILE
3	E	517	GLU
3	E	536	LYS
3	E	541	LEU
3	E	563	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	E	567	LYS
3	E	570	ASP
3	E	601	ASN
3	F	3	VAL
3	F	24	LEU
3	F	29	GLU
3	F	43	ILE
3	F	66	LEU
3	F	84	LYS
3	F	85	LEU
3	F	109	LEU
3	F	115	THR
3	F	176	THR
3	F	184	THR
3	F	242	VAL
3	F	255	ASN
3	F	279	CYS
3	F	295	ILE
3	F	345	VAL
3	F	359	ILE
3	F	364	LEU
3	F	379	ILE
3	F	385	ASN
3	F	433	ILE
3	F	435	ILE
3	F	454	SER
3	F	455	THR
3	F	460	ILE
3	F	462	ILE
3	F	482	CYS
3	F	495	CYS
3	F	508	ILE
3	F	541	LEU
3	F	563	ASN
3	F	567	LYS
3	F	570	ASP
3	F	573	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (48) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	41	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	56	ASN
1	A	58	ASN
1	A	77	ASN
2	B	18	GLN
2	B	43	GLN
1	C	1	GLN
1	C	41	GLN
1	C	58	ASN
1	C	104	HIS
1	C	161	ASN
2	D	18	GLN
2	D	43	GLN
2	D	142	ASN
2	D	194	HIS
3	E	45	HIS
3	E	126	GLN
3	E	181	GLN
3	E	228	ASN
3	E	249	GLN
3	E	253	ASN
3	E	354	ASN
3	E	365	ASN
3	E	380	GLN
3	E	414	GLN
3	E	423	GLN
3	E	458	GLN
3	E	533	GLN
3	E	563	ASN
3	E	593	HIS
3	F	119	ASN
3	F	126	GLN
3	F	144	ASN
3	F	181	GLN
3	F	206	HIS
3	F	228	ASN
3	F	249	GLN
3	F	253	ASN
3	F	270	HIS
3	F	354	ASN
3	F	365	ASN
3	F	380	GLN
3	F	414	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	F	423	GLN
3	F	458	GLN
3	F	533	GLN
3	F	563	ASN
3	F	593	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	219/224 (97%)	0.09	0	100	100	66, 91, 122, 153	0
1	C	215/224 (95%)	0.09	4 (1%)	66	51	56, 81, 115, 146	0
2	B	219/219 (100%)	0.08	2 (0%)	81	69	66, 92, 132, 154	1 (0%)
2	D	219/219 (100%)	0.13	1 (0%)	87	78	52, 91, 128, 146	1 (0%)
3	E	585/625 (93%)	0.45	22 (3%)	44	31	55, 123, 203, 247	0
3	F	580/625 (92%)	0.49	29 (5%)	34	25	83, 126, 167, 253	0
All	All	2037/2136 (95%)	0.31	58 (2%)	55	41	52, 107, 172, 253	2 (0%)

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	E	251	GLU	4.4
1	C	134	CYS	4.2
3	E	233	CYS	4.0
3	F	222	PHE	3.4
3	F	611	TYR	3.4
3	E	309	CYS	3.2
3	E	74	LEU	3.1
3	E	52	LEU	3.1
3	E	478	CYS	3.1
3	F	605	SER	3.1
3	F	147	PRO	3.1
3	F	93	ALA	3.1
3	F	606	HIS	3.1
3	F	225	MET	3.1
3	F	300	PRO	3.0
3	F	604	THR	3.0
3	F	212	GLY	2.8
3	E	182	THR	2.8
3	F	115	THR	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	E	183	LEU	2.7
2	B	121	SER	2.7
3	E	263	PHE	2.6
3	E	49	LEU	2.6
2	B	75	ASP	2.6
3	E	184	THR	2.6
3	E	262	ALA	2.6
3	E	261	GLY	2.5
3	F	418	THR	2.5
3	F	597	THR	2.5
3	F	223	ALA	2.5
3	F	120	GLY	2.5
3	F	109	LEU	2.5
3	E	64	VAL	2.5
3	E	515	ASP	2.4
3	F	250	LEU	2.4
3	E	527	CYS	2.4
3	F	211	GLY	2.4
1	C	43	SER	2.4
3	F	464	ASP	2.3
3	E	308	ALA	2.3
3	E	173	TRP	2.2
3	E	372	GLU	2.2
3	F	365	ASN	2.2
3	F	498	CYS	2.2
3	F	41	THR	2.1
3	F	208	GLU	2.1
3	F	57	GLU	2.1
3	F	408	SER	2.1
3	E	62	VAL	2.1
3	E	437	ASP	2.1
3	F	609	ILE	2.1
1	C	133	VAL	2.0
2	D	120	VAL	2.0
3	F	106	LEU	2.0
3	F	111	LEU	2.0
3	F	347	GLY	2.0
3	E	72	LEU	2.0
1	C	108	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.