



wwPDB EM Validation Summary Report ⓘ

Mar 6, 2026 – 02:29 PM UTC

PDB ID : 6U9O / pdb_00006u9o
EMDB ID : EMD-20701
Title : Human IMPDH2 treated with ATP, IMP, NAD⁺, and 2 mM GTP. Fully compressed filament segment reconstruction.
Authors : Johnson, M.C.; Kollman, J.M.
Deposited on : 2019-09-09
Resolution : 3.36 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.36 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.











Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14332 (2.86 - 3.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	519	9% 70% 20% 6%
1	B	519	9% 71% 19% 6%
1	C	519	10% 72% 18% 6%
1	D	519	8% 72% 18% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	519	
1	F	519	
1	G	519	
1	H	519	
1	I	519	
1	J	519	
1	K	519	
1	L	519	
1	M	519	
1	N	519	
1	O	519	
1	P	519	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 31792 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Inosine-5'-monophosphate dehydrogenase 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	488	Total	C	N	O	S	0	0
			3710	2340	640	709	21		
1	I	14	Total	C	N	O	S	0	0
			102	66	14	21	1		
1	B	488	Total	C	N	O	S	0	0
			3710	2340	640	709	21		
1	J	14	Total	C	N	O	S	0	0
			102	66	14	21	1		
1	C	488	Total	C	N	O	S	0	0
			3710	2340	640	709	21		
1	K	14	Total	C	N	O	S	0	0
			102	66	14	21	1		
1	D	488	Total	C	N	O	S	0	0
			3710	2340	640	709	21		
1	L	14	Total	C	N	O	S	0	0
			102	66	14	21	1		
1	E	488	Total	C	N	O	S	0	0
			3710	2340	640	709	21		
1	M	14	Total	C	N	O	S	0	0
			102	66	14	21	1		
1	F	488	Total	C	N	O	S	0	0
			3710	2340	640	709	21		
1	N	14	Total	C	N	O	S	0	0
			102	66	14	21	1		
1	G	488	Total	C	N	O	S	0	0
			3710	2340	640	709	21		
1	O	14	Total	C	N	O	S	0	0
			102	66	14	21	1		
1	H	488	Total	C	N	O	S	0	0
			3710	2340	640	709	21		
1	P	14	Total	C	N	O	S	0	0
			102	66	14	21	1		

There are 80 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	SER	-	expression tag	UNP P12268
A	-3	GLU	-	expression tag	UNP P12268
A	-2	PHE	-	expression tag	UNP P12268
A	-1	GLU	-	expression tag	UNP P12268
A	0	LEU	-	expression tag	UNP P12268
I	-4	SER	-	expression tag	UNP P12268
I	-3	GLU	-	expression tag	UNP P12268
I	-2	PHE	-	expression tag	UNP P12268
I	-1	GLU	-	expression tag	UNP P12268
I	0	LEU	-	expression tag	UNP P12268
B	-4	SER	-	expression tag	UNP P12268
B	-3	GLU	-	expression tag	UNP P12268
B	-2	PHE	-	expression tag	UNP P12268
B	-1	GLU	-	expression tag	UNP P12268
B	0	LEU	-	expression tag	UNP P12268
J	-4	SER	-	expression tag	UNP P12268
J	-3	GLU	-	expression tag	UNP P12268
J	-2	PHE	-	expression tag	UNP P12268
J	-1	GLU	-	expression tag	UNP P12268
J	0	LEU	-	expression tag	UNP P12268
C	-4	SER	-	expression tag	UNP P12268
C	-3	GLU	-	expression tag	UNP P12268
C	-2	PHE	-	expression tag	UNP P12268
C	-1	GLU	-	expression tag	UNP P12268
C	0	LEU	-	expression tag	UNP P12268
K	-4	SER	-	expression tag	UNP P12268
K	-3	GLU	-	expression tag	UNP P12268
K	-2	PHE	-	expression tag	UNP P12268
K	-1	GLU	-	expression tag	UNP P12268
K	0	LEU	-	expression tag	UNP P12268
D	-4	SER	-	expression tag	UNP P12268
D	-3	GLU	-	expression tag	UNP P12268
D	-2	PHE	-	expression tag	UNP P12268
D	-1	GLU	-	expression tag	UNP P12268
D	0	LEU	-	expression tag	UNP P12268
L	-4	SER	-	expression tag	UNP P12268
L	-3	GLU	-	expression tag	UNP P12268
L	-2	PHE	-	expression tag	UNP P12268
L	-1	GLU	-	expression tag	UNP P12268
L	0	LEU	-	expression tag	UNP P12268
E	-4	SER	-	expression tag	UNP P12268
E	-3	GLU	-	expression tag	UNP P12268
E	-2	PHE	-	expression tag	UNP P12268

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-1	GLU	-	expression tag	UNP P12268
E	0	LEU	-	expression tag	UNP P12268
M	-4	SER	-	expression tag	UNP P12268
M	-3	GLU	-	expression tag	UNP P12268
M	-2	PHE	-	expression tag	UNP P12268
M	-1	GLU	-	expression tag	UNP P12268
M	0	LEU	-	expression tag	UNP P12268
F	-4	SER	-	expression tag	UNP P12268
F	-3	GLU	-	expression tag	UNP P12268
F	-2	PHE	-	expression tag	UNP P12268
F	-1	GLU	-	expression tag	UNP P12268
F	0	LEU	-	expression tag	UNP P12268
N	-4	SER	-	expression tag	UNP P12268
N	-3	GLU	-	expression tag	UNP P12268
N	-2	PHE	-	expression tag	UNP P12268
N	-1	GLU	-	expression tag	UNP P12268
N	0	LEU	-	expression tag	UNP P12268
G	-4	SER	-	expression tag	UNP P12268
G	-3	GLU	-	expression tag	UNP P12268
G	-2	PHE	-	expression tag	UNP P12268
G	-1	GLU	-	expression tag	UNP P12268
G	0	LEU	-	expression tag	UNP P12268
O	-4	SER	-	expression tag	UNP P12268
O	-3	GLU	-	expression tag	UNP P12268
O	-2	PHE	-	expression tag	UNP P12268
O	-1	GLU	-	expression tag	UNP P12268
O	0	LEU	-	expression tag	UNP P12268
H	-4	SER	-	expression tag	UNP P12268
H	-3	GLU	-	expression tag	UNP P12268
H	-2	PHE	-	expression tag	UNP P12268
H	-1	GLU	-	expression tag	UNP P12268
H	0	LEU	-	expression tag	UNP P12268
P	-4	SER	-	expression tag	UNP P12268
P	-3	GLU	-	expression tag	UNP P12268
P	-2	PHE	-	expression tag	UNP P12268
P	-1	GLU	-	expression tag	UNP P12268
P	0	LEU	-	expression tag	UNP P12268

- Molecule 2 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
2	A	1	Total	C	N	O	P	0
			32	10	5	14	3	
2	A	1	Total	C	N	O	P	0
			32	10	5	14	3	
2	B	1	Total	C	N	O	P	0
			32	10	5	14	3	
2	B	1	Total	C	N	O	P	0
			32	10	5	14	3	
2	C	1	Total	C	N	O	P	0
			32	10	5	14	3	
2	C	1	Total	C	N	O	P	0
			32	10	5	14	3	
2	D	1	Total	C	N	O	P	0
			32	10	5	14	3	
2	D	1	Total	C	N	O	P	0
			32	10	5	14	3	
2	E	1	Total	C	N	O	P	0
			32	10	5	14	3	
2	E	1	Total	C	N	O	P	0
			32	10	5	14	3	
2	F	1	Total	C	N	O	P	0
			32	10	5	14	3	
2	F	1	Total	C	N	O	P	0
			32	10	5	14	3	
2	G	1	Total	C	N	O	P	0
			32	10	5	14	3	
2	G	1	Total	C	N	O	P	0
			32	10	5	14	3	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
2	H	1	Total	C	N	O	P	0
			32	10	5	14	3	
2	H	1	Total	C	N	O	P	0
			32	10	5	14	3	


- Molecule 3 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
3	A	1	Total	C	N	O	P	0
			31	10	5	13	3	
3	B	1	Total	C	N	O	P	0
			31	10	5	13	3	
3	C	1	Total	C	N	O	P	0
			31	10	5	13	3	
3	D	1	Total	C	N	O	P	0
			31	10	5	13	3	
3	E	1	Total	C	N	O	P	0
			31	10	5	13	3	
3	F	1	Total	C	N	O	P	0
			31	10	5	13	3	
3	G	1	Total	C	N	O	P	0
			31	10	5	13	3	
3	H	1	Total	C	N	O	P	0
			31	10	5	13	3	


- Molecule 4 is INOSINIC ACID (CCD ID: IMP) (formula: $C_{10}H_{13}N_4O_8P$) (labeled as "Ligand

of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
4	A	1	Total	C	N	O	P	0
			23	10	4	8	1	
4	B	1	Total	C	N	O	P	0
			23	10	4	8	1	
4	C	1	Total	C	N	O	P	0
			23	10	4	8	1	
4	D	1	Total	C	N	O	P	0
			23	10	4	8	1	
4	E	1	Total	C	N	O	P	0
			23	10	4	8	1	
4	F	1	Total	C	N	O	P	0
			23	10	4	8	1	
4	G	1	Total	C	N	O	P	0
			23	10	4	8	1	
4	H	1	Total	C	N	O	P	0
			23	10	4	8	1	

- Molecule 5 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
5	A	1	Total 44	C 21	N 7	O 14	P 2	0
5	B	1	Total 44	C 21	N 7	O 14	P 2	0
5	C	1	Total 44	C 21	N 7	O 14	P 2	0
5	D	1	Total 44	C 21	N 7	O 14	P 2	0
5	E	1	Total 44	C 21	N 7	O 14	P 2	0
5	F	1	Total 44	C 21	N 7	O 14	P 2	0
5	G	1	Total 44	C 21	N 7	O 14	P 2	0
5	H	1	Total 44	C 21	N 7	O 14	P 2	0







- Molecule 1: Inosine-5'-monophosphate dehydrogenase 2




- Molecule 1: Inosine-5'-monophosphate dehydrogenase 2







- Molecule 1: Inosine-5'-monophosphate dehydrogenase 2




- Molecule 1: Inosine-5'-monophosphate dehydrogenase 2



- Molecule 1: Inosine-5'-monophosphate dehydrogenase 2





- Molecule 1: Inosine-5'-monophosphate dehydrogenase 2



ALA	ASP	VAL	GLY	LYS
MET	LYS	ILE	GLY	LYS
MET	HIS	ALA	ASN	GLN
TYR	LEU	ASP	VAL	LEU
SER	SER	GLY	THR	CYS
GLY	GLN	ILE	ALA	GLY
GLU	ASN	GLN	ALA	ALA
LEU	ARG	ASN	GLN	ALA
LYS	TYR	VAL	ALA	ILE
PHE	PHE	GLY	LYS	GLY
GLU	GLY	GLY	ASN	THR
LYS	SER	HIS	LEU	HIS
ARG	GLU	ILE	GLY	GLU
THR	ALA	ALA	ILE	ASP
SER	ASP	LYS	ALA	ASP
SER	SER	LEU	ALA	ASP
GLN	ILE	LEU	VAL	LYS
ALA	ILE	ALA	VAL	TYR
VAL	VAL	LEU	ASP	ARG
GLU	ALA	GLY	ALA	LEU
GLY	GLN	GLY	LEU	ASP
GLY	GLY	SER	ARG	LEU
VAL	VAL	THR	VAL	LEU
SER	SER	VAL	GLY	ALA
HIS	GLY	MET	MET	GLN
SER	GLY	MET	GLY	ALA
LEU	ALA	MET	SER	GLY
LEU	VAL	GLY	GLY	VAL
HIS	GLN	SER	GLY	VAL
SER	ASP	LEU	SER	ASP
TYR	LYS	LEU	ILE	VAL
GLY	GLY	ALA	CYS	VAL
LYS	SER	ALA	ILE	VAL
ARG	ILE	THR	THR	VAL
LEU	ILE	THR	GLN	LEU
PHE	LYS	GLU	SER	ASP
	PHE	ALA	GLU	SER
	VAL	PRO	VAL	GLN
	TYR	GLY	ALA	GLY
	PRO	GLU	CYS	ASN
	GLY	GLY	GLY	SER
	LEU	TYR	ARG	SER
	ILE	PHE	ILE	ILE
	ALA	PHE	THR	PHE
	GLY	SER	ALA	ILE
	ILE	ASP	ASN	GLN
	GLN	GLY	ALA	MET
	HIS	ILE	VAL	ILE
	SER	ARG	THR	LYS
	CYS	LEU	TYR	TYR
	GLN	LYS	LYS	LYS
	ASP	TYR	VAL	ASN
	ILE	TYR	SER	ASP
	ILE	GLY	GLU	LYS
	GLY	ARG	TYR	ASP
	ALA	GLY	GLU	TYR
	LYS	MET	ALA	TYR
	SER	GLY	ARG	PRO
	LEU	SER	ARG	ASN
	THR	LEU	PHE	LEU
	GLN	ASP	GLY	GLN
	VAL	VAL	PRO	ILE

- Molecule 1: Inosine-5'-monophosphate dehydrogenase 2



- Molecule 1: Inosine-5'-monophosphate dehydrogenase 2

[illegible]

MET	LYS	TLE	GLY	LYS
MET	HIS	ASP	ASN	GLN
SER	LEU	ALA	VAL	LEU
GLY	SER	GLY	THR	CYS
GLU	GLN	TLE	ALA	GLY
LYS	ASN	GLN	ALA	ALA
LEU	ARG	ASN	GLN	ALA
PHE	TYR	VAL	ALA	ILE
GLU	PHE	GLY	LYS	GLY
LYS	SER	HIS	ASN	THR
ARG	GLU	TLE	LEU	HIS
THR	ALA	ALA	ILE	GLU
SER	ASP	LYS	ASP	ASP
SER	LYS	ALA	ALA	ALA
GLN	ILE	LEU	GLY	LYS
ALA	LYS	ALA	VAL	VAL
VAL	VAL	LEU	ASP	ARG
GLU	ALA	GLY	ALA	LEU
GLY	GLN	ALA	LEU	ASP
GLY	GLY	SER	ARG	LEU
VAL	VAL	THR	VAL	LEU
HIS	SER	VAL	GLY	ALA
SER	GLY	MET	MET	GLN
LEU	ALA	MET	GLY	ALA
HIS	VAL	GLY	SER	GLY
SER	GLN	SER	GLY	VAL
TYR	LYS	LEU	SER	ASP
GLU	ASP	LEU	ILE	VAL
LYS	GLY	ALA	CYS	VAL
ARG	SER	ALA	ILE	VAL
LEU	ILE	THR	THR	LEU
PHE	HIS	THR	GLN	ASP
	LYS	GLU	GLU	SER
	PHE	ALA	VAL	SER
	VAL	PRO	LEU	GLN
	PRO	GLY	ALA	GLY
	TYR	TYR	CYS	ASN
	LEU	GLU	GLY	SER
	ILE	PHE	ARG	ILE
	ALA	PHE	PRO	PHE
	GLY	SER	GLN	GLN
	ILE	ASP	ALA	ILE
	GLN	GLY	THR	ASN
	HIS	ILE	ALA	MET
	SER	ARG	VAL	ILE
	CYS	LEU	TYR	LYS
	GLN	LYS	LYS	TYR
	ASP	LYS	VAL	ILE
	ILE	TYR	SER	LYS
	GLY	ARG	GLU	ASP
	ALA	GLY	TYR	LYS
	LYS	MET	ALA	TYR
	SER	GLY	ARG	PRO
	LEU	SER	ARG	ASN
	THR	LEU	PHE	LEU
	GLN	ASP	GLY	GLN
	VAL	ALA	VAL	VAL
	ARG	MET	PRO	GLY
	ALA	ASP	VAL	ILE

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, D4	Depositor
Number of particles used	31792	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	100	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	87.992	Depositor
Minimum map value	-54.646	Depositor
Average map value	0.068	Depositor
Map value standard deviation	2.635	Depositor
Recommended contour level	17	Depositor
Map size (Å)	336.0, 336.0, 336.0	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.05, 1.05, 1.05	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ATP, NAD, GTP, IMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/3766	0.78	11/5078 (0.2%)
1	B	0.36	0/3766	0.78	11/5078 (0.2%)
1	C	0.36	0/3766	0.78	11/5078 (0.2%)
1	D	0.36	0/3766	0.78	11/5078 (0.2%)
1	E	0.36	0/3766	0.78	11/5078 (0.2%)
1	F	0.36	0/3766	0.78	11/5078 (0.2%)
1	G	0.36	0/3766	0.78	11/5078 (0.2%)
1	H	0.36	0/3766	0.78	11/5078 (0.2%)
1	I	0.29	0/104	0.71	0/141
1	J	0.28	0/104	0.71	0/141
1	K	0.29	0/104	0.71	0/141
1	L	0.29	0/104	0.70	0/141
1	M	0.28	0/104	0.71	0/141
1	N	0.29	0/104	0.71	0/141
1	O	0.28	0/104	0.71	0/141
1	P	0.29	0/104	0.71	0/141
All	All	0.36	0/30960	0.78	88/41752 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
1	D	0	1
1	E	0	1
1	F	0	1
1	G	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
1	H	0	1
All	All	0	8

There are no bond length outliers.

The worst 5 of 88 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	150	MET	CB-CG-SD	6.68	132.75	112.70
1	C	150	MET	CB-CG-SD	6.68	132.73	112.70
1	G	150	MET	CB-CG-SD	6.68	132.73	112.70
1	B	150	MET	CB-CG-SD	6.67	132.72	112.70
1	A	150	MET	CB-CG-SD	6.67	132.70	112.70

There are no chirality outliers.

5 of 8 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	74	THR	Peptide
1	B	74	THR	Peptide
1	C	74	THR	Peptide
1	D	74	THR	Peptide
1	E	74	THR	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3710	0	3765	71	0
1	B	3710	0	3765	67	0
1	C	3710	0	3765	65	0
1	D	3710	0	3765	64	0
1	E	3710	0	3765	70	0
1	F	3710	0	3765	69	0
1	G	3710	0	3765	67	0
1	H	3710	0	3765	64	0
1	I	102	0	99	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	J	102	0	99	1	0
1	K	102	0	99	0	0
1	L	102	0	99	1	0
1	M	102	0	99	1	0
1	N	102	0	99	0	0
1	O	102	0	99	1	0
1	P	102	0	99	0	0
2	A	64	0	22	0	0
2	B	64	0	23	0	0
2	C	64	0	23	0	0
2	D	64	0	22	0	0
2	E	64	0	23	0	0
2	F	64	0	22	0	0
2	G	64	0	22	0	0
2	H	64	0	22	0	0
3	A	31	0	12	0	0
3	B	31	0	12	0	0
3	C	31	0	12	0	0
3	D	31	0	12	0	0
3	E	31	0	12	0	0
3	F	31	0	12	0	0
3	G	31	0	12	0	0
3	H	31	0	12	0	0
4	A	23	0	10	1	0
4	B	23	0	10	2	0
4	C	23	0	10	1	0
4	D	23	0	10	2	0
4	E	23	0	10	1	0
4	F	23	0	10	2	0
4	G	23	0	10	1	0
4	H	23	0	10	2	0
5	A	44	0	24	0	0
5	B	44	0	24	0	0
5	C	44	0	24	0	0
5	D	44	0	24	0	0
5	E	44	0	24	0	0
5	F	44	0	24	0	0
5	G	44	0	24	0	0
5	H	44	0	24	0	0
All	All	31792	0	31459	466	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 466 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:392:ALA:HA	1:A:409:LYS:HD2	1.78	0.65
1:E:392:ALA:HA	1:E:409:LYS:HD2	1.78	0.65
1:D:304:VAL:HG12	1:D:309:GLN:HG3	1.79	0.65
1:F:392:ALA:HA	1:F:409:LYS:HD2	1.78	0.65
1:H:304:VAL:HG12	1:H:309:GLN:HG3	1.79	0.65

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	484/519 (93%)	454 (94%)	30 (6%)	0	100	100
1	B	484/519 (93%)	454 (94%)	30 (6%)	0	100	100
1	C	484/519 (93%)	454 (94%)	30 (6%)	0	100	100
1	D	484/519 (93%)	454 (94%)	30 (6%)	0	100	100
1	E	484/519 (93%)	454 (94%)	30 (6%)	0	100	100
1	F	484/519 (93%)	454 (94%)	30 (6%)	0	100	100
1	G	484/519 (93%)	454 (94%)	30 (6%)	0	100	100
1	H	484/519 (93%)	454 (94%)	30 (6%)	0	100	100
1	I	12/519 (2%)	6 (50%)	6 (50%)	0	100	100
1	J	12/519 (2%)	6 (50%)	6 (50%)	0	100	100
1	K	12/519 (2%)	6 (50%)	6 (50%)	0	100	100
1	L	12/519 (2%)	6 (50%)	6 (50%)	0	100	100
1	M	12/519 (2%)	6 (50%)	6 (50%)	0	100	100
1	N	12/519 (2%)	6 (50%)	6 (50%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	O	12/519 (2%)	6 (50%)	6 (50%)	0	100	100
1	P	12/519 (2%)	6 (50%)	6 (50%)	0	100	100
All	All	3968/8304 (48%)	3680 (93%)	288 (7%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	398/425 (94%)	364 (92%)	34 (8%)	10	33
1	B	398/425 (94%)	364 (92%)	34 (8%)	10	33
1	C	398/425 (94%)	364 (92%)	34 (8%)	10	33
1	D	398/425 (94%)	364 (92%)	34 (8%)	10	33
1	E	398/425 (94%)	364 (92%)	34 (8%)	10	33
1	F	398/425 (94%)	364 (92%)	34 (8%)	10	33
1	G	398/425 (94%)	364 (92%)	34 (8%)	10	33
1	H	398/425 (94%)	364 (92%)	34 (8%)	10	33
1	I	11/425 (3%)	11 (100%)	0	100	100
1	J	11/425 (3%)	11 (100%)	0	100	100
1	K	11/425 (3%)	11 (100%)	0	100	100
1	L	11/425 (3%)	11 (100%)	0	100	100
1	M	11/425 (3%)	11 (100%)	0	100	100
1	N	11/425 (3%)	11 (100%)	0	100	100
1	O	11/425 (3%)	11 (100%)	0	100	100
1	P	11/425 (3%)	11 (100%)	0	100	100
All	All	3272/6800 (48%)	3000 (92%)	272 (8%)	12	35

5 of 272 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	408	LEU
1	H	49	VAL
1	H	330	ILE
1	C	461	ILE
1	C	364	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 25 such sidechains are listed below:

Mol	Chain	Res	Type
1	E	21	GLN
1	F	283	GLN
1	H	303	ASN
1	F	21	GLN
1	F	303	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

40 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ATP	G	603	-	32,33,33	3.22	17 (53%)	48,52,52	2.94	13 (27%)
4	IMP	B	604	-	25,25,25	2.60	6 (24%)	37,38,38	2.04	8 (21%)
2	GTP	F	602	-	33,34,34	3.95	20 (60%)	50,54,54	1.82	13 (26%)
5	NAD	E	605	-	46,48,48	3.49	19 (41%)	64,73,73	2.36	15 (23%)
2	GTP	C	601	-	33,34,34	3.82	19 (57%)	50,54,54	1.78	13 (26%)
5	NAD	F	605	-	46,48,48	3.48	19 (41%)	64,73,73	2.35	15 (23%)
2	GTP	H	601	-	33,34,34	3.82	19 (57%)	50,54,54	1.78	13 (26%)
4	IMP	C	604	-	25,25,25	2.61	7 (28%)	37,38,38	2.04	8 (21%)
2	GTP	B	602	-	33,34,34	3.95	20 (60%)	50,54,54	1.82	13 (26%)
4	IMP	E	604	-	25,25,25	2.61	7 (28%)	37,38,38	2.01	8 (21%)
5	NAD	A	605	-	46,48,48	3.49	19 (41%)	64,73,73	2.36	15 (23%)
2	GTP	A	602	-	33,34,34	3.95	20 (60%)	50,54,54	1.83	13 (26%)
4	IMP	H	604	-	25,25,25	2.61	7 (28%)	37,38,38	2.00	8 (21%)
2	GTP	G	602	-	33,34,34	3.94	19 (57%)	50,54,54	1.82	13 (26%)
3	ATP	C	603	-	32,33,33	3.23	17 (53%)	48,52,52	2.94	13 (27%)
3	ATP	F	603	-	32,33,33	3.23	17 (53%)	48,52,52	2.94	13 (27%)
2	GTP	D	601	-	33,34,34	3.83	19 (57%)	50,54,54	1.78	13 (26%)
5	NAD	G	605	-	46,48,48	3.49	19 (41%)	64,73,73	2.36	15 (23%)
4	IMP	A	604	-	25,25,25	2.61	6 (24%)	37,38,38	2.05	8 (21%)
2	GTP	H	602	-	33,34,34	3.95	20 (60%)	50,54,54	1.83	13 (26%)
3	ATP	D	603	-	32,33,33	3.22	17 (53%)	48,52,52	2.94	13 (27%)
5	NAD	C	605	-	46,48,48	3.49	19 (41%)	64,73,73	2.36	15 (23%)
2	GTP	B	601	-	33,34,34	3.83	19 (57%)	50,54,54	1.78	13 (26%)
5	NAD	H	605	-	46,48,48	3.49	19 (41%)	64,73,73	2.36	15 (23%)
2	GTP	F	601	-	33,34,34	3.82	19 (57%)	50,54,54	1.77	13 (26%)
3	ATP	B	603	-	32,33,33	3.22	17 (53%)	48,52,52	2.94	13 (27%)
5	NAD	D	605	-	46,48,48	3.49	19 (41%)	64,73,73	2.35	15 (23%)
2	GTP	D	602	-	33,34,34	3.95	20 (60%)	50,54,54	1.82	13 (26%)
4	IMP	F	604	-	25,25,25	2.61	7 (28%)	37,38,38	2.00	8 (21%)
2	GTP	C	602	-	33,34,34	3.95	20 (60%)	50,54,54	1.83	13 (26%)
2	GTP	E	601	-	33,34,34	3.82	19 (57%)	50,54,54	1.77	13 (26%)
2	GTP	A	601	-	33,34,34	3.82	19 (57%)	50,54,54	1.77	13 (26%)
3	ATP	E	603	-	32,33,33	3.23	17 (53%)	48,52,52	2.94	13 (27%)
4	IMP	G	604	-	25,25,25	2.60	7 (28%)	37,38,38	2.00	8 (21%)
3	ATP	H	603	-	32,33,33	3.24	17 (53%)	48,52,52	2.94	13 (27%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GTP	E	602	-	33,34,34	3.95	20 (60%)	50,54,54	1.83	13 (26%)
4	IMP	D	604	-	25,25,25	2.61	7 (28%)	37,38,38	2.03	8 (21%)
5	NAD	B	605	-	46,48,48	3.49	19 (41%)	64,73,73	2.36	15 (23%)
2	GTP	G	601	-	33,34,34	3.82	19 (57%)	50,54,54	1.78	13 (26%)
3	ATP	A	603	-	32,33,33	3.23	17 (53%)	48,52,52	2.94	13 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ATP	G	603	-	-	5/22/38/38	0/3/3/3
4	IMP	B	604	-	-	4/10/26/26	0/3/3/3
2	GTP	F	602	-	-	3/22/38/38	0/3/3/3
5	NAD	E	605	-	-	8/30/62/62	0/5/5/5
2	GTP	C	601	-	-	4/22/38/38	0/3/3/3
5	NAD	F	605	-	-	8/30/62/62	0/5/5/5
2	GTP	H	601	-	-	4/22/38/38	0/3/3/3
4	IMP	C	604	-	-	4/10/26/26	0/3/3/3
2	GTP	B	602	-	-	3/22/38/38	0/3/3/3
4	IMP	E	604	-	-	5/10/26/26	0/3/3/3
5	NAD	A	605	-	-	8/30/62/62	0/5/5/5
2	GTP	A	602	-	-	3/22/38/38	0/3/3/3
4	IMP	H	604	-	-	5/10/26/26	0/3/3/3
2	GTP	G	602	-	-	3/22/38/38	0/3/3/3
3	ATP	C	603	-	-	5/22/38/38	0/3/3/3
3	ATP	F	603	-	-	5/22/38/38	0/3/3/3
2	GTP	D	601	-	-	4/22/38/38	0/3/3/3
5	NAD	G	605	-	-	8/30/62/62	0/5/5/5
4	IMP	A	604	-	-	4/10/26/26	0/3/3/3
2	GTP	H	602	-	-	3/22/38/38	0/3/3/3
3	ATP	D	603	-	-	5/22/38/38	0/3/3/3
5	NAD	C	605	-	-	8/30/62/62	0/5/5/5
2	GTP	B	601	-	-	4/22/38/38	0/3/3/3
5	NAD	H	605	-	-	8/30/62/62	0/5/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GTP	F	601	-	-	4/22/38/38	0/3/3/3
3	ATP	B	603	-	-	5/22/38/38	0/3/3/3
5	NAD	D	605	-	-	8/30/62/62	0/5/5/5
2	GTP	D	602	-	-	3/22/38/38	0/3/3/3
4	IMP	F	604	-	-	5/10/26/26	0/3/3/3
2	GTP	C	602	-	-	3/22/38/38	0/3/3/3
2	GTP	E	601	-	-	4/22/38/38	0/3/3/3
2	GTP	A	601	-	-	4/22/38/38	0/3/3/3
3	ATP	E	603	-	-	5/22/38/38	0/3/3/3
4	IMP	G	604	-	-	5/10/26/26	0/3/3/3
3	ATP	H	603	-	-	5/22/38/38	0/3/3/3
2	GTP	E	602	-	-	3/22/38/38	0/3/3/3
4	IMP	D	604	-	-	4/10/26/26	0/3/3/3
5	NAD	B	605	-	-	8/30/62/62	0/5/5/5
2	GTP	G	601	-	-	4/22/38/38	0/3/3/3
3	ATP	A	603	-	-	5/22/38/38	0/3/3/3

The worst 5 of 653 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	602	GTP	C2'-C3'	-10.78	1.24	1.53
2	F	602	GTP	C2'-C3'	-10.77	1.24	1.53
2	H	602	GTP	C2'-C3'	-10.77	1.24	1.53
2	C	602	GTP	C2'-C3'	-10.75	1.24	1.53
2	B	602	GTP	C2'-C3'	-10.74	1.24	1.53

The worst 5 of 496 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	603	ATP	N6-C6-N1	-9.35	97.56	118.38
3	D	603	ATP	N6-C6-N1	-9.34	97.58	118.38
3	C	603	ATP	N6-C6-N1	-9.34	97.58	118.38
3	F	603	ATP	N6-C6-N1	-9.34	97.58	118.38
3	G	603	ATP	N6-C6-N1	-9.33	97.60	118.38

There are no chirality outliers.

5 of 196 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	601	GTP	C5'-O5'-PA-O3A
2	A	601	GTP	C5'-O5'-PA-O1A
2	A	602	GTP	O4'-C4'-C5'-O5'
2	B	601	GTP	C5'-O5'-PA-O3A
2	B	601	GTP	C5'-O5'-PA-O1A



There are no ring outliers.



8 monomers are involved in 12 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	604	IMP	2	0
4	C	604	IMP	1	0
4	E	604	IMP	1	0
4	H	604	IMP	2	0
4	A	604	IMP	1	0
4	F	604	IMP	2	0
4	G	604	IMP	1	0
4	D	604	IMP	2	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

























Ligand ATP F 603









Ligand IMP A 604






Ligand GTP H 602


















Ligand IMP F 604




Ligand GTP C 602




Ligand GTP E 601




Ligand GTP A 601






Ligand ATP E 603






Ligand IMP G 604











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20701. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 175




Y Index: 175




Z Index: 190


6.3.2 Raw map



X Index: 146



Y Index: 174




Z Index: 172


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 17.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_20701_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 164 nm³; this corresponds to an approximate mass of 149 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.298 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.298 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.36	-	-
Author-provided FSC curve	3.34	4.03	3.63
Unmasked-calculated*	3.75	4.60	3.83

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.75 differs from the reported value 3.36 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-20701 and PDB model 6U9O. Per-residue inclusion information can be found in [section 3](#) on [page 11](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 17.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (17).

9.4 Atom inclusion [i](#)



At the recommended contour level, 82% of all backbone atoms, 63% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (17) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.6330	0.4470
A	0.6320	0.4480
B	0.6380	0.4480
C	0.6340	0.4470
D	0.6390	0.4480
E	0.6330	0.4490
F	0.6350	0.4490
G	0.6310	0.4470
H	0.6390	0.4480
I	0.5500	0.4180
J	0.5100	0.4220
K	0.5400	0.4220
L	0.5200	0.4140
M	0.5200	0.4240
N	0.5200	0.4210
O	0.5400	0.4170
P	0.5600	0.4100

1.0

0.0

<0.0