



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:12 PM UTC

PDB ID : 8U9B / pdb_00008u9b
Title : Crystal Structure of Betaine aldehyde dehydrogenase (BetB) from *Klebsiella aerogenes* (Apo, P21 Form)
Authors : Seattle Structural Genomics Center for Infectious Disease; Seattle Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on : 2023-09-18
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	499	
1	B	499	
1	C	499	
1	D	499	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	499	2% 92% 6%
1	F	499	2% 92% 5%
1	G	499	3% 93% 5%
1	H	499	2% 95%

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 33696 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Betaine aldehyde dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	495	Total	C	N	O	S	0	6	0
			3773	2381	656	718	18			
1	B	493	Total	C	N	O	S	0	7	0
			3761	2375	654	714	18			
1	C	493	Total	C	N	O	S	0	7	0
			3772	2382	657	716	17			
1	D	489	Total	C	N	O	S	0	6	0
			3733	2358	643	715	17			
1	E	488	Total	C	N	O	S	0	6	0
			3710	2343	636	714	17			
1	F	489	Total	C	N	O	S	0	7	0
			3733	2357	644	715	17			
1	G	488	Total	C	N	O	S	0	4	0
			3708	2343	638	710	17			
1	H	488	Total	C	N	O	S	0	4	0
			3701	2338	639	707	17			

There are 88 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-8	MET	-	expression tag	UNP A0A447LC14
A	-7	ALA	-	expression tag	UNP A0A447LC14
A	-6	HIS	-	expression tag	UNP A0A447LC14
A	-5	HIS	-	expression tag	UNP A0A447LC14
A	-4	HIS	-	expression tag	UNP A0A447LC14
A	-3	HIS	-	expression tag	UNP A0A447LC14
A	-2	HIS	-	expression tag	UNP A0A447LC14
A	-1	HIS	-	expression tag	UNP A0A447LC14
A	0	HIS	-	expression tag	UNP A0A447LC14
A	62	ALA	VAL	engineered mutation	UNP A0A447LC14
A	485	PRO	GLN	engineered mutation	UNP A0A447LC14
B	-8	MET	-	expression tag	UNP A0A447LC14
B	-7	ALA	-	expression tag	UNP A0A447LC14

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-6	HIS	-	expression tag	UNP A0A447LC14
B	-5	HIS	-	expression tag	UNP A0A447LC14
B	-4	HIS	-	expression tag	UNP A0A447LC14
B	-3	HIS	-	expression tag	UNP A0A447LC14
B	-2	HIS	-	expression tag	UNP A0A447LC14
B	-1	HIS	-	expression tag	UNP A0A447LC14
B	0	HIS	-	expression tag	UNP A0A447LC14
B	62	ALA	VAL	engineered mutation	UNP A0A447LC14
B	485	PRO	GLN	engineered mutation	UNP A0A447LC14
C	-8	MET	-	expression tag	UNP A0A447LC14
C	-7	ALA	-	expression tag	UNP A0A447LC14
C	-6	HIS	-	expression tag	UNP A0A447LC14
C	-5	HIS	-	expression tag	UNP A0A447LC14
C	-4	HIS	-	expression tag	UNP A0A447LC14
C	-3	HIS	-	expression tag	UNP A0A447LC14
C	-2	HIS	-	expression tag	UNP A0A447LC14
C	-1	HIS	-	expression tag	UNP A0A447LC14
C	0	HIS	-	expression tag	UNP A0A447LC14
C	62	ALA	VAL	engineered mutation	UNP A0A447LC14
C	485	PRO	GLN	engineered mutation	UNP A0A447LC14
D	-8	MET	-	expression tag	UNP A0A447LC14
D	-7	ALA	-	expression tag	UNP A0A447LC14
D	-6	HIS	-	expression tag	UNP A0A447LC14
D	-5	HIS	-	expression tag	UNP A0A447LC14
D	-4	HIS	-	expression tag	UNP A0A447LC14
D	-3	HIS	-	expression tag	UNP A0A447LC14
D	-2	HIS	-	expression tag	UNP A0A447LC14
D	-1	HIS	-	expression tag	UNP A0A447LC14
D	0	HIS	-	expression tag	UNP A0A447LC14
D	62	ALA	VAL	engineered mutation	UNP A0A447LC14
D	485	PRO	GLN	engineered mutation	UNP A0A447LC14
E	-8	MET	-	expression tag	UNP A0A447LC14
E	-7	ALA	-	expression tag	UNP A0A447LC14
E	-6	HIS	-	expression tag	UNP A0A447LC14
E	-5	HIS	-	expression tag	UNP A0A447LC14
E	-4	HIS	-	expression tag	UNP A0A447LC14
E	-3	HIS	-	expression tag	UNP A0A447LC14
E	-2	HIS	-	expression tag	UNP A0A447LC14
E	-1	HIS	-	expression tag	UNP A0A447LC14
E	0	HIS	-	expression tag	UNP A0A447LC14
E	62	ALA	VAL	engineered mutation	UNP A0A447LC14
E	485	PRO	GLN	engineered mutation	UNP A0A447LC14

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	-8	MET	-	expression tag	UNP A0A447LC14
F	-7	ALA	-	expression tag	UNP A0A447LC14
F	-6	HIS	-	expression tag	UNP A0A447LC14
F	-5	HIS	-	expression tag	UNP A0A447LC14
F	-4	HIS	-	expression tag	UNP A0A447LC14
F	-3	HIS	-	expression tag	UNP A0A447LC14
F	-2	HIS	-	expression tag	UNP A0A447LC14
F	-1	HIS	-	expression tag	UNP A0A447LC14
F	0	HIS	-	expression tag	UNP A0A447LC14
F	62	ALA	VAL	engineered mutation	UNP A0A447LC14
F	485	PRO	GLN	engineered mutation	UNP A0A447LC14
G	-8	MET	-	expression tag	UNP A0A447LC14
G	-7	ALA	-	expression tag	UNP A0A447LC14
G	-6	HIS	-	expression tag	UNP A0A447LC14
G	-5	HIS	-	expression tag	UNP A0A447LC14
G	-4	HIS	-	expression tag	UNP A0A447LC14
G	-3	HIS	-	expression tag	UNP A0A447LC14
G	-2	HIS	-	expression tag	UNP A0A447LC14
G	-1	HIS	-	expression tag	UNP A0A447LC14
G	0	HIS	-	expression tag	UNP A0A447LC14
G	62	ALA	VAL	engineered mutation	UNP A0A447LC14
G	485	PRO	GLN	engineered mutation	UNP A0A447LC14
H	-8	MET	-	expression tag	UNP A0A447LC14
H	-7	ALA	-	expression tag	UNP A0A447LC14
H	-6	HIS	-	expression tag	UNP A0A447LC14
H	-5	HIS	-	expression tag	UNP A0A447LC14
H	-4	HIS	-	expression tag	UNP A0A447LC14
H	-3	HIS	-	expression tag	UNP A0A447LC14
H	-2	HIS	-	expression tag	UNP A0A447LC14
H	-1	HIS	-	expression tag	UNP A0A447LC14
H	0	HIS	-	expression tag	UNP A0A447LC14
H	62	ALA	VAL	engineered mutation	UNP A0A447LC14
H	485	PRO	GLN	engineered mutation	UNP A0A447LC14

- Molecule 2 is SODIUM ION (CCD ID: NA) (formula: Na).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Na 1 1	0	0
2	B	1	Total Na 1 1	0	0
2	C	1	Total Na 1 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	D	1	Total	Na	0	0
			1	1		
2	E	1	Total	Na	0	0
			1	1		
2	F	1	Total	Na	0	0
			1	1		
2	G	1	Total	Na	0	0
			1	1		
2	H	1	Total	Na	0	0
			1	1		

- Molecule 3 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			13	8	5		
3	B	1	Total	C	O	0	0
			13	8	5		
3	C	1	Total	C	O	0	0
			13	8	5		
3	D	1	Total	C	O	0	0
			13	8	5		
3	E	1	Total	C	O	0	0
			13	8	5		
3	F	1	Total	C	O	0	0
			13	8	5		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	G	1	Total	C	O	0	0
			13	8	5		
3	H	1	Total	C	O	0	0
			13	8	5		

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Cl	0	0
			1	1		
4	B	1	Total	Cl	0	0
			1	1		
4	C	1	Total	Cl	0	0
			1	1		
4	D	1	Total	Cl	0	0
			1	1		
4	E	1	Total	Cl	0	0
			1	1		
4	F	1	Total	Cl	0	0
			1	1		
4	G	1	Total	Cl	0	0
			1	1		
4	H	1	Total	Cl	0	0
			1	1		

- Molecule 5 is MALONATE ION (CCD ID: MLI) (formula: C₃H₂O₄).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 7 3 4	0	0
5	B	1	Total C O 7 3 4	0	0
5	C	1	Total C O 7 3 4	0	0
5	D	1	Total C O 7 3 4	0	0
5	D	1	Total C O 7 3 4	0	0
5	E	1	Total C O 7 3 4	0	0
5	E	1	Total C O 7 3 4	0	0
5	E	1	Total C O 7 3 4	0	0
5	F	1	Total C O 7 3 4	0	0
5	F	1	Total C O 7 3 4	0	0
5	F	1	Total C O 7 3 4	0	0
5	G	1	Total C O 7 3 4	0	0
5	G	1	Total C O 7 3 4	0	0
5	H	1	Total C O 7 3 4	0	0

- Molecule 6 is 2-[3-(2-HYDROXY-1,1-DIHYDROXYMETHYL-ETHYLAMINO)-PROPYLAMINO]-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (CCD ID: B3P) (formula: $C_{11}H_{26}N_2O_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	B	1	Total	C	N	O	0	0
			10	6	1	3		
6	C	1	Total	C	N	O	0	0
			10	6	1	3		
6	E	1	Total	C	N	O	0	0
			12	7	2	3		
6	E	1	Total	C	N	O	0	0
			9	5	1	3		
6	F	1	Total	C	N	O	0	0
			12	7	2	3		

- Molecule 7 is CITRATE ANION (CCD ID: FLC) (formula: $C_6H_5O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	C	1	Total	C	O	0	0
			13	6	7		

- Molecule 8 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (CCD ID: EPE) (formula: $C_8H_{18}N_2O_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	E	1	Total	C	N	O	S	0	0
			15	8	2	4	1		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	439	Total	O	0	0
			439	439		
9	B	419	Total	O	0	0
			419	419		
9	C	460	Total	O	0	0
			460	460		
9	D	447	Total	O	0	0
			447	447		
9	E	426	Total	O	0	0
			426	426		
9	F	496	Total	O	0	0
			496	496		
9	G	419	Total	O	0	0
			419	419		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	H	400	Total 400	O 400	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Betaine aldehyde dehydrogenase




- Molecule 1: Betaine aldehyde dehydrogenase




- Molecule 1: Betaine aldehyde dehydrogenase




- Molecule 1: Betaine aldehyde dehydrogenase




- Molecule 1: Betaine aldehyde dehydrogenase




- Molecule 1: Betaine aldehyde dehydrogenase



- Molecule 1: Betaine aldehyde dehydrogenase



- Molecule 1: Betaine aldehyde dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	101.27Å 161.24Å 158.71Å 90.00° 101.11° 90.00°	Depositor
Resolution (Å)	27.39 – 1.90 27.39 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.8 (27.39-1.90) 99.9 (27.39-1.90)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.28 (at 1.90Å)	Xtriage
Refinement program	PHENIX (1.21rc1_5057: ???)	Depositor
R, R_{free}	0.147 , 0.175 0.157 , 0.182	Depositor DCC
R_{free} test set	19516 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	23.3	Xtriage
Anisotropy	0.331	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 55.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	33696	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 45.23 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.3621e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: B3P, MLI, FLC, CL, EPE, NA, PG4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/3867	0.50	0/5245
1	B	0.30	0/3856	0.50	0/5228
1	C	0.30	0/3867	0.50	0/5241
1	D	0.31	0/3822	0.51	0/5180
1	E	0.29	0/3799	0.50	0/5154
1	F	0.32	0/3825	0.52	0/5186
1	G	0.29	0/3791	0.50	0/5141
1	H	0.29	0/3785	0.50	0/5134
All	All	0.30	0/30612	0.50	0/41509

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3773	0	3740	20	0
1	B	3761	0	3746	16	0
1	C	3772	0	3754	20	0
1	D	3733	0	3729	32	0
1	E	3710	0	3683	28	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3733	0	3720	27	0
1	G	3708	0	3691	19	0
1	H	3701	0	3675	12	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	H	1	0	0	0	0
3	A	13	0	18	0	0
3	B	13	0	18	0	0
3	C	13	0	18	0	0
3	D	13	0	18	4	0
3	E	13	0	18	4	0
3	F	13	0	18	5	0
3	G	13	0	18	3	0
3	H	13	0	18	2	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	1	0
4	D	1	0	0	0	0
4	E	1	0	0	1	0
4	F	1	0	0	1	0
4	G	1	0	0	0	0
4	H	1	0	0	1	0
5	A	7	0	2	0	0
5	B	7	0	2	0	0
5	C	7	0	2	0	0
5	D	14	0	4	1	0
5	E	21	0	6	0	0
5	F	21	0	6	0	0
5	G	14	0	4	0	0
5	H	7	0	2	0	0
6	B	10	0	12	1	0
6	C	10	0	12	1	0
6	E	21	0	26	1	0
6	F	12	0	16	0	0
7	C	13	0	5	0	0
8	E	15	0	18	1	0
9	A	439	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	B	419	0	0	1	0
9	C	460	0	0	4	0
9	D	447	0	0	6	0
9	E	426	0	0	4	0
9	F	496	0	0	3	0
9	G	419	0	0	3	0
9	H	400	0	0	2	0
All	All	33696	0	29999	154	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:412:GLU:OE1	1:F:458:HIS:CE1	2.31	0.83
1:D:234:GLY:C	1:D:251:MET:HE1	2.08	0.79
1:C:234:GLY:C	1:C:251:MET:HE1	2.08	0.78
1:A:242:ALA:HB2	1:G:238:MET:HE3	1.66	0.78
1:E:234:GLY:C	1:E:251:MET:HE1	2.10	0.76
1:F:234:GLY:C	1:F:251:MET:HE1	2.14	0.73
1:E:285:VAL:HG11	3:E:502:PG4:H11	1.71	0.72
1:D:74:LYS:HE2	9:D:791:HOH:O	1.89	0.72
1:F:193:ARG:NH1	9:F:601:HOH:O	2.23	0.71
1:F:285:VAL:HG11	3:F:502:PG4:C1	2.23	0.69
1:F:285:VAL:HG11	3:F:502:PG4:H11	1.73	0.69
1:D:246:LEU:HD11	1:E:251:MET:HE2	1.76	0.67
1:B:242:ALA:HB2	1:H:238:MET:HE2	1.77	0.67
1:C:234:GLY:O	1:C:251:MET:HE1	1.95	0.66
1:B:251:MET:HE2	1:H:246:LEU:HD11	1.78	0.65
1:A:16:VAL:HG21	1:A:48:ARG:NH2	2.10	0.65
1:B:234:GLY:C	1:B:251:MET:HE1	2.23	0.63
6:B:504:B3P:C1	9:B:809:HOH:O	2.46	0.63
1:F:231:VAL:HG13	9:F:838:HOH:O	1.98	0.63
1:D:234:GLY:O	1:D:251:MET:HE1	1.99	0.63
6:E:504:B3P:N2	9:E:604:HOH:O	2.31	0.62
1:F:412:GLU:OE1	1:F:458:HIS:ND1	2.32	0.62
1:C:246:LEU:HD11	1:F:251:MET:HE2	1.83	0.61
1:G:412:GLU:OE1	1:G:458:HIS:CE1	2.54	0.61
1:B:16:VAL:HG21	1:B:48:ARG:NH1	2.16	0.61
1:D:487:GLN:NE2	9:D:602:HOH:O	2.33	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:16:VAL:HG21	1:A:48:ARG:HH22	1.66	0.60
1:D:444:TRP:CD1	3:D:502:PG4:H12	2.37	0.59
1:F:3[B]:ARG:NH2	1:F:37:THR:OG1	2.36	0.59
1:D:285:VAL:HG11	3:D:502:PG4:C2	2.34	0.58
1:A:234:GLY:CA	1:A:251:MET:HE1	2.33	0.58
1:B:234:GLY:CA	1:B:251:MET:HE1	2.32	0.58
1:F:412:GLU:CD	1:F:458:HIS:CE1	2.82	0.58
1:G:234:GLY:CA	1:G:251:MET:HE1	2.33	0.57
1:D:251:MET:HE2	1:E:246:LEU:HD11	1.85	0.57
1:D:285:VAL:HG11	3:D:502:PG4:H22	1.86	0.57
1:E:234:GLY:O	1:E:251:MET:HE1	2.03	0.57
1:F:4:MET:HE3	1:F:35:LEU:HD22	1.86	0.57
1:G:297:LYS:HE3	1:G:298:PHE:CE2	2.39	0.57
1:G:406:ARG:NH2	9:G:603:HOH:O	2.36	0.57
1:C:251:MET:HE2	1:F:246:LEU:HD11	1.86	0.57
6:C:504:B3P:C1	9:C:921:HOH:O	2.53	0.57
3:F:502:PG4:H21	9:F:694:HOH:O	2.05	0.56
1:A:234:GLY:C	1:A:251:MET:HE1	2.30	0.56
1:C:231:VAL:HG13	9:C:798:HOH:O	2.05	0.55
1:E:74:LYS:HD3	9:E:629:HOH:O	2.06	0.55
1:F:234:GLY:CA	1:F:251:MET:HE1	2.38	0.52
1:D:238:MET:HG2	1:E:242:ALA:CB	2.38	0.52
1:B:122:ALA:HB2	1:D:119:LEU:HD21	1.92	0.51
1:D:251:MET:CE	1:E:246:LEU:HD11	2.41	0.51
1:F:234:GLY:O	1:F:251:MET:HE1	2.10	0.51
1:D:234:GLY:CA	1:D:251:MET:HE1	2.40	0.51
1:E:445:GLY:CA	3:E:502:PG4:H21	2.41	0.51
1:A:242:ALA:CB	1:G:238:MET:HB3	2.41	0.50
1:G:234:GLY:C	1:G:251:MET:HE1	2.36	0.50
1:B:16:VAL:HG21	1:B:48:ARG:HH12	1.77	0.50
1:C:234:GLY:CA	1:C:251:MET:HE1	2.41	0.50
1:H:245:SER:O	1:H:246:LEU:C	2.55	0.50
1:A:299:LYS:NZ	1:A:376:ASP:OD1	2.36	0.50
1:D:14:LYS:HE2	9:D:607:HOH:O	2.12	0.50
1:E:122:ALA:HB2	1:H:119:LEU:HD21	1.93	0.50
1:D:246:LEU:HD11	1:E:251:MET:CE	2.41	0.49
1:F:285:VAL:HG11	3:F:502:PG4:H12	1.93	0.49
1:C:74:LYS:HE2	1:C:195:ALA:O	2.11	0.49
1:F:297:LYS:HE3	1:F:298:PHE:CE2	2.47	0.49
1:C:406:ARG:NE	4:C:503:CL:CL	2.66	0.49
1:E:406:ARG:NE	4:E:503:CL:CL	2.74	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:4:MET:HE3	1:A:35:LEU:HD22	1.95	0.49
1:F:2:SER:N	1:F:33:GLU:OE2	2.46	0.49
1:G:285:VAL:HG11	3:G:502:PG4:H12	1.95	0.49
1:F:445:GLY:HA3	3:F:502:PG4:H41	1.94	0.48
1:B:225:ILE:HG12	1:B:247:LYS:HD3	1.94	0.48
1:B:244:SER:OG	1:B:245:SER:N	2.46	0.48
1:C:208:ILE:HG22	9:C:867:HOH:O	2.13	0.48
1:D:245:SER:O	1:D:246:LEU:C	2.56	0.48
1:H:412:GLU:OE1	1:H:458:HIS:CD2	2.66	0.48
1:E:231:VAL:HG13	9:E:848:HOH:O	2.12	0.47
1:A:122:ALA:HB2	1:C:119:LEU:HD21	1.96	0.47
1:A:242:ALA:HB1	1:G:238:MET:HB3	1.96	0.47
1:E:234:GLY:CA	1:E:251:MET:HE1	2.45	0.47
1:B:458:HIS:NE2	1:H:245:SER:HB2	2.30	0.46
1:D:193:ARG:NH1	9:D:604:HOH:O	2.34	0.46
1:E:82:ARG:NH2	1:E:194:GLU:OE2	2.49	0.46
1:D:238:MET:HG2	1:E:242:ALA:HB2	1.98	0.46
1:D:444:TRP:HD1	3:D:502:PG4:H12	1.81	0.46
1:A:314:ARG:NE	1:A:322:ASP:O	2.42	0.46
1:D:250:THR:C	1:D:251:MET:HG2	2.40	0.46
1:H:147:ALA:HB3	1:H:225:ILE:HD13	1.98	0.46
1:F:321:ASP:OD1	1:F:322:ASP:N	2.49	0.45
1:D:231:VAL:HA	1:D:253:LEU:HD13	1.98	0.45
1:F:299:LYS:NZ	1:F:376:ASP:OD1	2.42	0.45
1:H:234:GLY:CA	1:H:251:MET:HE1	2.47	0.45
1:D:412:GLU:HB2	5:D:505:MLI:O9	2.16	0.45
1:E:297:LYS:HE3	1:E:298:PHE:CE2	2.52	0.45
1:E:299:LYS:NZ	1:E:376:ASP:OD1	2.41	0.45
1:A:251:MET:HE3	1:A:253:LEU:HD11	1.99	0.45
1:F:122:ALA:HB2	1:G:119:LEU:HD21	1.97	0.45
1:G:48:ARG:NH1	9:G:612:HOH:O	2.50	0.45
1:H:406:ARG:NE	4:H:503:CL:CL	2.79	0.45
1:H:445:GLY:HA3	3:H:502:PG4:H41	1.99	0.44
1:E:251:MET:HE3	1:E:253:LEU:HD11	1.98	0.44
1:E:74:LYS:CD	9:E:629:HOH:O	2.64	0.43
1:G:288:ASN:OD1	3:G:502:PG4:C1	2.67	0.43
1:A:251:MET:HE2	1:G:246:LEU:HD11	2.00	0.43
1:E:445:GLY:HA2	3:E:502:PG4:H21	1.99	0.43
1:B:263:GLU:O	1:B:298:PHE:CE2	2.72	0.43
1:D:231:VAL:HG13	9:D:862:HOH:O	2.18	0.43
1:G:179:GLU:OE2	1:G:208:ILE:HG23	2.17	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:-4:HIS:ND1	1:C:317:ASP:OD2	2.50	0.43
1:C:246:LEU:HD11	1:F:251:MET:CE	2.48	0.43
1:B:251:MET:HE3	1:B:253:LEU:HD11	2.00	0.42
1:G:16:VAL:HG21	1:G:48:ARG:NH2	2.35	0.42
1:D:238:MET:HG2	1:E:242:ALA:HB1	2.02	0.42
1:B:122:ALA:HB2	1:D:119:LEU:CD2	2.48	0.42
1:D:431:ILE:HD12	1:D:439:CYS:HB3	2.02	0.42
1:E:287:THR:OG1	3:E:502:PG4:C1	2.68	0.42
3:G:502:PG4:H42	9:G:630:HOH:O	2.19	0.42
1:F:82:ARG:NH2	1:F:194:GLU:OE2	2.53	0.42
1:A:16:VAL:HG21	1:A:48:ARG:CZ	2.50	0.42
1:C:250:THR:C	1:C:251:MET:HG2	2.45	0.42
1:D:231:VAL:HG23	9:D:689:HOH:O	2.20	0.42
1:C:231:VAL:HA	1:C:253:LEU:HD13	2.01	0.42
1:A:10:TYR:CD1	1:A:189:ALA:HB1	2.55	0.41
1:G:63:MET:HE1	1:G:198:PRO:HG3	2.02	0.41
1:F:406:ARG:NE	4:F:503:CL:CL	2.76	0.41
1:C:397:SER:OG	9:C:601:HOH:O	2.22	0.41
1:E:336:ASN:CG	1:E:339:ARG:HH21	2.28	0.41
1:F:120:ILE:HB	1:F:121:PRO:HD3	2.03	0.41
1:D:70:ARG:O	1:D:74:LYS:HG2	2.19	0.41
1:E:416:ALA:HA	1:E:438:ILE:O	2.21	0.41
1:A:245:SER:O	1:A:247:LYS:HG3	2.20	0.41
1:C:458:HIS:NE2	1:F:245:SER:HB2	2.36	0.41
1:D:4:MET:HE3	1:D:35:LEU:HD22	2.03	0.41
1:B:16:VAL:HG21	1:B:48:ARG:CZ	2.51	0.41
1:C:71:ILE:HA	1:C:74:LYS:HD3	2.03	0.41
1:E:328:LEU:HD21	1:E:391:PRO:HD3	2.03	0.41
1:H:297:LYS:HE3	1:H:298:PHE:CZ	2.56	0.41
1:C:251:MET:CE	1:F:246:LEU:HD11	2.48	0.41
1:G:147:ALA:HB3	1:G:225:ILE:HD13	2.02	0.41
1:E:237:VAL:HG22	8:E:509:EPE:H52	2.03	0.40
1:A:73[B]:ARG:HG2	9:A:629:HOH:O	2.21	0.40
1:A:241:SER:O	1:A:245:SER:O	2.38	0.40
1:G:416:ALA:HA	1:G:438:ILE:O	2.22	0.40
1:B:119:LEU:HD21	1:D:122:ALA:HB2	2.03	0.40
1:B:234:GLY:HA3	1:B:251:MET:HE1	2.01	0.40
1:D:416:ALA:HA	1:D:438:ILE:O	2.20	0.40
1:A:122:ALA:HB2	1:C:119:LEU:CD2	2.51	0.40
1:A:255:GLY:HA2	1:A:413:TYR:CD1	2.56	0.40
1:E:63:MET:HE1	1:E:198:PRO:HG3	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:4:MET:HE1	1:G:89:LEU:CD1	2.52	0.40
1:H:193:ARG:NH1	9:H:622:HOH:O	2.55	0.40
3:H:502:PG4:H22	9:H:702:HOH:O	2.21	0.40
1:C:47[B]:ASP:OD2	1:C:51:LYS:HE2	2.21	0.40
1:D:336:ASN:OD1	1:D:339:ARG:NH2	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	499/499 (100%)	486 (97%)	12 (2%)	1 (0%)	43	36
1	B	498/499 (100%)	486 (98%)	12 (2%)	0	100	100
1	C	496/499 (99%)	484 (98%)	12 (2%)	0	100	100
1	D	493/499 (99%)	480 (97%)	12 (2%)	1 (0%)	43	36
1	E	492/499 (99%)	482 (98%)	10 (2%)	0	100	100
1	F	494/499 (99%)	483 (98%)	11 (2%)	0	100	100
1	G	490/499 (98%)	476 (97%)	13 (3%)	1 (0%)	43	36
1	H	490/499 (98%)	477 (97%)	12 (2%)	1 (0%)	43	36
All	All	3952/3992 (99%)	3854 (98%)	94 (2%)	4 (0%)	48	40

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	246	LEU
1	H	246	LEU
1	A	246	LEU
1	G	246	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	393/394 (100%)	390 (99%)	3 (1%)	73	75
1	B	392/394 (100%)	390 (100%)	2 (0%)	81	84
1	C	393/394 (100%)	388 (99%)	5 (1%)	61	61
1	D	391/394 (99%)	389 (100%)	2 (0%)	81	84
1	E	387/394 (98%)	384 (99%)	3 (1%)	73	75
1	F	390/394 (99%)	389 (100%)	1 (0%)	86	88
1	G	386/394 (98%)	386 (100%)	0	100	100
1	H	384/394 (98%)	384 (100%)	0	100	100
All	All	3116/3152 (99%)	3100 (100%)	16 (0%)	81	84

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	47	ASP
1	A	238	MET
1	A	489	ILE
1	B	238	MET
1	B	245	SER
1	C	233	SER
1	C	238	MET
1	C	385	ARG
1	C	397	SER
1	C	489	ILE
1	D	238	MET
1	D	336	ASN
1	E	3	ARG
1	E	43	ARG
1	E	361	GLU
1	F	2	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	0	HIS
1	A	475	GLN
1	B	8	GLN
1	B	475	GLN
1	C	475	GLN
1	D	7	GLN
1	D	83	ASN
1	E	304	HIS
1	F	7	GLN
1	F	8	GLN
1	F	475	GLN
1	G	475	GLN
1	H	7	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 45 ligands modelled in this entry, 16 are monoatomic - leaving 29 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PG4	B	502	-	12,12,12	0.42	0	11,11,11	0.58	0
5	MLI	C	505	-	6,6,6	1.73	1 (16%)	7,7,7	0.83	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PG4	E	502	-	12,12,12	0.41	0	11,11,11	0.47	0
6	B3P	F	504	-	11,11,18	0.84	0	13,13,23	1.48	3 (23%)
5	MLI	H	504	-	6,6,6	1.72	1 (16%)	7,7,7	1.30	1 (14%)
6	B3P	E	505	-	7,8,18	1.06	1 (14%)	9,10,23	1.03	0
3	PG4	C	502	-	12,12,12	0.35	0	11,11,11	0.56	0
5	MLI	G	504	-	6,6,6	1.73	1 (16%)	7,7,7	0.89	0
5	MLI	E	507	-	6,6,6	1.72	1 (16%)	7,7,7	1.31	1 (14%)
5	MLI	E	508	-	6,6,6	1.64	1 (16%)	7,7,7	1.06	0
6	B3P	C	504	-	8,9,18	0.89	0	9,11,23	1.20	0
3	PG4	H	502	-	12,12,12	0.30	0	11,11,11	0.38	0
5	MLI	G	505	-	6,6,6	1.54	1 (16%)	7,7,7	1.27	0
3	PG4	A	502	-	12,12,12	0.39	0	11,11,11	0.58	0
6	B3P	E	504	-	11,11,18	1.00	1 (9%)	13,13,23	0.98	0
7	FLC	C	506	-	12,12,12	1.23	0	17,17,17	1.48	3 (17%)
8	EPE	E	509	-	15,15,15	0.93	1 (6%)	19,20,20	1.26	2 (10%)
3	PG4	G	502	-	12,12,12	0.32	0	11,11,11	0.38	0
6	B3P	B	504	-	8,9,18	0.88	0	9,11,23	1.23	1 (11%)
5	MLI	D	504	-	6,6,6	1.61	1 (16%)	7,7,7	1.25	1 (14%)
5	MLI	D	505	-	6,6,6	1.86	1 (16%)	7,7,7	0.90	0
5	MLI	B	505	-	6,6,6	1.71	1 (16%)	7,7,7	1.34	1 (14%)
5	MLI	E	506	-	6,6,6	1.84	1 (16%)	7,7,7	0.70	0
5	MLI	F	505	-	6,6,6	1.71	2 (33%)	7,7,7	1.40	1 (14%)
3	PG4	D	502	-	12,12,12	0.47	0	11,11,11	0.75	0
5	MLI	A	504	-	6,6,6	1.87	1 (16%)	7,7,7	0.87	0
5	MLI	F	506	-	6,6,6	1.93	1 (16%)	7,7,7	0.96	0
5	MLI	F	507	-	6,6,6	1.68	1 (16%)	7,7,7	1.28	1 (14%)
3	PG4	F	502	-	12,12,12	0.30	0	11,11,11	0.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PG4	B	502	-	-	4/10/10/10	-
5	MLI	C	505	-	-	2/4/4/4	-
3	PG4	E	502	-	-	4/10/10/10	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	B3P	F	504	-	-	7/15/15/28	-
5	MLI	H	504	-	-	0/4/4/4	-
6	B3P	E	505	-	-	1/9/12/28	-
3	PG4	C	502	-	-	5/10/10/10	-
5	MLI	G	504	-	-	2/4/4/4	-
5	MLI	E	507	-	-	4/4/4/4	-
5	MLI	E	508	-	-	0/4/4/4	-
6	B3P	C	504	-	-	6/13/13/28	-
3	PG4	H	502	-	-	5/10/10/10	-
5	MLI	G	505	-	-	2/4/4/4	-
3	PG4	A	502	-	-	2/10/10/10	-
6	B3P	E	504	-	-	8/15/15/28	-
7	FLC	C	506	-	-	0/16/16/16	-
8	EPE	E	509	-	-	2/9/19/19	0/1/1/1
3	PG4	G	502	-	-	4/10/10/10	-
6	B3P	B	504	-	-	4/13/13/28	-
5	MLI	D	504	-	-	3/4/4/4	-
5	MLI	D	505	-	-	2/4/4/4	-
5	MLI	B	505	-	-	0/4/4/4	-
5	MLI	E	506	-	-	0/4/4/4	-
5	MLI	F	505	-	-	0/4/4/4	-
3	PG4	D	502	-	-	3/10/10/10	-
5	MLI	A	504	-	-	0/4/4/4	-
5	MLI	F	506	-	-	0/4/4/4	-
5	MLI	F	507	-	-	0/4/4/4	-
3	PG4	F	502	-	-	8/10/10/10	-

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	F	506	MLI	C1-C3	3.25	1.56	1.51
5	D	505	MLI	C1-C3	3.05	1.55	1.51
5	E	507	MLI	C1-C3	2.91	1.55	1.51
5	A	504	MLI	C1-C3	2.90	1.55	1.51
5	H	504	MLI	C1-C3	2.87	1.55	1.51
5	B	505	MLI	C1-C3	2.79	1.55	1.51
5	E	506	MLI	C1-C3	2.78	1.55	1.51
5	F	505	MLI	C1-C3	2.70	1.55	1.51
5	F	507	MLI	C1-C3	2.68	1.55	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	505	MLI	C1-C3	2.64	1.55	1.51
6	E	505	B3P	C11-C8	2.63	1.56	1.53
5	E	508	MLI	C1-C3	2.63	1.55	1.51
5	G	504	MLI	C1-C3	2.60	1.55	1.51
5	G	505	MLI	C1-C3	2.50	1.54	1.51
5	D	504	MLI	C1-C3	2.48	1.54	1.51
6	E	504	B3P	C7-C4	2.46	1.56	1.53
8	E	509	EPE	C10-S	2.41	1.81	1.77
5	F	505	MLI	C1-C2	2.14	1.54	1.51

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	C	506	FLC	OB1-CBC-CB	-3.67	114.98	122.09
6	F	504	B3P	C11-C8-C10	-3.15	103.12	110.02
6	F	504	B3P	C2-N2-C8	3.10	120.70	116.17
7	C	506	FLC	OB2-CBC-CB	2.86	118.62	113.14
8	E	509	EPE	C6-N1-C2	2.73	114.73	108.84
5	F	505	MLI	O8-C3-C1	-2.65	114.56	122.11
6	B	504	B3P	C7-C4-C6	-2.32	104.93	110.02
5	E	507	MLI	O8-C3-C1	-2.26	115.66	122.11
6	F	504	B3P	C11-C8-N2	2.25	115.73	109.02
7	C	506	FLC	OG1-CGC-CG	-2.24	116.59	122.95
5	F	507	MLI	O8-C3-C1	-2.20	115.84	122.11
5	B	505	MLI	O8-C3-C1	-2.20	115.85	122.11
5	D	504	MLI	O8-C3-C1	-2.17	115.92	122.11
5	H	504	MLI	O8-C3-C1	-2.06	116.24	122.11
8	E	509	EPE	C5-C6-N1	2.05	114.78	110.65

There are no chirality outliers.

All (78) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	B	504	B3P	N1-C4-C5-O4
6	B	504	B3P	C6-C4-C5-O4
6	B	504	B3P	C7-C4-C5-O4
6	C	504	B3P	C5-C4-N1-C3
6	C	504	B3P	C6-C4-N1-C3
6	C	504	B3P	C7-C4-N1-C3
6	C	504	B3P	C7-C4-C5-O4
6	E	504	B3P	C5-C4-N1-C3
6	E	504	B3P	C6-C4-N1-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	E	504	B3P	C6-C4-C7-O6
6	F	504	B3P	C9-C8-N2-C2
6	F	504	B3P	C10-C8-N2-C2
6	F	504	B3P	C11-C8-N2-C2
6	F	504	B3P	N2-C8-C9-O1
6	F	504	B3P	C10-C8-C9-O1
6	F	504	B3P	C11-C8-C9-O1
8	E	509	EPE	C10-C9-N1-C6
6	E	504	B3P	C2-C1-C3-N1
3	G	502	PG4	O2-C3-C4-O3
6	F	504	B3P	C3-C1-C2-N2
3	H	502	PG4	O2-C3-C4-O3
3	H	502	PG4	O1-C1-C2-O2
3	E	502	PG4	O1-C1-C2-O2
3	E	502	PG4	O4-C7-C8-O5
3	F	502	PG4	O1-C1-C2-O2
3	F	502	PG4	O4-C7-C8-O5
3	H	502	PG4	C6-C5-O3-C4
3	G	502	PG4	O1-C1-C2-O2
6	E	505	B3P	O3-C11-C8-C10
3	B	502	PG4	O3-C5-C6-O4
3	B	502	PG4	O4-C7-C8-O5
3	D	502	PG4	O1-C1-C2-O2
6	E	504	B3P	C7-C4-N1-C3
6	C	504	B3P	C6-C4-C5-O4
3	F	502	PG4	O3-C5-C6-O4
5	D	504	MLI	C2-C1-C3-O9
5	E	507	MLI	C2-C1-C3-O9
5	G	505	MLI	C3-C1-C2-O7
3	F	502	PG4	O2-C3-C4-O3
3	E	502	PG4	C3-C4-O3-C5
5	G	505	MLI	C3-C1-C2-O6
3	A	502	PG4	C8-C7-O4-C6
3	H	502	PG4	C5-C6-O4-C7
3	C	502	PG4	C5-C6-O4-C7
3	G	502	PG4	C1-C2-O2-C3
3	D	502	PG4	C1-C2-O2-C3
3	F	502	PG4	C3-C4-O3-C5
3	B	502	PG4	C3-C4-O3-C5
6	E	504	B3P	C5-C4-C7-O6
3	C	502	PG4	O4-C7-C8-O5
3	C	502	PG4	C6-C5-O3-C4

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	C	502	PG4	C8-C7-O4-C6
5	D	504	MLI	C2-C1-C3-O8
5	E	507	MLI	C2-C1-C3-O8
6	B	504	B3P	C5-C4-C6-O5
3	A	502	PG4	C3-C4-O3-C5
6	E	504	B3P	C3-C1-C2-N2
3	G	502	PG4	C8-C7-O4-C6
3	D	502	PG4	O4-C7-C8-O5
3	E	502	PG4	C1-C2-O2-C3
5	D	505	MLI	C2-C1-C3-O9
5	G	504	MLI	C3-C1-C2-O6
3	F	502	PG4	C6-C5-O3-C4
3	F	502	PG4	C5-C6-O4-C7
3	B	502	PG4	C8-C7-O4-C6
5	C	505	MLI	C2-C1-C3-O8
5	D	505	MLI	C2-C1-C3-O8
5	G	504	MLI	C3-C1-C2-O7
8	E	509	EPE	N4-C7-C8-O8
3	H	502	PG4	O3-C5-C6-O4
5	C	505	MLI	C2-C1-C3-O9
6	C	504	B3P	N1-C4-C5-O4
6	E	504	B3P	N1-C4-C7-O6
5	D	504	MLI	C3-C1-C2-O7
3	C	502	PG4	C1-C2-O2-C3
5	E	507	MLI	C3-C1-C2-O6
3	F	502	PG4	C8-C7-O4-C6
5	E	507	MLI	C3-C1-C2-O7

There are no ring outliers.


10 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	502	PG4	4	0
6	C	504	B3P	1	0
3	H	502	PG4	2	0
6	E	504	B3P	1	0
8	E	509	EPE	1	0
3	G	502	PG4	3	0
6	B	504	B3P	1	0
5	D	505	MLI	1	0
3	D	502	PG4	4	0
3	F	502	PG4	5	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand B3P E 505




Ligand B3P C 504



Ligand B3P E 504





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	495/499 (99%)	-0.21	15 (3%)	52	56	13, 26, 50, 90	6 (1%)
1	B	493/499 (98%)	-0.25	16 (3%)	50	54	12, 26, 50, 94	7 (1%)
1	C	493/499 (98%)	-0.33	10 (2%)	65	69	13, 25, 47, 71	7 (1%)
1	D	489/499 (97%)	-0.33	6 (1%)	76	79	13, 26, 47, 79	6 (1%)
1	E	488/499 (97%)	-0.35	9 (1%)	67	71	13, 26, 48, 82	6 (1%)
1	F	489/499 (97%)	-0.42	10 (2%)	65	69	12, 23, 44, 70	7 (1%)
1	G	488/499 (97%)	-0.20	14 (2%)	53	57	14, 27, 53, 85	4 (0%)
1	H	488/499 (97%)	-0.22	12 (2%)	58	62	13, 27, 52, 78	4 (0%)
All	All	3923/3992 (98%)	-0.29	92 (2%)	61	65	12, 26, 49, 94	47 (1%)

All (92) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	0	HIS	5.8
1	A	239	ALA	4.7
1	B	242	ALA	4.4
1	B	239	ALA	4.2
1	G	232	ALA	4.2
1	A	242	ALA	4.1
1	A	246	LEU	4.0
1	G	208	ILE	3.9
1	H	231	VAL	3.8
1	F	3[A]	ARG	3.8
1	G	243	ALA	3.8
1	H	245	SER	3.7
1	A	-3	HIS	3.7
1	G	231	VAL	3.7
1	A	-1	HIS	3.6
1	B	-2	HIS	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	232	ALA	3.4
1	A	243	ALA	3.4
1	G	242	ALA	3.3
1	H	242	ALA	3.2
1	G	239	ALA	3.2
1	H	241	SER	3.2
1	G	249	VAL	3.1
1	B	244	SER	3.1
1	G	245	SER	3.1
1	C	-2	HIS	3.1
1	D	243	ALA	3.1
1	A	231	VAL	3.0
1	C	243	ALA	3.0
1	F	243	ALA	3.0
1	D	2	SER	3.0
1	F	2	SER	3.0
1	A	249	VAL	3.0
1	E	243	ALA	3.0
1	H	243	ALA	2.9
1	B	241	SER	2.8
1	B	-1	HIS	2.8
1	C	245	SER	2.8
1	H	48	ARG	2.8
1	H	238	MET	2.7
1	G	241	SER	2.7
1	G	210	ALA	2.7
1	C	362	GLY	2.7
1	B	246	LEU	2.7
1	B	243	ALA	2.6
1	F	362	GLY	2.6
1	A	241	SER	2.6
1	B	245	SER	2.6
1	A	-4	HIS	2.6
1	C	-4	HIS	2.6
1	D	241	SER	2.6
1	G	240	ASN	2.6
1	E	4	MET	2.6
1	B	263	GLU	2.6
1	D	245	SER	2.6
1	F	244	SER	2.6
1	G	246	LEU	2.6
1	D	3	ARG	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	231	VAL	2.5
1	A	244	SER	2.5
1	A	240	ASN	2.5
1	E	81	GLU	2.5
1	F	412	GLU	2.5
1	H	249	VAL	2.5
1	B	235	LYS	2.5
1	F	321	ASP	2.4
1	B	208	ILE	2.3
1	E	5	ALA	2.3
1	A	362	GLY	2.3
1	B	0	HIS	2.3
1	H	232	ALA	2.3
1	E	21	GLY	2.2
1	C	241	SER	2.2
1	C	263	GLU	2.2
1	F	232	ALA	2.2
1	F	239	ALA	2.2
1	A	48	ARG	2.2
1	F	231	VAL	2.2
1	E	232	ALA	2.2
1	C	-3	HIS	2.2
1	G	244	SER	2.2
1	H	304[A]	HIS	2.1
1	E	412	GLU	2.1
1	G	263	GLU	2.1
1	H	239	ALA	2.1
1	B	331	PHE	2.1
1	E	245	SER	2.1
1	C	239	ALA	2.1
1	E	208	ILE	2.0
1	D	362	GLY	2.0
1	B	232	ALA	2.0
1	H	240	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
8	EPE	E	509	15/15	0.58	0.21	47,62,75,99	0
5	MLI	F	506	7/7	0.65	0.17	53,63,70,79	0
5	MLI	D	505	7/7	0.66	0.16	52,56,66,83	0
5	MLI	E	507	7/7	0.66	0.17	54,61,74,75	0
5	MLI	E	508	7/7	0.69	0.14	55,61,67,80	0
5	MLI	G	505	7/7	0.77	0.13	53,58,64,65	0
4	CL	B	503	1/1	0.78	0.17	69,69,69,69	0
5	MLI	G	504	7/7	0.79	0.16	56,61,77,78	0
5	MLI	F	507	7/7	0.81	0.11	50,56,62,65	0
5	MLI	A	504	7/7	0.82	0.17	50,57,62,68	0
4	CL	D	503	1/1	0.83	0.15	70,70,70,70	0
5	MLI	B	505	7/7	0.83	0.16	48,58,71,71	0
5	MLI	C	505	7/7	0.84	0.14	38,49,64,65	0
5	MLI	D	504	7/7	0.84	0.14	38,56,68,71	0
5	MLI	F	505	7/7	0.84	0.14	46,56,65,67	0
4	CL	A	503	1/1	0.84	0.13	64,64,64,64	0
7	FLC	C	506	13/13	0.85	0.10	45,49,60,65	0
6	B3P	E	505	9/19	0.85	0.14	33,41,47,49	0
5	MLI	H	504	7/7	0.86	0.13	50,62,68,68	0
6	B3P	B	504	10/19	0.86	0.14	29,40,44,48	0
3	PG4	D	502	13/13	0.86	0.14	24,34,45,56	0
6	B3P	F	504	12/19	0.86	0.12	30,39,46,51	0
3	PG4	C	502	13/13	0.86	0.15	21,38,59,61	0
4	CL	H	503	1/1	0.86	0.14	67,67,67,67	0
4	CL	F	503	1/1	0.87	0.13	62,62,62,62	0
4	CL	G	503	1/1	0.87	0.13	65,65,65,65	0
5	MLI	E	506	7/7	0.87	0.15	42,55,67,70	0
3	PG4	B	502	13/13	0.87	0.14	20,35,50,62	0
3	PG4	A	502	13/13	0.88	0.15	19,35,61,61	0
6	B3P	E	504	12/19	0.89	0.11	28,38,43,45	0
3	PG4	E	502	13/13	0.89	0.13	18,35,45,57	0
3	PG4	G	502	13/13	0.89	0.15	16,37,61,64	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	PG4	H	502	13/13	0.89	0.14	21,38,52,68	0
6	B3P	C	504	10/19	0.89	0.11	27,40,46,47	0
4	CL	C	503	1/1	0.90	0.11	56,56,56,56	0
3	PG4	F	502	13/13	0.90	0.14	13,37,48,57	0
4	CL	E	503	1/1	0.91	0.10	60,60,60,60	0
2	NA	E	501	1/1	0.95	0.06	34,34,34,34	0
2	NA	A	501	1/1	0.97	0.05	29,29,29,29	0
2	NA	D	501	1/1	0.97	0.05	27,27,27,27	0
2	NA	F	501	1/1	0.98	0.07	23,23,23,23	0
2	NA	B	501	1/1	0.98	0.03	27,27,27,27	0
2	NA	G	501	1/1	0.99	0.02	26,26,26,26	0
2	NA	H	501	1/1	0.99	0.05	28,28,28,28	0
2	NA	C	501	1/1	0.99	0.04	27,27,27,27	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around B3P E 505:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around B3P B 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around B3P F 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around B3P E 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around B3P C 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.