



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 06:06 AM UTC

PDB ID : 3UBA / pdb_00003uba
Title : Crystal structure of the complex of bovine lactoperoxidase with p-hydroxycinnamic acid at 2.6 Å resolution
Authors : Pandey, N.; Singh, A.K.; Singh, R.P.; Sinha, M.; Kaur, P.; Sharma, S.; Singh, T.P.
Deposited on : 2011-10-24
Resolution : 2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1110 (2.66-2.66)
Clashscore	190562	1141 (2.66-2.66)
Ramachandran outliers	187476	1126 (2.66-2.66)
Sidechain outliers	187428	1126 (2.66-2.66)
RSRZ outliers	180081	1110 (2.66-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	595	
2	B	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	GOL	A	621	-	-	X	-
8	HC4	A	700	-	-	X	-

2 Entry composition [i](#)

There are 12 unique types of molecules in this entry. The entry contains 5054 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lactoperoxidase.


Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	595	Total	C	N	O	P	S	0	0	0
			4774	3037	847	863	1	26			

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	Fe	N	O	
			43	34	1	4	4	
							0	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O		
			14	8	1	5		
4	A	1	Total	C	N	O		
			14	8	1	5		
4	A	1	Total	C	N	O		
			14	8	1	5		
							0	0


- Molecule 5 is IODIDE ION (CCD ID: IOD) (formula: I).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	9	Total I		
			9 9	0	0

- Molecule 6 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total Ca		
			1 1	0	0

- Molecule 7 is THIOCYANATE ION (CCD ID: SCN) (formula: CNS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	S	0	0
			3	1	1	1		

- Molecule 8 is 4'-HYDROXYCINNAMIC ACID (CCD ID: HC4) (formula: C₉H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			12	9	3		

- Molecule 9 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O	0	0
			7	4	3		
9	A	1	Total	C	O	0	0
			7	4	3		

- Molecule 10 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 11 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	A	1	Total	C	O	0	0
			4	2	2		
11	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	114	Total	O	0	0
			114	114		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Lactoperoxidase



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	54.05Å 80.23Å 76.10Å 90.00° 103.33° 90.00°	Depositor
Resolution (Å)	43.99 – 2.65 43.99 – 2.65	Depositor EDS
% Data completeness (in resolution range)	97.9 (43.99-2.65) 97.9 (43.99-2.65)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.05 (at 2.65Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.219 , 0.238 0.214 , 0.252	Depositor DCC
R_{free} test set	921 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	44.9	Xtriage
Anisotropy	0.953	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 38.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5054	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.20% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SEP, GOL, HC4, EDO, NAG, CA, IOD, PEG, SCN, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.60	0/4891	1.16	53/6634 (0.8%)

There are no bond length outliers.

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	428	ILE	N-CA-C	9.39	123.16	108.89
1	A	412	MET	N-CA-C	9.18	121.06	111.14
1	A	131	GLU	N-CA-C	8.84	120.53	111.07
1	A	225	ALA	N-CA-C	8.67	121.98	110.53
1	A	111	LEU	N-CA-C	8.41	121.66	111.40
1	A	390	GLY	N-CA-C	7.91	126.24	115.32
1	A	262	LEU	N-CA-C	-7.57	102.17	111.40
1	A	484	TYR	N-CA-C	-7.49	97.02	109.07
1	A	15	CYS	N-CA-C	7.48	120.86	108.96
1	A	146	LYS	N-CA-C	7.47	119.07	111.07
1	A	5	GLY	N-CA-C	7.46	121.50	111.72
1	A	460	GLN	CA-C-N	7.28	127.72	119.93
1	A	460	GLN	C-N-CA	7.28	127.72	119.93
1	A	157	CYS	N-CA-C	6.93	117.18	108.45
1	A	87	ASP	N-CA-C	6.89	120.08	108.23
1	A	364	ASN	N-CA-C	-6.89	103.17	112.26
1	A	427	LYS	N-CA-C	6.82	121.68	113.23
1	A	453	ARG	N-CA-C	-6.67	104.09	111.36
1	A	110	ASP	N-CA-C	-6.58	104.19	111.82
1	A	140	PHE	CA-C-N	6.57	126.96	119.93
1	A	140	PHE	C-N-CA	6.57	126.96	119.93
1	A	369	GLY	CA-C-N	6.52	126.75	119.32
1	A	369	GLY	C-N-CA	6.52	126.75	119.32
1	A	256	ALA	N-CA-C	6.40	120.66	112.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	316	VAL	N-CA-C	-6.38	105.51	111.45
1	A	254	PHE	N-CA-C	6.37	119.04	111.71
1	A	356	SER	N-CA-C	6.19	120.44	113.01
1	A	404	SER	N-CA-C	-6.14	101.37	110.46
1	A	562	VAL	N-CA-C	6.05	114.55	107.84
1	A	446	MET	N-CA-C	6.00	117.45	109.83
1	A	152	LYS	N-CA-C	5.96	117.85	111.36
1	A	260	ILE	N-CA-C	5.90	121.62	109.34
1	A	401	ALA	N-CA-C	5.86	120.43	113.28
1	A	31	ARG	N-CA-C	5.80	117.29	110.97
1	A	180	ILE	CB-CA-C	-5.73	103.36	111.21
1	A	84	GLY	N-CA-C	5.72	119.53	112.14
1	A	349	PHE	N-CA-C	-5.70	105.15	111.71
1	A	524	ASP	N-CA-C	5.63	118.18	111.71
1	A	213	MET	N-CA-C	-5.62	100.13	109.46
1	A	81	LYS	N-CA-C	5.60	117.46	111.36
1	A	556	ASN	N-CA-C	5.54	119.35	112.59
1	A	336	ASP	CA-C-N	-5.34	114.85	120.94
1	A	336	ASP	C-N-CA	-5.34	114.85	120.94
1	A	95	ASN	N-CA-C	5.26	119.01	112.59
1	A	418	ARG	N-CA-C	5.22	117.05	111.36
1	A	377	HIS	N-CA-C	5.22	117.71	111.71
1	A	43	LEU	N-CA-C	-5.21	103.60	110.43
1	A	34	PRO	N-CA-C	5.20	120.43	114.03
1	A	475	ILE	N-CA-C	5.19	115.92	110.62
1	A	102	GLN	N-CA-C	5.19	116.93	111.28
1	A	407	MET	N-CA-C	-5.19	102.60	110.28
1	A	83	VAL	N-CA-C	5.11	115.88	110.72
1	A	483	LEU	N-CA-C	5.09	116.64	111.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4774	0	4684	156	0
2	B	28	0	25	1	0
3	A	43	0	30	10	0
4	A	42	0	39	5	0
5	A	9	0	0	3	0
6	A	1	0	0	0	0
7	A	3	0	0	0	0
8	A	12	0	7	7	0
9	A	14	0	20	4	0
10	A	6	0	8	5	0
11	A	8	0	12	0	0
12	A	114	0	0	9	0
All	All	5054	0	4825	166	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (166) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:167:CYS:HB2	1:A:168:PRO:HD3	1.37	1.06
3:A:605:HEM:HMC2	3:A:605:HEM:HBC2	1.39	1.04
1:A:95:ASN:HD22	10:A:621:GOL:H12	1.23	1.03
3:A:605:HEM:HMB1	3:A:605:HEM:HBB2	1.40	0.98
1:A:146:LYS:HE3	1:A:147:ASN:ND2	1.79	0.98
1:A:150:LYS:HE2	1:A:419:ASN:HD22	1.29	0.98
4:A:596:NAG:O7	10:A:621:GOL:H11	1.65	0.96
1:A:196:GLU:HB3	1:A:198:SEP:O3P	1.66	0.93
1:A:213:MET:HG2	1:A:273:HIS:CD2	2.03	0.93
1:A:168:PRO:HG2	1:A:172:TYR:HB2	1.52	0.91
1:A:167:CYS:CB	1:A:168:PRO:HD3	2.00	0.90
1:A:169:THR:HG23	12:A:725:HOH:O	1.73	0.89
1:A:167:CYS:HB2	1:A:168:PRO:CD	2.02	0.88
1:A:117:THR:HG22	1:A:164:GLY:HA2	1.57	0.85
1:A:551:ARG:HD3	1:A:583:ASP:O	1.78	0.83
3:A:605:HEM:HBC2	3:A:605:HEM:CMC	2.09	0.81
3:A:605:HEM:HBB2	3:A:605:HEM:CMB	2.10	0.81
1:A:150:LYS:CE	1:A:419:ASN:HD22	1.94	0.78
1:A:279:GLU:O	1:A:283:LEU:HD12	1.83	0.78
1:A:213:MET:CG	1:A:273:HIS:CD2	2.68	0.77
1:A:150:LYS:HE2	1:A:419:ASN:ND2	2.01	0.74
1:A:230:ASN:C	1:A:230:ASN:OD1	2.30	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:258:GLU:HB2	8:A:700:HC4:H6'	1.69	0.73
1:A:205:ASN:OD1	1:A:205:ASN:C	2.33	0.72
1:A:425:THR:O	1:A:425:THR:HG23	1.90	0.72
1:A:196:GLU:CB	1:A:198:SEP:O3P	2.38	0.72
1:A:95:ASN:ND2	10:A:621:GOL:H12	2.02	0.71
1:A:425:THR:O	1:A:425:THR:CG2	2.38	0.71
1:A:146:LYS:HG3	1:A:147:ASN:N	2.04	0.70
1:A:258:GLU:CB	8:A:700:HC4:H6'	2.22	0.69
1:A:258:GLU:HG3	8:A:700:HC4:H6'	1.75	0.68
1:A:117:THR:HG22	12:A:725:HOH:O	1.92	0.68
1:A:348:ARG:HH11	1:A:437:ASN:ND2	1.91	0.68
1:A:326:PRO:O	1:A:523:ARG:NH2	2.23	0.67
1:A:418:ARG:HH22	9:A:603:PEG:H42	1.60	0.67
1:A:188:ASP:O	1:A:189:ALA:HB3	1.95	0.66
1:A:27:ASP:O	1:A:28:CYS:HB2	1.96	0.65
1:A:99:LEU:HD21	1:A:549:PHE:CD2	2.33	0.64
1:A:76:ARG:HH22	1:A:419:ASN:HD21	1.45	0.64
1:A:593:ARG:O	1:A:593:ARG:HG3	1.96	0.64
1:A:117:THR:CG2	1:A:164:GLY:HA2	2.27	0.63
1:A:272:GLU:OE1	1:A:272:GLU:HA	1.99	0.62
1:A:301:GLY:O	1:A:305:GLN:HG3	1.99	0.62
1:A:314:PRO:HG3	1:A:321:MET:HE2	1.80	0.62
1:A:184:THR:OG1	1:A:188:ASP:OD2	2.17	0.62
1:A:258:GLU:CG	8:A:700:HC4:H6'	2.30	0.62
1:A:348:ARG:NH2	3:A:605:HEM:HAD1	2.15	0.61
1:A:582:VAL:HA	12:A:625:HOH:O	2.00	0.61
3:A:605:HEM:HMB1	3:A:605:HEM:CBB	2.25	0.61
1:A:255:ARG:HB3	8:A:700:HC4:H2	1.82	0.61
3:A:605:HEM:HMC2	3:A:605:HEM:CBC	2.24	0.61
1:A:237:CYS:HB3	12:A:732:HOH:O	2.01	0.60
1:A:348:ARG:HH11	1:A:437:ASN:HD22	1.49	0.60
1:A:123:GLU:HG3	1:A:125:SER:H	1.66	0.60
1:A:565:HIS:HB3	5:A:612:IOD:I	2.73	0.59
1:A:418:ARG:NH2	9:A:603:PEG:H42	2.17	0.58
4:A:596:NAG:O7	10:A:621:GOL:C1	2.47	0.58
1:A:368:TRP:CZ3	1:A:389:ASP:OD1	2.56	0.58
1:A:227:LEU:HD21	1:A:267:THR:HA	1.85	0.58
1:A:203:LEU:HD11	1:A:252:GLY:HA2	1.86	0.57
1:A:258:GLU:HG3	8:A:700:HC4:C6'	2.34	0.57
1:A:8:ALA:HB3	1:A:9:PRO:HD3	1.86	0.57
1:A:368:TRP:HZ3	1:A:389:ASP:OD1	1.88	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:424:PRO:O	1:A:425:THR:HB	2.04	0.56
1:A:66:THR:HB	1:A:70:PHE:O	2.04	0.56
1:A:168:PRO:HB2	1:A:170:PRO:O	2.06	0.55
1:A:82:ILE:HG23	1:A:412:MET:HE3	1.88	0.55
1:A:350:GLY:HA3	3:A:605:HEM:CBC	2.36	0.55
1:A:499:GLU:OE1	1:A:509:PRO:HD2	2.06	0.55
1:A:383:THR:HB	12:A:732:HOH:O	2.06	0.55
1:A:169:THR:N	1:A:170:PRO:HD2	2.22	0.54
1:A:546:LYS:HE3	1:A:583:ASP:OD1	2.07	0.54
1:A:140:PHE:O	1:A:160:PHE:HB3	2.08	0.54
1:A:213:MET:CG	1:A:273:HIS:HD2	2.21	0.54
1:A:407:MET:HB3	1:A:501:MET:CE	2.38	0.54
1:A:120:GLY:HA3	1:A:126:LYS:HE2	1.89	0.53
1:A:189:ALA:O	1:A:190:SER:C	2.52	0.53
1:A:95:ASN:O	1:A:96:ARG:NH1	2.36	0.53
1:A:276:LEU:O	1:A:280:LEU:HG	2.08	0.52
1:A:208:SER:HB3	4:A:599:NAG:H62	1.92	0.52
1:A:393:ASP:HB2	1:A:394:PRO:HD3	1.90	0.52
1:A:230:ASN:OD1	1:A:232:LYS:N	2.44	0.51
1:A:77:GLU:OE2	1:A:81:LYS:NZ	2.44	0.51
1:A:169:THR:N	1:A:170:PRO:CD	2.73	0.51
1:A:177:ARG:HA	12:A:670:HOH:O	2.10	0.51
1:A:112:ASP:CG	1:A:344:THR:HG22	2.35	0.50
1:A:553:ILE:O	1:A:557:THR:OG1	2.28	0.50
1:A:255:ARG:CB	8:A:700:HC4:H2	2.41	0.50
1:A:106:ILE:HD11	1:A:265:ALA:HB3	1.93	0.50
1:A:568:GLN:HE21	1:A:570:ASN:HD21	1.59	0.50
1:A:221:ASP:HB2	1:A:226:TYR:CZ	2.46	0.49
1:A:9:PRO:CD	1:A:167:CYS:HA	2.43	0.49
1:A:257:SER:O	1:A:381:PHE:HA	2.12	0.49
1:A:549:PHE:CE2	1:A:553:ILE:HD11	2.48	0.49
1:A:146:LYS:CE	1:A:147:ASN:ND2	2.64	0.49
1:A:267:THR:O	1:A:271:ARG:HG3	2.13	0.48
1:A:63:GLN:HA	12:A:719:HOH:O	2.12	0.48
1:A:188:ASP:O	1:A:189:ALA:CB	2.61	0.48
1:A:258:GLU:O	1:A:380:PHE:HA	2.13	0.48
1:A:213:MET:HG2	1:A:273:HIS:HD2	1.71	0.48
1:A:349:PHE:CB	1:A:497:ASN:HD21	2.26	0.48
1:A:213:MET:HG2	1:A:273:HIS:NE2	2.29	0.47
1:A:361:LEU:O	1:A:397:ARG:HD2	2.14	0.47
1:A:92:LEU:HD13	1:A:403:LYS:HB2	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:299:ILE:HD11	1:A:590:TRP:NE1	2.30	0.47
1:A:380:PHE:CE2	1:A:421:LEU:HA	2.48	0.47
1:A:468:GLN:HG2	1:A:477:ALA:HB3	1.96	0.47
1:A:76:ARG:HH22	1:A:419:ASN:ND2	2.13	0.47
1:A:121:SER:O	1:A:122:ASN:CB	2.63	0.47
1:A:260:ILE:HD11	1:A:386:ILE:HG13	1.95	0.46
1:A:146:LYS:HE3	1:A:147:ASN:HD21	1.75	0.46
1:A:245:ARG:HD3	12:A:597:HOH:O	2.15	0.46
1:A:468:GLN:HG2	1:A:477:ALA:CB	2.46	0.46
1:A:45:ARG:HA	5:A:615:IOD:I	2.86	0.46
1:A:393:ASP:CB	1:A:394:PRO:HD3	2.46	0.46
1:A:393:ASP:N	1:A:394:PRO:CD	2.79	0.45
1:A:464:LEU:O	1:A:468:GLN:HG3	2.16	0.45
1:A:460:GLN:HA	1:A:461:PRO:HD2	1.70	0.45
1:A:208:SER:CB	4:A:599:NAG:H62	2.47	0.45
1:A:167:CYS:CB	1:A:168:PRO:CD	2.66	0.44
1:A:359:SER:HA	1:A:372:ALA:O	2.16	0.44
1:A:279:GLU:O	1:A:283:LEU:CD1	2.62	0.44
1:A:522:ILE:HD13	1:A:522:ILE:HA	1.65	0.44
1:A:96:ARG:HD2	1:A:100:PHE:CD2	2.52	0.44
1:A:350:GLY:HA3	3:A:605:HEM:CAC	2.47	0.44
1:A:384:TRP:CH2	2:B:1:NAG:H2	2.53	0.44
1:A:349:PHE:HB2	1:A:497:ASN:HD21	1.82	0.44
1:A:18:ASN:O	1:A:19:SER:C	2.60	0.44
1:A:196:GLU:CG	1:A:198:SEP:O3P	2.65	0.44
1:A:308:THR:O	1:A:312:TYR:HB3	2.17	0.44
1:A:407:MET:HB3	1:A:501:MET:HE3	2.00	0.44
1:A:148:ASP:OD1	1:A:150:LYS:HB2	2.18	0.43
1:A:213:MET:HG3	1:A:273:HIS:CD2	2.50	0.43
1:A:63:GLN:CG	1:A:71:ARG:HH12	2.31	0.43
1:A:138:ASN:O	1:A:162:ARG:HG3	2.18	0.43
1:A:348:ARG:NH1	1:A:437:ASN:HD22	2.15	0.43
1:A:16:ASP:OD1	1:A:16:ASP:C	2.61	0.43
1:A:237:CYS:HA	1:A:381:PHE:O	2.19	0.43
1:A:313:LEU:HD23	1:A:313:LEU:HA	1.80	0.43
1:A:82:ILE:CG2	1:A:412:MET:HE3	2.48	0.43
1:A:433:LEU:HD12	1:A:433:LEU:HA	1.65	0.43
1:A:588:SER:C	1:A:590:TRP:H	2.26	0.43
1:A:492:ILE:HG23	1:A:493:TRP:N	2.33	0.43
1:A:63:GLN:CG	1:A:71:ARG:NH1	2.82	0.42
1:A:187:LEU:HD12	1:A:187:LEU:HA	1.88	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:202:ARG:NH1	5:A:617:IOD:I	3.23	0.42
1:A:235:SER:HA	1:A:236:PRO:HD3	1.89	0.42
1:A:36:LEU:HD11	9:A:619:PEG:H12	2.02	0.42
1:A:588:SER:N	1:A:589:PRO:CD	2.83	0.41
1:A:8:ALA:HB3	1:A:9:PRO:CD	2.49	0.41
1:A:63:GLN:HG3	1:A:71:ARG:NH1	2.35	0.41
1:A:169:THR:H	1:A:170:PRO:HD2	1.83	0.41
1:A:229:PHE:CG	1:A:247:PRO:HG2	2.55	0.41
1:A:229:PHE:HB3	1:A:247:PRO:HG2	2.02	0.41
1:A:205:ASN:OD1	1:A:205:ASN:O	2.37	0.41
3:A:605:HEM:CMC	3:A:605:HEM:CBC	2.86	0.41
1:A:511:LEU:O	1:A:515:LEU:HG	2.21	0.41
1:A:560:THR:HA	1:A:579:CYS:SG	2.60	0.41
4:A:596:NAG:H2	10:A:621:GOL:H31	2.02	0.41
1:A:149:PRO:HG2	9:A:603:PEG:H21	2.02	0.41
1:A:180:ILE:CG2	1:A:181:ASN:N	2.82	0.41
1:A:185:SER:O	1:A:522:ILE:HD12	2.20	0.41
1:A:501:MET:HG2	1:A:506:ARG:HA	2.03	0.41
1:A:568:GLN:HG3	1:A:570:ASN:HD21	1.86	0.41
1:A:170:PRO:HA	12:A:675:HOH:O	2.21	0.40
1:A:299:ILE:HD11	1:A:590:TRP:HE1	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	592/595 (100%)	555 (94%)	34 (6%)	3 (0%)	24	39

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	167	CYS
1	A	11	PRO
1	A	119	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	517/517 (100%)	494 (96%)	23 (4%)	25	43

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	50	GLU
1	A	82	ILE
1	A	112	ASP
1	A	146	LYS
1	A	151	LEU
1	A	227	LEU
1	A	230	ASN
1	A	232	LYS
1	A	240	ILE
1	A	255	ARG
1	A	347	PHE
1	A	404	SER
1	A	425	THR
1	A	483	LEU
1	A	486	THR
1	A	503	GLU
1	A	507	VAL
1	A	522	ILE
1	A	543	SER
1	A	550	SER
1	A	593	ARG
1	A	594	GLU
1	A	595	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	40	ASN
1	A	138	ASN
1	A	147	ASN
1	A	173	GLN
1	A	217	GLN
1	A	273	HIS
1	A	322	GLN
1	A	364	ASN
1	A	419	ASN
1	A	437	ASN
1	A	460	GLN
1	A	468	GLN
1	A	497	ASN
1	A	521	GLN
1	A	570	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	SEP	A	198	1	8,9,10	1.13	1 (12%)	7,12,14	1.35	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	A	198	1	-	1/6/8/10	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	198	SEP	P-O1P	2.09	1.57	1.50

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	198	SEP	OG-CB-CA	2.25	110.33	108.14

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	198	SEP	CA-CB-OG-P

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	198	SEP	3	0

5.5 Carbohydrates ⓘ

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	B	1	1,2	14,14,15	2.21	4 (28%)	17,19,21	1.97	6 (35%)
2	NAG	B	2	2	14,14,15	1.08	2 (14%)	17,19,21	2.17	5 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	B	2	2	-	1/6/23/26	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1	NAG	O4-C4	-5.66	1.28	1.43
2	B	1	NAG	O5-C5	-4.28	1.35	1.43
2	B	1	NAG	C4-C5	-2.62	1.47	1.53
2	B	1	NAG	C3-C2	-2.41	1.47	1.52
2	B	2	NAG	C3-C2	-2.32	1.47	1.52
2	B	2	NAG	C1-C2	-2.15	1.49	1.52

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2	NAG	C4-C3-C2	-6.17	101.97	111.02
2	B	2	NAG	C1-O5-C5	4.09	117.66	112.19
2	B	1	NAG	O4-C4-C5	-4.06	99.33	109.32
2	B	1	NAG	C3-C4-C5	3.50	116.57	110.23
2	B	1	NAG	C1-O5-C5	-3.11	108.02	112.19
2	B	2	NAG	C3-C4-C5	3.03	115.72	110.23
2	B	1	NAG	O4-C4-C3	-2.35	104.84	110.38
2	B	1	NAG	C4-C3-C2	-2.10	107.93	111.02
2	B	2	NAG	O5-C1-C2	2.10	114.53	111.29
2	B	2	NAG	C2-N2-C7	-2.08	120.12	122.90
2	B	1	NAG	O5-C5-C4	-2.06	105.83	110.83

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	2	NAG	C4-C5-C6-O6
2	B	1	NAG	C4-C5-C6-O6
2	B	1	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

Of 21 ligands modelled in this entry, 10 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	HEM	A	605	1	50,50,50	1.92	9 (18%)	67,82,82	1.32	5 (7%)
9	PEG	A	603	-	6,6,6	1.30	1 (16%)	5,5,5	0.94	0
9	PEG	A	619	-	6,6,6	1.23	1 (16%)	5,5,5	0.97	0
4	NAG	A	599	1	14,14,15	1.14	2 (14%)	17,19,21	1.06	1 (5%)
10	GOL	A	621	-	5,5,5	0.33	0	5,5,5	0.33	0
11	EDO	A	623	-	3,3,3	0.65	0	2,2,2	1.01	0
4	NAG	A	596	1	14,14,15	1.17	2 (14%)	17,19,21	1.11	1 (5%)
8	HC4	A	700	-	12,12,12	2.18	2 (16%)	15,15,15	1.99	3 (20%)
4	NAG	A	604	1	14,14,15	1.10	2 (14%)	17,19,21	1.02	1 (5%)
7	SCN	A	620	-	1,2,2	1.72	0	0,1,1	-	-
11	EDO	A	624	-	3,3,3	0.69	0	2,2,2	0.95	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	A	605	1	-	5/14/54/54	-
9	PEG	A	603	-	-	3/4/4/4	-
9	PEG	A	619	-	-	3/4/4/4	-
4	NAG	A	599	1	-	0/6/23/26	0/1/1/1
10	GOL	A	621	-	-	1/4/4/4	-
11	EDO	A	623	-	-	1/1/1/1	-
4	NAG	A	596	1	-	0/6/23/26	0/1/1/1
8	HC4	A	700	-	-	4/5/5/5	0/1/1/1
4	NAG	A	604	1	-	0/6/23/26	0/1/1/1
11	EDO	A	624	-	-	1/1/1/1	-

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	605	HEM	C3D-C2D	7.74	1.53	1.36
8	A	700	HC4	C2-C3	7.09	1.51	1.33
3	A	605	HEM	FE-ND	4.37	2.08	1.94
3	A	605	HEM	FE-NB	4.37	2.08	1.94
3	A	605	HEM	FE-NC	3.37	2.06	1.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	605	HEM	CAB-C3B	3.35	1.56	1.47
3	A	605	HEM	FE-NA	3.16	2.05	1.95
4	A	599	NAG	O5-C5	-2.90	1.37	1.43
4	A	604	NAG	O5-C5	-2.76	1.38	1.43
4	A	596	NAG	O5-C5	-2.73	1.38	1.43
9	A	603	PEG	C2-C1	-2.53	1.36	1.49
3	A	605	HEM	CMC-C2C	2.52	1.55	1.50
3	A	605	HEM	CAC-C3C	2.51	1.54	1.47
9	A	619	PEG	C2-C1	-2.48	1.36	1.49
3	A	605	HEM	C2A-C3A	-2.44	1.32	1.38
4	A	596	NAG	O5-C1	-2.38	1.39	1.43
4	A	604	NAG	O5-C1	-2.35	1.39	1.43
4	A	599	NAG	O5-C1	-2.09	1.40	1.43
8	A	700	HC4	O2-C1	-2.08	1.25	1.30

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	700	HC4	C1'-C3-C2	-6.29	113.19	126.92
3	A	605	HEM	C4D-ND-C1D	4.73	110.81	105.21
3	A	605	HEM	C3B-C4B-NB	-3.04	107.29	109.47
4	A	596	NAG	C4-C3-C2	-2.96	106.69	111.02
8	A	700	HC4	C3-C2-C1	2.50	128.80	122.32
3	A	605	HEM	C2A-C1A-NA	-2.42	107.47	110.15
3	A	605	HEM	C1B-NB-C4B	2.40	108.05	105.21
4	A	604	NAG	C2-N2-C7	-2.37	119.73	122.90
4	A	599	NAG	O5-C1-C2	2.34	114.91	111.29
8	A	700	HC4	C3'-C2'-C1'	-2.06	118.56	121.22
3	A	605	HEM	CAD-C3D-C4D	2.01	128.19	124.70

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	A	700	HC4	C2'-C1'-C3-C2
8	A	700	HC4	O2-C1-C2-C3
8	A	700	HC4	C6'-C1'-C3-C2
8	A	700	HC4	O1-C1-C2-C3
9	A	619	PEG	O1-C1-C2-O2
9	A	603	PEG	O2-C3-C4-O4
11	A	624	EDO	O1-C1-C2-O2
10	A	621	GOL	O2-C2-C3-O3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
9	A	603	PEG	O1-C1-C2-O2
9	A	619	PEG	C1-C2-O2-C3
3	A	605	HEM	CAD-CBD-CGD-O1D
3	A	605	HEM	CAD-CBD-CGD-O2D
9	A	603	PEG	C1-C2-O2-C3
3	A	605	HEM	CAA-CBA-CGA-O2A
11	A	623	EDO	O1-C1-C2-O2
9	A	619	PEG	O2-C3-C4-O4
3	A	605	HEM	CAA-CBA-CGA-O1A
3	A	605	HEM	C2B-C3B-CAB-CBB

There are no ring outliers.

7 monomers are involved in 28 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	605	HEM	10	0
9	A	603	PEG	3	0
9	A	619	PEG	1	0
4	A	599	NAG	2	0
10	A	621	GOL	5	0
4	A	596	NAG	3	0
8	A	700	HC4	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	594/595 (99%)	-0.02	11 (1%) 66 61	26, 48, 94, 140	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	TRP	5.9
1	A	174	SER	3.9
1	A	530	TRP	3.0
1	A	4	VAL	3.0
1	A	12	LEU	2.9
1	A	423	GLN	2.6
1	A	587	LEU	2.6
1	A	172	TYR	2.6
1	A	175	LEU	2.4
1	A	1	SER	2.1
1	A	171	PRO	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	SEP	A	198	10/11	0.87	0.14	34,44,45,45	0


6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	B	2	14/15	0.67	0.14	59,66,73,73	0
2	NAG	B	1	14/15	0.71	0.14	43,47,54,55	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	A	596	14/15	0.64	0.14	53,67,77,86	0
11	EDO	A	623	4/4	0.67	0.17	81,86,88,91	0
4	NAG	A	604	14/15	0.70	0.12	49,59,63,64	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
8	HC4	A	700	12/12	0.76	0.20	33,34,34,35	12
9	PEG	A	619	7/7	0.78	0.15	74,75,75,75	0
4	NAG	A	599	14/15	0.78	0.10	41,51,53,54	0
11	EDO	A	624	4/4	0.82	0.13	43,46,48,51	0
9	PEG	A	603	7/7	0.84	0.18	66,70,72,74	0
10	GOL	A	621	6/6	0.85	0.10	46,47,48,51	0
3	HEM	A	605	43/43	0.92	0.11	14,18,22,24	0
5	IOD	A	612	1/1	0.93	0.08	93,93,93,93	1
5	IOD	A	611	1/1	0.94	0.17	98,98,98,98	0
5	IOD	A	610	1/1	0.94	0.19	98,98,98,98	0
7	SCN	A	620	3/3	0.95	0.12	53,53,54,55	0
5	IOD	A	617	1/1	0.97	0.08	86,86,86,86	0
5	IOD	A	607	1/1	0.98	0.04	86,86,86,86	0
6	CA	A	606	1/1	0.98	0.06	39,39,39,39	0
5	IOD	A	616	1/1	0.98	0.03	65,65,65,65	0
5	IOD	A	609	1/1	0.99	0.02	69,69,69,69	0
5	IOD	A	608	1/1	0.99	0.03	77,77,77,77	0
5	IOD	A	615	1/1	1.00	0.03	48,48,48,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around HEM A 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.