



# wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 8, 2026 – 02:54 PM UTC

PDB ID : 7UCF / pdb\_00007ucf  
Title : Structure of the BG505 SOSIP.664 trimer in complex with neutralizing anti-body Fab fragments 10-1074 and BG24  
Authors : Barnes, C.O.; Bjorkman, P.J.  
Deposited on : 2022-03-16  
Resolution : 4.00 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : 2.0  
EDS : 3.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 4.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






















Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	1082 (4.20-3.80)
Clashscore	190562	1129 (4.20-3.80)
Ramachandran outliers	187476	1064 (4.20-3.80)
Sidechain outliers	187428	1055 (4.20-3.80)
RSRZ outliers	180081	1082 (4.20-3.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	153	 56% 32% 10%
2	D	234	 50% 44% 6%
3	E	205	 60% 39%
4	G	501	 52% 35% 10%
5	H	243	 64% 30% 6%

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	L	214	 68% 31%
7	A	2	 100%
8	F	2	 50% 50%
8	V	2	 100%
8	W	2	 100%
9	I	5	 80% 20%
10	J	7	 71% 29%
11	K	4	 75% 25%
12	M	6	 17% 50% 33%
13	N	2	 100%
13	O	2	 100%
14	P	3	 67% 33%
14	U	3	 33% 67%
15	Q	4	 50% 50%
16	R	3	 67% 33%
17	S	6	 67% 33%
18	T	7	 86% 14%
19	X	6	 83% 17%
20	Y	4	 50% 50%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
22	FUC	G	602	-	-	X	-

## 2 Entry composition [i](#)

There are 22 unique types of molecules in this entry. The entry contains 12078 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Envelope glycoprotein gp41.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	B	137	1089	687	190	206	6	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	559	PRO	ILE	conflict	UNP Q2N0S6
B	605	CYS	THR	conflict	UNP Q2N0S6

- Molecule 2 is a protein called BG24 Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	D	220	1667	1050	289	319	9	0	0	0

- Molecule 3 is a protein called BG24 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	E	202	1514	946	255	308	5	0	0	0

- Molecule 4 is a protein called Envelope glycoprotein gp120.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	G	451	3538	2222	625	664	27	0	0	0

There are 27 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	6	MET	-	initiating methionine	UNP Q2N0S6
G	7	ASP	-	expression tag	UNP Q2N0S6

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	8	ALA	-	expression tag	UNP Q2N0S6
G	9	MET	-	expression tag	UNP Q2N0S6
G	10	LYS	-	expression tag	UNP Q2N0S6
G	11	ARG	-	expression tag	UNP Q2N0S6
G	12	GLY	-	expression tag	UNP Q2N0S6
G	13	LEU	-	expression tag	UNP Q2N0S6
G	14	CYS	-	expression tag	UNP Q2N0S6
G	15	CYS	-	expression tag	UNP Q2N0S6
G	16	VAL	-	expression tag	UNP Q2N0S6
G	17	LEU	-	expression tag	UNP Q2N0S6
G	18	LEU	-	expression tag	UNP Q2N0S6
G	19	LEU	-	expression tag	UNP Q2N0S6
G	20	CYS	-	expression tag	UNP Q2N0S6
G	21	GLY	-	expression tag	UNP Q2N0S6
G	22	ALA	-	expression tag	UNP Q2N0S6
G	23	VAL	-	expression tag	UNP Q2N0S6
G	24	PHE	-	expression tag	UNP Q2N0S6
G	25	VAL	-	expression tag	UNP Q2N0S6
G	26	SER	-	expression tag	UNP Q2N0S6
G	27	PRO	-	expression tag	UNP Q2N0S6
G	28	ALA	-	expression tag	UNP Q2N0S6
G	29	GLY	-	expression tag	UNP Q2N0S6
G	31	GLY	ALA	conflict	UNP Q2N0S6
G	332	ASN	THR	conflict	UNP Q2N0S6
G	501	CYS	ALA	conflict	UNP Q2N0S6

- Molecule 5 is a protein called 10-1074 Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	H	229	1744	1103	291	343	7	0	0	0

- Molecule 6 is a protein called 10-1074 Fab light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	L	211	1607	1006	281	314	6	0	0	0

- Molecule 7 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
7	A	2	24	14	1	9	0	0	0

- Molecule 8 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
8	F	2	28	16	2	10	0	0	0
8	V	2	28	16	2	10	0	0	0
8	W	2	28	16	2	10	0	0	0

- Molecule 9 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
9	I	5	61	34	2	25	0	0	0

- Molecule 10 is an oligosaccharide called beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
10	J	7	86	48	3	35	0	0	0

- Molecule 11 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
11	K	4	50	28	2	20	0	0	0

- Molecule 12 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
12	M	6	72	40	2	30	0	0	0

- Molecule 13 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
			Total	C	O			
13	N	2	22	12	10	0	0	0
13	O	2	22	12	10	0	0	0

- Molecule 14 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
14	P	3	39	22	2	15	0	0	0
14	U	3	39	22	2	15	0	0	0

- Molecule 15 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
15	Q	4	50	28	2	20	0	0	0

- Molecule 16 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
16	R	3	42	24	3	15	0	0	0

- Molecule 17 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
17	S	6	72	40	2	30	0	0	0

- Molecule 18 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
18	T	7	83	46	2	35	0	0	0

- Molecule 19 is an oligosaccharide called beta-D-mannopyranose-(1-4)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
19	X	6	72	40	2	30	0	0	0

- Molecule 20 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
20	Y	4	49	28	2	19	0	0	0

- Molecule 21 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
21	B	1	Total	C	N	O	0	0
			14	8	1	5		
21	G	1	Total	C	N	O	0	0
			14	8	1	5		
21	G	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 22 is alpha-L-fucopyranose (CCD ID: FUC) (formula: C<sub>6</sub>H<sub>12</sub>O<sub>5</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
22	G	1	Total	C	O	0	0
			10	6	4		

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Envelope glycoprotein gp41

Chain B: 




- Molecule 2: BG24 Fab heavy chain

Chain D: 



- Molecule 3: BG24 light chain

Chain E: 



- Molecule 4: Envelope glycoprotein gp120




- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  50% 50%

MAG1  
MAG2

- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  100%


MAG1  
MAG2

- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  100%

MAG1  
MAG2

- Molecule 9: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  80% 20%


MAG1  
MAG2  
BMA3  
MAN4  
MAN5

- Molecule 10: beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  71% 29%

MAG1  
MAG2  
BMA3  
MAN4  
MAG5  
GAL6  
MAN7


- Molecule 11: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose


Chain K:  75% 25%

MAG1  
MAG2  
BMA3  
MAN4

- Molecule 12: alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

mido-2-deoxy-beta-D-glucopyranose

Chain M:  17% 50% 33%



- Molecule 13: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose

Chain N:  100%



- Molecule 13: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose

Chain O:  100%



- Molecule 14: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  67% 33%



- Molecule 14: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  33% 67%



- Molecule 15: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  50% 50%



- Molecule 16: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  67% 33%




- Molecule 17: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  67% 33%


MAG1  
MAG2  
BMA3  
MAN4  
MAN5  
MAN6

- Molecule 18: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  86% 14%

MAG1  
MAG2  
BMA3  
MAN4  
MAN5  
MAN6  
MAN7

- Molecule 19: beta-D-mannopyranose-(1-4)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  83% 17%

MAG1  
MAG2  
BMA3  
MAN4  
BMA5  
MAN6

- Molecule 20: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  50% 50%

MAG1  
MAG2  
BMA3  
FUC4

## 4 Data and refinement statistics i

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	208.96Å 208.96Å 155.91Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	39.49 – 4.00 39.49 – 4.00	Depositor EDS
% Data completeness (in resolution range)	99.4 (39.49-4.00) 99.7 (39.49-4.00)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.09 (at 3.76Å)	Xtrriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, $R_{free}$	0.245 , 0.277 0.248 , 0.283	Depositor DCC
$R_{free}$ test set	1250 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	191.6	Xtrriage
Anisotropy	0.090	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 223.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	0.059 for h,-h-k,-l	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	12078	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	264.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.57% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GAL, FUC, BMA, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	B	0.64	0/1107	1.17	3/1501 (0.2%)
2	D	0.62	1/1709 (0.1%)	0.85	0/2330
3	E	0.49	0/1551	0.67	0/2114
4	G	0.99	4/3611 (0.1%)	1.45	29/4903 (0.6%)
5	H	0.73	1/1787 (0.1%)	1.16	2/2438 (0.1%)
6	L	0.67	0/1649	1.13	0/2250
All	All	0.77	6/11414 (0.1%)	1.17	34/15536 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	D	0	1
4	G	0	3
All	All	0	4

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	G	62	GLU	CA-CB	-10.22	1.37	1.53
5	H	168	PRO	N-CD	-8.34	1.36	1.47
4	G	62	GLU	CA-C	7.13	1.61	1.52
2	D	156	PHE	C-N	6.05	1.41	1.33
4	G	62	GLU	N-CA	-5.51	1.40	1.46

The worst 5 of 34 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	62	GLU	CG-CD-OE2	-13.49	87.36	118.40
4	G	62	GLU	OE1-CD-OE2	9.84	146.51	122.90
4	G	62	GLU	CA-C-O	8.77	130.21	121.00
4	G	62	GLU	CA-CB-CG	-7.93	98.24	114.10
4	G	72	HIS	N-CA-C	7.41	119.36	111.28

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	D	156	PHE	Peptide
4	G	301	ASN	Mainchain
4	G	421	LYS	Mainchain
4	G	436	ALA	Mainchain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1089	0	1071	50	0
2	D	1667	0	1628	106	0
3	E	1514	0	1458	78	0
4	G	3538	0	3474	191	0
5	H	1744	0	1710	54	1
6	L	1607	0	1550	49	0
7	A	24	0	22	0	0
8	F	28	0	25	0	0
8	V	28	0	25	0	0
8	W	28	0	25	0	0
9	I	61	0	52	1	0
10	J	86	0	73	3	0
11	K	50	0	43	4	0
12	M	72	0	61	2	0
13	N	22	0	19	1	1
13	O	22	0	19	3	0
14	P	39	0	34	1	0
14	U	39	0	33	1	0
15	Q	50	0	43	1	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
16	R	42	0	37	1	0
17	S	72	0	61	2	0
18	T	83	0	70	3	0
19	X	72	0	61	2	0
20	Y	49	0	43	4	0
21	B	14	0	13	1	0
21	G	28	0	26	0	0
22	G	10	0	10	6	0
All	All	12078	0	11686	507	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

The worst 5 of 507 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:G:62:GLU:CG	4:G:63:THR:H	1.32	1.37
4:G:52:LEU:HD23	4:G:53:PHE:N	1.55	1.20
4:G:62:GLU:HG2	4:G:63:THR:N	1.10	1.10
4:G:298:ARG:NH2	4:G:441:GLY:O	1.92	1.03
2:D:2:VAL:H	2:D:26:GLY:HA3	1.27	1.00

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:H:225:LYS:NZ	13:N:2:MAN:O6[8_544]	2.16	0.04

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	133/153 (87%)	125 (94%)	8 (6%)	0	100	100
2	D	216/234 (92%)	188 (87%)	26 (12%)	2 (1%)	14	48
3	E	200/205 (98%)	168 (84%)	32 (16%)	0	100	100
4	G	443/501 (88%)	411 (93%)	27 (6%)	5 (1%)	11	44
5	H	225/243 (93%)	220 (98%)	5 (2%)	0	100	100
6	L	209/214 (98%)	203 (97%)	5 (2%)	1 (0%)	24	60
All	All	1426/1550 (92%)	1315 (92%)	103 (7%)	8 (1%)	21	57

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	G	63	THR
4	G	464	THR
6	L	158	ASP
2	D	74	THR
4	G	461	THR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	118/129 (92%)	117 (99%)	1 (1%)	73	77
2	D	186/200 (93%)	186 (100%)	0	100	100
3	E	169/173 (98%)	168 (99%)	1 (1%)	78	81
4	G	401/441 (91%)	401 (100%)	0	100	100
5	H	201/213 (94%)	201 (100%)	0	100	100
6	L	175/178 (98%)	175 (100%)	0	100	100
All	All	1250/1334 (94%)	1248 (100%)	2 (0%)	87	87

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	611	ASN
3	E	74	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 12 such sidechains are listed below:

Mol	Chain	Res	Type
4	G	302	ASN
4	G	315	GLN
6	L	52	GLN
4	G	422	GLN
3	E	33	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

70 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	NAG	A	1	1,7	14,14,15	1.94	2 (14%)	17,19,21	1.50	2 (11%)
7	FUC	A	2	7	10,10,11	1.32	2 (20%)	14,14,16	0.82	0
8	NAG	F	1	3,8	14,14,15	0.33	0	17,19,21	0.36	0
8	NAG	F	2	8	14,14,15	0.97	1 (7%)	17,19,21	0.54	0
9	NAG	I	1	4,9	14,14,15	1.52	2 (14%)	17,19,21	1.97	5 (29%)
9	NAG	I	2	9	14,14,15	0.57	0	17,19,21	1.50	4 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
9	BMA	I	3	9	11,11,12	1.61	2 (18%)	15,15,17	2.86	4 (26%)
9	MAN	I	4	9	11,11,12	1.09	1 (9%)	15,15,17	1.19	2 (13%)
9	MAN	I	5	9	11,11,12	0.94	0	15,15,17	0.97	2 (13%)
10	NAG	J	1	4,10	14,14,15	0.89	1 (7%)	17,19,21	0.75	1 (5%)
10	NAG	J	2	10	14,14,15	0.79	1 (7%)	17,19,21	0.74	0
10	BMA	J	3	10	11,11,12	1.43	1 (9%)	15,15,17	0.93	0
10	MAN	J	4	10	11,11,12	1.65	3 (27%)	15,15,17	1.62	2 (13%)
10	NAG	J	5	10	14,14,15	0.78	1 (7%)	17,19,21	0.78	1 (5%)
10	GAL	J	6	10	11,11,12	0.90	1 (9%)	15,15,17	1.03	2 (13%)
10	MAN	J	7	10	11,11,12	0.70	0	15,15,17	0.94	1 (6%)
11	NAG	K	1	4,11	14,14,15	0.71	1 (7%)	17,19,21	1.36	2 (11%)
11	NAG	K	2	11	14,14,15	0.50	0	17,19,21	0.62	0
11	BMA	K	3	11	11,11,12	1.19	1 (9%)	15,15,17	0.91	0
11	MAN	K	4	11	11,11,12	1.04	0	15,15,17	0.95	1 (6%)
12	NAG	M	1	4,12	14,14,15	0.79	1 (7%)	17,19,21	0.60	0
12	NAG	M	2	12	14,14,15	0.45	0	17,19,21	0.66	0
12	BMA	M	3	12	11,11,12	1.54	2 (18%)	15,15,17	1.69	4 (26%)
12	MAN	M	4	12	11,11,12	0.47	0	15,15,17	1.69	3 (20%)
12	MAN	M	5	12	11,11,12	1.20	1 (9%)	15,15,17	1.34	2 (13%)
12	MAN	M	6	12	11,11,12	1.89	2 (18%)	15,15,17	1.39	1 (6%)
13	MAN	N	1	13	11,11,12	1.66	3 (27%)	15,15,17	1.61	2 (13%)
13	MAN	N	2	13	11,11,12	1.79	3 (27%)	15,15,17	1.06	2 (13%)
13	MAN	O	1	13	11,11,12	2.22	5 (45%)	15,15,17	2.25	3 (20%)
13	MAN	O	2	13	11,11,12	3.69	7 (63%)	15,15,17	2.49	7 (46%)
14	NAG	P	1	4,14	14,14,15	0.46	0	17,19,21	1.46	1 (5%)
14	NAG	P	2	14	14,14,15	0.92	1 (7%)	17,19,21	0.60	0
14	BMA	P	3	14	11,11,12	1.59	4 (36%)	15,15,17	1.06	1 (6%)
15	NAG	Q	1	15,4	14,14,15	0.58	0	17,19,21	1.36	1 (5%)
15	NAG	Q	2	15	14,14,15	0.45	0	17,19,21	1.79	3 (17%)
15	BMA	Q	3	15	11,11,12	2.33	4 (36%)	15,15,17	2.08	2 (13%)
15	MAN	Q	4	15	11,11,12	2.88	5 (45%)	15,15,17	2.77	4 (26%)
16	NAG	R	1	4,16	14,14,15	0.82	1 (7%)	17,19,21	0.87	0
16	NAG	R	2	16	14,14,15	0.72	1 (7%)	17,19,21	0.76	0
16	NAG	R	3	16	14,14,15	0.92	1 (7%)	17,19,21	0.66	0
17	NAG	S	1	17,4	14,14,15	0.63	0	17,19,21	1.09	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
17	NAG	S	2	17	14,14,15	0.93	1 (7%)	17,19,21	0.61	0
17	BMA	S	3	17	11,11,12	1.21	1 (9%)	15,15,17	0.85	0
17	MAN	S	4	17	11,11,12	1.19	2 (18%)	15,15,17	1.67	2 (13%)
17	MAN	S	5	17	11,11,12	2.26	2 (18%)	15,15,17	2.12	2 (13%)
17	MAN	S	6	17	11,11,12	1.91	5 (45%)	15,15,17	1.43	1 (6%)
18	NAG	T	1	4,18	14,14,15	0.34	0	17,19,21	0.60	0
18	NAG	T	2	18	14,14,15	0.42	0	17,19,21	0.78	0
18	BMA	T	3	18	11,11,12	1.66	2 (18%)	15,15,17	1.25	1 (6%)
18	MAN	T	4	18	11,11,12	1.05	1 (9%)	15,15,17	1.52	2 (13%)
18	MAN	T	5	18	11,11,12	2.13	4 (36%)	15,15,17	1.67	2 (13%)
18	MAN	T	6	18	11,11,12	1.47	4 (36%)	15,15,17	1.31	1 (6%)
18	MAN	T	7	18	11,11,12	1.39	2 (18%)	15,15,17	2.10	2 (13%)
14	NAG	U	1	4,14	14,14,15	0.71	1 (7%)	17,19,21	1.46	3 (17%)
14	NAG	U	2	14	14,14,15	0.83	1 (7%)	17,19,21	0.87	1 (5%)
14	BMA	U	3	14	11,11,12	1.32	1 (9%)	15,15,17	0.99	2 (13%)
8	NAG	V	1	4,8	14,14,15	0.65	0	17,19,21	0.80	1 (5%)
8	NAG	V	2	8	14,14,15	0.72	1 (7%)	17,19,21	0.68	0
8	NAG	W	1	4,8	14,14,15	0.57	0	17,19,21	0.64	0
8	NAG	W	2	8	14,14,15	0.61	0	17,19,21	0.59	0
19	NAG	X	1	19,4	14,14,15	0.59	0	17,19,21	0.97	1 (5%)
19	NAG	X	2	19	14,14,15	0.40	0	17,19,21	0.42	0
19	BMA	X	3	19	11,11,12	1.42	2 (18%)	15,15,17	1.58	2 (13%)
19	MAN	X	4	19	11,11,12	1.86	3 (27%)	15,15,17	1.63	3 (20%)
19	BMA	X	5	19	11,11,12	1.68	3 (27%)	15,15,17	1.18	1 (6%)
19	MAN	X	6	19	11,11,12	2.02	3 (27%)	15,15,17	1.94	1 (6%)
20	NAG	Y	1	20,4	14,14,15	1.19	1 (7%)	17,19,21	1.38	1 (5%)
20	NAG	Y	2	20	14,14,15	1.05	2 (14%)	17,19,21	1.14	2 (11%)
20	BMA	Y	3	20	11,11,12	2.11	4 (36%)	15,15,17	1.27	1 (6%)
20	FUC	Y	4	20	10,10,11	1.03	0	14,14,16	1.23	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	A	1	1,7	-	1/6/23/26	0/1/1/1

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	FUC	A	2	7	-	-	0/1/1/1
8	NAG	F	1	3,8	-	2/6/23/26	0/1/1/1
8	NAG	F	2	8	-	1/6/23/26	0/1/1/1
9	NAG	I	1	4,9	-	4/6/23/26	0/1/1/1
9	NAG	I	2	9	-	2/6/23/26	0/1/1/1
9	BMA	I	3	9	-	2/2/19/22	0/1/1/1
9	MAN	I	4	9	-	1/2/19/22	0/1/1/1
9	MAN	I	5	9	-	1/2/19/22	0/1/1/1
10	NAG	J	1	4,10	-	2/6/23/26	0/1/1/1
10	NAG	J	2	10	-	3/6/23/26	0/1/1/1
10	BMA	J	3	10	-	1/2/19/22	0/1/1/1
10	MAN	J	4	10	-	2/2/19/22	1/1/1/1
10	NAG	J	5	10	-	3/6/23/26	0/1/1/1
10	GAL	J	6	10	-	0/2/19/22	0/1/1/1
10	MAN	J	7	10	-	0/2/19/22	0/1/1/1
11	NAG	K	1	4,11	-	4/6/23/26	0/1/1/1
11	NAG	K	2	11	-	4/6/23/26	0/1/1/1
11	BMA	K	3	11	-	1/2/19/22	0/1/1/1
11	MAN	K	4	11	-	0/2/19/22	0/1/1/1
12	NAG	M	1	4,12	-	0/6/23/26	0/1/1/1
12	NAG	M	2	12	-	0/6/23/26	0/1/1/1
12	BMA	M	3	12	-	0/2/19/22	0/1/1/1
12	MAN	M	4	12	-	2/2/19/22	0/1/1/1
12	MAN	M	5	12	-	1/2/19/22	0/1/1/1
12	MAN	M	6	12	-	1/2/19/22	1/1/1/1
13	MAN	N	1	13	-	1/2/19/22	0/1/1/1
13	MAN	N	2	13	-	2/2/19/22	0/1/1/1
13	MAN	O	1	13	-	0/2/19/22	0/1/1/1
13	MAN	O	2	13	-	2/2/19/22	0/1/1/1
14	NAG	P	1	4,14	-	4/6/23/26	0/1/1/1
14	NAG	P	2	14	-	1/6/23/26	0/1/1/1
14	BMA	P	3	14	-	0/2/19/22	0/1/1/1
15	NAG	Q	1	15,4	-	2/6/23/26	0/1/1/1
15	NAG	Q	2	15	-	3/6/23/26	0/1/1/1
15	BMA	Q	3	15	-	0/2/19/22	0/1/1/1
15	MAN	Q	4	15	-	2/2/19/22	0/1/1/1
16	NAG	R	1	4,16	-	0/6/23/26	0/1/1/1
16	NAG	R	2	16	-	4/6/23/26	0/1/1/1

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	NAG	R	3	16	-	4/6/23/26	0/1/1/1
17	NAG	S	1	17,4	-	2/6/23/26	0/1/1/1
17	NAG	S	2	17	-	0/6/23/26	0/1/1/1
17	BMA	S	3	17	-	2/2/19/22	0/1/1/1
17	MAN	S	4	17	-	0/2/19/22	0/1/1/1
17	MAN	S	5	17	-	2/2/19/22	0/1/1/1
17	MAN	S	6	17	-	1/2/19/22	0/1/1/1
18	NAG	T	1	4,18	-	4/6/23/26	0/1/1/1
18	NAG	T	2	18	-	2/6/23/26	0/1/1/1
18	BMA	T	3	18	-	0/2/19/22	0/1/1/1
18	MAN	T	4	18	-	2/2/19/22	0/1/1/1
18	MAN	T	5	18	-	1/2/19/22	0/1/1/1
18	MAN	T	6	18	-	2/2/19/22	0/1/1/1
18	MAN	T	7	18	-	2/2/19/22	0/1/1/1
14	NAG	U	1	4,14	-	4/6/23/26	0/1/1/1
14	NAG	U	2	14	-	0/6/23/26	0/1/1/1
14	BMA	U	3	14	-	0/2/19/22	0/1/1/1
8	NAG	V	1	4,8	-	4/6/23/26	0/1/1/1
8	NAG	V	2	8	-	4/6/23/26	0/1/1/1
8	NAG	W	1	4,8	-	2/6/23/26	0/1/1/1
8	NAG	W	2	8	-	2/6/23/26	0/1/1/1
19	NAG	X	1	19,4	-	3/6/23/26	0/1/1/1
19	NAG	X	2	19	-	0/6/23/26	0/1/1/1
19	BMA	X	3	19	-	0/2/19/22	0/1/1/1
19	MAN	X	4	19	-	0/2/19/22	0/1/1/1
19	BMA	X	5	19	-	0/2/19/22	0/1/1/1
19	MAN	X	6	19	-	2/2/19/22	0/1/1/1
20	NAG	Y	1	20,4	-	4/6/23/26	0/1/1/1
20	NAG	Y	2	20	-	1/6/23/26	0/1/1/1
20	BMA	Y	3	20	-	2/2/19/22	0/1/1/1
20	FUC	Y	4	20	-	-	0/1/1/1

The worst 5 of 107 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	1	NAG	O5-C1	6.50	1.54	1.43
13	O	2	MAN	C4-C3	5.81	1.67	1.52
13	O	2	MAN	O5-C1	5.79	1.53	1.43

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	Q	4	MAN	O5-C1	5.59	1.53	1.43
17	S	5	MAN	C1-C2	5.48	1.65	1.52

The worst 5 of 99 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	Q	4	MAN	C1-O5-C5	8.99	124.24	112.19
13	O	1	MAN	C1-O5-C5	7.30	121.98	112.19
18	T	7	MAN	C1-O5-C5	7.15	121.77	112.19
9	I	3	BMA	C1-C2-C3	-7.02	99.43	109.64
13	O	2	MAN	C1-O5-C5	6.76	121.25	112.19

There are no chirality outliers.

5 of 111 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
11	K	1	NAG	C1-C2-N2-C7
15	Q	2	NAG	C1-C2-N2-C7
19	X	1	NAG	C1-C2-N2-C7
20	Y	2	NAG	C1-C2-N2-C7
13	O	2	MAN	C4-C5-C6-O6

All (2) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
10	J	4	MAN	C1-C2-C3-C4-C5-O5
12	M	6	MAN	C1-C2-C3-C4-C5-O5

26 monomers are involved in 27 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
20	Y	4	FUC	2	0
10	J	5	NAG	1	0
17	S	1	NAG	1	0
18	T	1	NAG	1	0
20	Y	1	NAG	2	0
11	K	2	NAG	2	0
12	M	6	MAN	1	0
13	O	1	MAN	3	0
13	N	1	MAN	1	0
14	P	1	NAG	1	0


*Continued on next page...*


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	I	1	NAG	1	0
14	U	2	NAG	1	0
12	M	3	BMA	1	0
10	J	2	NAG	2	0
16	R	2	NAG	1	0
15	Q	4	MAN	1	0
13	N	2	MAN	1	1
11	K	1	NAG	2	0
17	S	6	MAN	1	0
15	Q	3	BMA	1	0
14	U	1	NAG	1	0
18	T	5	MAN	2	0
13	O	2	MAN	2	0
19	X	1	NAG	2	0
18	T	2	NAG	2	0
19	X	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







































## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
21	NAG	G	603	4	14,14,15	1.10	2 (14%)	17,19,21	1.20	1 (5%)
22	FUC	G	602	-	10,10,11	2.71	4 (40%)	14,14,16	1.63	5 (35%)
21	NAG	G	601	4	14,14,15	0.83	1 (7%)	17,19,21	1.17	1 (5%)
21	NAG	B	701	1	14,14,15	0.48	0	17,19,21	1.41	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
21	NAG	G	603	4	-	2/6/23/26	0/1/1/1
22	FUC	G	602	-	-	-	0/1/1/1
21	NAG	G	601	4	-	3/6/23/26	0/1/1/1
21	NAG	B	701	1	-	3/6/23/26	0/1/1/1

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
22	G	602	FUC	C4-C3	5.58	1.66	1.52
22	G	602	FUC	C2-C3	3.87	1.58	1.52
22	G	602	FUC	C4-C5	3.68	1.61	1.52
22	G	602	FUC	O2-C2	2.70	1.49	1.43
21	G	601	NAG	O5-C1	2.68	1.48	1.43

The worst 5 of 8 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
21	B	701	NAG	C2-N2-C7	4.92	129.49	122.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
21	G	601	NAG	C1-O5-C5	3.63	117.05	112.19
21	G	603	NAG	C2-N2-C7	2.93	126.82	122.90
22	G	602	FUC	C6-C5-C4	2.76	118.13	113.08
22	G	602	FUC	O2-C2-C1	2.31	114.50	109.22

There are no chirality outliers.

5 of 8 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
21	B	701	NAG	C3-C2-N2-C7
21	G	601	NAG	C4-C5-C6-O6
21	G	601	NAG	O5-C5-C6-O6
21	B	701	NAG	O5-C5-C6-O6
21	G	603	NAG	C4-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
22	G	602	FUC	6	0
21	B	701	NAG	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	B	137/153 (89%)	-0.85	0 100 100	218, 288, 324, 337	0
2	D	220/234 (94%)	-0.92	0 100 100	177, 255, 403, 439	0
3	E	202/205 (98%)	-0.92	0 100 100	207, 302, 381, 398	0
4	G	451/501 (90%)	-0.82	0 100 100	136, 227, 315, 534	0
5	H	229/243 (94%)	-0.88	0 100 100	172, 254, 348, 408	0
6	L	211/214 (98%)	-0.91	0 100 100	173, 251, 336, 360	0
All	All	1450/1550 (93%)	-0.88	0 100 100	136, 259, 377, 534	0

There are no RSRZ outliers to report.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
7	NAG	A	1	14/15	-	-	322,322,322,322	0
7	FUC	A	2	10/11	-	-	321,321,321,321	0
8	NAG	F	1	14/15	-	-	328,328,328,328	0
8	NAG	F	2	14/15	-	-	347,347,347,347	0
10	GAL	J	6	11/12	0.20	0.08	340,340,340,340	0
17	MAN	S	6	11/12	0.20	0.07	316,316,316,316	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
10	MAN	J	4	11/12	0.28	0.06	308,308,308,308	0
11	MAN	K	4	11/12	0.32	0.05	348,348,348,348	0
9	MAN	I	4	11/12	0.39	0.07	356,356,356,356	0
18	BMA	T	3	11/12	0.42	0.06	318,318,318,318	0
17	BMA	S	3	11/12	0.46	0.05	299,299,299,299	0
9	MAN	I	5	11/12	0.48	0.05	377,377,377,377	0
14	BMA	P	3	11/12	0.55	0.07	326,326,326,326	0
19	NAG	X	1	14/15	0.55	0.06	232,232,232,232	0
9	BMA	I	3	11/12	0.61	0.05	358,358,358,358	0
19	BMA	X	3	11/12	0.61	0.05	336,336,336,336	0
9	NAG	I	2	14/15	0.64	0.06	313,313,313,313	0
10	NAG	J	5	14/15	0.64	0.05	332,332,332,332	0
19	NAG	X	2	14/15	0.68	0.05	280,280,280,280	0
14	NAG	U	2	14/15	0.69	0.06	264,264,264,264	0
17	MAN	S	4	11/12	0.73	0.05	315,315,315,315	0
10	NAG	J	2	14/15	0.73	0.08	281,281,281,281	0
15	NAG	Q	2	14/15	0.75	0.07	239,239,239,239	0
14	NAG	U	1	14/15	0.75	0.08	234,234,234,234	0
12	NAG	M	1	14/15	-	-	200,200,200,200	0
12	NAG	M	2	14/15	-	-	203,203,203,203	0
12	BMA	M	3	11/12	-	-	213,213,213,213	0
12	MAN	M	4	11/12	-	-	248,248,248,248	0
12	MAN	M	5	11/12	-	-	277,277,277,277	0
12	MAN	M	6	11/12	-	-	273,273,273,273	0
10	MAN	J	7	11/12	0.78	0.03	290,290,290,290	0
11	NAG	K	2	14/15	0.78	0.04	282,282,282,282	0
13	MAN	O	1	11/12	-	-	204,204,204,204	0
13	MAN	O	2	11/12	-	-	202,202,202,202	0
11	BMA	K	3	11/12	0.78	0.03	308,308,308,308	0
16	NAG	R	2	14/15	0.81	0.09	272,272,272,272	0
10	BMA	J	3	11/12	0.81	0.04	287,287,287,287	0
17	MAN	S	5	11/12	0.83	0.05	305,305,305,305	0
9	NAG	I	1	14/15	0.83	0.07	266,266,266,266	0
14	BMA	U	3	11/12	-	-	297,297,297,297	0
17	NAG	S	2	14/15	0.83	0.05	282,282,282,282	0
8	NAG	V	2	14/15	0.85	0.05	286,286,286,286	0
15	BMA	Q	3	11/12	-	-	267,267,267,267	0
15	MAN	Q	4	11/12	-	-	245,245,245,245	0
8	NAG	W	2	14/15	0.86	0.04	288,288,288,288	0
11	NAG	K	1	14/15	0.87	0.04	238,238,238,238	0
16	NAG	R	3	14/15	-	-	296,296,296,296	0
13	MAN	N	2	11/12	0.87	0.06	280,280,280,280	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
8	NAG	V	1	14/15	0.89	0.06	260,260,260,260	0
8	NAG	W	1	14/15	0.90	0.07	246,246,246,246	0
10	NAG	J	1	14/15	0.91	0.06	273,273,273,273	0
16	NAG	R	1	14/15	0.91	0.12	213,213,213,213	0
14	NAG	P	2	14/15	0.92	0.06	345,345,345,345	0
14	NAG	P	1	14/15	0.93	0.05	311,311,311,311	0
18	NAG	T	2	14/15	0.93	0.05	303,303,303,303	0
17	NAG	S	1	14/15	0.93	0.05	215,215,215,215	0
18	MAN	T	4	11/12	-	-	290,290,290,290	0
18	MAN	T	5	11/12	-	-	291,291,291,291	0
18	MAN	T	6	11/12	-	-	272,272,272,272	0
18	MAN	T	7	11/12	-	-	333,333,333,333	0
18	NAG	T	1	14/15	0.94	0.06	250,250,250,250	0
13	MAN	N	1	11/12	0.94	0.06	258,258,258,258	0
15	NAG	Q	1	14/15	0.96	0.05	230,230,230,230	0
19	MAN	X	4	11/12	-	-	338,338,338,338	0
19	BMA	X	5	11/12	-	-	344,344,344,344	0
19	MAN	X	6	11/12	-	-	351,351,351,351	0
20	NAG	Y	1	14/15	-	-	316,316,316,316	0
20	NAG	Y	2	14/15	-	-	336,336,336,336	0
20	BMA	Y	3	11/12	-	-	305,305,305,305	0
20	FUC	Y	4	10/11	-	-	313,313,313,313	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around Chain A:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain F:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain V:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain W:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain I:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain J:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain K:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain M:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain N:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain O:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain P:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain U:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around Chain Q:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around Chain R:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around Chain T:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain X:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around Chain Y:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
21	NAG	B	701	14/15	0.15	0.06	309,309,309,309	0
22	FUC	G	602	10/11	0.41	0.08	262,262,262,262	0
21	NAG	G	603	14/15	0.49	0.05	262,262,262,262	0
21	NAG	G	601	14/15	0.70	0.08	268,268,268,268	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.