



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 12:38 PM UTC

PDB ID : 3UDU / pdb_00003udu
Title : Crystal structure of putative 3-isopropylmalate dehydrogenase from *Campylobacter jejuni*
Authors : Tkaczuk, K.L.; Chruszcz, M.; Grimshaw, S.; Onopriyenko, O.; Savchenko, A.; Anderson, W.F.; Minor, W.; Center for Structural Genomics of Infectious Diseases (CSGID)
Deposited on : 2011-10-28
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3428 (1.86-1.86)
Clashscore	190562	3579 (1.86-1.86)
Ramachandran outliers	187476	3553 (1.86-1.86)
Sidechain outliers	187428	3553 (1.86-1.86)
RSRZ outliers	180081	3429 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	361	 90% 9% .
1	B	361	 91% 6% ..
1	C	361	 89% 8% .
1	D	361	 89% 9% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	361	91% 7% ..
1	F	361	91% 7% ..
1	G	361	89% 9% .
1	H	361	91% 6% ..

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 23703 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-isopropylmalate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	356	Total	C	N	O	S	0	1	0
			2758	1757	460	529	12			
1	B	355	Total	C	N	O	S	0	0	0
			2736	1745	452	527	12			
1	C	351	Total	C	N	O	S	0	0	0
			2689	1717	444	516	12			
1	D	356	Total	C	N	O	S	0	0	0
			2741	1748	453	528	12			
1	E	355	Total	C	N	O	S	0	0	0
			2738	1745	454	527	12			
1	F	356	Total	C	N	O	S	0	0	0
			2740	1748	453	527	12			
1	G	356	Total	C	N	O	S	0	0	0
			2743	1748	455	528	12			
1	H	354	Total	C	N	O	S	0	0	0
			2717	1734	451	520	12			

There are 32 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP Q9PLW0
A	-1	ASN	-	expression tag	UNP Q9PLW0
A	0	ALA	-	expression tag	UNP Q9PLW0
A	39	LEU	PHE	engineered mutation	UNP Q9PLW0
B	-2	SER	-	expression tag	UNP Q9PLW0
B	-1	ASN	-	expression tag	UNP Q9PLW0
B	0	ALA	-	expression tag	UNP Q9PLW0
B	39	LEU	PHE	engineered mutation	UNP Q9PLW0
C	-2	SER	-	expression tag	UNP Q9PLW0
C	-1	ASN	-	expression tag	UNP Q9PLW0
C	0	ALA	-	expression tag	UNP Q9PLW0
C	39	LEU	PHE	engineered mutation	UNP Q9PLW0
D	-2	SER	-	expression tag	UNP Q9PLW0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-1	ASN	-	expression tag	UNP Q9PLW0
D	0	ALA	-	expression tag	UNP Q9PLW0
D	39	LEU	PHE	engineered mutation	UNP Q9PLW0
E	-2	SER	-	expression tag	UNP Q9PLW0
E	-1	ASN	-	expression tag	UNP Q9PLW0
E	0	ALA	-	expression tag	UNP Q9PLW0
E	39	LEU	PHE	engineered mutation	UNP Q9PLW0
F	-2	SER	-	expression tag	UNP Q9PLW0
F	-1	ASN	-	expression tag	UNP Q9PLW0
F	0	ALA	-	expression tag	UNP Q9PLW0
F	39	LEU	PHE	engineered mutation	UNP Q9PLW0
G	-2	SER	-	expression tag	UNP Q9PLW0
G	-1	ASN	-	expression tag	UNP Q9PLW0
G	0	ALA	-	expression tag	UNP Q9PLW0
G	39	LEU	PHE	engineered mutation	UNP Q9PLW0
H	-2	SER	-	expression tag	UNP Q9PLW0
H	-1	ASN	-	expression tag	UNP Q9PLW0
H	0	ALA	-	expression tag	UNP Q9PLW0
H	39	LEU	PHE	engineered mutation	UNP Q9PLW0

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	D	1	Total	C	O	0	0
			4	2	2		
2	E	1	Total	C	O	0	0
			4	2	2		
2	F	1	Total	C	O	0	0
			4	2	2		
2	G	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	1	Total	Cl	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	256	Total	O	0	0
			256	256		
4	B	242	Total	O	0	0
			242	242		
4	C	199	Total	O	0	0
			199	199		
4	D	214	Total	O	0	0
			214	214		
4	E	207	Total	O	0	0
			207	207		
4	F	234	Total	O	0	0
			234	234		
4	G	240	Total	O	0	0
			240	240		
4	H	224	Total	O	0	0
			224	224		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 3-isopropylmalate dehydrogenase




- Molecule 1: 3-isopropylmalate dehydrogenase



- Molecule 1: 3-isopropylmalate dehydrogenase




- Molecule 1: 3-isopropylmalate dehydrogenase




- Molecule 1: 3-isopropylmalate dehydrogenase

Chain E:  91% 7% ..




- Molecule 1: 3-isopropylmalate dehydrogenase

Chain F:  91% 7% ..




- Molecule 1: 3-isopropylmalate dehydrogenase

Chain G:  89% 9% .



- Molecule 1: 3-isopropylmalate dehydrogenase

Chain H:  91% 6% ..



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	74.72Å 83.17Å 111.20Å 94.19° 90.07° 89.64°	Depositor
Resolution (Å)	50.00 – 1.85 50.00 – 1.85	Depositor EDS
% Data completeness (in resolution range)	94.7 (50.00-1.85) 93.0 (50.00-1.85)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.16 (at 1.75Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.197 , 0.236 0.202 , 0.241	Depositor DCC
R_{free} test set	12780 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	21.1	Xtriage
Anisotropy	0.809	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 28.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.427 for h,-k,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	23703	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 51.33 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.7000e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.29	4/2801 (0.1%)	1.10	0/3782
1	B	1.24	1/2779 (0.0%)	1.09	3/3754 (0.1%)
1	C	1.24	5/2730 (0.2%)	1.08	1/3686 (0.0%)
1	D	1.25	3/2784 (0.1%)	1.10	2/3761 (0.1%)
1	E	1.28	4/2781 (0.1%)	1.09	2/3757 (0.1%)
1	F	1.28	8/2783 (0.3%)	1.10	0/3759
1	G	1.27	6/2786 (0.2%)	1.10	0/3764
1	H	1.29	7/2759 (0.3%)	1.08	2/3726 (0.1%)
All	All	1.27	38/22203 (0.2%)	1.09	10/29989 (0.0%)

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	38	GLU	C-N	-8.44	1.20	1.33
1	H	281	ALA	N-CA	8.00	1.52	1.46
1	C	108	ARG	C-O	-7.94	1.18	1.25
1	B	39	LEU	C-N	-7.86	1.22	1.33
1	G	180	ARG	CA-C	7.28	1.56	1.52
1	A	281	ALA	N-CA	6.98	1.52	1.46
1	E	177	ALA	N-CA	-6.79	1.38	1.46
1	E	95	LEU	C-O	-6.77	1.18	1.24
1	D	281	ALA	N-CA	6.35	1.50	1.46
1	H	171	ARG	C-O	-6.23	1.16	1.24
1	G	281	ALA	N-CA	6.01	1.51	1.46
1	G	124	ASN	C-O	-5.98	1.17	1.24
1	G	249	ASP	C-O	5.80	1.31	1.24
1	A	313	ALA	N-CA	5.76	1.53	1.46
1	D	71	LEU	C-O	-5.73	1.17	1.24
1	H	237	MET	SD-CE	5.67	1.93	1.79
1	F	337	SER	N-CA	-5.66	1.39	1.46
1	E	195	SER	CA-C	5.39	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	96	PRO	C-O	-5.38	1.17	1.24
1	F	131	VAL	C-O	-5.29	1.18	1.24
1	G	313	ALA	N-CA	5.26	1.52	1.46
1	H	280	SER	CA-C	5.25	1.60	1.52
1	H	309	GLU	CA-C	-5.23	1.48	1.53
1	A	316	ILE	N-CA	5.21	1.52	1.46
1	A	70	ILE	CA-CB	-5.20	1.47	1.54
1	C	281	ALA	N-CA	5.14	1.50	1.46
1	C	298	SER	N-CA	5.13	1.52	1.46
1	C	305	TYR	N-CA	5.12	1.52	1.46
1	G	237	MET	SD-CE	5.08	1.92	1.79
1	D	6	VAL	C-O	-5.08	1.18	1.24
1	F	356	ASP	CA-C	5.08	1.57	1.53
1	H	254	ILE	N-CA	5.08	1.52	1.46
1	F	39	LEU	C-N	-5.05	1.25	1.33
1	F	224	ALA	C-O	-5.05	1.18	1.24
1	H	185	HIS	ND1-CE1	5.04	1.37	1.32
1	C	309	GLU	CA-C	-5.02	1.48	1.53
1	F	177	ALA	N-CA	-5.02	1.40	1.46
1	F	284	ILE	N-CA	5.01	1.51	1.46

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	278	GLY	N-CA-C	7.13	122.59	113.24
1	D	192	VAL	N-CA-C	6.43	119.83	113.53
1	B	38	GLU	O-C-N	-6.16	115.37	123.13
1	B	226	GLN	N-CA-C	6.01	118.62	111.71
1	H	39	LEU	O-C-N	-5.94	115.84	122.55
1	H	188	ASP	N-CA-C	5.92	115.91	108.45
1	B	171	ARG	CG-CD-NE	-5.67	99.54	112.00
1	E	280	SER	N-CA-C	5.23	117.43	110.53
1	D	356	ASP	CB-CA-C	5.18	121.27	112.00
1	C	256	GLY	N-CA-C	5.06	121.10	115.08

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2758	0	2797	23	0
1	B	2736	0	2772	19	0
1	C	2689	0	2717	23	0
1	D	2741	0	2774	22	0
1	E	2738	0	2772	14	0
1	F	2740	0	2774	17	0
1	G	2743	0	2774	16	0
1	H	2717	0	2746	12	0
2	A	4	0	6	0	0
2	B	4	0	6	0	0
2	D	4	0	6	0	0
2	E	4	0	6	0	0
2	F	4	0	6	0	0
2	G	4	0	6	0	0
3	C	1	0	0	0	0
4	A	256	0	0	3	0
4	B	242	0	0	1	0
4	C	199	0	0	2	0
4	D	214	0	0	0	0
4	E	207	0	0	0	0
4	F	234	0	0	0	0
4	G	240	0	0	2	0
4	H	224	0	0	3	0
All	All	23703	0	22162	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:18:VAL:HG13	1:C:292:PRO:HA	1.46	0.94
1:E:328:LYS:HD2	1:E:347:CYS:SG	2.19	0.83
1:B:328:LYS:HD2	1:B:347:CYS:SG	2.20	0.82
1:A:350:GLU:HG2	4:A:1705:HOH:O	1.79	0.80

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:328:LYS:HD2	1:C:347:CYS:SG	2.24	0.78
1:C:18:VAL:CG1	1:C:292:PRO:HA	2.14	0.77
1:A:234:PHE:CE1	1:A:237:MET:HE3	2.21	0.76
1:E:95:LEU:C	1:E:95:LEU:HD23	2.11	0.76
1:C:58:ASP:O	1:C:62:LYS:HG2	1.86	0.75
1:F:58:ASP:O	1:F:62:LYS:HG3	1.89	0.73
1:D:328:LYS:HD2	1:D:347:CYS:SG	2.29	0.72
1:C:18:VAL:HG13	1:C:292:PRO:CA	2.19	0.72
1:D:320:ILE:CD1	1:D:348:ILE:HD13	2.19	0.72
1:F:328:LYS:HD2	1:F:347:CYS:SG	2.30	0.72
1:H:328:LYS:HD2	1:H:347:CYS:SG	2.31	0.71
1:C:249:ASP:HB3	1:D:225:MET:HG3	1.74	0.69
1:F:320:ILE:CD1	1:F:348:ILE:HD13	2.22	0.69
1:A:249:ASP:HB3	1:B:225:MET:HG3	1.74	0.69
1:D:84:PRO:HG2	1:F:167:GLU:OE1	1.94	0.66
1:D:84:PRO:CG	1:F:167:GLU:OE1	2.44	0.66
1:C:265:SER:C	1:C:266:LEU:HD12	2.22	0.65
1:A:234:PHE:CD1	1:A:237:MET:HE3	2.33	0.63
1:B:320:ILE:CD1	1:B:348:ILE:HD13	2.29	0.62
1:D:320:ILE:HD11	1:D:348:ILE:HD13	1.82	0.62
1:H:208:LYS:NZ	4:H:1810:HOH:O	2.33	0.61
1:A:167:GLU:HG2	1:A:171[A]:ARG:NH2	2.17	0.59
1:F:320:ILE:HD11	1:F:348:ILE:HD13	1.85	0.58
1:F:85:ILE:H	1:F:85:ILE:HD12	1.69	0.58
1:E:23:LEU:HD22	1:E:39:LEU:HD13	1.84	0.58
1:C:266:LEU:HD12	1:C:266:LEU:N	2.18	0.58
1:D:356:ASP:O	1:D:357:ASN:C	2.48	0.57
1:B:167:GLU:OE2	1:B:171:ARG:NH1	2.37	0.57
1:F:106:ASN:HB2	1:F:139:LEU:HD11	1.87	0.57
1:C:18:VAL:HG11	4:C:1740:HOH:O	2.04	0.55
1:A:66:GLN:NE2	4:A:396:HOH:O	2.39	0.55
1:A:225:MET:HG3	1:B:249:ASP:HB3	1.88	0.55
1:F:320:ILE:CD1	1:F:348:ILE:CD1	2.85	0.55
1:C:266:LEU:N	1:C:266:LEU:CD1	2.70	0.55
1:D:320:ILE:CD1	1:D:348:ILE:CD1	2.85	0.54
1:C:106:ASN:HB2	1:C:139:LEU:HD11	1.89	0.54
1:G:90:GLU:HG3	1:G:94:LEU:HD12	1.90	0.54
1:C:225:MET:HG3	1:D:249:ASP:HB3	1.89	0.53
1:E:95:LEU:HB3	1:E:96:PRO:HD3	1.91	0.52
1:D:54:VAL:HG22	1:D:56:LEU:H	1.74	0.52
1:F:189:LYS:HG3	1:F:192:VAL:HG22	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:87:GLN:NE2	1:G:167:GLU:OE2	2.41	0.51
1:D:106:ASN:HB2	1:D:139:LEU:HD11	1.93	0.51
1:C:264:ALA:HB1	1:C:266:LEU:HD11	1.93	0.50
1:B:85:ILE:HD12	1:B:88:ARG:NH1	2.26	0.50
1:G:188:ASP:O	1:G:219:TYR:HA	2.11	0.50
1:D:84:PRO:HG3	1:F:167:GLU:OE1	2.13	0.49
1:C:249:ASP:HB3	1:D:225:MET:CG	2.42	0.49
1:G:95:LEU:HB3	1:G:96:PRO:HD3	1.94	0.48
1:G:80:TRP:O	1:G:83:LEU:HD13	2.13	0.48
1:G:65:GLU:OE2	1:G:100:HIS:NE2	2.44	0.48
1:C:249:ASP:O	1:D:225:MET:HG2	2.13	0.48
1:H:95:LEU:HB3	1:H:96:PRO:HD3	1.95	0.48
1:B:95:LEU:HB3	1:B:96:PRO:HD3	1.95	0.48
1:F:6:VAL:HB	1:F:39:LEU:HD23	1.97	0.47
1:H:23:LEU:HD22	1:H:39:LEU:HD13	1.97	0.47
1:H:128:GLN:O	1:H:128:GLN:HG3	2.13	0.47
1:A:31:GLN:OE1	4:A:1338:HOH:O	2.20	0.47
1:H:125:GLU:CG	4:H:677:HOH:O	2.62	0.46
1:C:62:LYS:HA	1:C:62:LYS:HD3	1.75	0.46
1:C:23:LEU:HD22	1:C:39:LEU:HD13	1.98	0.46
1:D:234:PHE:CE1	1:D:237:MET:HE3	2.50	0.46
1:A:106:ASN:HB2	1:A:139:LEU:HD11	1.99	0.45
1:B:78:PRO:HA	1:B:81:ASP:OD1	2.17	0.45
1:E:78:PRO:HA	1:E:81:ASP:OD1	2.17	0.45
1:F:65:GLU:OE2	1:F:100:HIS:NE2	2.48	0.45
1:F:85:ILE:HD12	1:F:85:ILE:N	2.31	0.45
1:E:189:LYS:HG3	1:E:192:VAL:HG22	1.99	0.45
1:F:95:LEU:HB3	1:F:96:PRO:HD3	1.98	0.45
1:B:182:LYS:NZ	4:B:802:HOH:O	2.33	0.45
1:G:260:LEU:HD22	1:G:293:ILE:HG21	1.99	0.44
1:D:95:LEU:HB3	1:D:96:PRO:HD3	1.99	0.44
1:A:116:LEU:CD1	1:A:260:LEU:HD11	2.46	0.44
1:C:18:VAL:HG12	1:C:295:GLN:CB	2.47	0.44
1:D:21:GLU:OE1	1:D:345:GLY:HA3	2.18	0.44
1:E:84:PRO:HG2	1:E:87:GLN:NE2	2.33	0.44
1:F:21:GLU:OE1	1:F:345:GLY:HA3	2.18	0.44
1:H:37:PHE:HB3	1:H:39:LEU:HG	2.00	0.44
1:B:320:ILE:CD1	1:B:348:ILE:CD1	2.95	0.43
1:G:85:ILE:HD12	1:G:85:ILE:H	1.83	0.43
1:H:106:ASN:HB2	1:H:139:LEU:HD11	1.99	0.43
1:A:90:GLU:HG3	1:A:94:LEU:HD12	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:249:ASP:HB3	1:B:225:MET:CG	2.45	0.43
1:D:65:GLU:OE2	1:D:100:HIS:NE2	2.49	0.43
1:E:106:ASN:HB2	1:E:139:LEU:HD11	1.99	0.43
1:A:249:ASP:O	1:B:225:MET:HG2	2.18	0.43
1:C:21:GLU:OE1	1:C:345:GLY:HA3	2.18	0.43
1:A:225:MET:HG2	1:B:249:ASP:O	2.18	0.43
1:E:21:GLU:OE1	1:E:345:GLY:HA3	2.18	0.43
1:A:167:GLU:OE1	1:A:171[A]:ARG:NH2	2.52	0.43
1:G:274:TYR:CZ	1:G:302:MET:HA	2.54	0.43
1:A:21:GLU:OE1	1:A:345:GLY:HA3	2.19	0.42
1:C:37:PHE:HB3	1:C:39:LEU:HG	2.01	0.42
1:F:29:ILE:HD13	1:F:29:ILE:HA	1.95	0.42
1:B:6:VAL:HB	1:B:39:LEU:HD23	2.02	0.42
1:E:85:ILE:H	1:E:85:ILE:HD12	1.85	0.42
1:A:274:TYR:CZ	1:A:302:MET:HA	2.54	0.42
1:D:273:LEU:C	1:D:273:LEU:HD23	2.44	0.42
1:G:188:ASP:OD1	1:G:188:ASP:C	2.62	0.42
1:H:21:GLU:OE1	1:H:345:GLY:HA3	2.18	0.42
1:E:273:LEU:C	1:E:273:LEU:HD23	2.44	0.42
1:G:26:LEU:HD21	1:G:299:ALA:HB1	2.02	0.42
1:C:95:LEU:HB3	1:C:96:PRO:HD3	2.00	0.42
1:G:21:GLU:OE1	1:G:345:GLY:HA3	2.20	0.42
1:A:260:LEU:HD22	1:A:293:ILE:HG21	2.02	0.42
1:B:29:ILE:HD13	1:B:29:ILE:HA	1.81	0.42
1:G:336:LYS:NZ	4:G:1777:HOH:O	2.47	0.41
1:A:26:LEU:HD21	1:A:299:ALA:HB1	2.02	0.41
1:B:21:GLU:OE1	1:B:345:GLY:HA3	2.19	0.41
1:B:106:ASN:HB2	1:B:139:LEU:HD11	2.02	0.41
1:E:37:PHE:HB3	1:E:39:LEU:HG	2.03	0.41
1:G:286:HIS:ND1	4:G:1790:HOH:O	2.30	0.41
1:A:95:LEU:HB3	1:A:96:PRO:HD3	2.02	0.41
1:G:148:GLN:NE2	1:G:157:ASP:OD2	2.46	0.41
1:D:85:ILE:HD12	1:D:88:ARG:NH1	2.36	0.41
1:H:274:TYR:CZ	1:H:302:MET:HA	2.56	0.41
1:A:65:GLU:OE2	1:A:100:HIS:NE2	2.52	0.41
1:B:37:PHE:HB3	1:B:39:LEU:HG	2.03	0.41
1:C:3:THR:N	4:C:1823:HOH:O	2.53	0.41
1:D:90:GLU:HG3	1:D:94:LEU:HD12	2.02	0.41
1:H:125:GLU:HG3	4:H:677:HOH:O	2.20	0.41
1:H:328:LYS:CD	1:H:347:CYS:SG	3.07	0.41
1:C:29:ILE:HD13	1:C:29:ILE:HA	1.98	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:68:ASP:HB2	1:E:307:PHE:HE1	1.85	0.41
1:D:54:VAL:HG22	1:D:55:ALA:N	2.36	0.40
1:B:85:ILE:HD12	1:B:88:ARG:HH11	1.86	0.40
1:A:234:PHE:CZ	1:A:237:MET:HE3	2.53	0.40
1:E:71:LEU:HD12	1:E:71:LEU:HA	1.95	0.40
1:G:6:VAL:HB	1:G:39:LEU:HD23	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	355/361 (98%)	341 (96%)	14 (4%)	0	100	100
1	B	353/361 (98%)	341 (97%)	12 (3%)	0	100	100
1	C	347/361 (96%)	334 (96%)	13 (4%)	0	100	100
1	D	354/361 (98%)	343 (97%)	11 (3%)	0	100	100
1	E	353/361 (98%)	340 (96%)	13 (4%)	0	100	100
1	F	354/361 (98%)	341 (96%)	13 (4%)	0	100	100
1	G	354/361 (98%)	340 (96%)	14 (4%)	0	100	100
1	H	350/361 (97%)	337 (96%)	13 (4%)	0	100	100
All	All	2820/2888 (98%)	2717 (96%)	103 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	295/298 (99%)	294 (100%)	1 (0%)	86	85
1	B	293/298 (98%)	291 (99%)	2 (1%)	76	70
1	C	285/298 (96%)	284 (100%)	1 (0%)	84	82
1	D	293/298 (98%)	290 (99%)	3 (1%)	68	60
1	E	293/298 (98%)	292 (100%)	1 (0%)	86	85
1	F	293/298 (98%)	291 (99%)	2 (1%)	76	70
1	G	293/298 (98%)	291 (99%)	2 (1%)	76	70
1	H	288/298 (97%)	286 (99%)	2 (1%)	76	70
All	All	2333/2384 (98%)	2319 (99%)	14 (1%)	78	73

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	29	ILE
1	B	29	ILE
1	B	192	VAL
1	C	29	ILE
1	D	29	ILE
1	D	58	ASP
1	D	192	VAL
1	E	29	ILE
1	F	29	ILE
1	F	229	LYS
1	G	29	ILE
1	G	83	LEU
1	H	29	ILE
1	H	208	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	148	GLN
1	A	226	GLN
1	B	40	ASN
1	B	102	ASN
1	B	148	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	205	ASN
1	B	211	GLN
1	B	222	ASN
1	B	226	GLN
1	B	288	ASN
1	C	102	ASN
1	C	148	GLN
1	C	311	GLN
1	D	118	HIS
1	D	222	ASN
1	D	226	GLN
1	E	82	ASN
1	E	87	GLN
1	E	118	HIS
1	E	211	GLN
1	E	222	ASN
1	E	226	GLN
1	F	222	ASN
1	F	226	GLN
1	G	66	GLN
1	G	326	GLN
1	H	118	HIS
1	H	226	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 1 is monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EDO	D	359	-	3,3,3	0.46	0	2,2,2	0.27	0
2	EDO	B	359	-	3,3,3	0.36	0	2,2,2	0.97	0
2	EDO	G	359	-	3,3,3	0.85	0	2,2,2	0.67	0
2	EDO	A	359	-	3,3,3	0.59	0	2,2,2	0.62	0
2	EDO	E	359	-	3,3,3	0.42	0	2,2,2	0.67	0
2	EDO	F	359	-	3,3,3	0.50	0	2,2,2	0.58	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	D	359	-	-	1/1/1/1	-
2	EDO	B	359	-	-	1/1/1/1	-
2	EDO	G	359	-	-	1/1/1/1	-
2	EDO	A	359	-	-	1/1/1/1	-
2	EDO	E	359	-	-	1/1/1/1	-
2	EDO	F	359	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	359	EDO	O1-C1-C2-O2
2	D	359	EDO	O1-C1-C2-O2
2	G	359	EDO	O1-C1-C2-O2
2	A	359	EDO	O1-C1-C2-O2
2	E	359	EDO	O1-C1-C2-O2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	356/361 (98%)	-1.11	0 100 100	15, 25, 41, 63	1 (0%)
1	B	355/361 (98%)	-1.07	0 100 100	17, 26, 44, 63	0
1	C	351/361 (97%)	-1.04	0 100 100	17, 29, 52, 72	0
1	D	356/361 (98%)	-1.10	0 100 100	18, 27, 46, 71	0
1	E	355/361 (98%)	-1.10	0 100 100	16, 27, 44, 62	0
1	F	356/361 (98%)	-1.11	0 100 100	16, 26, 45, 64	0
1	G	356/361 (98%)	-1.10	0 100 100	17, 26, 43, 61	0
1	H	354/361 (98%)	-1.05	0 100 100	17, 28, 52, 81	0
All	All	2839/2888 (98%)	-1.09	0 100 100	15, 27, 46, 81	1 (0%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	CL	C	359	1/1	0.96	0.06	64,64,64,64	0
2	EDO	D	359	4/4	0.98	0.06	27,33,34,35	0
2	EDO	B	359	4/4	0.98	0.06	40,42,43,48	0
2	EDO	E	359	4/4	0.99	0.06	24,26,28,32	0
2	EDO	F	359	4/4	0.99	0.04	28,31,34,36	0
2	EDO	G	359	4/4	0.99	0.04	29,31,32,33	0
2	EDO	A	359	4/4	0.99	0.05	29,34,37,41	0

6.5 Other polymers [i](#)

There are no such residues in this entry.