



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:00 PM UTC

PDB ID : 3UE1 / pdb_00003ue1
Title : Crystal structure of Acinetobacter baumannii PBP1A in complex with MC-1
Authors : Han, S.
Deposited on : 2011-10-28
Resolution : 2.73 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.73 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1819 (2.76-2.72)
Clashscore	190562	1866 (2.76-2.72)
Ramachandran outliers	187476	1830 (2.76-2.72)
Sidechain outliers	187428	1831 (2.76-2.72)
RSRZ outliers	180081	1819 (2.76-2.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	731	 70% 11% • 17%
1	B	731	 71% 10% • 18%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9809 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Penicillin-binding protein 1a.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	604	Total	C	N	O	S	0	0	0
			4757	3032	842	867	16			
1	B	600	Total	C	N	O	S	0	0	0
			4719	3008	834	861	16			

There are 32 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	9	MET	-	expression tag	UNP G1C794
A	10	HIS	-	expression tag	UNP G1C794
A	11	HIS	-	expression tag	UNP G1C794
A	12	HIS	-	expression tag	UNP G1C794
A	13	HIS	-	expression tag	UNP G1C794
A	14	HIS	-	expression tag	UNP G1C794
A	15	HIS	-	expression tag	UNP G1C794
A	16	GLU	-	expression tag	UNP G1C794
A	17	ASN	-	expression tag	UNP G1C794
A	18	LEU	-	expression tag	UNP G1C794
A	19	TYR	-	expression tag	UNP G1C794
A	20	PHE	-	expression tag	UNP G1C794
A	21	GLN	-	expression tag	UNP G1C794
A	22	SER	-	expression tag	UNP G1C794
A	23	HIS	-	expression tag	UNP G1C794
A	24	MET	-	expression tag	UNP G1C794
B	9	MET	-	expression tag	UNP G1C794
B	10	HIS	-	expression tag	UNP G1C794
B	11	HIS	-	expression tag	UNP G1C794
B	12	HIS	-	expression tag	UNP G1C794
B	13	HIS	-	expression tag	UNP G1C794
B	14	HIS	-	expression tag	UNP G1C794
B	15	HIS	-	expression tag	UNP G1C794
B	16	GLU	-	expression tag	UNP G1C794
B	17	ASN	-	expression tag	UNP G1C794

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	18	LEU	-	expression tag	UNP G1C794
B	19	TYR	-	expression tag	UNP G1C794
B	20	PHE	-	expression tag	UNP G1C794
B	21	GLN	-	expression tag	UNP G1C794
B	22	SER	-	expression tag	UNP G1C794
B	23	HIS	-	expression tag	UNP G1C794
B	24	MET	-	expression tag	UNP G1C794

- Molecule 2 is (4S,7Z)-7-(2-amino-1,3-thiazol-4-yl)-1-[(4-[(2R)-2,3-dihydroxypropyl]-3-(4,5-dihydroxypyridin-2-yl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)sulfonyl]amino]-4-formyl-10,10-dimethyl-1,6-dioxo-9-oxa-2,5,8-triazaundec-7-en-11-oate (CCD ID: UE1) (formula: $C_{23}H_{27}N_{10}O_{13}S_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			48	23	10	13	2		
2	B	1	Total	C	N	O	S	0	0
			48	23	10	13	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	104	Total	O	0	0
			104	104		
3	B	133	Total	O	0	0
			133	133		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Penicillin-binding protein 1a



• Molecule 1: Penicillin-binding protein 1a





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	119.21Å 244.29Å 49.47Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.57 – 2.73 39.57 – 2.73	Depositor EDS
% Data completeness (in resolution range)	99.4 (39.57-2.73) 99.6 (39.57-2.73)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.79 (at 2.73Å)	Xtriage
Refinement program	BUSTER 2.9.6	Depositor
R, R_{free}	0.172 , 0.219 0.178 , 0.227	Depositor DCC
R_{free} test set	1973 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	51.6	Xtriage
Anisotropy	0.558	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 73.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9809	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: UE1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.85	1/4867 (0.0%)	1.30	21/6599 (0.3%)
1	B	0.86	1/4829 (0.0%)	1.30	23/6550 (0.4%)
All	All	0.85	2/9696 (0.0%)	1.30	44/13149 (0.3%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	478	ILE	CA-C	6.37	1.57	1.52
1	B	248	MET	SD-CE	5.04	1.92	1.79

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	447	ARG	N-CA-C	11.61	127.90	111.30
1	B	68	ASP	CA-CB-CG	7.80	120.40	112.60
1	B	706	GLU	N-CA-C	7.52	121.85	111.55
1	A	706	GLU	N-CA-C	7.28	119.82	110.65
1	B	575	CYS	CA-C-N	6.79	124.52	120.24
1	B	575	CYS	C-N-CA	6.79	124.52	120.24
1	B	296	GLY	N-CA-C	6.54	120.92	112.68
1	A	685	ASN	CA-CB-CG	6.49	119.09	112.60
1	A	447	ARG	CA-C-N	6.20	132.87	121.70
1	A	447	ARG	C-N-CA	6.20	132.87	121.70
1	B	373	ASP	CA-CB-CG	6.18	118.78	112.60
1	A	575	CYS	CA-C-N	6.12	124.09	120.24
1	A	575	CYS	C-N-CA	6.12	124.09	120.24
1	A	718	ASN	CA-CB-CG	6.10	118.70	112.60
1	A	373	ASP	CA-CB-CG	6.01	118.61	112.60
1	B	393	LYS	N-CA-C	-5.99	105.05	112.90
1	A	393	LYS	N-CA-C	-5.97	104.70	112.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	685	ASN	N-CA-C	-5.91	100.53	108.86
1	A	230	ASN	CA-CB-CG	5.81	118.41	112.60
1	A	168	SER	N-CA-C	-5.80	101.93	110.52
1	B	718	ASN	CA-CB-CG	5.67	118.27	112.60
1	B	685	ASN	CA-CB-CG	5.62	118.22	112.60
1	A	296	GLY	N-CA-C	5.59	119.72	112.68
1	A	139	ASP	CA-CB-CG	5.57	118.17	112.60
1	A	685	ASN	N-CA-C	-5.53	101.06	108.86
1	B	230	ASN	CA-CB-CG	5.53	118.13	112.60
1	A	134	ASN	CA-CB-CG	5.47	118.07	112.60
1	A	684	PHE	N-CA-C	5.44	115.72	108.38
1	B	168	SER	N-CA-C	-5.43	102.48	110.52
1	A	560	ASP	CA-CB-CG	5.38	117.98	112.60
1	B	139	ASP	CA-CB-CG	5.36	117.96	112.60
1	B	684	PHE	N-CA-C	5.32	115.56	108.38
1	A	201	GLU	CA-C-N	5.26	127.28	120.44
1	A	201	GLU	C-N-CA	5.26	127.28	120.44
1	B	626	GLN	CA-C-N	5.21	131.49	121.54
1	B	626	GLN	C-N-CA	5.21	131.49	121.54
1	B	560	ASP	CA-CB-CG	5.13	117.73	112.60
1	B	200	LEU	CA-C-N	5.10	127.08	120.44
1	B	200	LEU	C-N-CA	5.10	127.08	120.44
1	B	503	ARG	CA-C-N	5.10	127.38	120.44
1	B	503	ARG	C-N-CA	5.10	127.38	120.44
1	B	329	PHE	CA-CB-CG	5.04	118.84	113.80
1	A	576	ILE	N-CA-CB	5.03	113.67	110.50
1	B	576	ILE	N-CA-CB	5.03	113.67	110.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4757	0	4755	41	0
1	B	4719	0	4709	34	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	48	0	26	8	0
2	B	48	0	24	3	0
3	A	104	0	0	0	0
3	B	133	0	0	2	0
All	All	9809	0	9514	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:434:SER:OG	2:A:998:UE1:H11	0.83	1.00
1:A:298:ARG:H	1:A:390:GLN:HE22	1.18	0.90
1:B:298:ARG:H	1:B:390:GLN:HE22	1.15	0.89
1:A:674:ASN:HA	2:A:998:UE1:H24A	1.59	0.84
1:A:434:SER:HG	2:A:998:UE1:C11	1.70	0.81
1:B:191:ASN:HB3	1:B:194:VAL:HG12	1.65	0.76
1:B:718:ASN:ND2	3:B:865:HOH:O	2.22	0.72
1:A:434:SER:HG	2:A:998:UE1:H11	0.90	0.71
1:B:356:ASN:HD21	1:B:704:ARG:H	1.38	0.71
1:A:229:ILE:HG22	1:A:231:LEU:HG	1.72	0.71
1:B:229:ILE:HG22	1:B:231:LEU:HG	1.72	0.70
1:A:443:LEU:HD12	1:A:507:LEU:HD22	1.76	0.68
1:B:654:THR:N	1:B:655:GLY:HA3	2.08	0.68
2:A:998:UE1:H46	2:A:998:UE1:H36A	1.75	0.68
1:B:653:GLY:C	1:B:655:GLY:HA3	2.20	0.67
1:B:443:LEU:HB2	1:B:507:LEU:HD22	1.77	0.65
1:A:650:ILE:HG23	1:A:658:ALA:HB2	1.77	0.65
1:A:200:LEU:HD13	1:A:229:ILE:HG13	1.80	0.62
1:A:556:GLN:HE22	1:A:557:ARG:HH11	1.47	0.60
1:B:556:GLN:HE22	1:B:557:ARG:HH11	1.46	0.60
1:A:656:ARG:HB2	1:A:659:LEU:HB2	1.83	0.59
1:A:443:LEU:HD13	1:A:499:VAL:CG1	2.33	0.59
1:A:350:ARG:HH11	1:A:358:VAL:HG21	1.68	0.56
1:B:66:ALA:HA	1:B:206:ILE:HG12	1.87	0.56
1:A:66:ALA:HA	1:A:206:ILE:HG12	1.86	0.56
1:A:443:LEU:HD11	1:A:503:ARG:HG3	1.89	0.54
1:A:470:SER:HA	2:A:998:UE1:H23B	1.90	0.54
1:B:350:ARG:HH11	1:B:358:VAL:HG21	1.72	0.54
1:A:323:LYS:HE2	1:A:325:ASN:HD21	1.73	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:356:ASN:HD21	1:A:704:ARG:H	1.55	0.53
1:B:406:GLY:O	1:B:552:PRO:HA	2.09	0.52
1:B:732:VAL:HB	3:B:862:HOH:O	2.10	0.52
1:B:674:ASN:HA	2:B:999:UE1:H23A	1.91	0.52
1:B:323:LYS:HE2	1:B:325:ASN:HD21	1.74	0.52
1:B:356:ASN:HD21	1:B:704:ARG:N	2.06	0.51
1:B:650:ILE:O	1:B:655:GLY:HA2	2.11	0.50
1:B:298:ARG:N	1:B:390:GLN:HE22	1.96	0.50
1:B:51:GLU:HB2	1:B:54:GLN:HG3	1.93	0.50
1:B:298:ARG:H	1:B:390:GLN:NE2	1.98	0.49
1:A:406:GLY:O	1:A:552:PRO:HA	2.13	0.49
1:A:64:LEU:HG	1:A:134:ASN:HB3	1.94	0.48
1:A:319:ALA:HB1	1:A:331:ALA:HB1	1.97	0.47
1:A:460:ILE:HG23	1:A:467:PRO:HG2	1.97	0.47
2:A:998:UE1:H36A	2:A:998:UE1:C46	2.44	0.46
1:A:247:GLU:HG2	1:A:417:PHE:CE1	2.50	0.46
1:B:650:ILE:HA	1:B:655:GLY:H	1.80	0.46
1:B:356:ASN:ND2	1:B:704:ARG:H	2.08	0.46
1:B:247:GLU:HG2	1:B:417:PHE:CE1	2.50	0.46
1:A:51:GLU:HB2	1:A:54:GLN:HG2	1.97	0.45
1:A:380:ASN:O	1:A:381:GLU:C	2.60	0.45
1:A:137:LYS:NZ	1:B:256:HIS:HD2	2.15	0.45
1:B:556:GLN:NE2	1:B:557:ARG:HH11	2.13	0.45
1:A:484:LEU:HD23	1:A:645:ILE:HG21	1.98	0.44
1:B:673:THR:O	2:B:999:UE1:H24B	2.16	0.44
1:A:556:GLN:NE2	1:A:557:ARG:HH11	2.14	0.44
1:B:443:LEU:HB2	1:B:507:LEU:CD2	2.47	0.44
1:B:707:TYR:HB2	2:B:999:UE1:H36	2.00	0.44
1:A:483:ALA:HA	1:A:488:ARG:HG2	2.00	0.43
1:A:298:ARG:N	1:A:390:GLN:HE22	2.00	0.43
1:A:323:LYS:HB3	1:A:330:GLU:HB2	1.99	0.43
1:A:519:PRO:HD2	1:A:524:ILE:HG22	2.00	0.43
1:A:661:ILE:HG13	1:A:717:ILE:HG23	2.01	0.43
1:A:541:ALA:HA	1:A:689:VAL:HG21	2.01	0.42
1:B:650:ILE:HA	1:B:655:GLY:N	2.34	0.42
1:A:435:THR:HG23	1:A:671:GLY:HA3	2.03	0.41
1:A:486:LEU:HB3	1:A:488:ARG:HD3	2.01	0.41
1:B:519:PRO:HD2	1:B:524:ILE:HG22	2.02	0.41
1:A:434:SER:CB	2:A:998:UE1:C11	2.88	0.41
1:B:528:THR:N	1:B:529:PRO:CD	2.84	0.41
1:B:572:GLU:HA	1:B:628:ARG:HB3	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:443:LEU:HD13	1:A:499:VAL:HG13	2.02	0.41
1:A:247:GLU:HG2	1:A:417:PHE:HE1	1.85	0.41
1:A:291:TYR:CE1	1:A:295:HIS:CE1	3.09	0.41
1:A:528:THR:N	1:A:529:PRO:CD	2.84	0.41
1:B:418:TYR:CD2	1:B:418:TYR:C	2.98	0.40
1:B:640:TYR:CD1	1:B:732:VAL:HG23	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	598/731 (82%)	576 (96%)	18 (3%)	4 (1%)	18	32
1	B	594/731 (81%)	567 (96%)	24 (4%)	3 (0%)	24	40
All	All	1192/1462 (82%)	1143 (96%)	42 (4%)	7 (1%)	21	36

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	654	THR
1	B	628	ARG
1	A	381	GLU
1	A	383	LYS
1	A	349	ALA
1	B	135	LEU
1	B	349	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	493/608 (81%)	472 (96%)	21 (4%)	26	46
1	B	489/608 (80%)	468 (96%)	21 (4%)	26	46
All	All	982/1216 (81%)	940 (96%)	42 (4%)	26	46

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	54	GLN
1	A	139	ASP
1	A	194	VAL
1	A	195	ASN
1	A	197	GLU
1	A	198	ARG
1	A	201	GLU
1	A	223	LYS
1	A	238	LEU
1	A	259	GLU
1	A	380	ASN
1	A	436	ILE
1	A	443	LEU
1	A	450	THR
1	A	650	ILE
1	A	654	THR
1	A	660	LYS
1	A	698	GLN
1	A	706	GLU
1	A	733	ARG
1	A	736	LYS
1	B	35	ASP
1	B	37	GLN
1	B	64	LEU
1	B	139	ASP
1	B	195	ASN
1	B	200	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	223	LYS
1	B	225	VAL
1	B	238	LEU
1	B	370	LYS
1	B	372	LYS
1	B	421	LYS
1	B	436	ILE
1	B	450	THR
1	B	460	ILE
1	B	487	SER
1	B	534	ILE
1	B	628	ARG
1	B	636	SER
1	B	654	THR
1	B	710	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	134	ASN
1	A	170	ASN
1	A	195	ASN
1	A	256	HIS
1	A	260	GLN
1	A	325	ASN
1	A	356	ASN
1	A	390	GLN
1	A	469	ASN
1	A	556	GLN
1	A	629	GLN
1	A	698	GLN
1	A	722	GLN
1	B	256	HIS
1	B	260	GLN
1	B	325	ASN
1	B	356	ASN
1	B	390	GLN
1	B	469	ASN
1	B	556	GLN
1	B	629	GLN
1	B	674	ASN
1	B	722	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	UE1	B	999	1	44,50,50	1.59	7 (15%)	55,73,73	2.86	20 (36%)
2	UE1	A	998	1	44,50,50	1.57	8 (18%)	55,73,73	3.00	17 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	UE1	B	999	1	-	12/46/52/52	0/3/3/3
2	UE1	A	998	1	-	15/46/52/52	0/3/3/3

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	999	UE1	O47-C45	-6.58	1.23	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	998	UE1	O47-C45	-6.36	1.23	1.36
2	B	999	UE1	C27-N6	-3.21	1.31	1.38
2	A	998	UE1	C46-C45	2.87	1.43	1.38
2	B	999	UE1	C46-C45	2.58	1.42	1.38
2	A	998	UE1	C45-C44	2.51	1.44	1.40
2	A	998	UE1	C41-N42	2.42	1.38	1.34
2	B	999	UE1	C41-N42	2.29	1.38	1.34
2	B	999	UE1	C29-N31	-2.22	1.34	1.39
2	A	998	UE1	C7-N28	2.21	1.39	1.34
2	A	998	UE1	C29-N31	-2.20	1.34	1.39
2	B	999	UE1	C21-C22	-2.19	1.51	1.53
2	B	999	UE1	C45-C44	2.17	1.43	1.40
2	A	998	UE1	C27-N6	-2.11	1.34	1.38
2	A	998	UE1	O26-C22	-2.08	1.23	1.30

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	998	UE1	C21-O20-N19	15.59	124.07	110.35
2	B	999	UE1	C21-O20-N19	14.70	123.29	110.35
2	A	998	UE1	S8-C7-N6	-6.55	109.38	114.54
2	A	998	UE1	O20-N19-C18	5.30	120.01	111.76
2	B	999	UE1	N31-C29-N12	-4.74	105.71	114.30
2	B	999	UE1	O20-N19-C18	4.69	119.07	111.76
2	B	999	UE1	C13-N12-C29	4.62	130.91	121.88
2	A	998	UE1	C7-N6-C27	4.58	117.29	110.57
2	B	999	UE1	C10-C13-N12	-4.30	102.59	112.13
2	A	998	UE1	S8-C7-N28	3.96	125.59	120.99
2	A	998	UE1	C46-C41-C4	3.90	123.63	118.86
2	B	999	UE1	S8-C7-N28	3.50	125.06	120.99
2	B	999	UE1	S8-C7-N6	-3.46	111.81	114.54
2	A	998	UE1	C46-C41-N42	-3.23	119.39	123.27
2	A	998	UE1	C43-N42-C41	3.20	122.47	117.46
2	A	998	UE1	C10-C13-N12	-3.19	105.04	112.13
2	B	999	UE1	C43-N42-C41	3.16	122.41	117.46
2	B	999	UE1	C46-C41-C4	3.12	122.67	118.86
2	A	998	UE1	O26-C22-C21	3.03	122.49	113.83
2	B	999	UE1	C7-N6-C27	3.01	114.99	110.57
2	A	998	UE1	C4-N5-N1	3.01	109.75	103.35
2	B	999	UE1	O30-C29-N31	2.99	127.53	121.83
2	A	998	UE1	C24-C21-C23	-2.90	104.36	110.73
2	A	998	UE1	C36-N3-C2	2.90	127.53	122.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	999	UE1	C9-C27-C18	-2.88	120.54	125.69
2	A	998	UE1	C9-S8-C7	2.85	90.07	88.84
2	B	999	UE1	O34-S32-O33	2.80	124.80	119.80
2	B	999	UE1	C46-C41-N42	-2.80	119.91	123.27
2	B	999	UE1	C4-N5-N1	2.74	109.18	103.35
2	A	998	UE1	C9-C27-C18	-2.50	121.21	125.69
2	B	999	UE1	O30-C29-N12	2.48	126.73	122.47
2	B	999	UE1	O26-C22-C21	2.47	120.88	113.83
2	B	999	UE1	C11-C10-N15	-2.31	105.04	109.50
2	A	998	UE1	O26-C22-O25	-2.31	116.47	123.86
2	B	999	UE1	O20-C21-C22	-2.13	106.41	109.66
2	A	998	UE1	C18-C27-N6	2.07	124.40	119.39
2	B	999	UE1	O33-S32-N31	-2.06	100.25	105.80

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	998	UE1	N5-N1-S32-O33
2	A	998	UE1	N5-N1-S32-O34
2	A	998	UE1	N15-C10-C13-N12
2	A	998	UE1	C18-N19-O20-C21
2	B	999	UE1	N5-N1-S32-O33
2	B	999	UE1	N5-N1-S32-O34
2	B	999	UE1	N15-C10-C13-N12
2	A	998	UE1	C11-C10-C13-N12
2	B	999	UE1	C11-C10-C13-N12
2	B	999	UE1	N3-C4-C41-N42
2	A	998	UE1	C37-C36-N3-C2
2	A	998	UE1	C23-C21-O20-N19
2	A	998	UE1	C37-C36-N3-C4
2	A	998	UE1	N3-C4-C41-C46
2	B	999	UE1	N3-C4-C41-C46
2	B	999	UE1	O17-C16-C18-C27
2	A	998	UE1	N5-C4-C41-C46
2	A	998	UE1	N3-C4-C41-N42
2	B	999	UE1	N5-C4-C41-N42
2	A	998	UE1	N5-C4-C41-N42
2	B	999	UE1	N5-C4-C41-C46
2	B	999	UE1	N15-C16-C18-C27
2	A	998	UE1	C24-C21-C22-O25
2	A	998	UE1	C24-C21-C22-O26

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	999	UE1	N15-C16-C18-N19
2	A	998	UE1	O17-C16-C18-N19
2	B	999	UE1	O17-C16-C18-N19


There are no ring outliers.

2 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	999	UE1	3	0
2	A	998	UE1	8	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	604/731 (82%)	-0.19	3 (0%) 87 87	35, 60, 104, 136	0
1	B	600/731 (82%)	-0.27	7 (1%) 76 75	26, 56, 93, 120	0
All	All	1204/1462 (82%)	-0.23	10 (0%) 82 82	26, 57, 99, 136	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	626	GLN	3.4
1	B	654	THR	3.2
1	B	653	GLY	3.1
1	B	655	GLY	2.7
1	B	657	ALA	2.7
1	B	580	ASN	2.3
1	A	339	VAL	2.3
1	A	658	ALA	2.2
1	A	659	LEU	2.2
1	B	627	TYR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	UE1	A	998	48/48	0.88	0.11	69,90,106,108	0
2	UE1	B	999	48/48	0.91	0.10	35,77,101,104	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around UE1 A 998:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around UE1 B 999:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.