



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:33 AM UTC

PDB ID : 1UH3 / pdb_00001uh3
Title : Thermoactinomyces vulgaris R-47 alpha-amylase/acarbose complex
Authors : Abe, A.; Tono-zuka, T.; Sakano, Y.; Kamitori, S.
Deposited on : 2003-06-23
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	637	 70% 27% .
2	B	2	 50% 50%
3	C	2	 50% 50%
3	E	2	 50% 50%
3	G	2	 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	4	 75%25%
5	F	2	 100%

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 5438 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called alpha-amylase I.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	637	Total	C	N	O	S	0	0	0
			5038	3192	842	994	10			

- Molecule 2 is an oligosaccharide called beta-D-glucopyranose-(1-4)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	B	2	Total	C	O	0	0	0
			22	12	10			

- Molecule 3 is an oligosaccharide called 4,6-dideoxy-alpha-D-xylo-hexopyranose-(1-4)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
3	C	2	Total	C	O	0	0	0
			21	12	9			
3	E	2	Total	C	O	0	0	0
			21	12	9			
3	G	2	Total	C	O	0	0	0
			21	12	9			

- Molecule 4 is an oligosaccharide called alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
4	D	4	Total	C	O	0	0	0
			45	24	21			

- Molecule 5 is an oligosaccharide called alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
5	F	2	Total	C	O	0	0	0
			23	12	11			

- Molecule 6 is 6-AMINO-4-HYDROXYMETHYL-CYCLOHEX-4-ENE-1,2,3-TRIOL (CCD ID: ACI) (formula: C₇H₁₃NO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			12	7	1	4		
6	A	1	Total	C	N	O	0	0
			12	7	1	4		

- Molecule 7 is (1S,2S,3R,6R)-6-amino-4-(hydroxymethyl)cyclohex-4-ene-1,2,3-triol (CCD ID: HSD) (formula: C₇H₁₃NO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			12	7	1	4		

- Molecule 8 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	3	Total	Ca	0	0
			3	3		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	208	Total	O	0	0
			208	208		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: alpha-amylase I



- Molecule 2: beta-D-glucopyranose-(1-4)-alpha-D-glucopyranose



- Molecule 3: 4,6-dideoxy-alpha-D-xylo-hexopyranose-(1-4)-alpha-D-glucopyranose



- Molecule 3: 4,6-dideoxy-alpha-D-xylo-hexopyranose-(1-4)-alpha-D-glucopyranose

Chain E:  50% 50%



- Molecule 3: 4,6-dideoxy-alpha-D-xylo-hexopyranose-(1-4)-alpha-D-glucopyranose

Chain G:  100%



- Molecule 4: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose

Chain D:  75% 25%



- Molecule 5: alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose

Chain F:  100%



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	121.61Å 50.60Å 108.56Å 90.00° 103.77° 90.00°	Depositor
Resolution (Å)	33.00 – 2.60 33.00 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.7 (33.00-2.60) 99.7 (33.00-2.60)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.83 (at 2.61Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.185 , 0.255 0.193 , 0.261	Depositor DCC
R_{free} test set	1973 reflections (9.85%)	wwPDB-VP
Wilson B-factor (Å ²)	11.3	Xtriage
Anisotropy	0.956	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 34.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5438	wwPDB-VP
Average B, all atoms (Å ²)	11.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GLD, GLC, CA, HSD, ACI, BGC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.40	0/5195	0.95	22/7108 (0.3%)

There are no bond length outliers.

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	86	SER	N-CA-C	7.13	120.55	110.50
1	A	269	GLY	N-CA-C	-6.99	103.18	112.82
1	A	367	ASN	N-CA-C	6.83	121.22	113.02
1	A	305	ASP	N-CA-C	6.17	120.00	112.23
1	A	139	PHE	CA-C-N	6.15	127.53	119.84
1	A	139	PHE	C-N-CA	6.15	127.53	119.84
1	A	23	ALA	CA-C-N	6.03	125.73	119.64
1	A	23	ALA	C-N-CA	6.03	125.73	119.64
1	A	456	TYR	N-CA-C	5.97	119.47	109.09
1	A	428	ILE	N-CA-C	5.77	116.42	110.82
1	A	212	ASN	N-CA-C	-5.61	100.78	109.87
1	A	60	TRP	N-CA-C	5.55	117.95	108.90
1	A	525	TRP	N-CA-C	5.28	119.35	113.01
1	A	39	PHE	N-CA-C	-5.26	103.19	110.35
1	A	222	LYS	N-CA-C	5.25	118.99	112.58
1	A	364	ASN	N-CA-C	5.24	118.97	112.47
1	A	43	ILE	N-CA-C	5.12	116.22	108.96
1	A	168	ALA	N-CA-C	-5.11	102.13	110.20
1	A	301	TYR	N-CA-C	-5.10	105.36	112.45
1	A	107	GLY	CA-C-N	5.06	125.33	119.92
1	A	107	GLY	C-N-CA	5.06	125.33	119.92
1	A	67	SER	N-CA-C	5.04	114.99	107.88

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5038	0	4648	165	0
2	B	22	0	19	1	0
3	C	21	0	20	1	0
3	E	21	0	20	1	0
3	G	21	0	20	0	0
4	D	45	0	39	1	0
5	F	23	0	21	4	0
6	A	24	0	23	1	0
7	A	12	0	11	4	0
8	A	3	0	0	0	0
9	A	208	0	0	6	0
All	All	5438	0	4821	168	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (168) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:221:HIS:HD2	1:A:223:TYR:H	1.14	0.93
1:A:272:HIS:HD2	1:A:274:TRP:H	1.22	0.84
1:A:221:HIS:CD2	1:A:223:TYR:H	2.00	0.80
1:A:593:ASN:HB3	1:A:622:MET:HE3	1.65	0.76
1:A:37:ARG:HH22	1:A:598:GLN:NE2	1.86	0.74
1:A:578:ARG:HE	1:A:637:GLN:HE21	1.36	0.74
1:A:589:SER:N	5:F:1:GLC:O3	2.20	0.73
1:A:474:THR:OG1	1:A:479:ARG:HD2	1.87	0.73
1:A:268:THR:HG22	1:A:317:PRO:HG2	1.72	0.72
1:A:207:ASN:H	1:A:207:ASN:HD22	1.35	0.71
1:A:578:ARG:HE	1:A:637:GLN:NE2	1.89	0.71
1:A:345:ASN:HD21	1:A:387:VAL:HG13	1.58	0.68
1:A:202:LYS:HE2	1:A:253:ASN:O	1.94	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:268:THR:HG21	1:A:298:TYR:OH	1.94	0.68
1:A:603:ASN:HD21	1:A:621:GLY:H	1.41	0.67
1:A:519:ASN:HD22	1:A:519:ASN:H	1.42	0.67
1:A:331:VAL:HG23	1:A:332:ILE:HD12	1.77	0.66
1:A:400:ASN:HB2	7:A:810:HSD:H5	1.78	0.66
1:A:253:ASN:HD22	1:A:253:ASN:H	1.43	0.66
1:A:519:ASN:H	1:A:519:ASN:ND2	1.93	0.65
1:A:28:SER:H	1:A:123:ASN:HD21	1.44	0.65
1:A:455:ASN:HD21	7:A:810:HSD:C4	2.10	0.65
1:A:495:MET:HG3	1:A:541:LEU:HB3	1.79	0.64
1:A:268:THR:HG23	1:A:269:GLY:O	1.97	0.64
1:A:330:GLY:HA2	1:A:334:ASN:HB2	1.80	0.64
1:A:220:ASN:H	1:A:220:ASN:ND2	1.97	0.63
1:A:201:LYS:NZ	1:A:253:ASN:HD21	1.97	0.63
1:A:154:THR:HA	1:A:164:THR:O	1.98	0.63
1:A:157:TYR:O	1:A:164:THR:HG23	1.99	0.62
1:A:114:ASN:HD22	1:A:115:ALA:N	1.98	0.61
1:A:211:LEU:HD23	1:A:214:ILE:HG21	1.82	0.60
1:A:37:ARG:HH22	1:A:598:GLN:HE21	1.50	0.60
1:A:218:PRO:HG2	1:A:224:ASP:OD2	2.01	0.60
1:A:345:ASN:ND2	1:A:387:VAL:HG13	2.16	0.59
1:A:589:SER:HB2	5:F:1:GLC:O3	2.02	0.59
1:A:519:ASN:HD22	1:A:519:ASN:N	2.00	0.58
1:A:36:LEU:HB2	1:A:63:MET:HE1	1.85	0.58
1:A:220:ASN:H	1:A:220:ASN:HD22	1.52	0.58
1:A:459:ASN:HD22	1:A:459:ASN:N	2.02	0.58
1:A:134:VAL:H	1:A:207:ASN:HD21	1.52	0.58
1:A:114:ASN:HD22	1:A:114:ASN:C	2.11	0.58
1:A:425:SER:HB2	1:A:479:ARG:HH11	1.69	0.57
1:A:138:ILE:O	1:A:140:PRO:HD3	2.04	0.57
1:A:523:PHE:HE1	1:A:528:ALA:HB2	1.68	0.57
1:A:409:ASN:HD22	1:A:409:ASN:H	1.51	0.56
1:A:484:LEU:HG	1:A:488:TYR:CE2	2.40	0.56
1:A:331:VAL:HG23	1:A:332:ILE:CD1	2.35	0.56
1:A:12:LEU:HD12	1:A:38:THR:HG22	1.88	0.56
1:A:158:THR:HG22	1:A:163:PRO:HA	1.86	0.55
1:A:489:LEU:HD11	1:A:583:LEU:HB3	1.88	0.55
1:A:212:ASN:HB3	1:A:213:PRO:HD2	1.90	0.54
1:A:268:THR:CG2	1:A:317:PRO:HG2	2.38	0.53
1:A:207:ASN:ND2	1:A:208:ILE:HG13	2.24	0.53
1:A:434:GLN:OE1	1:A:434:GLN:HA	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:131:LYS:HD3	1:A:462:GLN:OE1	2.08	0.53
1:A:220:ASN:HD22	1:A:220:ASN:N	2.04	0.53
1:A:213:PRO:HB2	1:A:222:LYS:HB2	1.90	0.52
1:A:433:TYR:HB2	1:A:473:ILE:HD12	1.92	0.52
1:A:523:PHE:CE1	1:A:528:ALA:HB2	2.45	0.52
1:A:142:ARG:HG3	1:A:520:ARG:O	2.10	0.52
1:A:345:ASN:ND2	1:A:387:VAL:CG1	2.73	0.52
1:A:201:LYS:HB3	1:A:255:PRO:HD2	1.91	0.51
1:A:402:ASN:N	1:A:403:PRO:CD	2.73	0.51
2:B:1:GLC:H4	2:B:2:BGC:O2	2.10	0.51
1:A:354:ARG:NH1	1:A:356:ASP:HB2	2.25	0.51
1:A:253:ASN:H	1:A:253:ASN:ND2	2.09	0.51
1:A:11:GLY:O	1:A:37:ARG:HD3	2.11	0.51
1:A:14:HIS:HD2	1:A:35:LYS:O	1.93	0.51
1:A:326:SER:OG	1:A:329:ARG:HG3	2.11	0.50
1:A:138:ILE:HG21	1:A:193:ILE:CD1	2.41	0.50
1:A:253:ASN:HD22	1:A:253:ASN:N	2.05	0.50
1:A:458:THR:O	1:A:462:GLN:HG3	2.11	0.50
1:A:578:ARG:NE	1:A:637:GLN:HE21	2.08	0.50
1:A:210:TYR:CZ	1:A:354:ARG:HG3	2.46	0.50
1:A:540:LYS:O	1:A:544:ILE:HG13	2.12	0.50
1:A:527:GLN:HG3	1:A:532:ASN:HD22	1.77	0.49
1:A:609:ASP:O	1:A:611:ILE:N	2.45	0.49
7:A:810:HSD:H3	3:E:2:GLD:H63	1.95	0.49
1:A:216:LYS:HE3	1:A:226:GLN:OE1	2.12	0.49
1:A:455:ASN:HD21	7:A:810:HSD:H6	1.77	0.49
1:A:598:GLN:HE21	1:A:598:GLN:HA	1.78	0.49
1:A:268:THR:O	1:A:317:PRO:HD2	2.13	0.48
1:A:43:ILE:HB	1:A:95:ASN:O	2.14	0.48
1:A:519:ASN:ND2	1:A:520:ARG:HD3	2.28	0.48
1:A:586:ASP:OD1	1:A:590:HIS:HE1	1.95	0.48
1:A:499:GLY:O	1:A:501:PRO:HD3	2.14	0.48
1:A:114:ASN:C	1:A:114:ASN:ND2	2.70	0.48
1:A:131:LYS:HG3	1:A:462:GLN:CB	2.44	0.48
1:A:571:GLY:HA3	1:A:599:LEU:HD21	1.95	0.48
1:A:37:ARG:NH2	1:A:598:GLN:NE2	2.60	0.47
1:A:134:VAL:H	1:A:207:ASN:ND2	2.12	0.47
1:A:155:GLY:O	1:A:156:SER:C	2.57	0.47
1:A:201:LYS:HZ1	1:A:253:ASN:HD21	1.61	0.47
1:A:197:LEU:HD12	1:A:197:LEU:HA	1.79	0.47
1:A:120:ILE:O	1:A:122:PRO:HD3	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:497:TYR:CG	1:A:498:VAL:N	2.84	0.47
1:A:589:SER:CB	5:F:1:GLC:O3	2.63	0.47
1:A:360:TYR:O	1:A:361:VAL:C	2.57	0.46
1:A:30:GLN:C	1:A:83:ALA:HB2	2.40	0.46
1:A:332:ILE:HG22	1:A:333:TYR:HD1	1.80	0.46
1:A:272:HIS:CD2	1:A:274:TRP:H	2.14	0.46
1:A:356:ASP:OD2	6:A:703:ACI:H2	2.15	0.46
1:A:374:HIS:HD2	1:A:410:GLN:OE1	1.98	0.46
1:A:27:THR:HA	1:A:123:ASN:ND2	2.30	0.46
1:A:50:TYR:HA	1:A:89:TYR:O	2.15	0.46
1:A:138:ILE:HG21	1:A:193:ILE:HD11	1.97	0.46
1:A:371:VAL:HG23	9:A:1143:HOH:O	2.15	0.46
1:A:607:VAL:HG21	1:A:635:LEU:HB3	1.98	0.45
1:A:477:ALA:HB3	1:A:511:MET:O	2.17	0.45
1:A:603:ASN:HD22	1:A:618:VAL:HG12	1.82	0.45
1:A:398:TRP:N	1:A:398:TRP:CD1	2.84	0.45
1:A:509:TYR:C	1:A:509:TYR:CD1	2.93	0.45
1:A:138:ILE:HD13	1:A:193:ILE:HD12	1.99	0.45
1:A:201:LYS:HE3	1:A:255:PRO:O	2.17	0.45
1:A:144:TYR:O	1:A:192:GLY:HA3	2.16	0.45
1:A:355:LEU:HB2	1:A:395:GLY:HA2	1.99	0.45
1:A:211:LEU:O	1:A:262:ASP:HB2	2.17	0.44
1:A:222:LYS:HE3	1:A:232:ASP:CG	2.42	0.44
1:A:226:GLN:HG3	1:A:271:SER:O	2.17	0.44
1:A:504:TYR:O	1:A:505:TYR:C	2.60	0.44
1:A:598:GLN:HE21	1:A:598:GLN:CA	2.30	0.44
1:A:565:ASN:O	1:A:567:ILE:HD13	2.17	0.44
1:A:147:ASP:OD1	1:A:149:SER:OG	2.32	0.44
1:A:189:ASP:O	1:A:193:ILE:HG12	2.17	0.44
1:A:207:ASN:HD22	1:A:207:ASN:N	2.00	0.44
1:A:290:GLN:HA	1:A:295:TYR:CD1	2.53	0.44
1:A:212:ASN:HB3	1:A:213:PRO:CD	2.47	0.44
1:A:540:LYS:HE3	1:A:540:LYS:HB2	1.91	0.43
1:A:131:LYS:HG3	1:A:462:GLN:HB2	2.00	0.43
1:A:374:HIS:HE1	9:A:1151:HOH:O	2.01	0.43
1:A:511:MET:HG2	1:A:512:GLN:N	2.32	0.43
1:A:559:LEU:HD21	1:A:599:LEU:HD13	2.00	0.43
5:F:1:GLC:H61	5:F:2:GLC:O5	2.18	0.43
1:A:58:PHE:CZ	4:D:1:GLC:H62	2.54	0.43
1:A:201:LYS:NZ	1:A:253:ASN:ND2	2.64	0.43
1:A:253:ASN:ND2	1:A:253:ASN:N	2.67	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:375:GLN:NE2	9:A:1172:HOH:O	2.50	0.43
1:A:495:MET:HE2	1:A:542:ILE:HG13	2.01	0.43
1:A:449:LEU:O	1:A:453:ARG:HB2	2.19	0.43
1:A:212:ASN:O	1:A:213:PRO:C	2.62	0.43
1:A:12:LEU:HA	1:A:37:ARG:O	2.19	0.42
1:A:398:TRP:CG	3:C:1:GLC:H3	2.54	0.42
1:A:422:GLN:N	1:A:423:PRO:HD2	2.34	0.42
1:A:495:MET:HG3	1:A:541:LEU:CB	2.46	0.42
1:A:442:THR:HG23	1:A:568:TYR:HB2	2.01	0.42
1:A:207:ASN:ND2	1:A:207:ASN:N	2.67	0.42
1:A:201:LYS:HZ3	1:A:253:ASN:HD21	1.65	0.42
1:A:495:MET:HE2	1:A:542:ILE:CG1	2.49	0.42
1:A:422:GLN:HA	1:A:422:GLN:OE1	2.19	0.42
1:A:409:ASN:HD21	1:A:410:GLN:HE21	1.68	0.42
1:A:607:VAL:CG1	1:A:616:TYR:HB2	2.50	0.42
1:A:609:ASP:C	1:A:611:ILE:H	2.28	0.42
1:A:303:TRP:CE2	1:A:304:PRO:HB3	2.55	0.41
1:A:334:ASN:HB3	9:A:1069:HOH:O	2.20	0.41
1:A:216:LYS:HB3	1:A:227:ASP:HB3	2.01	0.41
1:A:560:ILE:HB	1:A:569:SER:HB3	2.02	0.41
1:A:450:ARG:HD3	9:A:1019:HOH:O	2.21	0.41
1:A:459:ASN:N	1:A:459:ASN:ND2	2.67	0.41
1:A:578:ARG:HG3	1:A:578:ARG:HH21	1.86	0.41
1:A:210:TYR:CE1	1:A:354:ARG:HG3	2.56	0.41
1:A:425:SER:CB	1:A:479:ARG:HH11	2.33	0.41
1:A:578:ARG:HG3	1:A:578:ARG:NH2	2.34	0.41
1:A:328:VAL:HA	1:A:331:VAL:HG22	2.03	0.41
1:A:343:TYR:O	1:A:350:VAL:HG22	2.21	0.40
1:A:241:LEU:HD22	1:A:245:ILE:HD11	2.02	0.40
1:A:1:ALA:HA	9:A:1021:HOH:O	2.20	0.40
1:A:5:ASN:HA	1:A:96:ASP:O	2.21	0.40
1:A:130:LEU:HD13	1:A:463:SER:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	635/637 (100%)	589 (93%)	43 (7%)	3 (0%)	24	46

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	140	PRO
1	A	610	LYS
1	A	384	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	540/540 (100%)	516 (96%)	24 (4%)	25	50

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	LEU
1	A	36	LEU
1	A	37	ARG
1	A	60	TRP
1	A	114	ASN
1	A	130	LEU
1	A	140	PRO
1	A	197	LEU
1	A	207	ASN
1	A	220	ASN
1	A	241	LEU
1	A	253	ASN
1	A	304	PRO
1	A	319	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	344	LEU
1	A	345	ASN
1	A	409	ASN
1	A	435	ASN
1	A	459	ASN
1	A	470	ASN
1	A	509	TYR
1	A	519	ASN
1	A	520	ARG
1	A	598	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (42) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	ASN
1	A	10	ASN
1	A	14	HIS
1	A	30	GLN
1	A	56	ASN
1	A	114	ASN
1	A	123	ASN
1	A	137	GLN
1	A	153	GLN
1	A	160	ASN
1	A	195	GLN
1	A	207	ASN
1	A	220	ASN
1	A	221	HIS
1	A	246	ASN
1	A	253	ASN
1	A	266	ASN
1	A	272	HIS
1	A	290	GLN
1	A	314	ASN
1	A	323	ASN
1	A	345	ASN
1	A	359	GLN
1	A	364	ASN
1	A	367	ASN
1	A	374	HIS
1	A	375	GLN
1	A	409	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	410	GLN
1	A	435	ASN
1	A	444	GLN
1	A	455	ASN
1	A	459	ASN
1	A	494	GLN
1	A	512	GLN
1	A	519	ASN
1	A	546	ASN
1	A	565	ASN
1	A	590	HIS
1	A	598	GLN
1	A	603	ASN
1	A	637	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

14 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GLC	B	1	2,6	11,11,12	0.66	0	15,15,17	0.68	0
2	BGC	B	2	2	11,11,12	0.39	0	15,15,17	0.67	1 (6%)
3	GLC	C	1	3	12,12,12	0.45	0	17,17,17	0.66	0
3	GLD	C	2	3,6	9,9,10	0.91	0	11,12,14	0.85	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GLC	D	1	4	12,12,12	0.56	0	17,17,17	0.64	0
4	GLC	D	2	4	11,11,12	0.55	0	15,15,17	0.30	0
4	GLC	D	3	4	11,11,12	0.64	0	15,15,17	0.52	0
4	GLC	D	4	4	11,11,12	0.52	0	15,15,17	0.57	0
3	GLC	E	1	3	12,12,12	0.49	0	17,17,17	0.31	0
3	GLD	E	2	3,7	9,9,10	0.78	0	11,12,14	1.01	1 (9%)
5	GLC	F	1	5	12,12,12	0.65	0	17,17,17	1.03	2 (11%)
5	GLC	F	2	5	11,11,12	0.72	0	15,15,17	1.42	1 (6%)
3	GLC	G	1	3	12,12,12	0.41	0	17,17,17	0.41	0
3	GLD	G	2	3,6	9,9,10	0.85	0	11,12,14	0.81	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	B	1	2,6	-	0/2/19/22	0/1/1/1
2	BGC	B	2	2	-	2/2/19/22	0/1/1/1
3	GLC	C	1	3	-	0/2/22/22	0/1/1/1
3	GLD	C	2	3,6	-	-	0/1/1/1
4	GLC	D	1	4	-	2/2/22/22	0/1/1/1
4	GLC	D	2	4	-	2/2/19/22	0/1/1/1
4	GLC	D	3	4	-	2/2/19/22	0/1/1/1
4	GLC	D	4	4	-	1/2/19/22	0/1/1/1
3	GLC	E	1	3	-	2/2/22/22	0/1/1/1
3	GLD	E	2	3,7	-	-	0/1/1/1
5	GLC	F	1	5	-	2/2/22/22	0/1/1/1
5	GLC	F	2	5	-	0/2/19/22	0/1/1/1
3	GLC	G	1	3	-	2/2/22/22	0/1/1/1
3	GLD	G	2	3,6	-	-	0/1/1/1

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	F	2	GLC	C1-C2-C3	4.39	116.04	109.64
5	F	1	GLC	C4-C3-C2	-2.39	106.64	110.83
5	F	1	GLC	O4-C4-C5	2.23	114.82	109.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	2	GLD	O5-C5-C4	2.20	111.52	109.39
2	B	2	BGC	C1-C2-C3	2.01	112.57	109.64

There are no chirality outliers.

All (15) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	D	2	GLC	O5-C5-C6-O6
2	B	2	BGC	O5-C5-C6-O6
5	F	1	GLC	O5-C5-C6-O6
3	E	1	GLC	O5-C5-C6-O6
4	D	1	GLC	O5-C5-C6-O6
4	D	2	GLC	C4-C5-C6-O6
2	B	2	BGC	C4-C5-C6-O6
3	E	1	GLC	C4-C5-C6-O6
5	F	1	GLC	C4-C5-C6-O6
4	D	3	GLC	O5-C5-C6-O6
4	D	1	GLC	C4-C5-C6-O6
4	D	3	GLC	C4-C5-C6-O6
3	G	1	GLC	C4-C5-C6-O6
3	G	1	GLC	O5-C5-C6-O6
4	D	4	GLC	C4-C5-C6-O6


There are no ring outliers.


7 monomers are involved in 8 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	F	1	GLC	4	0
5	F	2	GLC	1	0
4	D	1	GLC	1	0
2	B	1	GLC	1	0
3	E	2	GLD	1	0
2	B	2	BGC	1	0
3	C	1	GLC	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
6	ACI	A	901	3	12,12,12	0.98	1 (8%)	11,17,17	1.03	1 (9%)
6	ACI	A	703	3,2	12,12,12	1.43	2 (16%)	11,17,17	1.37	1 (9%)
7	HSD	A	810	3	12,12,12	0.95	1 (8%)	11,17,17	1.21	2 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	ACI	A	901	3	-	1/2/22/22	0/1/1/1
6	ACI	A	703	3,2	-	1/2/22/22	0/1/1/1
7	HSD	A	810	3	-	1/2/22/22	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	703	ACI	C7-C5	3.35	1.37	1.32
6	A	703	ACI	C4-C5	2.73	1.53	1.51
6	A	901	ACI	C7-C5	2.41	1.36	1.32
7	A	810	HSD	C2-C3	2.08	1.35	1.32

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	703	ACI	O4-C4-C5	3.87	118.12	110.75
7	A	810	HSD	C6-C5-C3	-2.52	107.70	111.67
6	A	901	ACI	C3-C4-C5	-2.26	108.12	111.67
7	A	810	HSD	C5-C3-C2	-2.08	118.81	122.23

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	703	ACI	C7-C5-C6-O6
7	A	810	HSD	C5-C3-C4-O1
6	A	901	ACI	C7-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	703	ACI	1	0
7	A	810	HSD	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	637/637 (100%)	-0.38	3 (0%) 87 85	1, 9, 21, 33	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	620	ASN	2.5
1	A	60	TRP	2.1
1	A	530	PRO	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	BGC	B	2	11/12	0.55	0.20	37,41,41,42	0
5	GLC	F	1	12/12	0.66	0.20	54,55,57,59	0
4	GLC	D	1	12/12	0.72	0.18	41,49,51,52	0
5	GLC	F	2	11/12	0.75	0.20	51,54,55,55	0
3	GLC	E	1	12/12	0.81	0.13	39,40,40,41	0
4	GLC	D	4	11/12	0.84	0.12	35,38,40,41	0
4	GLC	D	2	11/12	0.89	0.13	33,34,35,37	0
3	GLD	E	2	9/10	0.90	0.14	36,39,40,42	0
2	GLC	B	1	11/12	0.90	0.11	14,17,24,30	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GLC	D	3	11/12	0.91	0.12	31,34,35,36	0
3	GLC	G	1	12/12	0.91	0.08	13,14,16,19	0
3	GLC	C	1	12/12	0.92	0.10	15,17,21,22	0
3	GLD	C	2	9/10	0.93	0.07	7,11,12,13	0
3	GLD	G	2	9/10	0.94	0.07	8,12,13,13	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain E:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain D:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	HSD	A	810	12/12	0.78	0.16	39,40,41,42	0
6	ACI	A	901	12/12	0.92	0.09	12,15,17,18	0
6	ACI	A	703	12/12	0.92	0.10	7,8,10,11	0
8	CA	A	1001	1/1	0.97	0.03	9,9,9,9	0
8	CA	A	1002	1/1	0.97	0.03	22,22,22,22	0
8	CA	A	1003	1/1	0.99	0.02	14,14,14,14	0

6.5 Other polymers [i](#)

There are no such residues in this entry.