



Full wwPDB NMR Structure Validation Report ⓘ

Mar 7, 2026 – 05:49 AM UTC

PDB ID : 5UHU / pdb_00005uhu
Title : Solution conformation of cytochrome P450 MycG with mycinamicin IV bound
Authors : Pochapsky, T.C.; Tietz, D.R.
Deposited on : 2017-01-12

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
wwPDB-RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
wwPDB-ShiftChecker	:	v1.2
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 21%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	229148	14424
Ramachandran outliers	224038	12848
Sidechain outliers	223484	12823

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	397	

2 Ensemble composition and analysis ⓘ

This entry contains 1 models. Identification of well-defined residues and clustering analysis are not possible.


3 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 6366 atoms, of which 3179 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Mycinamicin IV hydroxylase/epoxidase.

Mol	Chain	Residues	Atoms						Trace
1	A	393	Total	C	H	N	O	S	0
			6180	1939	3086	567	577	11	

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).





Mol	Chain	Residues	Atoms				
			Total	C	H	N	O
3	A	1	110	37	61	1	11


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		
			Total	H	O
4	A	1	3	2	1

4 Residue-property plots

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Mycinamicin IV hydroxylase/epoxidase



5 Refinement protocol and experimental data overview

Of the 1200 calculated structures, 1 were deposited, based on the following criterion: *structures with the least restraint violations*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
Amber	refinement	14
Amber	structure calculation	14

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	1135
Number of shifts mapped to atoms	1125
Number of unparsed shifts	0
Number of shifts with mapping errors	10
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	21%

6 Model quality [i](#)

6.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MIV, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	2.07	81/3158 (2.6%)	2.39	179/4294 (4.2%)
All	All	2.07	81/3158 (2.6%)	2.39	179/4294 (4.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0	14
All	All	0	14

All bond outliers are listed below. They are sorted according to the Z-score.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	111	ARG	CA-C	11.14	1.67	1.52
1	A	328	ASP	CA-C	8.40	1.63	1.53
1	A	343	VAL	N-CA	7.56	1.55	1.46
1	A	140	ARG	N-CA	7.44	1.56	1.46
1	A	38	PRO	CA-C	7.40	1.62	1.52
1	A	97	LEU	CA-C	7.38	1.62	1.52
1	A	123	ASP	CA-C	7.18	1.61	1.52
1	A	192	ASP	CA-C	7.15	1.62	1.52
1	A	22	ARG	CZ-NH2	-7.12	1.24	1.33
1	A	129	GLY	N-CA	7.09	1.54	1.45
1	A	370	ILE	CA-C	7.07	1.62	1.52
1	A	246	PHE	CA-C	7.01	1.61	1.52
1	A	382	SER	N-CA	6.86	1.55	1.46
1	A	32	VAL	N-CA	6.68	1.54	1.46
1	A	271	VAL	CA-C	6.61	1.60	1.52
1	A	33	SER	N-CA	6.53	1.53	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	337	LEU	N-CA	6.53	1.54	1.46
1	A	329	VAL	N-CA	6.45	1.54	1.46
1	A	359	ALA	CA-C	6.42	1.61	1.52
1	A	372	LEU	CA-CB	6.27	1.62	1.53
1	A	112	PRO	CA-C	6.27	1.60	1.52
1	A	124	GLN	N-CA	6.10	1.54	1.46
1	A	357	GLN	CA-C	6.09	1.60	1.52
1	A	93	ARG	N-CA	6.03	1.53	1.46
1	A	68	THR	N-CA	6.03	1.52	1.46
1	A	13	ASP	C-O	6.01	1.31	1.23
1	A	296	LEU	N-CA	-6.00	1.39	1.46
1	A	250	LEU	CA-C	5.98	1.60	1.52
1	A	249	LEU	CA-C	5.94	1.60	1.52
1	A	353	ARG	CZ-NH2	-5.92	1.25	1.33
1	A	168	PHE	CA-C	5.91	1.60	1.52
1	A	119	HIS	CA-CB	5.90	1.63	1.53
1	A	353	ARG	N-CA	-5.88	1.39	1.46
1	A	163	ARG	CD-NE	5.81	1.54	1.46
1	A	213	ARG	C-N	-5.78	1.25	1.33
1	A	108	GLU	CA-C	5.78	1.60	1.52
1	A	76	PRO	N-CA	-5.76	1.40	1.47
1	A	122	VAL	N-CA	5.75	1.54	1.46
1	A	381	TRP	CD2-CE3	5.73	1.49	1.40
1	A	375	PRO	CA-CB	5.68	1.61	1.53
1	A	11	PHE	C-O	5.66	1.31	1.24
1	A	200	GLU	CA-C	5.65	1.59	1.52
1	A	60	ARG	CZ-NH2	-5.63	1.26	1.33
1	A	322	PRO	CA-C	5.59	1.58	1.52
1	A	86	MET	N-CA	5.55	1.52	1.45
1	A	186	ALA	CA-CB	-5.52	1.44	1.53
1	A	95	ARG	N-CA	5.52	1.52	1.46
1	A	288	ARG	N-CA	5.51	1.52	1.45
1	A	119	HIS	CE1-NE2	5.49	1.38	1.32
1	A	265	GLU	CA-C	5.49	1.60	1.52
1	A	374	ILE	CA-C	5.47	1.58	1.52
1	A	113	ARG	N-CA	5.41	1.53	1.46
1	A	303	ALA	C-N	5.38	1.39	1.33
1	A	215	GLN	C-O	-5.36	1.17	1.24
1	A	276	ARG	C-O	-5.31	1.17	1.24
1	A	75	ARG	CZ-NH2	-5.30	1.26	1.33
1	A	258	ARG	C-O	-5.30	1.17	1.24
1	A	290	ALA	CA-CB	5.30	1.60	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	30	GLU	CA-CB	5.29	1.60	1.53
1	A	100	LYS	N-CA	5.25	1.53	1.46
1	A	55	VAL	CA-C	5.24	1.61	1.52
1	A	139	ALA	CA-C	5.23	1.59	1.52
1	A	81	GLY	N-CA	5.21	1.51	1.45
1	A	110	LEU	N-CA	5.20	1.52	1.46
1	A	15	HIS	CA-CB	5.20	1.59	1.52
1	A	277	TRP	CA-CB	-5.19	1.45	1.53
1	A	132	ALA	CA-C	5.17	1.59	1.52
1	A	361	GLU	N-CA	-5.17	1.39	1.46
1	A	151	LEU	CA-C	5.16	1.59	1.52
1	A	294	VAL	N-CA	5.12	1.52	1.46
1	A	278	VAL	CA-C	5.11	1.58	1.52
1	A	362	VAL	N-CA	5.09	1.53	1.46
1	A	162	THR	N-CA	5.09	1.52	1.46
1	A	23	TYR	CE2-CZ	5.08	1.50	1.38
1	A	53	ARG	CZ-NH2	-5.07	1.26	1.33
1	A	387	LEU	CA-C	-5.07	1.46	1.52
1	A	336	HIS	CG-ND1	-5.06	1.32	1.38
1	A	44	TRP	NE1-CE2	5.06	1.43	1.37
1	A	173	GLU	CA-C	5.04	1.61	1.53
1	A	118	ALA	CA-CB	-5.03	1.45	1.53
1	A	60	ARG	N-CA	5.00	1.52	1.46

All angle outliers are listed below. They are sorted according to the Z-score.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	326	ARG	NE-CZ-NH2	11.05	129.15	119.20
1	A	326	ARG	NE-CZ-NH1	-10.08	111.42	121.50
1	A	103	THR	N-CA-C	9.80	123.47	110.53
1	A	30	GLU	O-C-N	-9.37	113.81	121.12
1	A	341	HIS	CE1-NE2-CD2	-9.24	99.76	109.00
1	A	355	GLU	O-C-N	-9.19	112.47	122.03
1	A	322	PRO	N-CA-CB	9.16	110.96	103.36
1	A	213	ARG	CA-C-O	-9.15	110.41	121.11
1	A	140	ARG	NE-CZ-NH1	9.00	130.50	121.50
1	A	75	ARG	CA-C-N	8.57	127.88	118.97
1	A	75	ARG	C-N-CA	8.57	127.88	118.97
1	A	16	GLY	CA-C-O	-8.56	113.30	121.60
1	A	192	ASP	CA-CB-CG	-8.04	104.56	112.60
1	A	240	THR	CA-CB-OG1	8.01	121.62	109.60
1	A	318	GLN	OE1-CD-NE2	-7.87	114.73	122.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	51	ASP	CA-CB-CG	7.81	120.41	112.60
1	A	261	LEU	CA-C-N	7.64	131.14	120.29
1	A	261	LEU	C-N-CA	7.64	131.14	120.29
1	A	39	TYR	O-C-N	-7.63	114.38	123.31
1	A	161	PHE	CA-CB-CG	-7.58	106.22	113.80
1	A	165	SER	CA-C-N	7.50	129.52	120.14
1	A	165	SER	C-N-CA	7.50	129.52	120.14
1	A	254	PRO	N-CA-CB	7.46	111.08	103.25
1	A	307	VAL	CA-CB-CG1	7.39	122.97	110.40
1	A	107	ALA	CB-CA-C	7.38	122.46	110.88
1	A	341	HIS	CA-CB-CG	-7.32	106.48	113.80
1	A	320	GLN	OE1-CD-NE2	-7.30	115.30	122.60
1	A	383	GLU	N-CA-C	7.25	120.77	112.57
1	A	95	ARG	NE-CZ-NH2	-7.25	112.68	119.20
1	A	366	ARG	NE-CZ-NH2	7.24	125.72	119.20
1	A	30	GLU	CA-C-O	7.11	128.43	121.32
1	A	54	ALA	N-CA-C	7.08	118.79	111.14
1	A	58	ASP	CA-CB-CG	7.06	119.66	112.60
1	A	206	VAL	CA-CB-CG1	7.05	122.39	110.40
1	A	396	VAL	O-C-N	-7.04	115.23	123.04
1	A	117	ILE	CB-CA-C	7.00	120.90	111.87
1	A	320	GLN	CA-C-O	-6.96	110.39	120.13
1	A	259	GLN	N-CA-C	6.95	118.50	111.07
1	A	36	ARG	CB-CA-C	6.93	117.87	110.17
1	A	235	GLY	O-C-N	-6.92	115.53	122.18
1	A	355	GLU	CA-C-N	6.92	130.48	120.38
1	A	355	GLU	C-N-CA	6.92	130.48	120.38
1	A	179	MET	CA-C-N	6.88	129.50	120.28
1	A	179	MET	C-N-CA	6.88	129.50	120.28
1	A	48	ARG	NE-CZ-NH1	6.82	128.32	121.50
1	A	119	HIS	CA-CB-CG	6.81	120.61	113.80
1	A	198	ARG	NE-CZ-NH1	6.79	128.29	121.50
1	A	95	ARG	NE-CZ-NH1	6.78	128.28	121.50
1	A	247	VAL	O-C-N	6.75	129.95	122.12
1	A	355	GLU	CA-C-O	6.68	128.01	121.00
1	A	166	GLY	O-C-N	-6.65	115.19	122.24
1	A	163	ARG	NE-CZ-NH1	6.64	128.14	121.50
1	A	277	TRP	CE2-CD2-CE3	-6.63	112.17	118.80
1	A	237	GLU	O-C-N	-6.61	115.21	122.09
1	A	380	ARG	CD-NE-CZ	6.60	133.64	124.40
1	A	234	ALA	N-CA-CB	6.50	120.26	110.19
1	A	33	SER	CA-C-O	-6.46	113.77	121.66

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	271	VAL	CA-C-N	6.46	128.84	120.44
1	A	271	VAL	C-N-CA	6.46	128.84	120.44
1	A	336	HIS	CA-C-O	-6.46	114.36	121.33
1	A	119	HIS	CA-C-N	6.40	129.38	120.29
1	A	119	HIS	C-N-CA	6.40	129.38	120.29
1	A	335	GLN	OE1-CD-NE2	-6.38	116.22	122.60
1	A	341	HIS	CG-CD2-NE2	6.38	113.58	107.20
1	A	284	THR	CA-CB-OG1	6.30	119.06	109.60
1	A	385	MET	CB-CA-C	6.28	121.12	111.39
1	A	353	ARG	NE-CZ-NH2	6.27	124.85	119.20
1	A	341	HIS	ND1-CE1-NE2	6.24	114.64	108.40
1	A	77	GLU	N-CA-C	6.23	119.28	110.50
1	A	113	ARG	NE-CZ-NH1	6.19	127.69	121.50
1	A	331	ARG	NE-CZ-NH1	-6.17	115.33	121.50
1	A	241	THR	CB-CA-C	-6.15	100.58	110.79
1	A	142	LEU	CA-C-O	-6.14	111.75	120.16
1	A	185	GLN	O-C-N	-6.14	115.05	122.48
1	A	158	HIS	ND1-CE1-NE2	6.14	114.54	108.40
1	A	257	ARG	NE-CZ-NH2	-6.14	113.68	119.20
1	A	348	GLY	N-CA-C	6.13	121.58	114.16
1	A	95	ARG	CA-C-O	-6.11	114.40	120.82
1	A	34	ARG	CB-CG-CD	6.11	125.35	111.30
1	A	37	PRO	O-C-N	-6.11	114.25	121.46
1	A	115	ARG	NE-CZ-NH2	6.10	124.69	119.20
1	A	257	ARG	NE-CZ-NH1	6.02	127.52	121.50
1	A	32	VAL	N-CA-C	5.97	116.61	107.77
1	A	92	SER	N-CA-C	-5.95	104.71	111.07
1	A	317	ASP	CB-CA-C	5.93	119.15	110.26
1	A	98	VAL	CA-C-O	-5.92	114.08	120.47
1	A	195	ASP	CA-CB-CG	5.92	118.52	112.60
1	A	44	TRP	CZ3-CH2-CZ2	5.91	129.19	121.50
1	A	273	GLU	O-C-N	-5.88	115.44	122.15
1	A	22	ARG	NE-CZ-NH2	5.88	124.49	119.20
1	A	111	ARG	CA-C-O	-5.86	112.94	118.33
1	A	248	TYR	CA-C-O	-5.80	113.80	120.24
1	A	76	PRO	N-CD-CG	5.79	111.89	103.20
1	A	307	VAL	CA-C-O	5.79	126.47	120.39
1	A	97	LEU	CB-CA-C	5.78	119.92	110.95
1	A	162	THR	CA-C-N	5.77	128.59	120.28
1	A	162	THR	C-N-CA	5.77	128.59	120.28
1	A	345	HIS	O-C-N	5.75	130.67	123.19
1	A	12	ASN	OD1-CG-ND2	-5.73	116.87	122.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	258	ARG	CA-C-O	-5.71	113.90	120.24
1	A	213	ARG	NE-CZ-NH2	5.71	124.34	119.20
1	A	87	ASP	CA-C-O	-5.70	114.41	120.28
1	A	315	ASN	N-CA-CB	-5.68	100.42	110.42
1	A	120	GLU	CA-C-N	5.68	127.89	120.28
1	A	120	GLU	C-N-CA	5.68	127.89	120.28
1	A	160	ARG	NE-CZ-NH1	5.66	127.16	121.50
1	A	246	PHE	CA-CB-CG	5.64	119.44	113.80
1	A	173	GLU	CB-CG-CD	-5.63	103.03	112.60
1	A	259	GLN	OE1-CD-NE2	-5.63	116.97	122.60
1	A	46	VAL	CA-C-N	5.59	132.32	122.42
1	A	46	VAL	C-N-CA	5.59	132.32	122.42
1	A	244	ALA	N-CA-CB	-5.59	101.61	110.28
1	A	37	PRO	CA-C-O	5.58	128.65	120.56
1	A	126	ALA	CA-C-N	5.58	129.53	120.60
1	A	126	ALA	C-N-CA	5.58	129.53	120.60
1	A	349	ALA	N-CA-CB	-5.57	101.79	110.43
1	A	354	VAL	CA-C-O	-5.57	114.75	120.71
1	A	236	TYR	N-CA-C	5.57	117.79	111.11
1	A	276	ARG	N-CA-C	-5.55	106.36	113.01
1	A	73	ARG	CD-NE-CZ	5.53	132.14	124.40
1	A	113	ARG	NE-CZ-NH2	-5.52	114.23	119.20
1	A	161	PHE	N-CA-C	5.51	118.81	111.75
1	A	352	ALA	N-CA-CB	-5.49	101.28	110.39
1	A	71	GLU	N-CA-C	5.48	116.97	110.07
1	A	213	ARG	O-C-N	5.48	129.98	123.24
1	A	158	HIS	CA-CB-CG	5.45	119.25	113.80
1	A	197	ARG	NE-CZ-NH1	5.45	126.95	121.50
1	A	249	LEU	CA-C-O	-5.45	115.10	120.82
1	A	74	THR	N-CA-C	5.44	119.92	113.28
1	A	29	THR	CA-C-N	5.43	127.06	122.28
1	A	29	THR	C-N-CA	5.43	127.06	122.28
1	A	235	GLY	N-CA-C	-5.40	106.24	112.50
1	A	291	VAL	CA-CB-CG2	5.40	119.58	110.40
1	A	144	VAL	CA-C-O	-5.39	114.65	120.47
1	A	371	ARG	CA-C-O	5.38	127.08	121.38
1	A	321	PHE	O-C-N	-5.37	116.79	121.35
1	A	111	ARG	NE-CZ-NH1	5.34	126.84	121.50
1	A	82	GLY	CA-C-O	5.31	127.33	122.39
1	A	53	ARG	NE-CZ-NH1	5.30	126.80	121.50
1	A	236	TYR	O-C-N	-5.30	116.58	122.09
1	A	80	LYS	CA-C-N	5.30	125.25	121.65

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	80	LYS	C-N-CA	5.30	125.25	121.65
1	A	210	VAL	N-CA-C	5.27	119.85	113.00
1	A	247	VAL	CA-C-O	-5.26	113.15	119.36
1	A	160	ARG	NE-CZ-NH2	-5.23	114.49	119.20
1	A	154	PRO	CB-CA-C	5.21	118.18	111.56
1	A	347	LEU	CA-C-N	5.20	130.05	120.79
1	A	347	LEU	C-N-CA	5.20	130.05	120.79
1	A	191	GLY	N-CA-C	5.17	118.50	112.50
1	A	336	HIS	CE1-NE2-CD2	-5.17	103.83	109.00
1	A	41	GLU	CA-C-O	5.15	127.42	122.01
1	A	92	SER	N-CA-CB	5.15	117.47	110.01
1	A	329	VAL	O-C-N	-5.14	115.84	122.22
1	A	393	LEU	N-CA-CB	-5.14	104.66	111.40
1	A	91	HIS	CG-CD2-NE2	-5.14	102.06	107.20
1	A	134	LEU	O-C-N	-5.13	115.37	122.46
1	A	222	GLN	CA-CB-CG	5.12	124.33	114.10
1	A	371	ARG	CA-C-N	5.12	128.61	121.24
1	A	371	ARG	C-N-CA	5.12	128.61	121.24
1	A	69	ARG	NH1-CZ-NH2	-5.10	112.67	119.30
1	A	117	ILE	N-CA-C	-5.09	105.63	110.42
1	A	138	PHE	O-C-N	-5.08	115.83	122.59
1	A	229	ILE	CA-C-N	5.06	125.70	120.03
1	A	229	ILE	C-N-CA	5.06	125.70	120.03
1	A	150	LEU	N-CA-C	5.06	118.23	111.75
1	A	232	LEU	N-CA-CB	-5.06	102.23	110.42
1	A	252	THR	CA-CB-OG1	5.05	117.18	109.60
1	A	347	LEU	N-CA-CB	-5.05	102.52	110.30
1	A	44	TRP	CE3-CZ3-CH2	-5.04	114.55	121.10
1	A	377	THR	O-C-N	-5.04	115.55	122.46
1	A	150	LEU	CD1-CG-CD2	-5.04	99.71	110.80
1	A	312	GLY	O-C-N	-5.03	117.36	122.19
1	A	277	TRP	NE1-CE2-CD2	-5.03	100.87	107.40
1	A	22	ARG	CD-NE-CZ	5.02	131.43	124.40
1	A	241	THR	N-CA-C	5.02	116.75	111.28
1	A	76	PRO	N-CA-CB	5.02	108.60	103.23
1	A	153	VAL	CA-CB-CG1	5.02	118.93	110.40
1	A	187	TYR	N-CA-C	-5.02	106.00	111.82
1	A	80	LYS	CA-C-O	-5.01	113.61	118.97

There are no chirality outliers.

All planar outliers are listed below.

Mol	Chain	Res	Type	Group
1	A	23	TYR	Sidechain
1	A	60	ARG	Sidechain
1	A	75	ARG	Sidechain
1	A	112	PRO	Mainchain
1	A	196	ARG	Sidechain
1	A	213	ARG	Sidechain
1	A	248	TYR	Sidechain,Mainchain
1	A	263	ARG	Sidechain
1	A	323	ASP	Peptide
1	A	369	GLY	Mainchain
1	A	375	PRO	Peptide
1	A	385	MET	Peptide
1	A	388	ARG	Sidechain

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	3094	3086	3085	5
2	A	43	30	30	1
All	All	3187	3179	3176	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:9:TYR:CG	1:A:10:PRO:HA	0.48	2.44
1:A:61:PHE:CE2	1:A:290:ALA:HB2	0.44	2.47
1:A:173:GLU:CD	1:A:380:ARG:HH22	0.43	2.20
1:A:348:GLY:HA3	2:A:401:HEM:C2C	0.43	2.48
1:A:174:VAL:CG1	1:A:178:GLU:HG2	0.41	2.45

6.3 Torsion angles

6.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	391/397 (98%)	357 (91%)	31 (8%)	3 (1%)	18	68
All	All	391/397 (98%)	357 (91%)	31 (8%)	3 (1%)	18	68

All 3 Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type
1	A	215	GLN
1	A	254	PRO
1	A	281	GLY

6.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	326/329 (99%)	321 (98%)	5 (2%)	55	93
All	All	326/329 (99%)	321 (98%)	5 (2%)	55	93

All 5 residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type
1	A	94	LEU
1	A	171	THR
1	A	247	VAL
1	A	294	VAL
1	A	311	THR

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
3	MIV	A	402	-	51,51,51	1.74	11 (21%)
2	HEM	A	401	4,1	50,50,50	1.72	9 (18%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
3	MIV	A	402	-	64,71,71	1.79	18 (28%)
2	HEM	A	401	4,1	67,82,82	1.92	14 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MIV	A	402	-	-	0,55,91,91	0,2,3,3
2	HEM	A	401	4,1	-	0,14,54,54	-

All bond outliers are listed below. They are sorted according to the Z-score.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	402	MIV	O7-C30	5.18	1.48	1.40
2	A	401	HEM	CMA-C3A	4.63	1.60	1.50
2	A	401	HEM	FE-NA	3.99	2.08	1.95
3	A	402	MIV	O6-C24	3.94	1.42	1.34
2	A	401	HEM	FE-NC	3.75	2.07	1.95
2	A	401	HEM	CBA-CGA	3.70	1.59	1.50
3	A	402	MIV	C30-C31	3.44	1.61	1.52
3	A	402	MIV	C17-C14	3.12	1.60	1.53
3	A	402	MIV	O1-C5	3.02	1.26	1.22
3	A	402	MIV	C14-N	2.92	1.54	1.47
2	A	401	HEM	CHB-C4A	2.80	1.45	1.39
3	A	402	MIV	C35-C36	2.78	1.58	1.52
3	A	402	MIV	O4-C12	2.49	1.48	1.41
2	A	401	HEM	C3B-C2B	2.42	1.32	1.37
2	A	401	HEM	C4B-NB	2.35	1.34	1.38
3	A	402	MIV	C31-C33	2.20	1.56	1.52
2	A	401	HEM	CBA-CAA	2.17	1.59	1.51
3	A	402	MIV	C6-C5	2.14	1.54	1.51
3	A	402	MIV	O3-C13	2.13	1.48	1.43
2	A	401	HEM	C1C-NC	2.12	1.43	1.39

All angle outliers are listed below. They are sorted according to the Z-score.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	HEM	C3B-C2B-C1B	6.79	111.51	106.41
2	A	401	HEM	C3B-C4B-NB	6.41	114.07	109.47
3	A	402	MIV	C25-O6-C24	4.70	110.57	117.50
2	A	401	HEM	C3C-C2C-C1C	4.62	111.42	107.05
2	A	401	HEM	C2B-C1B-NB	4.02	105.22	109.84
3	A	402	MIV	C10-C9-C11	3.97	117.63	111.14
3	A	402	MIV	C30-O11-C36	3.96	120.39	113.63
2	A	401	HEM	C2C-C1C-NC	3.55	103.06	109.64
3	A	402	MIV	C19-C18-C17	3.53	107.94	113.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	HEM	C4B-C3B-C2B	3.44	104.12	107.28
2	A	401	HEM	C4C-NC-C1C	3.40	111.37	105.82
3	A	402	MIV	C12-O4-C18	3.00	117.53	112.91
3	A	402	MIV	C21-C20-C11	2.88	116.17	111.11
3	A	402	MIV	C20-C22-C23	2.76	119.00	126.30
3	A	402	MIV	C30-C31-C33	2.71	105.47	110.74
2	A	401	HEM	C1A-CHA-C4D	2.60	120.12	126.25
3	A	402	MIV	C27-C26-C25	2.52	106.55	113.23
3	A	402	MIV	O10-C35-C33	2.48	116.28	109.94
2	A	401	HEM	CHA-C4D-ND	2.47	127.42	124.37
3	A	402	MIV	O4-C12-C13	2.44	105.35	110.37
3	A	402	MIV	O2-C11-C20	2.38	106.15	110.93
3	A	402	MIV	C17-C14-N	2.36	108.95	115.59
3	A	402	MIV	O11-C30-O7	2.30	104.61	110.04
2	A	401	HEM	O1D-CGD-CBD	2.26	115.92	123.09
3	A	402	MIV	O11-C36-C37	2.25	111.74	106.74
2	A	401	HEM	CHB-C1B-NB	2.25	127.14	124.37
2	A	401	HEM	CHC-C1C-C2C	2.10	129.85	125.49
3	A	402	MIV	C10-C9-C8	2.08	113.83	110.68
3	A	402	MIV	C17-C14-C13	2.08	113.00	110.02
2	A	401	HEM	CMC-C2C-C1C	2.03	121.15	124.73
3	A	402	MIV	C7-C6-C8	2.02	107.54	111.52
2	A	401	HEM	CHD-C4C-C3C	2.01	128.60	125.21


There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand MIV A 402



Ligand HEM A 401



6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 21% for the well-defined parts and 21% for the entire structure.

7.1 Chemical shift list 1

File name: `working_cs.cif`

Chemical shift list name: `data_complete.str`

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1135
Number of shifts mapped to atoms	1125
Number of unparsed shifts	0
Number of shifts with mapping errors	10
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	3

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- No matching atom found in the structure. All 10 occurrences are reported below.

List ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1	A	2	THR	CA	63.0	0.2	1
1	A	2	THR	CB	71.6	0.2	1
1	A	3	SER	H	7.91	0.05	1
1	A	3	SER	CA	57.8	0.2	1
1	A	3	SER	CB	64.2	0.2	1
1	A	3	SER	N	122.6	0.1	1
1	A	4	ALA	H	8.29	0.05	1
1	A	4	ALA	CA	51.8	0.2	1
1	A	4	ALA	CB	18.5	0.2	1
1	A	4	ALA	N	126.6	0.1	1

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	313	0.30 ± 0.11	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	249	1.27 ± 0.09	Should be checked
$^{13}\text{C}'$	0	—	None (insufficient data)
^{15}N	280	0.30 ± 0.12	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 21%, i.e. 1125 atoms were assigned a chemical shift out of a possible 5466. 0 out of 83 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	866/1937 (45%)	278/786 (35%)	310/786 (39%)	278/365 (76%)
Sidechain	255/3232 (8%)	6/2104 (0%)	246/975 (25%)	3/153 (2%)
Aromatic	4/297 (1%)	2/148 (1%)	0/136 (0%)	2/13 (15%)
Overall	1125/5466 (21%)	286/3038 (9%)	556/1897 (29%)	283/531 (53%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 21%, i.e. 1125 atoms were assigned a chemical shift out of a possible 5466. 0 out of 83 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	866/1937 (45%)	278/786 (35%)	310/786 (39%)	278/365 (76%)
Sidechain	255/3232 (8%)	6/2104 (0%)	246/975 (25%)	3/153 (2%)
Aromatic	4/297 (1%)	2/148 (1%)	0/136 (0%)	2/13 (15%)
Overall	1125/5466 (21%)	286/3038 (9%)	556/1897 (29%)	283/531 (53%)

7.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	347	LEU	H	2.69	5.09 – 11.34	-8.8
1	A	158	HIS	CB	42.20	19.76 – 40.75	5.7
1	A	235	GLY	H	11.60	5.23 – 11.42	5.3

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:

