



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 09:51 AM UTC

PDB ID : 6UHP / pdb_00006uhp
Title : Crystal Structure of C148 mGFP-ncDNA-1
Authors : Winegar, P.W.; Hayes, O.G.; McMillan, J.R.; Figg, C.A.; Focia, P.J.; Mirkin, C.A.
Deposited on : 2019-09-27
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	272	63% 57% 21% • 17%
1	B	272	74% 67% 13% • 17%

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 3308 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called C148 mGFP-ncDNA-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	225	Total	C	N	O	S	0	0	0
			1731	1110	292	324	5			
1	B	225	Total	C	N	O	S	0	0	0
			1577	999	266	307	5			


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: C148 mGFP-ncDNA-1



• Molecule 1: C148 mGFP-ncDNA-1



R213	R214	R215	R216	D217	H218	H219	V220	L221	L222	E223	F224	V225	T226	A227	A228	G229	I230	THR	LEU	GLY	MET	ASP	GLU	LEU	TYR	LYS
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	59.05Å 51.60Å 100.41Å 90.00° 106.97° 90.00°	Depositor
Resolution (Å)	56.48 – 2.90 56.48 – 2.90	Depositor EDS
% Data completeness (in resolution range)	98.9 (56.48-2.90) 98.7 (56.48-2.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.15	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.69 (at 2.91Å)	Xtriage
Refinement program	REFMAC 5.8.0257	Depositor
R, R_{free}	0.340 , 0.373 0.327 , 0.348	Depositor DCC
R_{free} test set	598 reflections (4.58%)	wwPDB-VP
Wilson B-factor (Å ²)	54.6	Xtriage
Anisotropy	0.327	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 55.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.37$	Xtriage
Estimated twinning fraction	0.000 for h,-k,-h-l	Xtriage
Reported twinning fraction	0.853 for H, K, L 0.147 for -H, -K, H+L	Depositor
Outliers	17 of 12971 reflections (0.131%)	Xtriage
F_o, F_c correlation	0.64	EDS
Total number of atoms	3308	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 12.20% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CRO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.07	2/1748 (0.1%)	1.38	0/2373
1	B	1.12	0/1589	1.45	1/2174 (0.0%)
All	All	1.09	2/3337 (0.1%)	1.42	1/4547 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	61	LEU	C-N	6.76	1.42	1.33
1	A	62	VAL	C-N	6.51	1.42	1.33

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	197	PRO	N-CA-CB	-6.32	96.61	103.25

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1731	0	1631	48	0
1	B	1577	0	1318	24	0
All	All	3308	0	2949	72	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (72) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:57:PRO:O	1:A:60:THR:HG22	1.13	1.23
1:A:57:PRO:O	1:A:60:THR:CG2	2.03	1.06
1:A:57:PRO:C	1:A:60:THR:HG22	1.97	0.89
1:B:38:ALA:O	1:B:41:GLY:N	2.20	0.70
1:A:119:THR:O	1:A:121:VAL:HG23	1.95	0.67
1:B:197:PRO:HB2	1:B:200:HIS:CE1	2.29	0.66
1:B:49:LEU:HD11	1:B:54:LEU:CB	2.26	0.65
1:B:61:LEU:O	1:B:64:THR:N	2.30	0.65
1:A:57:PRO:C	1:A:60:THR:CG2	2.65	0.62
1:A:60:THR:OG1	1:A:107:TYR:OH	2.15	0.62
1:A:19:LEU:HD23	1:A:124:ILE:HB	1.82	0.61
1:A:24:ASN:ND2	1:A:138:LEU:HD11	2.17	0.59
1:A:79:MET:HE1	1:A:228:ALA:HA	1.83	0.59
1:B:197:PRO:HB2	1:B:200:HIS:HE1	1.67	0.59
1:A:148:CYS:SG	1:A:205:GLN:HG2	2.45	0.56
1:A:17:VAL:HG13	1:A:122:ASN:HB3	1.88	0.55
1:B:45:LEU:HD12	1:B:66:CRO:CG1	2.37	0.55
1:B:122:ASN:ND2	1:B:124:ILE:HD11	2.22	0.54
1:A:42:LYS:HG3	1:A:224:PHE:CE1	2.45	0.52
1:B:150:ASN:HB3	1:B:201:TYR:CE2	2.44	0.52
1:A:119:THR:O	1:A:121:VAL:CG2	2.58	0.52
1:A:169:ARG:HG2	1:A:177:VAL:HG11	1.91	0.52
1:A:151:VAL:O	1:A:201:TYR:HA	2.10	0.51
1:A:174:ASP:OD1	1:A:175:GLY:N	2.42	0.51
1:A:62:VAL:HG13	1:A:221:LEU:HD22	1.93	0.51
1:B:178:GLN:NE2	1:B:179:LEU:O	2.42	0.50
1:B:57:PRO:O	1:B:60:THR:OG1	2.26	0.49
1:A:116:GLU:OE1	1:A:123:ARG:NH2	2.45	0.49
1:B:61:LEU:O	1:B:64:THR:HB	2.12	0.49
1:B:45:LEU:HD12	1:B:66:CRO:HG11	1.92	0.49
1:B:45:LEU:CD1	1:B:66:CRO:HG13	2.43	0.48
1:A:57:PRO:HD2	1:A:60:THR:CG2	2.44	0.48
1:A:59:PRO:O	1:A:61:LEU:N	2.48	0.47
1:A:111:ALA:HA	1:A:123:ARG:O	2.14	0.47
1:A:229:GLY:O	1:A:230:ILE:HG23	2.15	0.47
1:A:16:LEU:O	1:A:121:VAL:HA	2.15	0.47
1:A:45:LEU:HD13	1:A:47:PHE:CZ	2.50	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:198:ASP:O	1:B:200:HIS:ND1	2.48	0.46
1:A:30:VAL:HG23	1:A:49:LEU:HD23	1.97	0.46
1:A:122:ASN:ND2	1:A:124:ILE:HD11	2.31	0.46
1:A:57:PRO:HD2	1:A:60:THR:HG21	1.97	0.45
1:B:29:SER:N	1:B:51:THR:OG1	2.49	0.45
1:A:19:LEU:O	1:A:29:SER:HA	2.16	0.45
1:A:34:GLY:HA3	1:A:45:LEU:HD23	1.98	0.45
1:B:155:ALA:HB2	1:B:197:PRO:O	2.16	0.45
1:A:59:PRO:HA	1:A:62:VAL:HG23	1.99	0.45
1:A:9:PHE:O	1:A:38:ALA:HB3	2.18	0.44
1:A:19:LEU:CD2	1:A:124:ILE:HB	2.46	0.44
1:B:95:GLN:HG3	1:B:186:ASN:ND2	2.32	0.43
1:A:24:ASN:HD21	1:A:131:PHE:HB2	1.82	0.43
1:A:152:TYR:CD1	1:A:201:TYR:HB3	2.53	0.43
1:B:99:ILE:HA	1:B:181:ASP:O	2.18	0.43
1:B:95:GLN:HG3	1:B:186:ASN:HD21	1.82	0.43
1:B:45:LEU:CD1	1:B:66:CRO:CG1	2.96	0.43
1:B:49:LEU:CD1	1:B:54:LEU:CB	2.95	0.43
1:A:97:ARG:NE	1:A:184:GLN:OE1	2.52	0.42
1:A:106:ASN:N	1:A:106:ASN:HD22	2.18	0.42
1:A:172:ILE:HB	1:A:174:ASP:OD1	2.19	0.42
1:A:5:GLY:C	1:A:7:GLU:N	2.77	0.42
1:A:229:GLY:O	1:A:230:ILE:CG2	2.67	0.42
1:A:59:PRO:C	1:A:61:LEU:N	2.78	0.41
1:A:23:VAL:HG22	1:A:128:GLY:HA3	2.01	0.41
1:A:34:GLY:N	1:A:45:LEU:HD23	2.36	0.41
1:B:19:LEU:HA	1:B:124:ILE:O	2.20	0.41
1:A:58:TRP:O	1:A:59:PRO:C	2.63	0.41
1:A:97:ARG:HG2	1:A:184:GLN:HB2	2.03	0.41
1:B:34:GLY:HA3	1:B:44:THR:O	2.21	0.41
1:A:54:LEU:HD12	1:A:55:PRO:HD2	2.03	0.41
1:A:5:GLY:C	1:A:7:GLU:H	2.30	0.40
1:A:57:PRO:CD	1:A:60:THR:HG21	2.52	0.40
1:A:28:PHE:HB2	1:A:49:LEU:HD21	2.04	0.40
1:B:120:LEU:HD13	1:B:121:VAL:N	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	220/272 (81%)	192 (87%)	25 (11%)	3 (1%)	9	30
1	B	220/272 (81%)	190 (86%)	27 (12%)	3 (1%)	9	30
All	All	440/544 (81%)	382 (87%)	52 (12%)	6 (1%)	9	30

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	60	THR
1	A	117	GLY
1	B	39	THR
1	B	176	SER
1	A	136	ASN
1	B	77	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	174/236 (74%)	152 (87%)	22 (13%)	4	14
1	B	135/236 (57%)	122 (90%)	13 (10%)	8	26
All	All	309/472 (66%)	274 (89%)	35 (11%)	5	19

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	GLU
1	A	12	VAL
1	A	23	VAL
1	A	30	VAL
1	A	43	LEU
1	A	49	LEU
1	A	50	THR
1	A	60	THR
1	A	87	SER
1	A	97	ARG
1	A	106	ASN
1	A	109	THR
1	A	120	LEU
1	A	123	ARG
1	A	124	ILE
1	A	129	ILE
1	A	136	ASN
1	A	162	ILE
1	A	187	THR
1	A	204	THR
1	A	213	ASN
1	A	225	VAL
1	B	29	SER
1	B	48	ILE
1	B	77	ASP
1	B	80	LYS
1	B	87	SER
1	B	129	ILE
1	B	181	ASP
1	B	197	PRO
1	B	201	TYR
1	B	206	SER
1	B	209	SER
1	B	223	GLU
1	B	226	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	ASN
1	A	106	ASN
1	A	145	ASN
1	A	147	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	171	ASN
1	B	24	ASN
1	B	95	GLN
1	B	147	ASN
1	B	150	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CRO	B	66	1	22,23,24	2.96	6 (27%)	30,32,34	2.03	5 (16%)
1	CRO	A	66	1	22,23,24	2.94	5 (22%)	30,32,34	2.03	5 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CRO	B	66	1	-	0/12/31/32	0/2/2/2
1	CRO	A	66	1	-	0/12/31/32	0/2/2/2

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	66	CRO	CB2-CA2	10.61	1.45	1.35
1	A	66	CRO	CB2-CA2	10.56	1.45	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	66	CRO	CA2-C2	-5.58	1.42	1.48
1	A	66	CRO	CA2-C2	-5.54	1.42	1.48
1	B	66	CRO	C1-N2	4.97	1.39	1.32
1	A	66	CRO	C1-N2	4.92	1.39	1.32
1	B	66	CRO	C2-N3	-2.74	1.33	1.40
1	A	66	CRO	C2-N3	-2.73	1.33	1.40
1	B	66	CRO	CE1-CZ	2.02	1.42	1.39
1	B	66	CRO	O2-C2	2.01	1.27	1.23
1	A	66	CRO	O2-C2	2.00	1.27	1.23

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	66	CRO	O2-C2-CA2	-6.50	126.87	131.02
1	B	66	CRO	O2-C2-CA2	-6.43	126.92	131.02
1	B	66	CRO	CA2-N2-C1	-4.92	101.96	105.80
1	A	66	CRO	CA2-N2-C1	-4.87	101.99	105.80
1	B	66	CRO	CA2-C2-N3	3.89	106.76	103.50
1	A	66	CRO	CA2-C2-N3	3.85	106.73	103.50
1	B	66	CRO	C1-CA1-N1	-2.83	104.72	109.78
1	A	66	CRO	C1-CA1-N1	-2.82	104.74	109.78
1	B	66	CRO	C3-CA3-N3	2.76	118.71	112.43
1	A	66	CRO	C3-CA3-N3	2.74	118.67	112.43

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	66	CRO	4	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	224/272 (82%)	2.80	172 (76%)  	5, 42, 69, 91	0
1	B	224/272 (82%)	4.02	201 (89%)  	5, 68, 111, 150	0
All	All	448/544 (82%)	3.41	373 (83%)  	5, 52, 98, 150	0

All (373) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	141	LYS	8.4
1	B	192	GLY	8.4
1	A	142	LEU	8.2
1	B	217	ASP	7.9
1	B	49	LEU	7.9
1	B	103	ASP	7.7
1	B	136	ASN	7.6
1	B	142	LEU	7.5
1	A	99	ILE	7.4
1	B	52	GLY	7.4
1	B	183	TYR	7.4
1	B	126	LEU	7.3
1	B	160	ASN	6.9
1	B	190	GLY	6.9
1	B	131	PHE	6.8
1	B	138	LEU	6.8
1	B	88	ALA	6.8
1	B	140	HIS	6.8
1	B	109	THR	6.7
1	B	107	TYR	6.7
1	A	136	ASN	6.7
1	B	133	GLU	6.6
1	B	171	ASN	6.6
1	B	108	LYS	6.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	59	PRO	6.3
1	B	22	ASP	6.3
1	B	23	VAL	6.2
1	B	137	ILE	6.2
1	B	134	ASP	6.1
1	B	129	ILE	6.1
1	B	98	THR	6.1
1	B	220	VAL	6.0
1	B	130	ASP	5.9
1	B	55	PRO	5.9
1	B	193	PRO	5.9
1	B	174	ASP	5.8
1	A	133	GLU	5.7
1	B	194	VAL	5.7
1	B	53	LYS	5.6
1	B	139	GLY	5.6
1	B	213	ASN	5.6
1	A	103	ASP	5.5
1	B	105	GLY	5.5
1	B	186	ASN	5.5
1	B	182	HIS	5.5
1	B	170	HIS	5.4
1	A	101	PHE	5.4
1	B	184	GLN	5.3
1	B	24	ASN	5.3
1	B	216	ARG	5.3
1	B	40	TYR	5.3
1	B	175	GLY	5.3
1	B	50	THR	5.2
1	A	137	ILE	5.2
1	A	51	THR	5.1
1	A	54	LEU	5.1
1	A	11	GLY	5.1
1	B	81	GLN	5.1
1	B	127	LYS	5.1
1	B	189	ILE	5.1
1	B	181	ASP	5.1
1	B	201	TYR	5.0
1	B	26	HIS	5.0
1	B	48	ILE	5.0
1	A	138	LEU	5.0
1	B	196	LEU	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	140	HIS	5.0
1	B	60	THR	4.9
1	B	172	ILE	4.9
1	B	224	PHE	4.9
1	B	157	LYS	4.9
1	B	152	TYR	4.9
1	A	36	GLY	4.9
1	A	55	PRO	4.9
1	B	202	LEU	4.8
1	A	132	LYS	4.8
1	B	180	ALA	4.8
1	A	151	VAL	4.8
1	B	132	LYS	4.8
1	B	161	GLY	4.8
1	B	179	LEU	4.8
1	B	80	LYS	4.8
1	B	70	GLN	4.8
1	B	214	GLU	4.8
1	B	144	TYR	4.8
1	B	101	PHE	4.7
1	B	143	GLU	4.7
1	B	56	VAL	4.7
1	B	54	LEU	4.7
1	B	195	LEU	4.7
1	B	229	GLY	4.7
1	B	168	ILE	4.7
1	B	128	GLY	4.6
1	A	129	ILE	4.6
1	B	169	ARG	4.6
1	B	100	PHE	4.5
1	B	115	PHE	4.5
1	A	183	TYR	4.5
1	B	145	ASN	4.5
1	B	153	ILE	4.4
1	B	135	GLY	4.4
1	B	110	ARG	4.4
1	B	31	SER	4.4
1	B	64	THR	4.4
1	A	217	ASP	4.4
1	A	13	VAL	4.4
1	B	113	VAL	4.4
1	B	215	LYS	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	91	GLU	4.4
1	A	100	PHE	4.3
1	A	156	ASP	4.3
1	B	18	GLU	4.3
1	B	151	VAL	4.2
1	B	159	LYS	4.2
1	A	196	LEU	4.2
1	A	202	LEU	4.2
1	B	173	GLU	4.2
1	B	147	ASN	4.2
1	B	199	ASN	4.2
1	B	93	TYR	4.2
1	B	155	ALA	4.2
1	B	85	PHE	4.2
1	B	209	SER	4.2
1	B	61	LEU	4.2
1	B	44	THR	4.1
1	A	141	LYS	4.1
1	B	62	VAL	4.1
1	A	7	GLU	4.1
1	A	22	ASP	4.1
1	A	43	LEU	4.1
1	B	30	VAL	4.1
1	B	58	TRP	4.1
1	A	230	ILE	4.1
1	A	181	ASP	4.1
1	A	38	ALA	4.1
1	B	106	ASN	4.1
1	B	200	HIS	4.0
1	B	191	ASP	4.0
1	B	154	MET	4.0
1	B	20	ASP	4.0
1	B	84	PHE	4.0
1	B	51	THR	4.0
1	B	162	ILE	3.9
1	B	146	TYR	3.9
1	A	153	ILE	3.9
1	B	119	THR	3.9
1	B	92	GLY	3.9
1	B	166	PHE	3.9
1	A	179	LEU	3.9
1	B	218	HIS	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	125	GLU	3.9
1	A	80	LYS	3.9
1	B	25	GLY	3.9
1	A	134	ASP	3.9
1	B	211	ASP	3.9
1	A	176	SER	3.9
1	A	6	GLU	3.8
1	A	205	GLN	3.8
1	B	73	SER	3.8
1	A	194	VAL	3.8
1	B	27	LYS	3.8
1	A	177	VAL	3.8
1	B	37	ASP	3.8
1	B	5	GLY	3.8
1	A	82	HIS	3.7
1	A	104	ASP	3.7
1	B	90	PRO	3.7
1	B	149	HIS	3.7
1	B	120	LEU	3.7
1	B	156	ASP	3.7
1	A	139	GLY	3.7
1	A	199	ASN	3.7
1	A	62	VAL	3.7
1	A	8	LEU	3.6
1	A	16	LEU	3.6
1	A	83	ASP	3.6
1	B	83	ASP	3.6
1	A	30	VAL	3.6
1	A	10	THR	3.6
1	A	61	LEU	3.6
1	B	45	LEU	3.6
1	A	191	ASP	3.6
1	A	65	LEU	3.6
1	B	158	GLN	3.6
1	B	75	TYR	3.6
1	B	165	ASN	3.6
1	B	177	VAL	3.5
1	B	210	LYS	3.5
1	A	126	LEU	3.5
1	A	60	THR	3.5
1	B	38	ALA	3.5
1	B	228	ALA	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	185	GLN	3.5
1	A	131	PHE	3.5
1	B	29	SER	3.5
1	A	182	HIS	3.5
1	B	78	HIS	3.5
1	A	148	CYS	3.4
1	A	169	ARG	3.4
1	A	170	HIS	3.4
1	B	198	ASP	3.4
1	A	166	PHE	3.4
1	A	56	VAL	3.4
1	A	69	VAL	3.4
1	A	105	GLY	3.4
1	A	117	GLY	3.4
1	B	57	PRO	3.4
1	B	176	SER	3.4
1	A	70	GLN	3.4
1	B	28	PHE	3.4
1	A	193	PRO	3.3
1	B	19	LEU	3.3
1	A	57	PRO	3.3
1	B	197	PRO	3.3
1	B	124	ILE	3.3
1	B	187	THR	3.3
1	A	45	LEU	3.2
1	A	12	VAL	3.2
1	B	205	GLN	3.2
1	B	112	GLU	3.2
1	B	122	ASN	3.2
1	A	85	PHE	3.2
1	A	159	LYS	3.2
1	B	118	ASP	3.2
1	B	150	ASN	3.2
1	B	94	VAL	3.2
1	A	192	GLY	3.2
1	A	96	GLU	3.2
1	A	73	SER	3.1
1	A	17	VAL	3.1
1	B	212	PRO	3.1
1	B	221	LEU	3.1
1	B	111	ALA	3.1
1	B	104	ASP	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	17	VAL	3.1
1	A	44	THR	3.1
1	B	188	PRO	3.1
1	A	222	LEU	3.1
1	B	72	PHE	3.1
1	B	230	ILE	3.1
1	B	16	LEU	3.1
1	A	172	ILE	3.1
1	A	41	GLY	3.0
1	A	158	GLN	3.0
1	A	58	TRP	3.0
1	A	77	ASP	3.0
1	B	96	GLU	3.0
1	A	50	THR	3.0
1	B	82	HIS	3.0
1	A	180	ALA	3.0
1	A	23	VAL	3.0
1	A	15	ILE	2.9
1	B	35	GLU	2.9
1	B	116	GLU	2.9
1	B	204	THR	2.9
1	A	173	GLU	2.9
1	B	6	GLU	2.9
1	A	208	LEU	2.9
1	A	95	GLN	2.9
1	A	144	TYR	2.9
1	A	118	ASP	2.9
1	A	78	HIS	2.9
1	B	223	GLU	2.8
1	B	99	ILE	2.8
1	A	21	GLY	2.8
1	A	120	LEU	2.8
1	A	203	SER	2.8
1	A	53	LYS	2.8
1	B	4	LYS	2.8
1	A	216	ARG	2.8
1	A	135	GLY	2.8
1	A	81	GLN	2.8
1	A	110	ARG	2.8
1	A	9	PHE	2.8
1	A	171	ASN	2.8
1	B	10	THR	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	31	SER	2.8
1	A	72	PHE	2.7
1	B	15	ILE	2.7
1	A	206	SER	2.7
1	A	40	TYR	2.7
1	A	25	GLY	2.7
1	B	21	GLY	2.7
1	A	37	ASP	2.7
1	A	74	ARG	2.7
1	A	198	ASP	2.7
1	B	208	LEU	2.7
1	B	167	LYS	2.6
1	B	95	GLN	2.6
1	A	227	ALA	2.6
1	A	152	TYR	2.6
1	B	47	PHE	2.6
1	B	97	ARG	2.6
1	A	93	TYR	2.6
1	A	102	LYS	2.6
1	A	119	THR	2.6
1	A	165	ASN	2.6
1	A	224	PHE	2.6
1	A	195	LEU	2.6
1	A	108	LYS	2.5
1	A	225	VAL	2.5
1	A	204	THR	2.5
1	B	39	THR	2.5
1	A	221	LEU	2.5
1	A	178	GLN	2.5
1	A	145	ASN	2.5
1	A	174	ASP	2.5
1	B	102	LYS	2.5
1	B	36	GLY	2.5
1	A	220	VAL	2.5
1	A	109	THR	2.5
1	A	207	ALA	2.5
1	A	106	ASN	2.5
1	B	121	VAL	2.4
1	A	200	HIS	2.4
1	B	79	MET	2.4
1	B	89	MET	2.4
1	A	127	LYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	223	GLU	2.4
1	A	146	TYR	2.4
1	A	39	THR	2.4
1	B	164	VAL	2.4
1	A	84	PHE	2.4
1	B	43	LEU	2.4
1	A	161	GLY	2.3
1	A	226	THR	2.3
1	A	113	VAL	2.3
1	A	20	ASP	2.3
1	B	65	LEU	2.3
1	B	32	GLY	2.3
1	A	24	ASN	2.3
1	A	186	ASN	2.3
1	A	130	ASP	2.3
1	A	215	LYS	2.3
1	B	69	VAL	2.3
1	A	160	ASN	2.3
1	A	29	SER	2.3
1	A	164	VAL	2.3
1	A	212	PRO	2.3
1	A	97	ARG	2.2
1	A	188	PRO	2.2
1	B	46	LYS	2.2
1	A	149	HIS	2.2
1	B	77	ASP	2.2
1	A	187	THR	2.2
1	B	87	SER	2.2
1	B	117	GLY	2.2
1	A	154	MET	2.2
1	A	47	PHE	2.2
1	A	46	LYS	2.2
1	A	49	LEU	2.2
1	A	124	ILE	2.2
1	B	123	ARG	2.2
1	A	26	HIS	2.2
1	A	90	PRO	2.2
1	A	168	ILE	2.2
1	B	71	CYS	2.2
1	A	155	ALA	2.2
1	A	52	GLY	2.1
1	A	86	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	189	ILE	2.1
1	A	197	PRO	2.1
1	A	28	PHE	2.1
1	A	190	GLY	2.1
1	B	33	GLU	2.1
1	A	75	TYR	2.0
1	A	114	LYS	2.0
1	B	219	MET	2.0
1	A	218	HIS	2.0
1	B	76	PRO	2.0
1	A	18	GLU	2.0
1	A	167	LYS	2.0
1	B	225	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CRO	B	66	22/23	0.77	0.23	6,7,10,12	0
1	CRO	A	66	22/23	0.79	0.19	6,7,10,12	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.