



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 8, 2026 – 05:08 AM UTC

PDB ID : 3UJ2 / pdb_00003uj2
Title : CRYSTAL STRUCTURE OF AN ENOLASE FROM ANAEROSTIPES CAC-CAE (EFI TARGET EFI-502054) WITH BOUND MG AND SULFATE
Authors : Vetting, M.W.; Toro, R.; Bhosle, R.; Hillerich, B.; Washington, E.; Scott Glenn, A.; Chowdhury, S.; Evans, B.; Hammonds, J.; Zencheck, W.D.; Imker, H.J.; Gerlt, J.A.; Almo, S.C.; Enzyme Function Initiative (EFI)
Deposited on : 2011-11-07
Resolution : 2.00 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	449	 83% 11% 6%
1	B	449	 82% 12% 6%
1	C	449	 80% 13% 6%
1	D	449	 81% 12% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	449	 2% 80% 13% • 6%
1	F	449	 4% 78% 16% • 6%
1	G	449	 2% 82% 11% • 6%
1	H	449	 6% 77% 16% • 6%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 27374 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Enolase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	423	Total 3209	C 2010	N 548	O 636	S 15	0	1	0
1	B	423	Total 3214	C 2016	N 548	O 636	S 14	0	1	0
1	C	423	Total 3212	C 2012	N 548	O 638	S 14	0	1	0
1	D	423	Total 3203	C 2007	N 547	O 635	S 14	0	0	0
1	E	423	Total 3203	C 2007	N 547	O 635	S 14	0	0	0
1	F	423	Total 3203	C 2007	N 547	O 635	S 14	0	0	0
1	G	423	Total 3203	C 2007	N 547	O 635	S 14	0	0	0
1	H	423	Total 3203	C 2007	N 547	O 635	S 14	0	0	0

There are 176 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-21	MET	-	expression tag	UNP B0MAG5
A	-20	HIS	-	expression tag	UNP B0MAG5
A	-19	HIS	-	expression tag	UNP B0MAG5
A	-18	HIS	-	expression tag	UNP B0MAG5
A	-17	HIS	-	expression tag	UNP B0MAG5
A	-16	HIS	-	expression tag	UNP B0MAG5
A	-15	HIS	-	expression tag	UNP B0MAG5
A	-14	SER	-	expression tag	UNP B0MAG5
A	-13	SER	-	expression tag	UNP B0MAG5
A	-12	GLY	-	expression tag	UNP B0MAG5
A	-11	VAL	-	expression tag	UNP B0MAG5
A	-10	ASP	-	expression tag	UNP B0MAG5
A	-9	LEU	-	expression tag	UNP B0MAG5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-8	GLY	-	expression tag	UNP B0MAG5
A	-7	THR	-	expression tag	UNP B0MAG5
A	-6	GLU	-	expression tag	UNP B0MAG5
A	-5	ASN	-	expression tag	UNP B0MAG5
A	-4	LEU	-	expression tag	UNP B0MAG5
A	-3	TYR	-	expression tag	UNP B0MAG5
A	-2	PHE	-	expression tag	UNP B0MAG5
A	-1	GLN	-	expression tag	UNP B0MAG5
A	0	SER	-	expression tag	UNP B0MAG5
B	-21	MET	-	expression tag	UNP B0MAG5
B	-20	HIS	-	expression tag	UNP B0MAG5
B	-19	HIS	-	expression tag	UNP B0MAG5
B	-18	HIS	-	expression tag	UNP B0MAG5
B	-17	HIS	-	expression tag	UNP B0MAG5
B	-16	HIS	-	expression tag	UNP B0MAG5
B	-15	HIS	-	expression tag	UNP B0MAG5
B	-14	SER	-	expression tag	UNP B0MAG5
B	-13	SER	-	expression tag	UNP B0MAG5
B	-12	GLY	-	expression tag	UNP B0MAG5
B	-11	VAL	-	expression tag	UNP B0MAG5
B	-10	ASP	-	expression tag	UNP B0MAG5
B	-9	LEU	-	expression tag	UNP B0MAG5
B	-8	GLY	-	expression tag	UNP B0MAG5
B	-7	THR	-	expression tag	UNP B0MAG5
B	-6	GLU	-	expression tag	UNP B0MAG5
B	-5	ASN	-	expression tag	UNP B0MAG5
B	-4	LEU	-	expression tag	UNP B0MAG5
B	-3	TYR	-	expression tag	UNP B0MAG5
B	-2	PHE	-	expression tag	UNP B0MAG5
B	-1	GLN	-	expression tag	UNP B0MAG5
B	0	SER	-	expression tag	UNP B0MAG5
C	-21	MET	-	expression tag	UNP B0MAG5
C	-20	HIS	-	expression tag	UNP B0MAG5
C	-19	HIS	-	expression tag	UNP B0MAG5
C	-18	HIS	-	expression tag	UNP B0MAG5
C	-17	HIS	-	expression tag	UNP B0MAG5
C	-16	HIS	-	expression tag	UNP B0MAG5
C	-15	HIS	-	expression tag	UNP B0MAG5
C	-14	SER	-	expression tag	UNP B0MAG5
C	-13	SER	-	expression tag	UNP B0MAG5
C	-12	GLY	-	expression tag	UNP B0MAG5
C	-11	VAL	-	expression tag	UNP B0MAG5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-10	ASP	-	expression tag	UNP B0MAG5
C	-9	LEU	-	expression tag	UNP B0MAG5
C	-8	GLY	-	expression tag	UNP B0MAG5
C	-7	THR	-	expression tag	UNP B0MAG5
C	-6	GLU	-	expression tag	UNP B0MAG5
C	-5	ASN	-	expression tag	UNP B0MAG5
C	-4	LEU	-	expression tag	UNP B0MAG5
C	-3	TYR	-	expression tag	UNP B0MAG5
C	-2	PHE	-	expression tag	UNP B0MAG5
C	-1	GLN	-	expression tag	UNP B0MAG5
C	0	SER	-	expression tag	UNP B0MAG5
D	-21	MET	-	expression tag	UNP B0MAG5
D	-20	HIS	-	expression tag	UNP B0MAG5
D	-19	HIS	-	expression tag	UNP B0MAG5
D	-18	HIS	-	expression tag	UNP B0MAG5
D	-17	HIS	-	expression tag	UNP B0MAG5
D	-16	HIS	-	expression tag	UNP B0MAG5
D	-15	HIS	-	expression tag	UNP B0MAG5
D	-14	SER	-	expression tag	UNP B0MAG5
D	-13	SER	-	expression tag	UNP B0MAG5
D	-12	GLY	-	expression tag	UNP B0MAG5
D	-11	VAL	-	expression tag	UNP B0MAG5
D	-10	ASP	-	expression tag	UNP B0MAG5
D	-9	LEU	-	expression tag	UNP B0MAG5
D	-8	GLY	-	expression tag	UNP B0MAG5
D	-7	THR	-	expression tag	UNP B0MAG5
D	-6	GLU	-	expression tag	UNP B0MAG5
D	-5	ASN	-	expression tag	UNP B0MAG5
D	-4	LEU	-	expression tag	UNP B0MAG5
D	-3	TYR	-	expression tag	UNP B0MAG5
D	-2	PHE	-	expression tag	UNP B0MAG5
D	-1	GLN	-	expression tag	UNP B0MAG5
D	0	SER	-	expression tag	UNP B0MAG5
E	-21	MET	-	expression tag	UNP B0MAG5
E	-20	HIS	-	expression tag	UNP B0MAG5
E	-19	HIS	-	expression tag	UNP B0MAG5
E	-18	HIS	-	expression tag	UNP B0MAG5
E	-17	HIS	-	expression tag	UNP B0MAG5
E	-16	HIS	-	expression tag	UNP B0MAG5
E	-15	HIS	-	expression tag	UNP B0MAG5
E	-14	SER	-	expression tag	UNP B0MAG5
E	-13	SER	-	expression tag	UNP B0MAG5

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	-12	GLY	-	expression tag	UNP B0MAG5
E	-11	VAL	-	expression tag	UNP B0MAG5
E	-10	ASP	-	expression tag	UNP B0MAG5
E	-9	LEU	-	expression tag	UNP B0MAG5
E	-8	GLY	-	expression tag	UNP B0MAG5
E	-7	THR	-	expression tag	UNP B0MAG5
E	-6	GLU	-	expression tag	UNP B0MAG5
E	-5	ASN	-	expression tag	UNP B0MAG5
E	-4	LEU	-	expression tag	UNP B0MAG5
E	-3	TYR	-	expression tag	UNP B0MAG5
E	-2	PHE	-	expression tag	UNP B0MAG5
E	-1	GLN	-	expression tag	UNP B0MAG5
E	0	SER	-	expression tag	UNP B0MAG5
F	-21	MET	-	expression tag	UNP B0MAG5
F	-20	HIS	-	expression tag	UNP B0MAG5
F	-19	HIS	-	expression tag	UNP B0MAG5
F	-18	HIS	-	expression tag	UNP B0MAG5
F	-17	HIS	-	expression tag	UNP B0MAG5
F	-16	HIS	-	expression tag	UNP B0MAG5
F	-15	HIS	-	expression tag	UNP B0MAG5
F	-14	SER	-	expression tag	UNP B0MAG5
F	-13	SER	-	expression tag	UNP B0MAG5
F	-12	GLY	-	expression tag	UNP B0MAG5
F	-11	VAL	-	expression tag	UNP B0MAG5
F	-10	ASP	-	expression tag	UNP B0MAG5
F	-9	LEU	-	expression tag	UNP B0MAG5
F	-8	GLY	-	expression tag	UNP B0MAG5
F	-7	THR	-	expression tag	UNP B0MAG5
F	-6	GLU	-	expression tag	UNP B0MAG5
F	-5	ASN	-	expression tag	UNP B0MAG5
F	-4	LEU	-	expression tag	UNP B0MAG5
F	-3	TYR	-	expression tag	UNP B0MAG5
F	-2	PHE	-	expression tag	UNP B0MAG5
F	-1	GLN	-	expression tag	UNP B0MAG5
F	0	SER	-	expression tag	UNP B0MAG5
G	-21	MET	-	expression tag	UNP B0MAG5
G	-20	HIS	-	expression tag	UNP B0MAG5
G	-19	HIS	-	expression tag	UNP B0MAG5
G	-18	HIS	-	expression tag	UNP B0MAG5
G	-17	HIS	-	expression tag	UNP B0MAG5
G	-16	HIS	-	expression tag	UNP B0MAG5
G	-15	HIS	-	expression tag	UNP B0MAG5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	-14	SER	-	expression tag	UNP B0MAG5
G	-13	SER	-	expression tag	UNP B0MAG5
G	-12	GLY	-	expression tag	UNP B0MAG5
G	-11	VAL	-	expression tag	UNP B0MAG5
G	-10	ASP	-	expression tag	UNP B0MAG5
G	-9	LEU	-	expression tag	UNP B0MAG5
G	-8	GLY	-	expression tag	UNP B0MAG5
G	-7	THR	-	expression tag	UNP B0MAG5
G	-6	GLU	-	expression tag	UNP B0MAG5
G	-5	ASN	-	expression tag	UNP B0MAG5
G	-4	LEU	-	expression tag	UNP B0MAG5
G	-3	TYR	-	expression tag	UNP B0MAG5
G	-2	PHE	-	expression tag	UNP B0MAG5
G	-1	GLN	-	expression tag	UNP B0MAG5
G	0	SER	-	expression tag	UNP B0MAG5
H	-21	MET	-	expression tag	UNP B0MAG5
H	-20	HIS	-	expression tag	UNP B0MAG5
H	-19	HIS	-	expression tag	UNP B0MAG5
H	-18	HIS	-	expression tag	UNP B0MAG5
H	-17	HIS	-	expression tag	UNP B0MAG5
H	-16	HIS	-	expression tag	UNP B0MAG5
H	-15	HIS	-	expression tag	UNP B0MAG5
H	-14	SER	-	expression tag	UNP B0MAG5
H	-13	SER	-	expression tag	UNP B0MAG5
H	-12	GLY	-	expression tag	UNP B0MAG5
H	-11	VAL	-	expression tag	UNP B0MAG5
H	-10	ASP	-	expression tag	UNP B0MAG5
H	-9	LEU	-	expression tag	UNP B0MAG5
H	-8	GLY	-	expression tag	UNP B0MAG5
H	-7	THR	-	expression tag	UNP B0MAG5
H	-6	GLU	-	expression tag	UNP B0MAG5
H	-5	ASN	-	expression tag	UNP B0MAG5
H	-4	LEU	-	expression tag	UNP B0MAG5
H	-3	TYR	-	expression tag	UNP B0MAG5
H	-2	PHE	-	expression tag	UNP B0MAG5
H	-1	GLN	-	expression tag	UNP B0MAG5
H	0	SER	-	expression tag	UNP B0MAG5

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	F	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		
2	H	1	Total	O	S	0	0
			5	4	1		
2	H	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		
3	E	1	Total	Mg	0	0
			1	1		
3	F	1	Total	Mg	0	0
			1	1		
3	G	1	Total	Mg	0	0
			1	1		
3	H	1	Total	Mg	0	0
			1	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	264	Total	O	0	0
			264	264		
4	B	252	Total	O	0	0
			252	252		
4	C	225	Total	O	0	0
			225	225		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	162	Total 162	O 162	0	0
4	E	183	Total 183	O 183	0	0
4	F	208	Total 208	O 208	0	0
4	G	176	Total 176	O 176	0	0
4	H	146	Total 146	O 146	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Enolase 1



- Molecule 1: Enolase 1





- Molecule 1: Enolase 1










- Molecule 1: Enolase 1




- Molecule 1: Enolase 1




- Molecule 1: Enolase 1





- Molecule 1: Enolase 1





• Molecule 1: Enolase 1



4 Data and refinement statistics i

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	282.35Å 282.21Å 119.18Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.03 – 2.00 46.03 – 2.00	Depositor EDS
% Data completeness (in resolution range)	63.6 (46.03-2.00) 63.1 (46.03-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.33 (at 2.00Å)	Xtrriage
Refinement program	PHENIX 1.7_650	Depositor
R, R_{free}	0.172 , 0.231 (Not available) , 0.184	Depositor DCC
R_{free} test set	1398 reflections (0.63%)	wwPDB-VP
Wilson B-factor (Å ²)	23.1	Xtrriage
Anisotropy	0.104	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 59.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.042 for -k,-h,-l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	27374	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 20.94 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to $7.8004e-03$. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.53	0/3257	0.84	0/4394
1	B	0.51	0/3263	0.80	1/4402 (0.0%)
1	C	0.50	0/3260	0.81	0/4398
1	D	0.45	0/3251	0.78	1/4386 (0.0%)
1	E	0.46	0/3251	0.79	3/4386 (0.1%)
1	F	0.47	0/3251	0.80	2/4386 (0.0%)
1	G	0.45	0/3251	0.76	0/4386
1	H	0.43	0/3251	0.77	1/4386 (0.0%)
All	All	0.48	0/26035	0.79	8/35124 (0.0%)

There are no bond length outliers.

The worst 5 of 8 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	394	GLY	N-CA-C	6.44	118.61	112.04
1	F	394	GLY	N-CA-C	6.38	118.55	112.04
1	B	394	GLY	N-CA-C	5.70	119.22	112.33
1	E	39	ALA	CA-C-N	-5.61	114.98	120.98
1	E	39	ALA	C-N-CA	-5.61	114.98	120.98

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3209	0	3178	31	0
1	B	3214	0	3182	32	0
1	C	3212	0	3179	41	0
1	D	3203	0	3174	35	0
1	E	3203	0	3174	43	0
1	F	3203	0	3174	46	0
1	G	3203	0	3174	37	0
1	H	3203	0	3174	50	0
2	A	15	0	0	0	0
2	B	15	0	0	0	0
2	C	15	0	0	0	0
2	D	10	0	0	0	0
2	E	10	0	0	0	0
2	F	10	0	0	0	0
2	G	15	0	0	0	0
2	H	10	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
4	A	264	0	0	2	0
4	B	252	0	0	2	0
4	C	225	0	0	5	0
4	D	162	0	0	2	0
4	E	183	0	0	2	0
4	F	208	0	0	4	0
4	G	176	0	0	2	0
4	H	146	0	0	2	0
All	All	27374	0	25409	295	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 295 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:46:GLY:HA3	1:H:49:GLU:OE2	1.83	0.78
1:A:263:CYS:SG	1:A:265:ARG:HB2	2.26	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:326:LEU:O	1:H:330:ILE:HG13	1.90	0.70
1:F:160:ASN:HB3	1:F:213:ASP:HA	1.73	0.70
1:A:283:TYR:HB2	1:A:285:ILE:HD12	1.73	0.69

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	420/449 (94%)	406 (97%)	14 (3%)	0	100	100
1	B	420/449 (94%)	404 (96%)	14 (3%)	2 (0%)	24	21
1	C	420/449 (94%)	404 (96%)	15 (4%)	1 (0%)	43	42
1	D	419/449 (93%)	400 (96%)	17 (4%)	2 (0%)	24	21
1	E	419/449 (93%)	405 (97%)	13 (3%)	1 (0%)	43	42
1	F	419/449 (93%)	398 (95%)	18 (4%)	3 (1%)	18	14
1	G	419/449 (93%)	405 (97%)	13 (3%)	1 (0%)	43	42
1	H	419/449 (93%)	401 (96%)	18 (4%)	0	100	100
All	All	3355/3592 (93%)	3223 (96%)	122 (4%)	10 (0%)	36	35

5 of 10 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	156	ALA
1	D	156	ALA
1	E	156	ALA
1	F	156	ALA
1	F	308	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	332/354 (94%)	328 (99%)	4 (1%)	63	70
1	B	332/354 (94%)	328 (99%)	4 (1%)	63	70
1	C	332/354 (94%)	328 (99%)	4 (1%)	63	70
1	D	331/354 (94%)	325 (98%)	6 (2%)	51	58
1	E	331/354 (94%)	328 (99%)	3 (1%)	70	78
1	F	331/354 (94%)	327 (99%)	4 (1%)	63	70
1	G	331/354 (94%)	323 (98%)	8 (2%)	43	47
1	H	331/354 (94%)	320 (97%)	11 (3%)	33	34
All	All	2651/2832 (94%)	2607 (98%)	44 (2%)	53	60

5 of 44 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	255	LYS
1	H	71	GLN
1	G	270	GLU
1	G	375	GLU
1	H	161	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 21 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	157	HIS
1	G	157	HIS
1	H	153	ASN
1	G	275	HIS
1	G	153	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 28 ligands modelled in this entry, 8 are monoatomic - leaving 20 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	D	429	-	4,4,4	0.28	0	6,6,6	0.30	0
2	SO4	C	429	-	4,4,4	0.26	0	6,6,6	0.22	0
2	SO4	F	429	-	4,4,4	0.26	0	6,6,6	0.23	0
2	SO4	B	430	-	4,4,4	0.25	0	6,6,6	0.13	0
2	SO4	G	428	-	4,4,4	0.27	0	6,6,6	0.16	0
2	SO4	G	430	-	4,4,4	0.22	0	6,6,6	0.34	0
2	SO4	A	429	-	4,4,4	0.23	0	6,6,6	0.14	0
2	SO4	H	428	-	4,4,4	0.26	0	6,6,6	0.33	0
2	SO4	F	428	-	4,4,4	0.30	0	6,6,6	0.12	0
2	SO4	A	430	-	4,4,4	0.26	0	6,6,6	0.14	0
2	SO4	B	429	-	4,4,4	0.29	0	6,6,6	0.33	0
2	SO4	A	428	-	4,4,4	0.22	0	6,6,6	0.26	0
2	SO4	E	428	-	4,4,4	0.23	0	6,6,6	0.22	0
2	SO4	B	428	-	4,4,4	0.29	0	6,6,6	0.37	0
2	SO4	C	428	-	4,4,4	0.19	0	6,6,6	0.31	0
2	SO4	G	429	-	4,4,4	0.26	0	6,6,6	0.15	0
2	SO4	C	430	-	4,4,4	0.21	0	6,6,6	0.16	0
2	SO4	D	428	-	4,4,4	0.28	0	6,6,6	0.17	0
2	SO4	H	429	-	4,4,4	0.23	0	6,6,6	0.14	0
2	SO4	E	429	-	4,4,4	0.24	0	6,6,6	0.14	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	423/449 (94%)	-0.69	6 (1%) 73 73	6, 19, 48, 79	1 (0%)
1	B	423/449 (94%)	-0.51	15 (3%) 47 46	7, 21, 63, 99	1 (0%)
1	C	423/449 (94%)	-0.53	8 (1%) 66 66	9, 25, 54, 81	1 (0%)
1	D	423/449 (94%)	-0.10	16 (3%) 44 43	14, 32, 75, 108	0
1	E	423/449 (94%)	-0.31	10 (2%) 59 59	14, 30, 63, 90	0
1	F	423/449 (94%)	-0.27	18 (4%) 40 39	10, 27, 69, 110	0
1	G	423/449 (94%)	-0.30	7 (1%) 69 68	16, 31, 57, 86	0
1	H	423/449 (94%)	0.06	26 (6%) 27 26	15, 36, 78, 118	0
All	All	3384/3592 (94%)	-0.33	106 (3%) 51 50	6, 28, 65, 118	3 (0%)

The worst 5 of 106 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	424	PHE	5.0
1	D	46	GLY	4.9
1	D	259	ILE	4.8
1	E	424	PHE	4.2
1	H	156	ALA	4.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	A	430	5/5	0.71	0.16	87,91,103,108	0
2	SO4	B	430	5/5	0.74	0.14	81,82,94,100	0
2	SO4	C	430	5/5	0.74	0.17	72,88,90,94	0
2	SO4	G	429	5/5	0.77	0.14	81,89,98,101	0
2	SO4	G	428	5/5	0.91	0.09	53,57,60,68	0
3	MG	H	430	1/1	0.91	0.08	58,58,58,58	0
3	MG	D	430	1/1	0.94	0.05	44,44,44,44	0
2	SO4	G	430	5/5	0.95	0.08	32,33,43,49	0
2	SO4	D	428	5/5	0.95	0.08	39,51,56,63	0
2	SO4	D	429	5/5	0.95	0.08	38,43,49,62	0
2	SO4	F	429	5/5	0.96	0.09	36,37,39,41	0
2	SO4	H	428	5/5	0.96	0.09	25,41,47,64	0
2	SO4	C	429	5/5	0.97	0.06	39,40,50,51	0
2	SO4	B	429	5/5	0.97	0.07	31,39,39,44	0
2	SO4	A	429	5/5	0.97	0.07	40,44,49,55	0
2	SO4	C	428	5/5	0.97	0.06	25,33,44,54	0
2	SO4	E	428	5/5	0.97	0.08	34,41,52,52	0
2	SO4	H	429	5/5	0.97	0.05	48,49,55,59	0
2	SO4	E	429	5/5	0.97	0.06	39,54,62,63	0
3	MG	E	430	1/1	0.97	0.04	37,37,37,37	0
3	MG	G	431	1/1	0.97	0.04	32,32,32,32	0
2	SO4	F	428	5/5	0.97	0.08	37,38,45,56	0
3	MG	C	431	1/1	0.98	0.03	36,36,36,36	0
2	SO4	A	428	5/5	0.98	0.06	31,33,35,36	0
2	SO4	B	428	5/5	0.98	0.06	36,36,37,44	0
3	MG	A	431	1/1	0.98	0.03	27,27,27,27	0
3	MG	B	431	1/1	0.98	0.03	34,34,34,34	0
3	MG	F	430	1/1	0.99	0.03	41,41,41,41	0

6.5 Other polymers [i](#)

There are no such residues in this entry.