



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 04:05 PM UTC

PDB ID : 3UJN / pdb_00003ujn
Title : Formyl Glycinamide Ribonucleotide Amidotransferase from Salmonella Typhimurium : Role of the ATP complexation and glutaminase domain in catalytic coupling
Authors : Anand, R.; Morar, M.; Tanwar, A.S.; Panjekar, S.
Deposited on : 2011-11-08
Resolution : 2.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3580 (3.00-2.96)
Clashscore	190562	3904 (3.00-2.96)
Ramachandran outliers	187476	3761 (3.00-2.96)
Sidechain outliers	187428	3764 (3.00-2.96)
RSRZ outliers	180081	3579 (3.00-2.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1303	 83% 14% 3%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	2009	-	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 10205 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Phosphoribosylformylglycinamide synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	1286	9910	6217	1770	1875	48	0	0	0

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	GLY	-	expression tag	UNP P74881
A	-6	LEU	-	expression tag	UNP P74881
A	-5	VAL	-	expression tag	UNP P74881
A	-4	PRO	-	expression tag	UNP P74881
A	-3	ARG	-	expression tag	UNP P74881
A	-2	GLY	-	expression tag	UNP P74881
A	-1	SER	-	expression tag	UNP P74881
A	0	HIS	-	expression tag	UNP P74881

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O P 27 10 5 10 2	0	0

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	3	Total Mg 3 3	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	255	Total O 255 255	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Phosphoribosylformylglycinamide synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, α , β , γ	146.96Å 146.96Å 141.20Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.98 20.00 – 2.98	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-2.98) 98.8 (20.00-2.98)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.29 (at 2.98Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.208 , 0.264 0.219 , 0.218	Depositor DCC
R_{free} test set	1030 reflections (2.94%)	wwPDB-VP
Wilson B-factor (Å ²)	35.1	Xtriage
Anisotropy	0.006	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 23.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.010 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	10205	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, SO4, CYG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.69	3/10107 (0.0%)	1.12	50/13717 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1056	MET	SD-CE	-6.57	1.63	1.79
1	A	660	VAL	CA-CB	5.15	1.59	1.54
1	A	366	MET	SD-CE	-5.01	1.67	1.79

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	385	LEU	N-CA-C	9.53	125.04	113.23
1	A	297	ASN	N-CA-C	8.57	120.54	111.03
1	A	409	LYS	N-CA-C	-7.78	94.69	108.69
1	A	779	MET	N-CA-C	7.68	121.96	112.59
1	A	303	SER	CA-C-N	7.10	126.62	119.24
1	A	303	SER	C-N-CA	7.10	126.62	119.24
1	A	61	TYR	N-CA-C	6.99	117.26	108.45
1	A	118	THR	N-CA-C	6.93	119.02	110.91
1	A	824	ASN	N-CA-C	6.88	118.56	108.86
1	A	764	LEU	N-CA-C	6.86	118.41	111.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	446	ILE	N-CA-C	6.75	117.37	111.56
1	A	1091	CYS	N-CA-C	6.72	119.20	110.53
1	A	534	GLU	CA-C-N	6.71	126.97	119.32
1	A	534	GLU	C-N-CA	6.71	126.97	119.32
1	A	602	LEU	N-CA-C	6.64	118.52	111.28
1	A	1281	SER	N-CA-C	-6.52	102.49	110.31
1	A	632	THR	N-CA-C	-6.39	98.57	109.24
1	A	195	THR	N-CA-C	-6.38	104.19	112.23
1	A	1244	ILE	N-CA-C	6.25	117.12	109.30
1	A	443	ALA	N-CA-C	6.25	118.85	110.35
1	A	763	GLU	N-CA-C	5.97	120.09	111.02
1	A	987	GLU	N-CA-C	5.96	119.38	111.75
1	A	921	PHE	N-CA-C	5.88	120.46	112.88
1	A	701	ALA	N-CA-C	5.86	121.48	113.16
1	A	114	ILE	N-CA-C	5.82	116.48	107.99
1	A	398	SER	N-CA-C	5.77	118.23	109.63
1	A	331	GLY	N-CA-C	5.74	119.51	110.96
1	A	788	GLY	N-CA-C	-5.70	99.68	113.18
1	A	332	LEU	CA-CB-CG	5.63	136.00	116.30
1	A	1238	ASN	N-CA-C	5.60	120.39	113.50
1	A	628	ARG	N-CA-C	5.58	119.79	113.15
1	A	416	GLY	N-CA-C	5.58	118.51	111.09
1	A	467	PHE	N-CA-C	5.58	122.68	110.80
1	A	692	GLY	N-CA-C	5.57	120.66	111.59
1	A	1111	LEU	N-CA-C	5.56	118.06	111.33
1	A	1138	CYS	N-CA-C	-5.51	104.92	111.69
1	A	137	GLU	N-CA-C	5.47	118.18	110.14
1	A	616	VAL	N-CA-C	5.44	117.63	109.20
1	A	271	TYR	N-CA-C	5.38	117.50	108.73
1	A	553	LEU	N-CA-C	5.36	117.41	108.99
1	A	799	SER	N-CA-C	5.33	117.66	107.75
1	A	10	ALA	N-CA-C	5.32	118.94	112.23
1	A	806	ALA	N-CA-C	5.31	117.33	108.99
1	A	511	ALA	N-CA-C	5.23	116.66	111.07
1	A	49	ASP	N-CA-C	5.22	117.38	111.11
1	A	753	LEU	N-CA-C	-5.16	105.34	111.69
1	A	1236	ASN	N-CA-C	-5.15	97.49	108.93
1	A	224	ALA	N-CA-C	5.13	117.33	110.35
1	A	601	PRO	N-CA-C	-5.04	103.25	111.68
1	A	858	ARG	N-CA-C	5.04	116.58	111.14

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1135	CYG	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9910	0	9694	86	0
2	A	10	0	0	6	0
3	A	27	0	11	1	0
4	A	3	0	0	0	0
5	A	255	0	0	6	0
All	All	10205	0	9705	86	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:14:PHE:HD2	2:A:2009:SO4:O3	1.57	0.86
1:A:13:ALA:HB3	2:A:2009:SO4:O1	1.77	0.85
1:A:13:ALA:HB3	2:A:2009:SO4:S	2.20	0.81
1:A:824:ASN:HD21	1:A:958:ALA:H	1.34	0.74
1:A:175:ASN:HD21	1:A:182:LEU:H	1.36	0.74
1:A:175:ASN:HD22	1:A:180:LEU:HB2	1.56	0.71
1:A:637:VAL:HG13	1:A:891:LEU:HD21	1.75	0.68
1:A:317:ARG:HH22	1:A:548:GLN:NE2	1.94	0.66
1:A:387:GLY:HA2	1:A:697:ILE:HD12	1.79	0.64
1:A:13:ALA:CB	2:A:2009:SO4:O1	2.46	0.62
1:A:1135:CYG:O	1:A:1137:GLY:N	2.35	0.59
1:A:14:PHE:CD2	2:A:2009:SO4:O3	2.49	0.59
1:A:723:ILE:HD12	1:A:728:ILE:HD11	1.85	0.57
1:A:396:VAL:HG13	1:A:850:LEU:HD22	1.87	0.57
1:A:329:LYS:NZ	1:A:419:ASN:HD21	2.03	0.57
1:A:786:GLN:HE22	1:A:791:GLN:HG2	1.72	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:-3:ARG:HH22	1:A:152:HIS:CE1	2.24	0.55
1:A:120:THR:H	1:A:123:GLN:HE21	1.53	0.55
1:A:725:ALA:HB2	1:A:882:TRP:CD1	2.41	0.55
1:A:1004:GLN:NE2	1:A:1233:TYR:H	2.03	0.55
1:A:1004:GLN:HE21	1:A:1233:TYR:H	1.55	0.54
1:A:820:SER:H	1:A:930:GLN:HE22	1.56	0.54
1:A:537:MET:HE3	1:A:542:ILE:HD13	1.89	0.54
1:A:326:ALA:HB2	1:A:420:ILE:HD12	1.91	0.52
1:A:513:PRO:O	1:A:517:SER:HB2	2.09	0.52
1:A:628:ARG:HA	1:A:631:ILE:HD13	1.92	0.50
1:A:383:PRO:HD3	1:A:660:VAL:HG13	1.93	0.50
1:A:633:ILE:O	1:A:637:VAL:HG23	2.13	0.49
1:A:317:ARG:HH22	1:A:548:GLN:HE22	1.60	0.49
1:A:512:MET:HE3	1:A:552:VAL:HB	1.94	0.49
1:A:1241:PRO:O	1:A:1244:ILE:HG12	2.13	0.49
1:A:175:ASN:ND2	1:A:180:LEU:HB2	2.27	0.48
1:A:742:ALA:HB2	1:A:798:LEU:HD12	1.96	0.48
1:A:168:ARG:NH1	1:A:188:ASP:OD1	2.46	0.48
1:A:358:ARG:HD3	1:A:358:ARG:H	1.78	0.48
1:A:-3:ARG:NH1	1:A:0:HIS:HB2	2.29	0.47
1:A:96:HIS:HE1	1:A:103:VAL:O	1.98	0.47
1:A:824:ASN:HD21	1:A:958:ALA:N	2.08	0.47
1:A:1218:VAL:HG13	1:A:1244:ILE:HG23	1.97	0.47
1:A:1175:THR:HG21	1:A:1221:ARG:HE	1.80	0.47
1:A:305:TRP:HB3	1:A:306:PRO:HD3	1.97	0.46
1:A:882:TRP:CE3	1:A:929:ILE:HG23	2.50	0.46
1:A:1222:TYR:OH	1:A:1245:THR:HG21	2.15	0.46
1:A:379:GLU:HB3	1:A:475:PRO:HB2	1.97	0.46
1:A:81:PRO:HD3	1:A:138:THR:HG21	1.97	0.46
1:A:114:ILE:HD11	1:A:131:LEU:HD11	1.98	0.46
1:A:257:LYS:NZ	1:A:426:GLN:HE22	2.14	0.45
1:A:396:VAL:HG22	1:A:850:LEU:HB2	1.98	0.45
1:A:916:HIS:HD2	5:A:1359:HOH:O	1.98	0.45
1:A:696:SER:OG	1:A:804:ALA:HB3	2.17	0.45
1:A:123:GLN:O	1:A:127:VAL:HG23	2.17	0.45
1:A:727:GLN:HG3	5:A:1444:HOH:O	2.17	0.44
1:A:873:LEU:HD13	1:A:879:LEU:HD21	1.99	0.44
1:A:483:GLU:O	1:A:487:ARG:HG2	2.17	0.44
1:A:654:THR:HA	1:A:658:ARG:HH12	1.82	0.44
1:A:870:MET:O	1:A:874:VAL:HG23	2.17	0.44
1:A:329:LYS:O	1:A:383:PRO:HD2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:371:LEU:HD21	1:A:1164:ARG:HD2	2.01	0.43
1:A:782:LYS:NZ	1:A:784:ARG:HH22	2.15	0.43
1:A:398:SER:HB3	1:A:399:HIS:H	1.64	0.42
1:A:411:ILE:HG12	1:A:741:MET:HG2	2.02	0.42
1:A:1006:HIS:HE1	5:A:1523:HOH:O	2.01	0.42
1:A:1220:LEU:H	1:A:1246:ALA:HB3	1.83	0.42
1:A:13:ALA:HB3	2:A:2009:SO4:O3	2.20	0.42
1:A:824:ASN:ND2	1:A:958:ALA:H	2.08	0.42
1:A:668:GLN:HG2	3:A:2005:ADP:HI'	2.02	0.41
1:A:5:LEU:HD22	1:A:59:LEU:HD12	2.03	0.41
1:A:776:LYS:HG2	5:A:1434:HOH:O	2.21	0.41
1:A:1041:LYS:HD2	1:A:1068:ILE:HD11	2.03	0.41
1:A:1:MET:HG3	5:A:1389:HOH:O	2.21	0.41
1:A:725:ALA:HB2	1:A:882:TRP:HD1	1.84	0.41
1:A:1192:ILE:HD13	1:A:1193:ALA:H	1.85	0.41
1:A:317:ARG:NH1	1:A:549:GLU:H	2.19	0.41
1:A:1196:HIS:NE2	1:A:1238:ASN:ND2	2.63	0.41
1:A:336:SER:HB2	1:A:411:ILE:HB	2.02	0.41
1:A:310:THR:HG21	1:A:471:GLN:HB3	2.03	0.41
1:A:1134:VAL:O	1:A:1135:CYG:O	2.38	0.41
1:A:1201:VAL:HG21	1:A:1244:ILE:HB	2.03	0.41
1:A:1204:ARG:NH2	5:A:1327:HOH:O	2.52	0.41
1:A:293:VAL:HB	1:A:739:ASN:HD21	1.86	0.40
1:A:1135:CYG:O	1:A:1136:ASN:C	2.64	0.40
1:A:828:LEU:HD13	1:A:890:LEU:HD13	2.03	0.40
1:A:253:LEU:HB3	1:A:425:VAL:HG11	2.03	0.40
1:A:625:ALA:HA	1:A:852:ASP:HB2	2.04	0.40
1:A:285:GLU:CD	1:A:421:ARG:HE	2.30	0.40
1:A:753:LEU:HD13	1:A:798:LEU:HD11	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1281/1303 (98%)	1208 (94%)	66 (5%)	7 (0%)	24 58

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	13	ALA
1	A	1136	ASN
1	A	117	SER
1	A	623	GLY
1	A	647	ALA
1	A	1275	GLU
1	A	-4	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	1029/1040 (99%)	983 (96%)	46 (4%)	24 57

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-6	LEU
1	A	-5	VAL
1	A	-4	PRO
1	A	-3	ARG
1	A	43	LEU
1	A	104	ASP
1	A	141	SER
1	A	169	GLN
1	A	215	GLU
1	A	253	LEU
1	A	290	LEU
1	A	294	GLU
1	A	332	LEU
1	A	337	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	358	ARG
1	A	382	ARG
1	A	396	VAL
1	A	413	LEU
1	A	508	LEU
1	A	512	MET
1	A	515	LEU
1	A	582	GLU
1	A	588	LEU
1	A	596	GLN
1	A	610	PRO
1	A	611	LYS
1	A	723	ILE
1	A	774	VAL
1	A	783	THR
1	A	789	ASN
1	A	790	GLU
1	A	811	VAL
1	A	823	ASP
1	A	846	VAL
1	A	891	LEU
1	A	929	ILE
1	A	965	VAL
1	A	976	GLU
1	A	1136	ASN
1	A	1180	LEU
1	A	1182	LEU
1	A	1190	MET
1	A	1192	ILE
1	A	1195	SER
1	A	1205	ASP
1	A	1245	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	96	HIS
1	A	101	GLN
1	A	102	GLN
1	A	123	GLN
1	A	175	ASN
1	A	243	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	275	HIS
1	A	276	ASN
1	A	298	HIS
1	A	339	ASN
1	A	408	HIS
1	A	419	ASN
1	A	426	GLN
1	A	445	ASN
1	A	510	ASN
1	A	545	ASN
1	A	548	GLN
1	A	596	GLN
1	A	617	GLN
1	A	739	ASN
1	A	786	GLN
1	A	824	ASN
1	A	883	HIS
1	A	922	ASN
1	A	930	GLN
1	A	969	ASN
1	A	993	GLN
1	A	1004	GLN
1	A	1006	HIS
1	A	1051	ASN
1	A	1061	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CYG	A	1135	1	12,14,15	4.45	2 (16%)	10,17,19	3.98	5 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CYG	A	1135	1	-	5/14/16/18	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1135	CYG	OE2-CD1	15.02	1.44	1.21
1	A	1135	CYG	O1-C1	2.66	1.30	1.22

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1135	CYG	OE2-CD1-CG1	-8.36	114.33	123.98
1	A	1135	CYG	CG1-CD1-SG	6.88	121.60	113.40
1	A	1135	CYG	CB-SG-CD1	-4.91	94.01	100.76
1	A	1135	CYG	O2-C1-O1	-3.19	116.84	124.08
1	A	1135	CYG	CB1-CG1-CD1	-2.24	107.31	112.27

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	1135	CYG	N-CA-CB-SG
1	A	1135	CYG	C-CA-CB-SG
1	A	1135	CYG	CA-CB-SG-CD1
1	A	1135	CYG	OE2-CD1-CG1-CB1
1	A	1135	CYG	O1-C1-CA1-N1

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	1135	CYG	3	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	2009	-	4,4,4	0.37	0	6,6,6	0.12	0
2	SO4	A	2002	-	4,4,4	0.52	0	6,6,6	0.17	0
3	ADP	A	2005	4	28,29,29	1.49	4 (14%)	43,45,45	1.78	7 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	A	2005	4	-	3/16/32/32	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	2005	ADP	O3'-C3'	-4.83	1.31	1.43
3	A	2005	ADP	C5-N7	-3.95	1.31	1.39
3	A	2005	ADP	C8-N9	-2.44	1.33	1.37
3	A	2005	ADP	C4-N9	-2.03	1.33	1.37

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	2005	ADP	N3-C2-N1	-5.46	120.31	128.58
3	A	2005	ADP	C5-C4-N3	-5.23	119.52	126.72
3	A	2005	ADP	N3-C4-N9	3.94	133.87	127.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	2005	ADP	C2-N3-C4	3.90	121.37	111.83
3	A	2005	ADP	C5-N7-C8	2.70	107.69	103.45
3	A	2005	ADP	C4-C5-N7	-2.51	107.72	110.58
3	A	2005	ADP	N9-C8-N7	-2.40	110.54	113.94

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	2005	ADP	PA-O3A-PB-O3B
3	A	2005	ADP	PB-O3A-PA-O2A
3	A	2005	ADP	PB-O3A-PA-O1A

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	2009	SO4	6	0
3	A	2005	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1285/1303 (98%)	-0.10	13 (1%) 79 63	10, 26, 46, 88	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	-7	GLY	9.9
1	A	-5	VAL	7.3
1	A	-4	PRO	5.9
1	A	-6	LEU	5.4
1	A	-1	SER	4.0
1	A	-2	GLY	4.0
1	A	606	LEU	3.5
1	A	6	ARG	3.1
1	A	-3	ARG	2.6
1	A	1114	HIS	2.6
1	A	466	ASP	2.5
1	A	448	LEU	2.3
1	A	608	LYS	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CYG	A	1135	15/16	0.92	0.12	25,27,30,30	0

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	MG	A	2006	1/1	0.83	0.23	15,15,15,15	0
4	MG	A	2008	1/1	0.86	0.21	11,11,11,11	0
2	SO4	A	2009	5/5	0.87	0.33	23,25,27,27	0
2	SO4	A	2002	5/5	0.88	0.15	38,38,40,41	0
3	ADP	A	2005	27/27	0.91	0.28	1,1,3,5	27
4	MG	A	2007	1/1	0.96	0.22	7,7,7,7	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.