



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 10:40 AM UTC

PDB ID : 3ULU / pdb_00003ulu
Title : Structure of quaternary complex of human TLR3ecd with three Fabs (Form1)
Authors : Luo, J.; Gilliland, G.L.; Obmolova, O.; Malia, T.; Teplyakov, A.
Deposited on : 2011-11-11
Resolution : 3.52 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.52 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.









Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1025 (3.56-3.48)
Clashscore	190562	1079 (3.56-3.48)
Ramachandran outliers	187476	1052 (3.56-3.48)
Sidechain outliers	187428	1053 (3.56-3.48)
RSRZ outliers	180081	1024 (3.56-3.48)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	694	
2	L	214	
3	H	225	
4	C	213	
5	D	226	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	E	215	
7	F	223	
8	B	2	
8	G	2	
8	I	2	
8	J	2	
9	K	4	
10	M	3	

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 15521 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Toll-like receptor 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	659	Total	C	N	O	S	0	0	0
			5284	3380	896	991	17			

There are 13 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	17	ALA	-	cloning artifact	UNP O15455
A	18	ASP	-	cloning artifact	UNP O15455
A	19	LEU	-	cloning artifact	UNP O15455
A	20	GLY	-	cloning artifact	UNP O15455
A	21	SER	-	cloning artifact	UNP O15455
A	703	ALA	-	expression tag	UNP O15455
A	704	SER	-	expression tag	UNP O15455
A	705	HIS	-	expression tag	UNP O15455
A	706	HIS	-	expression tag	UNP O15455
A	707	HIS	-	expression tag	UNP O15455
A	708	HIS	-	expression tag	UNP O15455
A	709	HIS	-	expression tag	UNP O15455
A	710	HIS	-	expression tag	UNP O15455

- Molecule 2 is a protein called Fab15 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	214	Total	C	N	O	S	0	0	0
			1633	1020	273	334	6			

- Molecule 3 is a protein called Fab15 heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	225	Total	C	N	O	S	0	0	0
			1720	1088	286	337	9			

- Molecule 4 is a protein called Fab12 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	C	210	Total	C	N	O	S	0	0	0
			1579	987	260	328	4			

- Molecule 5 is a protein called Fab12 heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	D	224	Total	C	N	O	S	0	0	0
			1712	1080	294	333	5			


- Molecule 6 is a protein called Fab1068 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	E	215	Total	C	N	O	S	0	0	0
			1661	1040	279	336	6			

- Molecule 7 is a protein called Fab1068 heavy chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	F	217	Total	C	N	O	S	0	0	0
			1656	1050	279	320	7			

- Molecule 8 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
8	B	2	Total	C	N	O	0	0	0
			28	16	2	10			
8	G	2	Total	C	N	O	0	0	0
			28	16	2	10			
8	I	2	Total	C	N	O	0	0	0
			28	16	2	10			
8	J	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 9 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
9	K	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 10 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
10	M	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 11 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	A	1	Total	C	N	O	0	0
			14	8	1	5		
11	A	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	A	1	Total	C	N	O	0	0
			14	8	1	5		
11	A	1	Total	C	N	O	0	0
			14	8	1	5		
11	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 12 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	A	1	Total	O	S	0	0
			5	4	1		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Toll-like receptor 3




• Molecule 2: Fab15 light chain




• Molecule 3: Fab15 heavy chain




- Molecule 4: Fab12 light chain




- Molecule 5: Fab12 heavy chain



- Molecule 6: Fab1068 light chain



- Molecule 7: Fab1068 heavy chain



- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  50% 50%


NAG1
NAG2

- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%


NAG1
NAG2

- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%

NAG1
NAG2

- Molecule 9: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%

NAG1
NAG2
BMA3
MAN4

- Molecule 10: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  100%

NAG1
NAG2
BMA3

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	214.90Å 142.08Å 125.04Å 90.00° 103.17° 90.00°	Depositor
Resolution (Å)	45.08 – 3.52 45.08 – 3.52	Depositor EDS
% Data completeness (in resolution range)	75.9 (45.08-3.52) 75.9 (45.08-3.52)	Depositor EDS
R_{merge}	0.20	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.97 (at 3.48Å)	Xtriage
Refinement program	PHENIX (phenix.refine: dev_896)	Depositor
R, R_{free}	0.268 , 0.309 0.253 , 0.296	Depositor DCC
R_{free} test set	1734 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	68.7	Xtriage
Anisotropy	0.116	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 62.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	15521	wwPDB-VP
Average B, all atoms (Å ²)	118.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, NAG, BMA, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.24	0/5396	0.68	2/7326 (0.0%)
2	L	0.25	0/1666	0.70	0/2259
3	H	0.25	0/1770	0.69	2/2412 (0.1%)
4	C	0.28	0/1620	0.76	0/2217
5	D	0.26	0/1759	0.70	0/2405
6	E	0.27	0/1699	0.73	0/2304
7	F	0.26	0/1699	0.69	0/2320
All	All	0.25	0/15609	0.70	4/21243 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	52	ASP	CA-C-N	5.18	125.48	119.47
3	H	52	ASP	C-N-CA	5.18	125.48	119.47
1	A	498	SER	CA-C-N	-5.07	114.20	120.79
1	A	498	SER	C-N-CA	-5.07	114.20	120.79

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5284	0	5286	69	0
2	L	1633	0	1591	17	0
3	H	1720	0	1646	21	0
4	C	1579	0	1501	16	0
5	D	1712	0	1671	32	0
6	E	1661	0	1598	13	0
7	F	1656	0	1626	14	0
8	B	28	0	25	0	0
8	G	28	0	25	0	0
8	I	28	0	25	0	0
8	J	28	0	25	0	0
9	K	50	0	43	0	0
10	M	39	0	34	0	0
11	A	70	0	65	1	0
12	A	5	0	0	0	0
All	All	15521	0	15161	166	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (166) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:579:VAL:HG13	1:A:580:GLU:HG2	1.68	0.76
3:H:167:LEU:HD21	3:H:190:VAL:HG21	1.72	0.72
5:D:35:ALA:HB3	5:D:102:TYR:HB2	1.73	0.71
1:A:463:LEU:O	1:A:466:ASN:ND2	2.25	0.69
4:C:34:TRP:HB2	4:C:47:ILE:HB	1.75	0.68
1:A:450:GLN:NE2	6:E:31:ASN:OD1	2.25	0.68
5:D:53:ILE:HG22	5:D:61:ASN:HB3	1.76	0.68
7:F:206:HIS:HD1	7:F:209:SER:HG	1.42	0.68
1:A:119:PHE:O	1:A:146:GLN:NE2	2.27	0.66
1:A:141:ASN:HB3	1:A:144:VAL:HB	1.77	0.66
2:L:145:LYS:HB3	2:L:197:THR:HB	1.77	0.66
1:A:580:GLU:HB3	1:A:583:LYS:HD3	1.78	0.66
1:A:470:GLN:HA	1:A:493:LYS:HB2	1.77	0.65
4:C:150:LYS:HA	4:C:155:PRO:HA	1.79	0.65
6:E:121:PRO:HD3	6:E:133:VAL:HG22	1.80	0.64
6:E:187:TYR:O	6:E:193:TYR:OH	2.14	0.63
1:A:517:ASN:HA	1:A:540:ASN:HA	1.80	0.62
1:A:354:LEU:HD22	1:A:357:LEU:HD22	1.83	0.61
4:C:163:THR:HG22	5:D:178:VAL:HB	1.84	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:198:SER:HA	1:A:222:ARG:HB2	1.82	0.60
1:A:592:ASP:OD1	1:A:616:ASN:ND2	2.35	0.59
6:E:61:ARG:NE	6:E:82:ASP:OD2	2.34	0.58
1:A:357:LEU:HD21	1:A:360:LEU:HD13	1.86	0.58
3:H:30:THR:HG21	3:H:74:LYS:HE3	1.85	0.58
1:A:354:LEU:HB3	1:A:357:LEU:HB2	1.86	0.57
4:C:45:LEU:HD21	4:C:48:TYR:HB3	1.86	0.56
3:H:91:THR:HG23	3:H:118:THR:HA	1.87	0.56
1:A:265:ASN:O	1:A:296:TRP:NE1	2.38	0.55
7:F:206:HIS:CD2	7:F:208:PRO:HD2	2.41	0.55
1:A:336:GLN:HG2	1:A:338:ILE:H	1.72	0.55
2:L:135:LEU:HD22	3:H:189:VAL:HG11	1.89	0.55
1:A:491:ALA:HB2	2:L:94:LEU:HD21	1.89	0.54
1:A:508:LEU:HD21	1:A:511:LEU:HD13	1.88	0.54
2:L:6:GLN:N	2:L:100:GLN:OE1	2.38	0.54
2:L:164:THR:HG22	3:H:175:PRO:HD3	1.89	0.54
1:A:594:GLY:O	1:A:596:ASN:ND2	2.40	0.54
1:A:144:VAL:HG21	5:D:105:PRO:HB3	1.90	0.54
1:A:578:PRO:HB2	1:A:581:VAL:HG13	1.91	0.53
1:A:140:ASN:ND2	4:C:91:ASP:O	2.37	0.53
3:H:143:THR:HA	3:H:193:PRO:HA	1.91	0.53
2:L:23:CYS:HB2	2:L:35:TRP:CH2	2.45	0.52
1:A:437:ASP:HA	1:A:462:TYR:HB2	1.92	0.52
1:A:337:SER:O	1:A:339:SER:N	2.43	0.52
1:A:476:PHE:HB3	1:A:505:LEU:HD21	1.92	0.52
7:F:30:THR:HA	7:F:53:PRO:HB2	1.92	0.52
3:H:109:ASP:OD1	3:H:110:SER:N	2.42	0.51
7:F:12:VAL:HG11	7:F:18:VAL:HB	1.93	0.51
2:L:16:GLY:H	2:L:78:LEU:HB3	1.75	0.50
1:A:138:ILE:HD12	1:A:164:LEU:HD22	1.92	0.50
3:H:40:MET:HG2	3:H:92:ALA:HB2	1.93	0.50
4:C:119:PHE:HB3	5:D:133:LEU:HD22	1.95	0.49
5:D:162:SER:HB2	5:D:206:ASN:HB2	1.93	0.49
6:E:90:HIS:CD2	6:E:97:THR:H	2.29	0.49
1:A:189:GLU:HA	1:A:192:ASP:OD2	2.12	0.49
1:A:34:VAL:HG13	1:A:55:VAL:HB	1.94	0.49
1:A:169:GLN:HG2	1:A:170:LEU:HG	1.93	0.49
5:D:11:LEU:HD13	5:D:156:PRO:HG3	1.95	0.49
1:A:107:GLN:O	1:A:109:ASN:ND2	2.46	0.49
2:L:11:LEU:HD11	2:L:104:VAL:HG22	1.96	0.48
5:D:106:PHE:O	5:D:108:SER:N	2.44	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:E:33:LEU:HD13	6:E:34:ALA:H	1.77	0.48
7:F:33:TRP:HA	7:F:53:PRO:HD3	1.95	0.48
1:A:468:TYR:HB3	3:H:33:TRP:HZ2	1.78	0.48
4:C:30:TYR:O	4:C:65:ASN:ND2	2.47	0.48
5:D:10:GLY:HA3	5:D:211:PRO:HG3	1.96	0.47
5:D:18:LEU:HB3	5:D:86:LEU:HB3	1.95	0.47
1:A:513:LEU:HB2	1:A:537:LEU:HD23	1.96	0.47
1:A:592:ASP:HA	1:A:616:ASN:HB2	1.96	0.47
2:L:7:SER:OG	2:L:22:THR:OG1	2.25	0.47
2:L:114:SER:HB2	2:L:137:ASN:HB3	1.96	0.47
1:A:362:MET:O	1:A:365:ASN:ND2	2.47	0.47
1:A:460:GLU:HB3	1:A:484:ARG:HB2	1.96	0.47
1:A:493:LYS:HE2	3:H:57:TYR:CD1	2.50	0.46
5:D:23:ALA:HA	5:D:81:GLN:HG2	1.97	0.46
1:A:155:SER:O	1:A:157:ASN:ND2	2.48	0.46
5:D:206:ASN:ND2	5:D:217:ASP:OD2	2.49	0.46
5:D:14:PRO:HD2	5:D:122:SER:HB3	1.97	0.46
1:A:179:SER:O	1:A:181:ASN:ND2	2.49	0.45
6:E:143:ARG:CZ	6:E:164:VAL:HG11	2.46	0.45
3:H:97:ALA:HB1	3:H:108:PHE:HB3	1.99	0.45
5:D:38:TRP:CE2	5:D:84:LEU:HB2	2.51	0.45
1:A:32:HIS:C	1:A:34:VAL:H	2.24	0.45
2:L:214:CYS:OXT	3:H:221:HIS:NE2	2.44	0.45
1:A:278:MET:HG3	11:A:806:NAG:H61	1.98	0.45
5:D:38:TRP:O	5:D:50:LEU:HB2	2.17	0.45
1:A:305:LEU:O	1:A:332:SER:OG	2.29	0.45
3:H:208:HIS:CD2	3:H:210:PRO:HD2	2.52	0.45
1:A:192:ASP:HB2	5:D:57:SER:HB3	1.98	0.45
1:A:49:LEU:HB2	1:A:74:TYR:HE1	1.82	0.45
6:E:125:GLN:O	6:E:128:SER:OG	2.30	0.45
1:A:55:VAL:HG22	1:A:79:SER:HB3	1.99	0.44
1:A:290:GLY:O	1:A:293:SER:OG	2.27	0.44
1:A:37:CYS:HB2	1:A:58:LEU:HD23	2.00	0.44
1:A:460:GLU:CB	1:A:484:ARG:HB2	2.48	0.44
2:L:148:TRP:CE2	2:L:179:LEU:HB2	2.52	0.44
3:H:199:THR:HG22	3:H:200:LYS:HG3	1.99	0.44
1:A:281:LEU:HB2	1:A:305:LEU:HD23	1.99	0.44
1:A:468:TYR:HB3	3:H:33:TRP:CZ2	2.52	0.44
4:C:135:CYS:HB3	4:C:177:SER:HB3	2.00	0.44
5:D:6:GLN:HE21	5:D:116:THR:HG22	1.83	0.44
5:D:168:LEU:HD21	5:D:191:VAL:HG21	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:E:193:TYR:HE2	6:E:212:ARG:HB2	1.83	0.44
4:C:37:GLN:OE1	5:D:41:GLN:NE2	2.51	0.44
7:F:58:ILE:HG23	7:F:70:LEU:HD12	2.00	0.44
4:C:16:GLN:HG2	4:C:17:THR:H	1.83	0.44
1:A:60:HIS:H	1:A:84:PHE:HB2	1.84	0.43
1:A:117:LYS:HE2	4:C:31:TYR:CD2	2.53	0.43
5:D:8:GLY:HA3	5:D:20:LEU:HD23	1.99	0.43
1:A:194:PHE:HB3	1:A:197:SER:HB2	1.99	0.43
4:C:112:ALA:HB3	4:C:140:PHE:HA	1.99	0.43
7:F:152:PHE:HA	7:F:153:PRO:HA	1.74	0.43
1:A:590:ILE:HG23	1:A:614:SER:HB2	2.01	0.43
3:H:13:LYS:HD2	3:H:121:SER:HA	1.99	0.43
5:D:27:ASP:OD1	5:D:28:SER:N	2.52	0.43
3:H:126:GLY:HA2	3:H:127:PRO:HD3	1.84	0.43
4:C:109:GLN:HG2	4:C:110:PRO:HD2	2.00	0.43
4:C:119:PHE:HA	4:C:120:PRO:HD3	1.87	0.43
3:H:98:ARG:NH2	3:H:109:ASP:OD2	2.48	0.43
5:D:16:GLN:HG2	5:D:17:THR:H	1.84	0.43
6:E:15:VAL:HB	6:E:108:ARG:HD3	2.00	0.43
7:F:201:THR:HA	7:F:216:ARG:HA	2.00	0.42
1:A:483:GLN:HA	1:A:508:LEU:HA	2.00	0.42
1:A:514:SER:O	1:A:516:ASN:ND2	2.53	0.42
1:A:351:PHE:HB3	1:A:378:LEU:HD21	2.01	0.42
5:D:195:SER:HA	5:D:198:LEU:HG	2.01	0.42
4:C:125:GLU:HG2	4:C:130:LYS:O	2.19	0.42
1:A:648:ASP:HA	1:A:679:THR:HG23	2.02	0.42
5:D:52:ILE:HG22	5:D:102:TYR:CZ	2.54	0.42
6:E:167:GLN:HE21	6:E:172:SER:HB3	1.85	0.42
1:A:47:ASP:OD1	1:A:47:ASP:N	2.53	0.42
2:L:36:TYR:CZ	2:L:46:LEU:HD13	2.55	0.42
7:F:130:LEU:HD11	7:F:147:LEU:HB2	2.02	0.42
5:D:6:GLN:NE2	5:D:116:THR:HG22	2.34	0.42
5:D:49:TRP:HZ2	5:D:52:ILE:HG23	1.84	0.42
6:E:2:ILE:O	6:E:97:THR:OG1	2.27	0.42
7:F:131:ALA:HA	7:F:132:PRO:HD3	1.94	0.42
7:F:48:ILE:HG23	7:F:64:PHE:HD2	1.85	0.42
7:F:129:PRO:HD3	7:F:215:LYS:HE2	2.01	0.42
1:A:654:ILE:HG12	1:A:658:VAL:HG23	2.03	0.41
1:A:449:GLY:HA2	1:A:475:SER:O	2.20	0.41
5:D:155:PHE:HA	5:D:156:PRO:HA	1.83	0.41
1:A:482:LEU:HD21	1:A:485:LEU:HD13	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:198:HIS:CD2	2:L:199:GLN:H	2.38	0.41
3:H:60:TYR:HE2	3:H:70:ILE:HG13	1.85	0.41
2:L:120:PRO:HD3	2:L:132:VAL:HG22	2.02	0.41
1:A:49:LEU:HB2	1:A:74:TYR:CE1	2.56	0.41
4:C:160:VAL:HG22	4:C:179:LEU:HD13	2.03	0.41
5:D:133:LEU:HD11	5:D:150:LEU:HB2	2.02	0.41
6:E:14:SER:HB3	6:E:108:ARG:HG2	2.02	0.41
1:A:73:ARG:HD3	1:A:74:TYR:CZ	2.55	0.41
1:A:686:PHE:HA	1:A:687:PRO:HD3	1.92	0.41
3:H:168:THR:OG1	3:H:169:SER:N	2.54	0.41
5:D:148:GLY:HA3	5:D:190:VAL:HG12	2.02	0.41
7:F:12:VAL:HG21	7:F:86:LEU:HD13	2.01	0.41
1:A:200:LYS:HA	1:A:224:PHE:HB2	2.03	0.41
1:A:569:LEU:HB3	1:A:574:PHE:HE2	1.86	0.41
2:L:49:TYR:HB2	3:H:107:THR:HG21	2.03	0.41
2:L:93:THR:HG22	2:L:95:SER:H	1.86	0.41
5:D:49:TRP:CZ2	5:D:52:ILE:HG23	2.56	0.41
5:D:153:ASP:HB3	5:D:184:LEU:HD13	2.03	0.40
7:F:51:ILE:HD12	7:F:70:LEU:HB3	2.02	0.40
1:A:569:LEU:HB2	1:A:593:LEU:HD23	2.03	0.40
1:A:510:ILE:HG13	1:A:534:ILE:HB	2.03	0.40
1:A:603:ALA:HA	1:A:629:VAL:HG22	2.02	0.40
5:D:138:ARG:HD2	5:D:140:THR:HG22	2.04	0.40
1:A:138:ILE:HD13	1:A:143:PHE:CE2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	657/694 (95%)	603 (92%)	50 (8%)	4 (1%)	21 55

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	L	212/214 (99%)	205 (97%)	6 (3%)	1 (0%)	24	58
3	H	223/225 (99%)	209 (94%)	12 (5%)	2 (1%)	14	48
4	C	208/213 (98%)	192 (92%)	12 (6%)	4 (2%)	6	33
5	D	222/226 (98%)	207 (93%)	14 (6%)	1 (0%)	24	58
6	E	213/215 (99%)	198 (93%)	10 (5%)	5 (2%)	5	29
7	F	213/223 (96%)	197 (92%)	15 (7%)	1 (0%)	24	58
All	All	1948/2010 (97%)	1811 (93%)	119 (6%)	18 (1%)	14	48

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	139	LYS
3	H	193	PRO
4	C	50	ASP
6	E	108	ARG
6	E	111	VAL
5	D	107	TYR
1	A	643	ARG
3	H	197	LEU
6	E	110	THR
7	F	121	SER
1	A	467	LYS
1	A	491	ALA
6	E	205	PRO
2	L	138	ASN
4	C	93	PRO
4	C	108	GLY
4	C	152	ASP
6	E	139	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	613/644 (95%)	609 (99%)	4 (1%)	76	78
2	L	186/186 (100%)	180 (97%)	6 (3%)	34	59
3	H	194/194 (100%)	188 (97%)	6 (3%)	35	60
4	C	178/181 (98%)	173 (97%)	5 (3%)	38	61
5	D	197/199 (99%)	192 (98%)	5 (2%)	42	64
6	E	188/188 (100%)	186 (99%)	2 (1%)	65	75
7	F	189/195 (97%)	182 (96%)	7 (4%)	30	57
All	All	1745/1787 (98%)	1710 (98%)	35 (2%)	48	67

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	208	GLN
1	A	243	LEU
1	A	498	SER
1	A	607	ASN
2	L	11	LEU
2	L	33	LEU
2	L	54	LEU
2	L	55	GLN
2	L	94	LEU
2	L	100	GLN
3	H	76	ILE
3	H	118	THR
3	H	158	VAL
3	H	178	LEU
3	H	217	LYS
3	H	222	HIS
4	C	95	PHE
4	C	107	LEU
4	C	109	GLN
4	C	164	THR
4	C	210	THR
5	D	17	THR
5	D	32	ASN
5	D	47	LEU
5	D	67	VAL
5	D	159	VAL
6	E	33	LEU
6	E	105	GLU
7	F	57	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	F	72	VAL
7	F	104	THR
7	F	165	LEU
7	F	188	VAL
7	F	217	VAL
7	F	219	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	57	ASN
1	A	136	GLN
1	A	208	GLN
1	A	311	GLN
1	A	361	ASN
1	A	563	HIS
1	A	636	ASN
1	A	667	ASN
2	L	3	GLN
2	L	55	GLN
2	L	147	GLN
3	H	65	GLN
3	H	102	GLN
4	C	16	GLN
4	C	65	ASN
4	C	94	ASN
4	C	96	GLN
4	C	195	GLN
5	D	16	GLN
5	D	32	ASN
5	D	62	ASN
5	D	74	ASN
6	E	76	ASN
6	E	167	GLN
7	F	170	HIS
7	F	218	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

15 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	NAG	B	1	1,8	14,14,15	0.60	0	17,19,21	0.87	1 (5%)
8	NAG	B	2	8	14,14,15	0.48	0	17,19,21	0.80	0
8	NAG	G	1	1,8	14,14,15	0.57	0	17,19,21	0.91	1 (5%)
8	NAG	G	2	8	14,14,15	0.48	0	17,19,21	0.67	0
8	NAG	I	1	1,8	14,14,15	0.57	0	17,19,21	0.74	0
8	NAG	I	2	8	14,14,15	0.54	0	17,19,21	0.59	0
8	NAG	J	1	1,8	14,14,15	0.52	0	17,19,21	0.80	0
8	NAG	J	2	8	14,14,15	0.52	0	17,19,21	0.56	0
9	NAG	K	1	1,9	14,14,15	0.51	0	17,19,21	0.66	0
9	NAG	K	2	9	14,14,15	0.55	0	17,19,21	0.81	0
9	BMA	K	3	9	11,11,12	0.64	0	15,15,17	0.69	0
9	MAN	K	4	9	11,11,12	0.61	0	15,15,17	0.81	0
10	NAG	M	1	1,10	14,14,15	0.52	0	17,19,21	0.65	0
10	NAG	M	2	10	14,14,15	0.49	0	17,19,21	0.70	0
10	BMA	M	3	10	11,11,12	0.63	0	15,15,17	0.61	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	B	1	1,8	-	2/6/23/26	0/1/1/1
8	NAG	B	2	8	-	0/6/23/26	0/1/1/1
8	NAG	G	1	1,8	-	2/6/23/26	0/1/1/1
8	NAG	G	2	8	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	I	1	1,8	-	2/6/23/26	0/1/1/1
8	NAG	I	2	8	-	2/6/23/26	0/1/1/1
8	NAG	J	1	1,8	-	3/6/23/26	0/1/1/1
8	NAG	J	2	8	-	3/6/23/26	0/1/1/1
9	NAG	K	1	1,9	-	2/6/23/26	0/1/1/1
9	NAG	K	2	9	-	2/6/23/26	0/1/1/1
9	BMA	K	3	9	-	0/2/19/22	0/1/1/1
9	MAN	K	4	9	-	1/2/19/22	0/1/1/1
10	NAG	M	1	1,10	-	0/6/23/26	0/1/1/1
10	NAG	M	2	10	-	3/6/23/26	0/1/1/1
10	BMA	M	3	10	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	G	1	NAG	C4-C3-C2	2.35	114.46	111.02
8	B	1	NAG	C4-C3-C2	2.23	114.29	111.02

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	G	1	NAG	C8-C7-N2-C2
8	G	1	NAG	O7-C7-N2-C2
8	G	2	NAG	C8-C7-N2-C2
8	G	2	NAG	O7-C7-N2-C2
8	I	1	NAG	C8-C7-N2-C2
8	I	1	NAG	O7-C7-N2-C2
8	I	2	NAG	C8-C7-N2-C2
8	I	2	NAG	O7-C7-N2-C2
8	J	1	NAG	O7-C7-N2-C2
8	J	2	NAG	C3-C2-N2-C7
8	J	2	NAG	C8-C7-N2-C2
8	J	2	NAG	O7-C7-N2-C2
8	J	1	NAG	C8-C7-N2-C2
9	K	1	NAG	O7-C7-N2-C2
10	M	2	NAG	C8-C7-N2-C2
10	M	2	NAG	O7-C7-N2-C2

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
9	K	1	NAG	C8-C7-N2-C2
9	K	2	NAG	C8-C7-N2-C2
9	K	2	NAG	O7-C7-N2-C2
8	B	1	NAG	C8-C7-N2-C2
9	K	4	MAN	O5-C5-C6-O6
8	J	1	NAG	O5-C5-C6-O6
8	B	1	NAG	O7-C7-N2-C2
10	M	2	NAG	C1-C2-N2-C7


There are no ring outliers.


No monomer is involved in short contacts.



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











5.6 Ligand geometry

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
11	NAG	A	809	1	14,14,15	0.46	0	17,19,21	0.78	0
11	NAG	A	801	1	14,14,15	0.58	0	17,19,21	0.85	1 (5%)
11	NAG	A	805	1	14,14,15	0.49	0	17,19,21	0.73	0
11	NAG	A	802	1	14,14,15	0.55	0	17,19,21	0.66	0
12	SO4	A	821	-	4,4,4	0.24	0	6,6,6	0.16	0
11	NAG	A	806	1	14,14,15	0.52	0	17,19,21	0.62	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	NAG	A	809	1	-	2/6/23/26	0/1/1/1
11	NAG	A	801	1	-	3/6/23/26	0/1/1/1
11	NAG	A	805	1	-	2/6/23/26	0/1/1/1
11	NAG	A	802	1	-	2/6/23/26	0/1/1/1
11	NAG	A	806	1	-	4/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	A	801	NAG	C1-O5-C5	2.25	115.21	112.19

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
11	A	801	NAG	C3-C2-N2-C7
11	A	801	NAG	C8-C7-N2-C2
11	A	801	NAG	O7-C7-N2-C2
11	A	802	NAG	C8-C7-N2-C2
11	A	802	NAG	O7-C7-N2-C2
11	A	805	NAG	C8-C7-N2-C2
11	A	805	NAG	O7-C7-N2-C2
11	A	806	NAG	C3-C2-N2-C7
11	A	806	NAG	C8-C7-N2-C2
11	A	806	NAG	O7-C7-N2-C2
11	A	809	NAG	C8-C7-N2-C2
11	A	809	NAG	O7-C7-N2-C2
11	A	806	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	A	806	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	659/694 (94%)	0.08	2 (0%) 90 75	51, 94, 175, 221	0
2	L	214/214 (100%)	0.33	5 (2%) 61 35	62, 117, 183, 210	0
3	H	225/225 (100%)	0.44	9 (4%) 42 23	69, 122, 222, 272	0
4	C	210/213 (98%)	0.45	5 (2%) 59 34	80, 124, 172, 212	0
5	D	224/226 (99%)	0.43	3 (1%) 75 48	68, 117, 214, 242	0
6	E	215/215 (100%)	0.52	12 (5%) 30 17	58, 112, 185, 208	0
7	F	217/223 (97%)	0.42	6 (2%) 55 31	66, 121, 198, 223	0
All	All	1964/2010 (97%)	0.31	42 (2%) 63 36	51, 111, 191, 272	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	H	146	LEU	7.3
3	H	147	GLY	4.6
3	H	145	ALA	3.6
7	F	143	ALA	3.4
6	E	147	VAL	3.3
7	F	131	ALA	3.2
7	F	129	PRO	2.8
4	C	91	ASP	2.8
6	E	121	PRO	2.8
4	C	19	ARG	2.7
2	L	114	SER	2.7
7	F	144	LEU	2.7
3	H	190	VAL	2.6
3	H	157	PRO	2.6
4	C	158	ALA	2.6
6	E	132	SER	2.5
6	E	134	VAL	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
6	E	118	ILE	2.4
4	C	156	VAL	2.4
6	E	179	THR	2.4
2	L	181	LEU	2.4
6	E	131	ALA	2.4
6	E	136	LEU	2.3
6	E	133	VAL	2.3
5	D	121	SER	2.3
4	C	165	PRO	2.3
2	L	132	VAL	2.2
2	L	125	LEU	2.2
5	D	110	ASP	2.2
6	E	41	GLY	2.2
1	A	351	PHE	2.2
6	E	195	CYS	2.2
1	A	659	ASN	2.2
6	E	31	ASN	2.2
3	H	202	TYR	2.1
3	H	215	VAL	2.1
5	D	9	PRO	2.1
7	F	13	GLN	2.1
7	F	208	PRO	2.1
3	H	131	PRO	2.0
2	L	137	ASN	2.0
3	H	134	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	NAG	B	1	14/15	-	-	91,162,179,181	0
8	NAG	B	2	14/15	-	-	178,197,217,223	0
8	NAG	G	1	14/15	-	-	98,146,164,166	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
8	NAG	G	2	14/15	-	-	133,159,168,173	0
8	NAG	J	2	14/15	0.36	0.12	104,162,173,176	0
8	NAG	I	2	14/15	0.47	0.10	112,156,175,185	0
10	NAG	M	2	14/15	0.56	0.11	130,166,194,196	0
10	BMA	M	3	11/12	0.57	0.11	186,201,220,226	0
9	NAG	K	2	14/15	0.73	0.11	104,138,153,163	0
8	NAG	J	1	14/15	0.75	0.10	104,123,140,140	0
9	BMA	K	3	11/12	-	-	135,161,183,183	0
9	MAN	K	4	11/12	-	-	163,189,200,201	0
10	NAG	M	1	14/15	0.81	0.11	90,126,147,159	0
8	NAG	I	1	14/15	0.85	0.07	103,117,145,157	0
9	NAG	K	1	14/15	0.87	0.08	74,100,115,130	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain B:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain M:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
11	NAG	A	801	14/15	0.63	0.14	159,187,198,200	0
11	NAG	A	809	14/15	0.63	0.14	94,141,163,173	0
11	NAG	A	802	14/15	0.67	0.14	132,155,165,171	0
11	NAG	A	806	14/15	0.73	0.13	110,138,153,155	0
11	NAG	A	805	14/15	0.79	0.11	81,103,127,135	0
12	SO4	A	821	5/5	0.86	0.23	111,114,140,154	0

6.5 Other polymers [i](#)

There are no such residues in this entry.