



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 12:57 AM UTC

PDB ID : 8UMQ / pdb_00008umq
Title : LSD1-CoREST in complex with T18, long soaking
Authors : Caroli, J.; Mattevi, A.
Deposited on : 2023-10-18
Resolution : 3.26 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 3.26 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1605 (3.30-3.22)
Clashscore	190562	1660 (3.30-3.22)
Ramachandran outliers	187476	1630 (3.30-3.22)
Sidechain outliers	187428	1629 (3.30-3.22)
RSRZ outliers	180081	1605 (3.30-3.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	144	
2	A	871	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6365 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called REST corepressor 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	133	Total	C	N	O	S	0	0	0
			1076	676	194	203	3			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	297	GLY	-	expression tag	UNP Q9UKL0
B	298	PRO	-	expression tag	UNP Q9UKL0
B	299	LEU	-	expression tag	UNP Q9UKL0
B	300	GLY	-	expression tag	UNP Q9UKL0
B	301	SER	-	expression tag	UNP Q9UKL0
B	302	PRO	-	expression tag	UNP Q9UKL0
B	303	GLU	-	expression tag	UNP Q9UKL0
B	304	PHE	-	expression tag	UNP Q9UKL0

- Molecule 2 is a protein called Lysine-specific histone demethylase 1A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	A	666	Total	C	N	O	S	0	0	0
			5217	3324	906	967	20			

There are 19 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	GLY	-	expression tag	UNP O60341
A	-17	SER	-	expression tag	UNP O60341
A	-16	SER	-	expression tag	UNP O60341
A	-15	HIS	-	expression tag	UNP O60341
A	-14	HIS	-	expression tag	UNP O60341
A	-13	HIS	-	expression tag	UNP O60341
A	-12	HIS	-	expression tag	UNP O60341
A	-11	HIS	-	expression tag	UNP O60341

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-10	HIS	-	expression tag	UNP O60341
A	-9	SER	-	expression tag	UNP O60341
A	-8	SER	-	expression tag	UNP O60341
A	-7	GLY	-	expression tag	UNP O60341
A	-6	LEU	-	expression tag	UNP O60341
A	-5	VAL	-	expression tag	UNP O60341
A	-4	PRO	-	expression tag	UNP O60341
A	-3	ARG	-	expression tag	UNP O60341
A	-2	GLY	-	expression tag	UNP O60341
A	-1	SER	-	expression tag	UNP O60341
A	0	HIS	-	expression tag	UNP O60341

- Molecule 3 is [(2R,3S,4R,5R)-5-(6-amino-9H-purin-9-yl)-3,4-dihydroxyoxolan-2-yl]methyl (2R,3S,4S)-5-[(1R,3S,3aS,13R)-3-(3-benzamidophenyl)-1-hydroxy-10,11-dimethyl-4,6-dioxo-2,3,5,6-tetrahydro-1H-benzo[g]pyrrolo[2,1-e]pteridin-8(4H)-yl]-2,3,4-trihydroxypentyl dihydrogen diphosphate (non-preferred name) (CCD ID: YAO) (formula: C₄₃H₄₈N₁₀O₁₇P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			72	43	10	17	2		



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	119.09Å 179.78Å 234.61Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	65.37 – 3.26 65.37 – 3.26	Depositor EDS
% Data completeness (in resolution range)	99.2 (65.37-3.26) 99.2 (65.37-3.26)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.49 (at 3.26Å)	Xtriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.192 , 0.209 0.205 , 0.217	Depositor DCC
R_{free} test set	2000 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	96.7	Xtriage
Anisotropy	0.631	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 76.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6365	wwPDB-VP
Average B, all atoms (Å ²)	100.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: YAO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	B	0.80	1/1091 (0.1%)	1.23	5/1471 (0.3%)
2	A	1.06	32/5331 (0.6%)	1.18	26/7232 (0.4%)
All	All	1.02	33/6422 (0.5%)	1.19	31/8703 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	807	TYR	C-N	12.90	1.49	1.33
2	A	742	GLN	C-N	11.84	1.49	1.33
2	A	732	LYS	C-O	-11.15	1.11	1.24
2	A	341	PRO	C-O	-7.78	1.14	1.24
2	A	794	PRO	C-O	-7.68	1.15	1.23
2	A	801	GLU	C-O	-7.52	1.14	1.24
2	A	405	PRO	C-O	-7.49	1.15	1.23
2	A	754	ASP	C-O	-7.28	1.14	1.24
2	A	782	PRO	C-O	-7.27	1.15	1.23
2	A	340	ASN	C-O	-6.95	1.16	1.24
2	A	334	VAL	C-O	-6.81	1.16	1.24
2	A	278	THR	C-O	-6.77	1.15	1.24
1	B	369	PRO	C-O	-6.57	1.16	1.24
2	A	755	PRO	C-O	-6.51	1.16	1.24
2	A	741	PRO	C-O	-6.50	1.15	1.23
2	A	659	LEU	C-O	-6.34	1.16	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	281	VAL	C-O	-6.01	1.17	1.24
2	A	256	LEU	C-O	-6.01	1.17	1.24
2	A	470	PRO	C-O	-5.97	1.17	1.24
2	A	780	ILE	C-O	-5.81	1.17	1.24
2	A	333	VAL	C-O	-5.78	1.18	1.24
2	A	804	ILE	C-O	-5.77	1.17	1.24
2	A	252	VAL	C-O	-5.75	1.17	1.24
2	A	805	ARG	C-O	-5.62	1.17	1.24
2	A	527	GLN	C-O	-5.53	1.17	1.24
2	A	255	TYR	C-O	-5.44	1.17	1.24
2	A	792	PRO	C-O	-5.34	1.16	1.23
2	A	757	ALA	C-O	-5.29	1.17	1.24
2	A	806	ASN	C-O	-5.28	1.17	1.24
2	A	259	HIS	C-O	-5.17	1.17	1.24
2	A	312	ARG	C-O	-5.16	1.17	1.23
2	A	790	PRO	C-O	-5.04	1.17	1.23
2	A	802	HIS	C-O	-5.02	1.17	1.24

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	742	GLN	CA-C-N	17.80	137.56	119.76
2	A	742	GLN	C-N-CA	17.80	137.56	119.76
2	A	807	TYR	CA-C-N	12.52	132.42	120.03
2	A	807	TYR	C-N-CA	12.52	132.42	120.03
2	A	348	GLN	N-CA-CB	-9.36	96.36	110.12
2	A	741	PRO	CB-CA-C	-8.58	98.77	110.60
2	A	274	PRO	CB-CA-C	-8.11	101.00	111.46
2	A	347	LYS	CA-C-N	7.83	130.77	120.28
2	A	347	LYS	C-N-CA	7.83	130.77	120.28
2	A	370	VAL	N-CA-C	-7.16	102.36	109.02
1	B	329	THR	CB-CA-C	-6.98	97.95	110.37
2	A	371	PRO	CB-CA-C	-6.60	102.78	111.23
2	A	278	THR	CB-CA-C	-6.33	98.13	109.71
2	A	485	ARG	CG-CD-NE	-6.27	98.21	112.00
2	A	349	VAL	CA-C-O	-5.93	113.97	120.43
2	A	803	THR	CA-CB-OG1	-5.62	101.18	109.60
2	A	807	TYR	O-C-N	-5.61	114.87	121.32
1	B	419	ASN	O-C-N	5.54	127.85	122.09
2	A	279	GLY	CA-C-O	-5.48	117.47	122.24
1	B	318	GLN	N-CA-C	-5.39	105.32	111.14
2	A	800	GLY	CA-C-O	-5.38	118.44	122.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	316	ARG	CA-C-N	-5.35	116.31	122.95
2	A	316	ARG	C-N-CA	-5.35	116.31	122.95
2	A	347	LYS	N-CA-C	-5.34	105.46	111.28
2	A	251	ARG	N-CA-C	-5.33	105.36	111.07
1	B	320	ASP	CB-CA-C	-5.32	102.52	110.88
2	A	793	ILE	N-CA-CB	-5.22	103.90	111.21
2	A	727	CYS	CB-CA-C	-5.20	102.15	110.79
1	B	337	GLN	CB-CA-C	-5.15	102.58	110.81
2	A	373	GLU	CB-CA-C	-5.13	102.82	110.88
2	A	311	ASP	N-CA-C	-5.07	106.84	112.57

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	416	GLN	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1076	0	1091	80	0
2	A	5217	0	5252	229	0
3	A	72	0	0	7	0
All	All	6365	0	6343	283	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (283) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:351:MET:HE3	2:A:574:VAL:CG2	1.69	1.21
2:A:438:GLN:OE1	2:A:508:LEU:HD12	1.41	1.17
1:B:414:VAL:O	1:B:418:LYS:HD3	1.46	1.14

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:438:GLN:OE1	2:A:508:LEU:CD1	1.94	1.14
2:A:720:ASP:O	2:A:724:VAL:HG23	1.46	1.14
2:A:370:VAL:HG21	2:A:528:ILE:CD1	1.80	1.10
1:B:414:VAL:O	1:B:418:LYS:CD	2.02	1.08
2:A:715:MET:HE3	2:A:723:ILE:HD13	1.15	1.06
2:A:715:MET:HE3	2:A:723:ILE:CD1	1.85	1.06
2:A:720:ASP:O	2:A:724:VAL:CG2	2.03	1.05
2:A:351:MET:HE3	2:A:574:VAL:HG21	1.37	1.04
1:B:370:TYR:CE1	2:A:456:LYS:HA	1.94	1.03
2:A:345:VAL:C	2:A:348:GLN:HB2	1.84	1.02
2:A:670:PHE:CZ	2:A:740:VAL:HG23	1.94	1.01
2:A:670:PHE:CE2	2:A:740:VAL:HG23	1.96	1.00
2:A:715:MET:CE	2:A:723:ILE:HD13	1.94	0.96
2:A:437:THR:HG22	2:A:508:LEU:HD21	1.51	0.92
2:A:370:VAL:CG2	2:A:528:ILE:HD11	2.01	0.91
2:A:345:VAL:O	2:A:348:GLN:HB2	1.69	0.91
2:A:437:THR:CG2	2:A:508:LEU:HD21	2.00	0.91
2:A:344:VAL:O	2:A:348:GLN:CG	2.19	0.90
2:A:308:GLU:OE1	3:A:901:YAO:O17	1.91	0.89
2:A:198:ASP:CG	2:A:251:ARG:HH22	1.81	0.87
2:A:351:MET:CE	2:A:574:VAL:HG21	2.04	0.87
1:B:315:PHE:CE1	2:A:422:HIS:NE2	2.44	0.86
2:A:754:ASP:OD1	2:A:755:PRO:HD2	1.77	0.85
2:A:370:VAL:CG2	2:A:528:ILE:CD1	2.53	0.84
2:A:308:GLU:CD	3:A:901:YAO:O17	2.21	0.84
1:B:370:TYR:HE1	2:A:456:LYS:HA	1.41	0.83
2:A:661:LYS:HD3	2:A:704:LEU:HD21	1.59	0.83
2:A:438:GLN:OE1	2:A:508:LEU:HD11	1.79	0.83
2:A:827:ASP:OD1	2:A:834:TYR:OH	1.95	0.82
2:A:350:ASN:O	2:A:350:ASN:ND2	2.13	0.80
1:B:370:TYR:HE1	2:A:456:LYS:CA	1.94	0.80
2:A:690:GLU:OE2	2:A:726:ARG:NH1	2.15	0.79
2:A:801:GLU:HG3	2:A:809:ALA:HA	1.66	0.77
2:A:269:ARG:HG2	2:A:271:LYS:O	1.85	0.77
1:B:335:LEU:N	1:B:335:LEU:HD23	2.00	0.77
1:B:425:ARG:HA	1:B:430:ILE:HG13	1.65	0.77
2:A:504:LEU:N	2:A:504:LEU:HD23	2.00	0.76
1:B:414:VAL:O	1:B:418:LYS:HD2	1.84	0.76
2:A:370:VAL:HG21	2:A:528:ILE:HD13	1.66	0.76
1:B:315:PHE:CD1	2:A:422:HIS:CD2	2.74	0.75
1:B:370:TYR:CE1	2:A:456:LYS:CA	2.70	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:463:LYS:O	2:A:467:GLU:HG3	1.85	0.75
1:B:370:TYR:HE1	2:A:456:LYS:CB	2.00	0.75
2:A:351:MET:HE3	2:A:574:VAL:HG22	1.65	0.75
2:A:312:ARG:NH1	2:A:312:ARG:HG3	2.01	0.74
1:B:418:LYS:O	1:B:421:PHE:HB2	1.87	0.74
1:B:337:GLN:HE21	1:B:337:GLN:CA	1.99	0.74
2:A:356:ILE:HD11	2:A:566:THR:HG23	1.70	0.74
2:A:632:GLN:CD	2:A:758:ARG:HE	1.96	0.74
2:A:437:THR:CG2	2:A:508:LEU:CD2	2.66	0.74
1:B:368:GLU:OE2	1:B:371:ARG:NH1	2.22	0.73
1:B:337:GLN:HE21	1:B:337:GLN:N	1.88	0.72
2:A:659:LEU:HD12	2:A:659:LEU:C	2.14	0.72
1:B:418:LYS:HD2	1:B:418:LYS:N	2.05	0.72
2:A:345:VAL:O	2:A:348:GLN:CB	2.39	0.71
2:A:374:LYS:NZ	2:A:525:ASP:OD1	2.23	0.71
1:B:419:ASN:HD22	1:B:419:ASN:H	1.39	0.70
2:A:353:LEU:HB3	2:A:565:LEU:HD23	1.73	0.70
2:A:801:GLU:HG2	2:A:801:GLU:O	1.90	0.70
2:A:312:ARG:HG3	2:A:312:ARG:HH11	1.54	0.69
2:A:344:VAL:O	2:A:348:GLN:HG3	1.91	0.68
1:B:363:LEU:HD12	2:A:448:MET:HE2	1.76	0.68
2:A:730:ILE:O	2:A:734:ILE:HD13	1.94	0.68
1:B:397:LYS:HG2	1:B:397:LYS:O	1.95	0.66
2:A:370:VAL:HG22	2:A:528:ILE:HD11	1.76	0.66
2:A:720:ASP:O	2:A:724:VAL:HG22	1.92	0.66
2:A:345:VAL:HA	2:A:348:GLN:HG3	1.78	0.66
2:A:198:ASP:OD2	2:A:251:ARG:NH2	2.26	0.66
1:B:418:LYS:NZ	1:B:418:LYS:HB3	2.10	0.65
1:B:418:LYS:HD2	1:B:418:LYS:H	1.60	0.65
1:B:419:ASN:HD22	1:B:419:ASN:N	1.93	0.65
2:A:437:THR:HG21	2:A:508:LEU:CD2	2.27	0.65
1:B:370:TYR:CD1	2:A:456:LYS:HA	2.31	0.65
2:A:810:THR:O	3:A:901:YAO:O6	2.14	0.65
1:B:430:ILE:HG22	1:B:434:LEU:HD12	1.79	0.64
1:B:363:LEU:HD11	2:A:448:MET:HB3	1.79	0.64
2:A:351:MET:CE	2:A:574:VAL:CG2	2.60	0.64
2:A:670:PHE:CE2	2:A:740:VAL:CG2	2.80	0.63
2:A:308:GLU:OE2	3:A:901:YAO:O17	2.15	0.63
2:A:656:PHE:CE2	2:A:759:GLY:HA3	2.33	0.63
2:A:530:ASP:OD2	2:A:685:THR:HG22	1.99	0.62
2:A:684:THR:HG22	2:A:686:ALA:H	1.64	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:371:ARG:NH2	2:A:495:ASP:OD1	2.33	0.62
1:B:327:ASN:ND2	1:B:330:ALA:HB2	2.14	0.62
1:B:399:GLY:HA3	1:B:437:TRP:CE2	2.34	0.62
1:B:427:ARG:NH2	1:B:427:ARG:HG3	2.14	0.62
2:A:258:ARG:NH1	2:A:258:ARG:HG2	2.15	0.62
2:A:724:VAL:HG11	2:A:746:THR:HG21	1.82	0.62
2:A:734:ILE:HD12	2:A:734:ILE:N	2.15	0.61
2:A:340:ASN:HB2	2:A:560:PHE:CD2	2.36	0.61
2:A:344:VAL:O	2:A:348:GLN:HG2	1.99	0.61
1:B:312:LYS:O	2:A:384:ARG:NH1	2.34	0.61
2:A:707:VAL:HG12	2:A:712:ALA:HA	1.83	0.61
2:A:804:ILE:HG23	2:A:804:ILE:O	2.00	0.60
2:A:344:VAL:C	2:A:348:GLN:HG3	2.26	0.60
2:A:345:VAL:O	2:A:349:VAL:HG12	2.01	0.60
2:A:827:ASP:CG	2:A:834:TYR:OH	2.45	0.60
2:A:319:THR:HB	2:A:572:SER:HB3	1.84	0.60
2:A:192:GLU:OE2	2:A:214:ARG:NH1	2.34	0.59
1:B:370:TYR:HD2	1:B:370:TYR:N	2.00	0.59
1:B:418:LYS:HB3	1:B:418:LYS:HZ2	1.67	0.59
1:B:315:PHE:CE1	2:A:422:HIS:CE1	2.90	0.59
2:A:349:VAL:O	2:A:349:VAL:HG13	2.03	0.59
1:B:427:ARG:CG	1:B:427:ARG:HH21	2.16	0.58
2:A:789:ALA:HB1	2:A:790:PRO:HD2	1.84	0.58
1:B:400:ARG:HG3	1:B:400:ARG:HH11	1.69	0.58
2:A:353:LEU:HB3	2:A:565:LEU:CD2	2.33	0.58
2:A:566:THR:HG21	2:A:697:LEU:HD13	1.85	0.58
2:A:235:LEU:HD21	2:A:246:THR:HG22	1.86	0.58
1:B:363:LEU:HD23	1:B:363:LEU:N	2.18	0.58
2:A:761:TYR:CD1	2:A:809:ALA:HB1	2.39	0.58
2:A:335:THR:O	2:A:335:THR:OG1	2.16	0.57
1:B:315:PHE:CD1	2:A:422:HIS:NE2	2.71	0.57
1:B:370:TYR:N	1:B:370:TYR:CD2	2.71	0.57
1:B:403:GLN:OE1	1:B:403:GLN:HA	2.04	0.57
1:B:371:ARG:NH2	2:A:495:ASP:OD2	2.34	0.57
2:A:193:ALA:HB2	2:A:200:ILE:HD13	1.86	0.57
2:A:317:VAL:HG12	2:A:317:VAL:O	2.03	0.57
2:A:332:MET:HE1	2:A:661:LYS:HE2	1.85	0.57
2:A:364:GLU:HA	2:A:681:VAL:HB	1.87	0.56
2:A:345:VAL:CA	2:A:348:GLN:HB2	2.35	0.56
2:A:468:VAL:HG12	2:A:468:VAL:O	2.04	0.56
2:A:740:VAL:O	2:A:740:VAL:HG13	2.05	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:345:VAL:HA	2:A:348:GLN:CB	2.36	0.56
2:A:258:ARG:NH1	2:A:827:ASP:OD1	2.39	0.56
2:A:463:LYS:O	2:A:467:GLU:CG	2.53	0.56
3:A:901:YAO:O1	3:A:901:YAO:O3	2.24	0.56
1:B:314:MET:HE1	2:A:381:GLU:OE2	2.07	0.55
1:B:371:ARG:NH2	2:A:495:ASP:CG	2.65	0.55
2:A:231:PHE:HE1	2:A:249:VAL:HG12	1.72	0.55
2:A:644:PRO:HD2	2:A:780:ILE:CD1	2.37	0.54
1:B:418:LYS:CD	1:B:418:LYS:H	2.18	0.54
1:B:363:LEU:CD1	2:A:448:MET:HE2	2.36	0.54
2:A:258:ARG:HH11	2:A:258:ARG:CG	2.19	0.54
2:A:345:VAL:HA	2:A:348:GLN:CG	2.37	0.54
2:A:647:LYS:O	2:A:651:VAL:HG23	2.07	0.54
2:A:742:GLN:HE21	2:A:742:GLN:CA	2.19	0.54
1:B:427:ARG:HG3	1:B:427:ARG:HH21	1.73	0.53
2:A:230:THR:HG23	2:A:270:ILE:HD12	1.89	0.53
2:A:784:PRO:O	2:A:784:PRO:HG2	2.08	0.53
1:B:399:GLY:CA	1:B:437:TRP:CD2	2.91	0.53
2:A:670:PHE:CZ	2:A:740:VAL:CG2	2.82	0.53
1:B:421:PHE:HE2	1:B:434:LEU:HD11	1.72	0.53
2:A:547:LEU:HD22	2:A:552:TRP:HB2	1.91	0.53
1:B:418:LYS:NZ	1:B:418:LYS:CB	2.72	0.52
2:A:344:VAL:O	2:A:348:GLN:CB	2.56	0.52
2:A:671:TRP:O	2:A:673:PRO:HD3	2.09	0.52
2:A:537:GLU:HG2	2:A:544:LEU:HG	1.91	0.52
2:A:801:GLU:HG3	2:A:809:ALA:CA	2.39	0.52
1:B:399:GLY:CA	1:B:437:TRP:CE2	2.93	0.52
2:A:671:TRP:HA	2:A:735:PHE:CE1	2.45	0.52
1:B:415:VAL:HA	1:B:418:LYS:HG2	1.90	0.52
2:A:732:LYS:HZ3	2:A:740:VAL:HG13	1.74	0.52
2:A:370:VAL:HG12	2:A:375:ASP:HB2	1.92	0.52
2:A:353:LEU:HD13	2:A:565:LEU:HD22	1.92	0.51
2:A:188:MET:HG2	2:A:210:PHE:CE2	2.46	0.51
2:A:188:MET:HG2	2:A:210:PHE:HE2	1.76	0.51
2:A:269:ARG:CG	2:A:271:LYS:O	2.58	0.51
2:A:188:MET:HE3	2:A:210:PHE:CE2	2.46	0.51
2:A:583:ASP:OD1	2:A:585:LYS:NZ	2.43	0.51
2:A:180:GLN:HA	2:A:339:GLY:HA2	1.92	0.50
1:B:370:TYR:HD1	2:A:455:ILE:HG22	1.76	0.50
2:A:235:LEU:CD2	2:A:246:THR:HG22	2.42	0.50
2:A:297:LEU:HB2	2:A:304:VAL:HG21	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:370:TYR:HE1	2:A:456:LYS:HB2	1.76	0.50
1:B:369:PRO:HB2	1:B:370:TYR:CD2	2.47	0.50
2:A:754:ASP:OD1	2:A:755:PRO:CD	2.53	0.50
2:A:471:PRO:O	2:A:471:PRO:HG2	2.10	0.50
2:A:333:VAL:CG1	2:A:565:LEU:O	2.60	0.49
2:A:742:GLN:CA	2:A:742:GLN:NE2	2.72	0.49
2:A:259:HIS:ND1	2:A:259:HIS:N	2.60	0.49
2:A:695:TRP:CE3	2:A:697:LEU:HD11	2.47	0.49
2:A:350:ASN:ND2	2:A:350:ASN:C	2.70	0.49
2:A:533:PHE:O	2:A:537:GLU:HG3	2.12	0.49
1:B:355:THR:HG21	2:A:442:LYS:HE3	1.93	0.49
2:A:826:ALA:O	2:A:830:LEU:HB2	2.12	0.49
2:A:258:ARG:HG2	2:A:258:ARG:HH11	1.77	0.49
1:B:377:GLN:OE1	1:B:411:ASN:HB3	2.12	0.49
2:A:437:THR:HG22	2:A:508:LEU:CD2	2.31	0.49
1:B:393:GLN:NE2	2:A:474:ILE:HG23	2.27	0.48
2:A:312:ARG:HH11	2:A:312:ARG:CG	2.20	0.48
2:A:181:SER:OG	2:A:218:LEU:HD22	2.13	0.48
2:A:750:ARG:HB3	2:A:753:ALA:HB3	1.94	0.48
2:A:801:GLU:HG2	2:A:809:ALA:H	1.77	0.48
1:B:418:LYS:O	1:B:421:PHE:N	2.46	0.48
2:A:320:PHE:CD1	2:A:747:VAL:HG21	2.49	0.48
2:A:741:PRO:O	2:A:741:PRO:HG2	2.13	0.48
2:A:773:TYR:CE1	2:A:808:PRO:HB3	2.48	0.48
2:A:601:GLU:HA	2:A:616:TYR:O	2.14	0.48
1:B:369:PRO:HB2	1:B:370:TYR:HD2	1.77	0.48
2:A:405:PRO:O	2:A:405:PRO:HG2	2.12	0.48
2:A:432:LYS:HA	2:A:435:VAL:HG22	1.95	0.48
2:A:548:SER:O	2:A:552:TRP:HB3	2.13	0.48
1:B:397:LYS:HD3	1:B:398:TYR:CE2	2.49	0.47
2:A:321:ARG:HG2	2:A:326:VAL:HG22	1.95	0.47
2:A:354:ALA:CB	2:A:568:ARG:HD2	2.44	0.47
2:A:444:LEU:HD22	2:A:500:THR:HG22	1.96	0.47
2:A:665:CYS:O	2:A:744:LYS:N	2.44	0.47
2:A:793:ILE:HG23	2:A:828:GLN:NE2	2.30	0.47
1:B:367:ILE:HD13	2:A:494:TYR:CD2	2.50	0.47
1:B:371:ARG:HH21	2:A:495:ASP:CG	2.20	0.46
2:A:257:GLU:HG3	2:A:263:ASN:HD22	1.81	0.46
2:A:732:LYS:HG2	2:A:740:VAL:CG1	2.46	0.46
2:A:286:SER:OG	2:A:313:VAL:HG12	2.14	0.46
2:A:540:ASN:HB3	2:A:547:LEU:HD21	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:392:LEU:HD23	2:A:398:PHE:CD2	2.50	0.46
1:B:370:TYR:CD1	2:A:455:ILE:HG22	2.51	0.46
1:B:399:GLY:HA2	1:B:437:TRP:CD2	2.50	0.46
2:A:592:GLN:HB3	2:A:603:ILE:HD12	1.98	0.45
1:B:381:ALA:HA	1:B:416:GLN:NE2	2.31	0.45
2:A:247:VAL:O	2:A:251:ARG:HB2	2.16	0.45
2:A:734:ILE:N	2:A:734:ILE:CD1	2.80	0.45
1:B:395:ILE:HG22	1:B:433:VAL:HG12	1.97	0.45
1:B:415:VAL:HA	1:B:418:LYS:CG	2.46	0.45
2:A:345:VAL:C	2:A:348:GLN:CB	2.74	0.45
2:A:658:ASN:ND2	2:A:752:ARG:HB2	2.31	0.45
2:A:282:ILE:HG21	2:A:602:VAL:HG21	1.98	0.45
2:A:574:VAL:HB	2:A:575:PRO:HD3	1.98	0.45
1:B:394:ALA:O	1:B:398:TYR:N	2.50	0.44
2:A:695:TRP:HE1	2:A:706:LEU:HD13	1.82	0.44
1:B:356:ASN:HD21	2:A:442:LYS:N	2.14	0.44
1:B:419:ASN:N	1:B:419:ASN:ND2	2.60	0.44
2:A:383:ASN:O	2:A:387:GLU:HG3	2.18	0.44
1:B:400:ARG:HH11	1:B:400:ARG:CG	2.30	0.44
2:A:266:ILE:O	2:A:348:GLN:NE2	2.50	0.44
2:A:311:ASP:OD1	2:A:311:ASP:N	2.47	0.44
2:A:345:VAL:CA	2:A:348:GLN:HG3	2.44	0.44
2:A:354:ALA:HB2	2:A:568:ARG:HD2	1.98	0.44
3:A:901:YAO:O7	3:A:901:YAO:O5	2.35	0.44
2:A:295:ARG:HA	2:A:295:ARG:HD3	1.77	0.44
2:A:386:LEU:HA	2:A:386:LEU:HD23	1.66	0.44
2:A:659:LEU:HG	2:A:659:LEU:O	2.17	0.44
2:A:361:PRO:HB2	2:A:363:TYR:CE1	2.52	0.44
2:A:661:LYS:HE3	2:A:661:LYS:HB3	1.40	0.44
1:B:415:VAL:HA	1:B:418:LYS:HD3	2.00	0.44
2:A:294:ALA:HA	2:A:304:VAL:HG11	2.00	0.44
2:A:541:ALA:O	2:A:657:GLY:HA3	2.17	0.43
2:A:319:THR:CB	2:A:572:SER:HB3	2.48	0.43
2:A:333:VAL:HG12	2:A:565:LEU:O	2.18	0.43
2:A:501:GLN:O	2:A:505:GLU:HG3	2.19	0.43
2:A:238:LEU:HB3	2:A:243:ASN:HB3	1.99	0.43
2:A:198:ASP:OD1	2:A:251:ARG:NH2	2.51	0.43
2:A:205:GLN:O	2:A:209:VAL:HG23	2.19	0.43
2:A:329:LEU:HD11	2:A:747:VAL:HG11	2.00	0.43
2:A:437:THR:HG21	2:A:508:LEU:HD23	1.97	0.43
2:A:465:ALA:HB2	2:A:479:LEU:HD23	1.98	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:566:THR:HG21	2:A:697:LEU:HD22	2.01	0.43
2:A:734:ILE:O	2:A:734:ILE:HG22	2.17	0.43
2:A:258:ARG:HA	2:A:258:ARG:HD3	1.48	0.43
2:A:344:VAL:O	2:A:348:GLN:HB2	2.18	0.43
2:A:526:ARG:O	2:A:526:ARG:HG3	2.17	0.43
2:A:222:LEU:HD23	2:A:222:LEU:HA	1.87	0.43
1:B:368:GLU:N	1:B:369:PRO:CD	2.82	0.42
2:A:248:LEU:HD12	2:A:248:LEU:HA	1.80	0.42
2:A:654:MET:HE2	2:A:654:MET:HB3	1.86	0.42
2:A:657:GLY:HA2	2:A:752:ARG:HH22	1.84	0.42
2:A:742:GLN:HG3	2:A:743:PRO:HD2	2.02	0.42
1:B:315:PHE:CD1	2:A:422:HIS:CE1	3.07	0.42
1:B:372:LEU:HD13	2:A:484:HIS:ND1	2.34	0.42
2:A:720:ASP:C	2:A:724:VAL:HG23	2.35	0.42
1:B:316:LEU:HD22	2:A:392:LEU:HD11	2.02	0.42
2:A:563:SER:O	2:A:565:LEU:HD12	2.20	0.42
2:A:260:GLY:O	2:A:264:PHE:CD2	2.73	0.41
1:B:368:GLU:CD	1:B:371:ARG:HH11	2.28	0.41
2:A:465:ALA:CB	2:A:479:LEU:HD23	2.50	0.41
2:A:659:LEU:O	2:A:659:LEU:CG	2.69	0.41
1:B:427:ARG:H	1:B:427:ARG:HG2	1.48	0.41
1:B:399:GLY:HA3	1:B:437:TRP:CZ2	2.55	0.41
2:A:308:GLU:HB3	2:A:586:LEU:HD23	2.02	0.41
2:A:732:LYS:NZ	2:A:740:VAL:HG13	2.36	0.41
2:A:740:VAL:O	2:A:740:VAL:CG1	2.68	0.41
3:A:901:YAO:O2	3:A:901:YAO:C15	2.68	0.41
2:A:342:MET:HE2	2:A:571:TYR:OH	2.21	0.40
2:A:229:LEU:HD12	2:A:229:LEU:HA	1.90	0.40
2:A:790:PRO:O	2:A:790:PRO:HG2	2.22	0.40
2:A:791:GLN:HA	2:A:792:PRO:HD3	1.73	0.40
2:A:366:ASN:OD1	2:A:368:GLN:N	2.54	0.40
1:B:337:GLN:CA	1:B:337:GLN:NE2	2.72	0.40
2:A:392:LEU:HD23	2:A:398:PHE:HD2	1.87	0.40
2:A:594:ARG:HA	2:A:640:VAL:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	131/144 (91%)	123 (94%)	8 (6%)	0	100	100
2	A	664/871 (76%)	635 (96%)	29 (4%)	0	100	100
All	All	795/1015 (78%)	758 (95%)	37 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	117/125 (94%)	99 (85%)	18 (15%)	2	12
2	A	566/715 (79%)	526 (93%)	40 (7%)	13	39
All	All	683/840 (81%)	625 (92%)	58 (8%)	10	32

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	317	SER
1	B	318	GLN
1	B	332	THR
1	B	333	THR
1	B	334	VAL
1	B	335	LEU
1	B	337	GLN
1	B	363	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	364	ASP
1	B	368	GLU
1	B	370	TYR
1	B	371	ARG
1	B	397	LYS
1	B	418	LYS
1	B	419	ASN
1	B	427	ARG
1	B	430	ILE
1	B	438	GLU
2	A	246	THR
2	A	251	ARG
2	A	258	ARG
2	A	275	THR
2	A	276	LYS
2	A	313	VAL
2	A	333	VAL
2	A	335	THR
2	A	347	LYS
2	A	348	GLN
2	A	349	VAL
2	A	350	ASN
2	A	352	GLU
2	A	370	VAL
2	A	372	LYS
2	A	374	LYS
2	A	404	LYS
2	A	471	PRO
2	A	472	ARG
2	A	479	LEU
2	A	480	VAL
2	A	504	LEU
2	A	508	LEU
2	A	509	GLN
2	A	524	ARG
2	A	526	ARG
2	A	528	ILE
2	A	659	LEU
2	A	661	LYS
2	A	723	ILE
2	A	724	VAL
2	A	730	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	A	742	GLN
2	A	780	ILE
2	A	785	SER
2	A	786	ILE
2	A	791	GLN
2	A	801	GLU
2	A	830	LEU
2	A	835	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	337	GLN
1	B	419	ASN
1	B	423	ASN
2	A	204	GLN
2	A	348	GLN
2	A	350	ASN
2	A	399	ASN
2	A	402	ASN
2	A	417	GLN
2	A	509	GLN
2	A	551	HIS
2	A	680	HIS
2	A	742	GLN
2	A	791	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	YAO	A	901	-	77,80,80	1.98	20 (25%)	105,123,123	1.48	15 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	YAO	A	901	-	-	13/46/114/114	0/8/9/9

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	901	YAO	P2-O11	-6.50	1.52	1.59
3	A	901	YAO	P1-O11	-6.01	1.53	1.59
3	A	901	YAO	C37-N6	-4.76	1.29	1.37
3	A	901	YAO	O5-C30	-4.75	1.33	1.43
3	A	901	YAO	C5-N1	-4.03	1.34	1.41
3	A	901	YAO	C26-N3	-3.68	1.31	1.37
3	A	901	YAO	C27-N4	-3.60	1.28	1.36
3	A	901	YAO	C29-C30	-3.31	1.48	1.52
3	A	901	YAO	C36-N6	-3.31	1.37	1.46
3	A	901	YAO	C9-N1	-3.24	1.41	1.46
3	A	901	YAO	C5-C4	-3.11	1.35	1.41
3	A	901	YAO	C28-N5	-2.75	1.31	1.38
3	A	901	YAO	O6-C31	-2.54	1.36	1.43
3	A	901	YAO	P1-O9	-2.45	1.44	1.55
3	A	901	YAO	O4-C27	-2.42	1.19	1.24
3	A	901	YAO	P2-O12	-2.38	1.44	1.55
3	A	901	YAO	C3-C2	-2.37	1.36	1.39
3	A	901	YAO	C6-C7	-2.21	1.36	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	901	YAO	C38-C41	-2.15	1.35	1.39
3	A	901	YAO	C27-N3	-2.14	1.34	1.39

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	901	YAO	C25-C11-C12	6.63	126.37	116.08
3	A	901	YAO	C5-N1-C9	-5.78	110.67	123.92
3	A	901	YAO	C11-C10-C9	-4.39	95.39	104.25
3	A	901	YAO	C26-C25-C28	-3.48	107.22	113.40
3	A	901	YAO	C26-N3-C27	-3.33	120.40	125.42
3	A	901	YAO	C25-N1-C9	-2.76	106.73	109.50
3	A	901	YAO	C43-C42-C36	-2.70	96.35	101.46
3	A	901	YAO	O8-C33-C32	2.68	116.53	109.36
3	A	901	YAO	O6-C31-C30	-2.66	102.89	108.93
3	A	901	YAO	O15-C36-C42	-2.57	101.11	106.62
3	A	901	YAO	C13-C12-C11	-2.46	116.16	121.07
3	A	901	YAO	C42-C43-C35	-2.22	98.32	102.61
3	A	901	YAO	O4-C27-N4	-2.08	118.34	121.80
3	A	901	YAO	N3-C27-N4	2.06	123.87	119.50
3	A	901	YAO	O6-C31-C32	-2.00	104.38	108.93

There are no chirality outliers.

All (13) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	901	YAO	O6-C31-C32-C33
3	A	901	YAO	O6-C31-C32-O7
3	A	901	YAO	C34-O14-P2-O11
3	A	901	YAO	C34-O14-P2-O13
3	A	901	YAO	O14-C34-C35-C43
3	A	901	YAO	O14-C34-C35-O15
3	A	901	YAO	C30-C31-C32-C33
3	A	901	YAO	C30-C31-C32-O7
3	A	901	YAO	P2-O11-P1-O8
3	A	901	YAO	P1-O11-P2-O13
3	A	901	YAO	C34-O14-P2-O12
3	A	901	YAO	P1-O11-P2-O12
3	A	901	YAO	C42-C36-N6-C37

There are no ring outliers.

1 monomer is involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	901	YAO	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	133/144 (92%)	0.33	3 (2%) 61 41	89, 121, 143, 157	0
2	A	666/871 (76%)	-0.03	8 (1%) 76 58	58, 95, 127, 152	0
All	All	799/1015 (78%)	0.03	11 (1%) 73 54	58, 100, 132, 157	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	A	171	PRO	4.5
2	A	836	LEU	3.7
1	B	374	GLU	2.7
1	B	337	GLN	2.6
2	A	377	MET	2.5
2	A	275	THR	2.5
2	A	833	MET	2.3
2	A	785	SER	2.2
2	A	685	THR	2.1
2	A	683	SER	2.0
1	B	376	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	YAO	A	901	72/72	0.93	0.13	63,78,110,118	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.