



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:02 AM UTC

PDB ID : 3UOZ / pdb_00003uoz
Title : Crystal Structure of OTEMO complex with FAD and NADP (form 2)
Authors : Shi, R.; Matte, A.; Cygler, M.; Lau, P.
Deposited on : 2011-11-17
Resolution : 2.41 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	545	
1	B	545	

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 9041 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called OTEMO.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	540	Total	C	N	O	S	0	1	0
			4297	2729	742	811	15			
1	B	540	Total	C	N	O	S	0	3	0
			4299	2727	743	814	15			

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 48	C 21	N 7	O 17	P 3	0	0
3	B	1	Total 48	C 21	N 7	O 17	P 3	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	102	Total O 102 102	0	0
4	B	141	Total O 141 141	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: OTEMO



• Molecule 1: OTEMO



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	66.76Å 95.18Å 93.13Å 90.00° 101.82° 90.00°	Depositor
Resolution (Å)	48.61 – 2.41 48.61 – 2.41	Depositor EDS
% Data completeness (in resolution range)	95.0 (48.61-2.41) 95.0 (48.61-2.41)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.81 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.196 , 0.247 0.196 , 0.246	Depositor DCC
R_{free} test set	2126 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	26.8	Xtriage
Anisotropy	0.150	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 33.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	9041	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.82	2/4411 (0.0%)	1.03	11/5993 (0.2%)
1	B	0.91	1/4414 (0.0%)	1.03	14/5996 (0.2%)
All	All	0.87	3/8825 (0.0%)	1.03	25/11989 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	118	VAL	CA-CB	6.77	1.60	1.53
1	A	435	VAL	CA-CB	6.70	1.63	1.54
1	B	392	VAL	CA-CB	5.64	1.62	1.54

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	241	TYR	CA-C-N	-9.77	108.84	119.19
1	A	241	TYR	C-N-CA	-9.77	108.84	119.19
1	A	147	SER	N-CA-C	-7.66	98.88	110.14
1	B	241	TYR	CA-C-N	-7.23	111.52	119.19
1	B	241	TYR	C-N-CA	-7.23	111.52	119.19
1	A	435	VAL	CB-CA-C	7.14	122.99	111.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	147	SER	N-CA-C	-7.10	98.64	109.85
1	A	227	SER	CA-C-N	-6.61	113.86	120.21
1	A	227	SER	C-N-CA	-6.61	113.86	120.21
1	B	338	VAL	CA-C-N	-6.57	113.19	119.76
1	B	338	VAL	C-N-CA	-6.57	113.19	119.76
1	A	519	VAL	N-CA-C	6.21	117.03	107.78
1	B	416	GLY	CA-C-N	-5.97	113.82	119.85
1	B	416	GLY	C-N-CA	-5.97	113.82	119.85
1	B	353	VAL	N-CA-C	5.67	116.17	107.77
1	B	142	ALA	N-CA-C	-5.57	103.76	110.44
1	B	376	ALA	N-CA-C	5.46	117.56	108.99
1	A	329	LYS	CA-C-N	5.24	127.61	120.54
1	A	329	LYS	C-N-CA	5.24	127.61	120.54
1	B	500	ALA	N-CA-C	5.10	117.63	111.40
1	A	51	ASN	N-CA-C	5.08	117.53	107.98
1	B	441	SER	N-CA-C	5.08	117.20	111.11
1	B	201	ILE	CA-C-N	-5.06	114.40	119.56
1	B	201	ILE	C-N-CA	-5.06	114.40	119.56
1	A	334	GLY	N-CA-C	-5.03	108.31	115.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	165	PHE	Peptide
1	B	444	CYS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4297	0	4153	82	0
1	B	4299	0	4155	49	0
2	A	53	0	31	0	0
2	B	53	0	31	0	0
3	A	48	0	25	2	0
3	B	48	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	102	0	0	20	0
4	B	141	0	0	3	0
All	All	9041	0	8420	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:367:THR:HG22	1:A:369:GLU:H	1.39	0.86
1:B:166:HIS:HD2	1:B:168:SER:H	1.24	0.82
1:B:187:ARG:NH1	1:B:379:ASP:O	2.14	0.80
1:B:42:GLU:HG3	1:B:109:ASN:HD21	1.48	0.79
1:B:27:LEU:HB3	1:B:458:LEU:HD22	1.66	0.77
1:B:424:GLN:HE21	1:B:474:PRO:HD3	1.50	0.77
1:A:318:LYS:HE2	4:A:623:HOH:O	1.85	0.75
1:B:94:ASN:HD22	1:B:103:ARG:HH21	1.35	0.73
1:B:166:HIS:CD2	1:B:168:SER:H	2.06	0.73
1:A:520:HIS:HE2	1:A:522:SER:HG	1.34	0.72
1:A:438:HIS:HE1	4:A:557:HOH:O	1.73	0.72
1:B:24:GLN:HE21	1:B:434:LEU:HD11	1.57	0.69
1:A:410:ILE:HG23	4:A:643:HOH:O	1.93	0.69
1:A:424:GLN:HE21	1:A:474:PRO:HD3	1.57	0.69
1:A:147:SER:O	1:A:148:ALA:HB3	1.92	0.68
1:A:438:HIS:HA	1:A:520:HIS:HB2	1.75	0.68
1:A:437:PRO:O	1:A:439:ASN:N	2.26	0.68
1:A:358:ILE:HD12	1:A:363:ILE:HD11	1.77	0.67
1:A:24:GLN:HE21	1:A:434:LEU:HD11	1.59	0.66
1:A:111:ARG:HD3	4:A:555:HOH:O	1.94	0.66
1:B:150:ARG:NH1	1:B:387:THR:O	2.29	0.66
1:A:508:LYS:HB3	1:A:509:PRO:CD	2.26	0.66
1:A:220:TRP:CE2	1:A:328:PRO:HG2	2.31	0.65
1:A:145:PRO:HD3	1:A:435:VAL:HG22	1.77	0.64
1:A:94:ASN:HD22	1:A:103:ARG:HH21	1.45	0.64
1:A:370:GLY:HA3	1:A:378:TYR:O	1.97	0.64
1:A:507:THR:HG23	4:A:582:HOH:O	1.98	0.63
1:A:410:ILE:HG12	4:A:643:HOH:O	1.98	0.63
1:B:147:SER:O	1:B:148:ALA:HB3	1.99	0.63
1:A:508:LYS:HB3	1:A:509:PRO:HD2	1.80	0.63
1:A:439:ASN:HB2	1:A:453:GLN:HE22	1.65	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:166:HIS:HD2	1:A:168:SER:H	1.46	0.62
1:A:214:PHE:HB3	1:A:358:ILE:HD13	1.83	0.60
1:A:166:HIS:CD2	1:A:168:SER:H	2.20	0.59
1:A:520:HIS:NE2	1:A:522:SER:OG	2.32	0.59
1:A:520:HIS:CE1	1:A:522:SER:HG	2.21	0.58
1:B:519:VAL:HG23	4:B:580:HOH:O	2.04	0.58
1:B:332:PRO:HG2	1:B:335:ALA:HB2	1.86	0.57
1:B:529:LYS:O	1:B:533:GLN:HG3	2.04	0.57
1:A:217:THR:CG2	1:A:359:ARG:HH22	2.18	0.57
1:A:152:PRO:HB2	1:A:154:ILE:HG12	1.86	0.56
1:B:170:TRP:CD1	1:B:171:PRO:HD2	2.41	0.56
1:A:166:HIS:HA	1:A:385:TYR:HB2	1.87	0.55
1:B:222:THR:HB	1:B:223:PRO:HD2	1.89	0.55
1:A:436:GLY:O	1:A:439:ASN:ND2	2.39	0.54
1:B:96:ALA:HB1	1:B:100:MET:HE3	1.90	0.54
1:A:27:LEU:HB3	1:A:458:LEU:HG	1.90	0.53
1:B:319:ASP:OD1	1:B:319:ASP:C	2.51	0.53
1:A:439:ASN:HB3	4:A:595:HOH:O	2.08	0.52
1:B:510:ASP:CG	1:B:511:GLY:H	2.18	0.52
1:A:324:GLU:O	1:A:329:LYS:NZ	2.43	0.51
1:A:163:GLU:HB3	4:A:592:HOH:O	2.09	0.51
1:B:367:THR:HB	1:B:368:PRO:HD2	1.93	0.51
1:A:438:HIS:CE1	4:A:557:HOH:O	2.57	0.50
1:A:45:GLY:HA2	1:A:93:VAL:HG11	1.92	0.50
1:A:147:SER:O	1:A:148:ALA:CB	2.56	0.50
1:A:148:ALA:HB1	1:A:398:ARG:HE	1.76	0.50
1:A:63:TYR:HA	4:A:569:HOH:O	2.11	0.50
1:A:410:ILE:CG2	4:A:643:HOH:O	2.57	0.50
1:A:159:SER:O	1:A:160:PHE:C	2.55	0.50
1:A:164:SER:HB2	4:A:621:HOH:O	2.10	0.50
1:B:175:GLU:H	1:B:175:GLU:CD	2.20	0.49
1:A:217:THR:OG1	3:A:552:NAP:O2X	2.31	0.49
1:A:79:TRP:HB2	1:A:229:MET:HE3	1.94	0.49
1:A:164:SER:CB	4:A:621:HOH:O	2.59	0.49
1:B:246:GLU:HG2	4:B:629:HOH:O	2.12	0.49
1:B:147:SER:O	1:B:148:ALA:CB	2.61	0.49
1:A:438:HIS:CA	1:A:520:HIS:HB2	2.42	0.49
1:B:508:LYS:HB3	1:B:509:PRO:HD2	1.94	0.49
1:A:152:PRO:HB2	1:A:154:ILE:CG1	2.41	0.49
1:B:496:ALA:O	1:B:498:ALA:N	2.46	0.49
1:A:145:PRO:O	1:A:392:VAL:N	2.46	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:79:TRP:HB2	1:B:229:MET:HE3	1.95	0.48
1:A:240:ARG:NH2	1:B:536:TYR:O	2.47	0.48
1:B:152:PRO:HB2	1:B:154:ILE:HG12	1.95	0.48
1:A:145:PRO:HD2	4:A:604:HOH:O	2.14	0.47
1:B:372:LYS:HD3	1:B:373:THR:O	2.14	0.47
1:A:38:ILE:HG21	1:A:112:VAL:HG23	1.96	0.47
1:A:439:ASN:CB	4:A:595:HOH:O	2.62	0.47
1:B:24:GLN:NE2	1:B:434:LEU:HD11	2.26	0.46
3:A:552:NAP:H2N	4:A:570:HOH:O	2.14	0.46
1:B:417:PRO:HD3	1:B:518:LEU:HD22	1.96	0.46
1:A:410:ILE:HG13	4:A:550:HOH:O	2.15	0.46
1:B:94:ASN:ND2	1:B:103:ARG:HH21	2.08	0.45
1:A:37:GLY:O	1:A:106:TYR:HA	2.16	0.45
1:A:437:PRO:C	1:A:439:ASN:N	2.75	0.45
1:A:437:PRO:O	1:A:438:HIS:C	2.59	0.45
1:B:267:VAL:HG13	1:B:271:GLU:HB2	1.98	0.45
1:B:71:LYS:HA	1:B:71:LYS:HD2	1.78	0.44
1:A:222:THR:O	1:A:340:MET:HA	2.17	0.44
1:B:107:ARG:NH2	1:B:132:GLU:OE1	2.51	0.44
1:B:53:TYR:CZ	1:B:196:THR:HG23	2.53	0.44
1:B:98:ASP:OD1	1:B:103:ARG:NH1	2.42	0.44
1:A:282:GLN:HG3	4:A:619:HOH:O	2.18	0.43
1:A:72:GLY:C	1:A:75:PRO:HD3	2.44	0.43
1:A:119:GLU:HG3	4:A:549:HOH:O	2.18	0.43
1:A:62:SER:HB3	1:A:79:TRP:CD2	2.54	0.43
1:B:487:TYR:OH	1:B:515:ARG:HD3	2.19	0.43
1:A:220:TRP:O	1:A:338:VAL:HG13	2.19	0.43
1:B:83:PHE:CG	1:B:224:LEU:HD11	2.54	0.43
1:A:187:ARG:NH1	1:A:379:ASP:O	2.44	0.43
1:A:152:PRO:HD3	1:A:387:THR:OG1	2.19	0.42
1:B:51:ASN:O	1:B:86:GLN:HG3	2.19	0.42
1:B:62:SER:HB3	1:B:79:TRP:CD2	2.55	0.42
1:A:96:ALA:O	1:A:100:MET:HG3	2.19	0.42
1:B:63:TYR:HA	4:B:566:HOH:O	2.18	0.42
1:A:363:ILE:HG23	1:A:371:ILE:HG23	2.02	0.42
1:B:15:ILE:HD11	1:B:139:LEU:HD11	2.01	0.42
1:A:358:ILE:O	1:A:362:PRO:HA	2.20	0.42
1:A:438:HIS:C	1:A:520:HIS:HB2	2.44	0.41
1:A:234:MET:HE1	1:A:241:TYR:OH	2.19	0.41
1:A:298:ASN:HB3	1:A:301:SER:HB3	2.02	0.41
1:A:224:LEU:HD13	1:A:340:MET:HE3	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:36:LEU:HD11	1:B:107:ARG:HD3	2.02	0.41
1:A:255:PHE:CE1	1:A:285:TYR:HD2	2.39	0.41
1:A:301:SER:HA	1:A:304:PHE:CD2	2.56	0.41
1:A:42:GLU:HG2	1:A:109:ASN:HD21	1.86	0.41
1:B:341:GLU:HB2	1:B:344:TYR:HB2	2.01	0.41
1:B:152:PRO:HG3	1:B:387:THR:HG21	2.00	0.41
1:A:369:GLU:HG3	4:A:558:HOH:O	2.20	0.41
1:A:471:TYR:OH	1:A:473:GLU:OE1	2.39	0.41
1:B:483:THR:CG2	1:B:516:ARG:HG2	2.51	0.41
1:A:424:GLN:NE2	1:A:474:PRO:HD3	2.30	0.41
1:B:123:LEU:HD12	1:B:123:LEU:C	2.46	0.40
1:A:177:ALA:HA	1:A:178:PRO:HD2	1.86	0.40
1:A:520:HIS:CE1	1:A:522:SER:OG	2.73	0.40
1:B:222:THR:O	1:B:340:MET:HA	2.22	0.40
1:A:222:THR:HB	1:A:223:PRO:HD2	2.02	0.40
1:B:438:HIS:NE2	1:B:517:THR:O	2.43	0.40
1:A:17:ALA:HB2	1:A:106:TYR:CE2	2.57	0.40
1:A:123:LEU:HD12	1:A:123:LEU:C	2.45	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	539/545 (99%)	513 (95%)	22 (4%)	4 (1%)	18	28
1	B	541/545 (99%)	503 (93%)	32 (6%)	6 (1%)	11	18
All	All	1080/1090 (99%)	1016 (94%)	54 (5%)	10 (1%)	14	22

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	438	HIS
1	B	497	GLU
1	B	498	ALA
1	A	392	VAL
1	A	508	LYS
1	B	496	ALA
1	B	148	ALA
1	B	104	LYS
1	A	148	ALA
1	B	510	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	450/454 (99%)	427 (95%)	23 (5%)	21	37
1	B	451/454 (99%)	430 (95%)	21 (5%)	23	41
All	All	901/908 (99%)	857 (95%)	44 (5%)	22	39

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	SER
1	A	38	ILE
1	A	216	ARG
1	A	217	THR
1	A	229	MET
1	A	240	ARG
1	A	259	ARG
1	A	270	SER
1	A	273	ASP
1	A	296	LEU
1	A	299	LYS
1	A	318	LYS
1	A	359	ARG
1	A	363	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	364	GLN
1	A	367	THR
1	A	390	ASP
1	A	392	VAL
1	A	435	VAL
1	A	439	ASN
1	A	444	CYS
1	A	504	LYS
1	A	518	LEU
1	B	10	LEU
1	B	102	VAL
1	B	107	ARG
1	B	122	ARG
1	B	131	GLU
1	B	161	LYS
1	B	175	GLU
1	B	181	VAL
1	B	229	MET
1	B	267	VAL
1	B	285	TYR
1	B	318	LYS
1	B	325	LYS
1	B	390	ASP
1	B	392	VAL
1	B	444	CYS
1	B	497	GLU
1	B	499	ASN
1	B	502	TRP
1	B	512	SER
1	B	518	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	GLN
1	A	82	ASN
1	A	94	ASN
1	A	109	ASN
1	A	166	HIS
1	A	315	GLN
1	A	331	HIS
1	A	406	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	424	GLN
1	A	438	HIS
1	A	453	GLN
1	A	499	ASN
1	B	24	GLN
1	B	51	ASN
1	B	82	ASN
1	B	94	ASN
1	B	109	ASN
1	B	166	HIS
1	B	315	GLN
1	B	406	ASN
1	B	424	GLN
1	B	467	ASN
1	B	499	ASN
1	B	520	HIS
1	B	538	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	B	551	-	58,58,58	1.28	7 (12%)	85,89,89	1.70	18 (21%)
3	NAP	B	552	-	50,52,52	1.85	8 (16%)	71,80,80	1.61	13 (18%)
3	NAP	A	552	-	50,52,52	1.70	5 (10%)	71,80,80	1.58	9 (12%)
2	FAD	A	551	-	58,58,58	1.23	7 (12%)	85,89,89	1.70	17 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	B	551	-	-	5/34/50/50	0/6/6/6
3	NAP	B	552	-	-	8/35/67/67	0/5/5/5
3	NAP	A	552	-	-	10/35/67/67	0/5/5/5
2	FAD	A	551	-	-	2/34/50/50	0/6/6/6

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	552	NAP	O7N-C7N	9.63	1.42	1.24
3	A	552	NAP	O7N-C7N	9.12	1.41	1.24
2	A	551	FAD	C4X-N5	4.16	1.39	1.30
2	B	551	FAD	C4X-N5	4.04	1.39	1.30
2	B	551	FAD	C2A-N1A	3.53	1.40	1.33
3	B	552	NAP	C2N-N1N	3.40	1.38	1.35
3	A	552	NAP	C2A-N3A	3.18	1.39	1.33
2	A	551	FAD	C2A-N1A	3.08	1.39	1.33
3	A	552	NAP	C2A-N1A	3.00	1.39	1.33
3	A	552	NAP	C2N-N1N	2.79	1.38	1.35
2	A	551	FAD	PA-O3P	2.77	1.62	1.59
3	B	552	NAP	C5A-N7A	-2.57	1.34	1.39
2	B	551	FAD	C8A-N7A	2.55	1.36	1.31
2	A	551	FAD	C2A-N3A	2.55	1.38	1.33
3	B	552	NAP	C2A-N1A	2.51	1.38	1.33
3	B	552	NAP	C2A-N3A	2.37	1.38	1.33
2	A	551	FAD	C5A-N7A	-2.36	1.34	1.39
2	B	551	FAD	C2A-N3A	2.36	1.38	1.33
2	A	551	FAD	P-O3P	2.34	1.62	1.59
3	B	552	NAP	PA-O3	2.34	1.62	1.59
3	B	552	NAP	PA-O2A	-2.33	1.44	1.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	552	NAP	PN-O3	2.29	1.62	1.59
3	B	552	NAP	PN-O3	2.28	1.62	1.59
2	A	551	FAD	C10-N1	2.23	1.37	1.33
2	B	551	FAD	C10-N1	2.22	1.37	1.33
2	B	551	FAD	P-O3P	2.21	1.61	1.59
2	B	551	FAD	PA-O3P	2.05	1.61	1.59

All (57) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	551	FAD	N3A-C2A-N1A	-5.87	119.70	128.58
3	A	552	NAP	N3A-C2A-N1A	-5.62	120.07	128.58
2	B	551	FAD	N3A-C2A-N1A	-5.61	120.09	128.58
3	B	552	NAP	N3A-C2A-N1A	-5.36	120.47	128.58
3	A	552	NAP	C5A-C4A-N3A	-4.68	120.27	126.72
3	B	552	NAP	N9A-C8A-N7A	-4.28	107.87	113.94
2	A	551	FAD	C5A-C4A-N3A	-4.18	120.96	126.72
3	B	552	NAP	C5A-C4A-N3A	-4.10	121.07	126.72
2	B	551	FAD	C5A-C4A-N3A	-4.04	121.16	126.72
3	A	552	NAP	N9A-C8A-N7A	-3.90	108.40	113.94
2	B	551	FAD	N9A-C8A-N7A	-3.69	108.70	113.94
3	B	552	NAP	C5A-N7A-C8A	3.64	109.17	103.45
3	A	552	NAP	C5A-N7A-C8A	3.53	109.00	103.45
2	B	551	FAD	C4X-C10-N10	3.50	121.49	116.48
2	A	551	FAD	N9A-C8A-N7A	-3.49	108.98	113.94
3	A	552	NAP	C2A-N3A-C4A	3.46	120.27	111.83
2	A	551	FAD	C2A-N3A-C4A	3.44	120.23	111.83
3	A	552	NAP	C2B-C1B-N9A	-3.40	108.16	113.75
2	A	551	FAD	C5X-C9A-N10	3.29	120.94	117.97
3	B	552	NAP	C2B-C1B-N9A	-3.29	108.33	113.75
2	A	551	FAD	O3P-PA-O1A	-3.26	100.90	110.70
2	A	551	FAD	O2A-PA-O3P	3.26	116.08	107.27
2	B	551	FAD	C2A-N3A-C4A	3.22	119.71	111.83
2	B	551	FAD	C5A-N7A-C8A	3.20	108.48	103.45
2	A	551	FAD	C5A-N7A-C8A	3.20	108.47	103.45
3	B	552	NAP	C2A-N3A-C4A	3.15	119.52	111.83
2	B	551	FAD	C4-C4X-N5	3.12	122.52	118.21
2	B	551	FAD	C4'-C3'-C2'	3.07	118.68	113.57
2	A	551	FAD	C4-N3-C2	-3.06	120.21	125.64
2	B	551	FAD	C10-C4X-N5	-3.04	118.60	124.81
2	A	551	FAD	O5'-C5'-C4'	-3.02	101.31	109.36
3	A	552	NAP	N3A-C4A-N9A	2.99	132.26	127.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	551	FAD	C4-N3-C2	-2.95	120.40	125.64
2	A	551	FAD	C9A-C5X-N5	-2.93	119.35	122.45
2	B	551	FAD	C9A-C5X-N5	-2.86	119.42	122.45
3	B	552	NAP	N3A-C4A-N9A	2.85	132.02	127.17
2	A	551	FAD	N3A-C4A-N9A	2.80	131.93	127.17
2	B	551	FAD	O3'-C3'-C4'	-2.77	102.64	108.93
3	A	552	NAP	C3N-C7N-N7N	2.72	121.09	117.74
3	A	552	NAP	C4A-C5A-N7A	-2.71	107.48	110.58
2	B	551	FAD	C4X-C4-N3	2.57	119.80	113.25
2	B	551	FAD	N3A-C4A-N9A	2.55	131.50	127.17
3	B	552	NAP	C5N-C4N-C3N	-2.52	117.89	120.36
3	B	552	NAP	C4A-C5A-N7A	-2.52	107.70	110.58
2	A	551	FAD	O4-C4-C4X	-2.49	119.95	126.53
3	B	552	NAP	C4A-N9A-C8A	2.48	108.34	105.74
2	B	551	FAD	C4A-C5A-N7A	-2.47	107.75	110.58
2	B	551	FAD	C1'-C2'-C3'	2.47	116.36	109.66
2	B	551	FAD	C10-N1-C2	2.46	122.18	116.85
2	A	551	FAD	C4X-C4-N3	2.39	119.34	113.25
3	B	552	NAP	C6N-N1N-C2N	-2.29	119.93	121.88
3	B	552	NAP	O2A-PA-O3	2.27	113.41	107.27
2	A	551	FAD	C10-C4X-N5	-2.25	120.21	124.81
2	A	551	FAD	C4A-C5A-N7A	-2.19	108.08	110.58
2	A	551	FAD	C4X-C10-N10	2.13	119.53	116.48
2	B	551	FAD	C5X-C9A-N10	2.07	119.84	117.97
3	B	552	NAP	O4B-C4B-C3B	2.02	109.17	105.15

There are no chirality outliers.

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	551	FAD	N10-C1'-C2'-O2'
2	A	551	FAD	N10-C1'-C2'-C3'
2	B	551	FAD	N10-C1'-C2'-O2'
2	B	551	FAD	N10-C1'-C2'-C3'
3	A	552	NAP	O4D-C1D-N1N-C2N
3	B	552	NAP	O4D-C1D-N1N-C6N
3	B	552	NAP	C4N-C3N-C7N-O7N
3	B	552	NAP	C4N-C3N-C7N-N7N
3	A	552	NAP	C4N-C3N-C7N-N7N
3	A	552	NAP	C4N-C3N-C7N-O7N
3	A	552	NAP	PN-O3-PA-O1A
3	A	552	NAP	C2N-C3N-C7N-N7N

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	552	NAP	C2N-C3N-C7N-O7N
2	B	551	FAD	PA-O3P-P-O5'
3	A	552	NAP	PA-O3-PN-O5D
3	A	552	NAP	C5B-O5B-PA-O1A
3	B	552	NAP	C2N-C3N-C7N-O7N
3	B	552	NAP	O4D-C1D-N1N-C2N
3	B	552	NAP	C2B-O2B-P2B-O1X
2	B	551	FAD	P-O3P-PA-O1A
3	B	552	NAP	C2N-C3N-C7N-N7N
3	B	552	NAP	O4B-C4B-C5B-O5B
2	B	551	FAD	O4B-C4B-C5B-O5B
3	A	552	NAP	C2B-O2B-P2B-O1X
3	A	552	NAP	PN-O3-PA-O2A


There are no ring outliers.


1 monomer is involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	552	NAP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	540/545 (99%)	0.03	13 (2%) 59 55	13, 27, 53, 62	1 (0%)
1	B	540/545 (99%)	-0.21	12 (2%) 62 58	9, 21, 42, 73	3 (0%)
All	All	1080/1090 (99%)	-0.09	25 (2%) 61 57	9, 24, 50, 73	4 (0%)

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	501	TRP	3.8
1	A	501	TRP	3.5
1	B	509	PRO	3.4
1	A	436	GLY	3.3
1	B	147	SER	2.9
1	B	507	THR	2.9
1	B	512	SER	2.8
1	A	165	PHE	2.6
1	A	175	GLU	2.6
1	B	502	TRP	2.4
1	B	497	GLU	2.4
1	A	509	PRO	2.3
1	A	176	GLY	2.3
1	A	522	SER	2.3
1	A	390	ASP	2.3
1	A	217	THR	2.3
1	A	148	ALA	2.2
1	B	513	VAL	2.1
1	A	152	PRO	2.1
1	B	508	LYS	2.1
1	B	176	GLY	2.1
1	B	180	GLY	2.1
1	A	177	ALA	2.1
1	B	174	ALA	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	518	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAP	A	552	48/48	0.95	0.08	22,28,40,42	0
2	FAD	B	551	53/53	0.97	0.06	11,15,18,19	0
2	FAD	A	551	53/53	0.97	0.06	13,17,22,23	0
3	NAP	B	552	48/48	0.97	0.06	16,19,24,28	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NAP A 552:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around FAD B 551:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD A 551:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP B 552:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.