Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:53 PM UTC

PDB ID	:	4UO5 / pdb_00004uo5
Title	:	Structure of the A_Canine_Colorado_17864_06 H3 haemagglutinin in complex with 3SLN
Authors	:	Vachieri, S.G.; Collins, P.J.; Haire, L.F.; Ogrodowicz, R.W.; Martin, S.R.; Walker, P.A.; Xiong, X.; Gamblin, S.J.; Skehel, J.J.
Deposited on	:	2014-05-31
Resolution	:	2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	328	83% 13%
1	C	328	81% 14%
1	E	328	80% 15%
2	B	175	87% 11%
2	D	175	85% 14%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	175	2% 80% 18%
3	G	2	100%
3	L	2	100%
3	Q	2	100%
3	R	2	50% 50%
3	T	2	100%
4	H	3	100%
4	J	3	100%
4	M	3	33% 67%
5	I	5	40% 60%
5	N	5	40% 60%
5	S	5	20% 80%
6	K	3	33% 67%
6	P	3	100%
6	U	3	33% 67%
7	O	5	40% 40% 20%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	M	1	X	-	-	-

2 Entry composition (i)

There are 10 unique types of molecules in this entry. The entry contains 12482 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called H3 HAEMAGGLUTININ HA1 CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	319	Total	C	N	O	S	0	0	0
			2474	1544	437	477	16			
1	C	319	Total	C	N	O	S	0	0	0
			2475	1544	438	477	16			
1	E	319	Total	C	N	O	S	0	0	0
			2476	1545	438	477	16			

- Molecule 2 is a protein called H3 HAEMAGGLUTININ HA2 CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	175	Total	C	N	O	S	0	0	0
			1425	886	250	283	6			
2	D	175	Total	C	N	O	S	0	0	0
			1419	883	247	283	6			
2	F	175	Total	C	N	O	S	0	0	0
			1406	876	243	281	6			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	173	SER	-	expression tag	UNP E0UVR5
B	174	GLY	-	expression tag	UNP E0UVR5
B	175	ARG	-	expression tag	UNP E0UVR5
B	131	GLU	ASP	conflict	UNP E0UVR5
D	173	SER	-	expression tag	UNP E0UVR5
D	174	GLY	-	expression tag	UNP E0UVR5
D	175	ARG	-	expression tag	UNP E0UVR5
D	131	GLU	ASP	conflict	UNP E0UVR5
F	173	SER	-	expression tag	UNP E0UVR5
F	174	GLY	-	expression tag	UNP E0UVR5
F	175	ARG	-	expression tag	UNP E0UVR5
F	131	GLU	ASP	conflict	UNP E0UVR5

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	G	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	L	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	Q	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	R	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	T	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	H	3	Total	C	N	O	0	0	0
			39	22	2	15			
4	J	3	Total	C	N	O	0	0	0
			39	22	2	15			
4	M	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
5	I	5	Total C N O 61 34 2 25	0	0	0
5	N	5	Total C N O 61 34 2 25	0	0	0
5	S	5	Total C N O 61 34 2 25	0	0	0

- Molecule 6 is an oligosaccharide called N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galacto pyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
6	K	3	Total C N O 46 25 2 19	0	0	0
6	P	3	Total C N O 46 25 2 19	0	0	0
6	U	3	Total C N O 46 25 2 19	0	0	0

- Molecule 7 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alp ha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluco pyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
7	O	5	Total C N O 64 36 3 25	0	0	0

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C N O 14 8 1 5	0	0
8	C	1	Total C N O 14 8 1 5	0	0

- Molecule 9 is SULFATE ION (CCD ID: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	B	1	Total O S 5 4 1	0	0
9	D	1	Total O S 5 4 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	F	1	Total O S 5 4 1	0	0

- Molecule 10 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	A	21	Total O 21 21	0	0
10	B	13	Total O 13 13	0	0
10	C	36	Total O 36 36	0	0
10	D	11	Total O 11 11	0	0
10	E	35	Total O 35 35	0	0
10	F	6	Total O 6 6	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: H3 HAEMAGGLUTININ HA1 CHAIN

Chain A:



• Molecule 1: H3 HAEMAGGLUTININ HA1 CHAIN

Chain C:



• Molecule 1: H3 HAEMAGGLUTININ HA1 CHAIN

Chain E:



• Molecule 2: H3 HAEMAGGLUTININ HA2 CHAIN

Chain B:



• Molecule 2: H3 HAEMAGGLUTININ HA2 CHAIN

Chain D:



• Molecule 2: H3 HAEMAGGLUTININ HA2 CHAIN

Chain F:



• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:



• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:



• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:



• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:

• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:



• Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:



• Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:



• Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:



• Molecule 5: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:

• Molecule 5: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:



• Molecule 5: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyra

nose

Chain S:



• Molecule 6: N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:

• Molecule 6: N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:



• Molecule 6: N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:

• Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:

4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α, β, γ	167.17Å 349.15Å 96.67Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	174.58 – 2.70 174.57 – 2.70	Depositor EDS
% Data completeness (in resolution range)	96.5 (174.58-2.70) 96.5 (174.57-2.70)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	1.87 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.8.0069	Depositor
R, R_{free}	0.197 , 0.229 0.197 , 0.229	Depositor DCC
R_{free} test set	3789 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å^2)	67.7	Xtriage
Anisotropy	0.261	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.32 , 38.8	EDS
L-test for twinning[2]	$< \|L\| > = 0.49$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.95	EDS
Total number of atoms	12482	wwPDB-VP
Average B, all atoms (Å^2)	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.43% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, GAL, BMA, SIA, MAN, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|>5$	RMSZ	#$\|Z\|>5$
1	A	0.42	0/2525	0.73	0/3425
1	C	0.42	0/2522	0.73	0/3413
1	E	0.43	0/2525	0.74	0/3421
2	B	0.41	0/1450	0.83	0/1949
2	D	0.38	0/1444	0.80	0/1942
2	F	0.40	0/1431	0.81	2/1927 (0.1%)
All	All	0.41	0/11897	0.76	2/16077 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	F	76	ARG	N-CA-C	6.13	118.47	111.11
2	F	173	SER	N-CA-C	5.43	118.13	110.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2474	0	2424	22	0
1	C	2475	0	2422	32	0
1	E	2476	0	2430	29	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	1425	0	1344	15	0
2	D	1419	0	1333	17	0
2	F	1406	0	1309	22	0
3	G	28	0	25	0	0
3	L	28	0	25	0	0
3	Q	28	0	25	0	0
3	R	28	0	25	0	0
3	T	28	0	25	0	0
4	H	39	0	34	0	0
4	J	39	0	34	0	0
4	M	39	0	34	0	0
5	I	61	0	52	3	0
5	N	61	0	52	0	0
5	S	61	0	52	0	0
6	K	46	0	40	0	0
6	P	46	0	40	0	0
6	U	46	0	40	0	0
7	O	64	0	55	2	0
8	A	14	0	13	0	0
8	C	14	0	13	1	0
9	B	5	0	0	0	0
9	D	5	0	0	0	0
9	F	5	0	0	0	0
10	A	21	0	0	0	0
10	B	13	0	0	1	0
10	C	36	0	0	1	0
10	D	11	0	0	0	0
10	E	35	0	0	0	0
10	F	6	0	0	0	0
All	All	12482	0	11846	121	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (121) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:I:3:BMA:H5	5:I:5:MAN:H2	1.58	0.84
1:C:285:ASN:HD21	7:O:1:NAG:C1	1.93	0.81
2:B:134:GLY:HA2	2:D:124:ARG:HD3	1.65	0.79
2:B:25:ARG:HE	2:B:34:GLN:HE21	1.33	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:295:GLN:NE2	1:C:298:ASN:H	1.87	0.72
2:D:134:GLY:HA2	2:F:124:ARG:HD3	1.72	0.72
1:E:295:GLN:HE21	1:E:298:ASN:H	1.37	0.71
2:F:25:ARG:HE	2:F:34:GLN:HE21	1.38	0.71
1:A:97:CYS:O	1:A:224:ARG:NH1	2.25	0.69
2:D:173:SER:HB3	2:F:163:ARG:HH12	1.58	0.68
2:D:107:THR:HA	2:D:110:LEU:HD13	1.75	0.68
2:B:107:THR:HA	2:B:110:LEU:CD1	2.24	0.68
1:E:309:ILE:HD12	1:E:311:GLN:HG2	1.77	0.67
2:F:19:ASP:OD1	2:F:19:ASP:N	2.28	0.66
2:D:25:ARG:HE	2:D:34:GLN:HE21	1.42	0.66
1:A:191:GLN:HE22	1:A:250:ASN:HD21	1.43	0.66
1:C:98:TYR:N	1:C:98:TYR:CB	2.59	0.65
1:E:295:GLN:NE2	1:E:298:ASN:H	1.95	0.64
2:D:51:LYS:HE2	2:D:107:THR:OG1	2.00	0.62
1:C:279:SER:OG	1:C:287:SER:HB3	2.00	0.61
2:D:158:ASP:HB3	2:D:161:ILE:HD12	1.82	0.61
1:C:163:THR:N	1:C:163:THR:O	2.34	0.60
2:B:107:THR:HA	2:B:110:LEU:HD13	1.84	0.60
1:E:293:PRO:HG3	2:F:52:LEU:HD21	1.83	0.59
2:B:124:ARG:HD3	2:F:134:GLY:HA2	1.85	0.58
1:C:295:GLN:HE21	1:C:298:ASN:H	1.52	0.58
1:C:285:ASN:ND2	7:O:1:NAG:C1	2.66	0.58
1:E:295:GLN:HG2	1:E:297:VAL:H	1.67	0.58
2:F:107:THR:HA	2:F:110:LEU:HD13	1.86	0.57
2:D:51:LYS:HE2	2:D:107:THR:HG1	1.70	0.57
2:B:51:LYS:HE3	2:B:103:GLU:OE1	2.04	0.57
1:C:50:LYS:HD2	1:C:275:ASP:HB3	1.87	0.57
2:D:131:GLU:HG2	2:F:127:ARG:HH21	1.69	0.56
2:F:25:ARG:HE	2:F:34:GLN:NE2	2.04	0.56
1:C:248:ASN:H	1:C:248:ASN:HD22	1.55	0.55
1:A:309:ILE:HD12	1:A:311:GLN:HG2	1.90	0.54
2:B:127:ARG:HH21	2:F:131:GLU:HG2	1.72	0.54
2:D:51:LYS:NZ	2:D:106:HIS:ND1	2.56	0.54
1:C:35:GLU:HG2	1:C:322:ASN:HB3	1.91	0.53
1:A:15:LEU:HD22	2:B:119:PHE:HA	1.90	0.52
2:B:131:GLU:HB3	2:B:139:LYS:HB3	1.91	0.52
1:C:98:TYR:N	1:C:98:TYR:C	2.67	0.52
1:E:15:LEU:HD22	2:F:119:PHE:HA	1.90	0.52
1:E:97:CYS:O	1:E:224:ARG:NH1	2.43	0.52
1:C:77:ASP:O	1:C:80:GLN:HB2	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:295:GLN:HG2	1:A:297:VAL:H	1.76	0.51
1:C:98:TYR:CB	1:C:98:TYR:C	2.84	0.51
1:C:309:ILE:HD12	1:C:311:GLN:HG2	1.92	0.51
2:D:107:THR:HA	2:D:110:LEU:CD1	2.40	0.51
1:C:131:THR:CG2	1:C:156:LYS:O	2.59	0.51
1:C:301:THR:HB	1:C:305:CYS:SG	2.50	0.50
8:C:601:NAG:H83	8:C:601:NAG:H3	1.93	0.50
1:C:182:ILE:HD11	1:C:215:PRO:HD3	1.93	0.50
1:E:295:GLN:HG2	1:E:296:ASN:N	2.26	0.50
2:F:28:ASN:HD22	2:F:145:ASP:HA	1.77	0.49
1:E:220:ARG:HD3	1:E:229:ARG:HG3	1.92	0.49
1:E:182:ILE:HD11	1:E:215:PRO:HD3	1.94	0.49
1:C:52:CYS:HB3	1:C:277:CYS:C	2.37	0.49
2:F:48:ILE:O	2:F:51:LYS:HB2	2.13	0.49
1:A:216:ASN:HB3	1:C:212:THR:HG21	1.95	0.49
1:A:98:TYR:CD1	1:A:230:ILE:HD12	2.48	0.48
1:A:279:SER:OG	1:A:287:SER:HB3	2.13	0.48
2:B:173:SER:HB3	2:D:163:ARG:HH12	1.79	0.48
2:F:51:LYS:HE2	2:F:107:THR:OG1	2.13	0.48
1:A:309:ILE:HB	1:A:311:GLN:HE21	1.79	0.48
1:E:191:GLN:HE22	1:E:250:ASN:HD21	1.61	0.48
1:E:27:LYS:NZ	2:F:97:GLU:OE2	2.43	0.47
1:C:167:THR:HG22	10:C:2022:HOH:O	2.15	0.47
1:E:34:ILE:HD11	1:E:321:ARG:HD2	1.96	0.47
1:E:183:HIS:CD2	1:E:195:TYR:OH	2.67	0.47
1:C:54:LYS:HA	1:C:54:LYS:HD3	1.54	0.47
1:C:131:THR:HG22	1:C:156:LYS:O	2.15	0.46
2:D:175:ARG:H	2:F:164:ASP:HB3	1.79	0.46
1:C:84:TRP:CE2	1:C:116:GLY:HA2	2.51	0.46
2:B:158:ASP:HB3	2:B:161:ILE:HD12	1.97	0.46
1:A:102:ILE:HG12	1:A:232:ILE:HB	1.97	0.45
1:E:77:ASP:O	1:E:80:GLN:HB2	2.16	0.45
1:A:167:THR:OG1	1:A:242:ILE:HD11	2.17	0.45
2:B:65:GLN:HE21	2:F:83:TYR:HE1	1.65	0.45
2:D:125:GLN:OE1	2:D:155:GLY:HA2	2.17	0.44
1:A:111:ILE:HG12	2:F:73:VAL:HG12	1.99	0.44
1:E:102:ILE:HG12	1:E:232:ILE:HB	1.99	0.44
1:E:201:ARG:HB3	1:E:248:ASN:HD21	1.82	0.44
1:E:10:THR:HB	2:F:140:ILE:O	2.18	0.44
2:F:125:GLN:NE2	2:F:155:GLY:HA2	2.32	0.44
1:A:212:THR:HG21	1:E:216:ASN:HB3	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:57:GLU:HA	10:B:2005:HOH:O	2.18	0.43
1:A:248:ASN:HD22	1:A:248:ASN:H	1.65	0.43
1:C:185:PRO:HG2	1:C:217:ILE:HG12	2.01	0.43
1:C:97:CYS:SG	1:C:98:TYR:N	2.92	0.43
1:A:54:LYS:O	1:A:55:SER:HB2	2.19	0.43
1:A:99:PRO:HB2	1:A:229:ARG:HD3	2.01	0.42
1:C:295:GLN:HB3	1:C:306:PRO:HB2	2.01	0.42
1:E:200:GLY:HA3	1:E:250:ASN:ND2	2.34	0.42
2:F:125:GLN:HE22	2:F:155:GLY:HA2	1.84	0.42
1:A:54:LYS:O	1:A:55:SER:CB	2.67	0.42
1:C:134:GLY:HA3	1:C:153:TRP:HB3	2.00	0.42
1:C:295:GLN:HG2	1:C:297:VAL:H	1.84	0.42
1:C:70:MET:HB3	1:C:118:VAL:HG12	2.02	0.42
1:A:132:GLN:HE21	1:A:152:ASN:HD21	1.66	0.42
1:E:67:ILE:HD12	1:E:67:ILE:HA	1.84	0.41
1:E:98:TYR:CD2	1:E:230:ILE:HD13	2.55	0.41
1:A:295:GLN:NE2	1:A:298:ASN:O	2.52	0.41
1:C:295:GLN:O	1:C:308:TYR:HA	2.20	0.41
1:E:195:TYR:O	1:E:196:ILE:C	2.63	0.41
1:E:201:ARG:HB3	1:E:248:ASN:ND2	2.35	0.41
2:D:131:GLU:HB2	2:D:141:TYR:HE2	1.86	0.41
5:I:3:BMA:H3	5:I:4:MAN:H2	1.81	0.41
1:C:52:CYS:HA	1:C:277:CYS:HB3	2.03	0.41
1:A:249:GLY:C	1:A:250:ASN:HD22	2.29	0.41
2:B:83:TYR:HE1	2:D:65:GLN:HE21	1.68	0.41
1:E:54:LYS:HA	1:E:54:LYS:HD3	1.60	0.41
1:E:301:THR:HB	1:E:305:CYS:SG	2.61	0.41
5:I:3:BMA:H5	5:I:3:BMA:H2	1.69	0.41
1:E:167:THR:OG1	1:E:242:ILE:HD11	2.21	0.41
1:A:264:LYS:HB2	2:B:63:PHE:CD1	2.56	0.40
1:A:309:ILE:HD12	1:A:311:GLN:HE21	1.86	0.40
2:D:73:VAL:HG13	1:E:111:ILE:HG12	2.03	0.40
1:E:159:SER:C	1:E:196:ILE:HD11	2.46	0.40
1:C:127:TRP:CZ2	1:C:253:ALA:HB1	2.57	0.40
2:F:120:GLU:HG3	2:F:123:ARG:HH21	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	317/328 (97%)	301 (95%)	14 (4%)	2 (1%)	21 44
1	C	315/328 (96%)	301 (96%)	12 (4%)	2 (1%)	21 44
1	E	316/328 (96%)	300 (95%)	13 (4%)	3 (1%)	14 35
2	B	173/175 (99%)	164 (95%)	9 (5%)	0	100 100
2	D	173/175 (99%)	163 (94%)	10 (6%)	0	100 100
2	F	173/175 (99%)	163 (94%)	10 (6%)	0	100 100
All	All	1467/1509 (97%)	1392 (95%)	68 (5%)	7 (0%)	24 48

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	55	SER
1	E	196	ILE
1	A	55	SER
1	C	55	SER
1	E	158	GLY
1	A	142	GLY
1	C	80	GLN

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	280/289 (97%)	260 (93%)	20 (7%)	13 33

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	C	279/289 (96%)	264 (95%)	15 (5%)	20 45
1	E	280/289 (97%)	262 (94%)	18 (6%)	16 38
2	B	148/148 (100%)	143 (97%)	5 (3%)	32 62
2	D	147/148 (99%)	137 (93%)	10 (7%)	14 35
2	F	144/148 (97%)	133 (92%)	11 (8%)	12 30
All	All	1278/1311 (98%)	1199 (94%)	79 (6%)	16 39

All (79) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	HIS
1	A	24	THR
1	A	41	GLU
1	A	42	LEU
1	A	45	SER
1	A	50	LYS
1	A	53	ASN
1	A	59	LEU
1	A	67	ILE
1	A	70	MET
1	A	131	THR
1	A	217	ILE
1	A	248	ASN
1	A	260	LEU
1	A	272	VAL
1	A	275	ASP
1	A	295	GLN
1	A	311	GLN
1	A	323	VAL
1	A	326	LYS
2	B	57	GLU
2	B	110	LEU
2	B	117	LYS
2	B	120	GLU
2	B	128	GLU
1	C	18	HIS
1	C	24	THR
1	C	42	LEU
1	C	55	SER
1	C	59	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	92	ASN
1	C	126	THR
1	C	131	THR
1	C	167	THR
1	C	222	LEU
1	C	248	ASN
1	C	260	LEU
1	C	272	VAL
1	C	274	ILE
1	C	311	GLN
2	D	11	GLU
2	D	15	GLU
2	D	60	ASN
2	D	73	VAL
2	D	86	ASP
2	D	102	LEU
2	D	108	ILE
2	D	110	LEU
2	D	126	LEU
2	D	128	GLU
1	E	9	ASN
1	E	18	HIS
1	E	24	THR
1	E	40	THR
1	E	42	LEU
1	E	50	LYS
1	E	59	LEU
1	E	67	ILE
1	E	114	SER
1	E	131	THR
1	E	155	THR
1	E	160	SER
1	E	195	TYR
1	E	210	GLN
1	E	230	ILE
1	E	248	ASN
1	E	260	LEU
1	E	295	GLN
2	F	19	ASP
2	F	56	ILE
2	F	77	ILE
2	F	86	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	F	108	ILE
2	F	110	LEU
2	F	120	GLU
2	F	126	LEU
2	F	128	GLU
2	F	139	LYS
2	F	154	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (47) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	HIS
1	A	33	GLN
1	A	53	ASN
1	A	80	GLN
1	A	132	GLN
1	A	183	HIS
1	A	188	ASN
1	A	197	GLN
1	A	226	GLN
1	A	248	ASN
1	A	250	ASN
1	A	290	ASN
1	A	296	ASN
1	A	311	GLN
1	A	312	ASN
2	B	34	GLN
2	B	65	GLN
2	B	78	GLN
2	B	159	HIS
1	C	132	GLN
1	C	183	HIS
1	C	197	GLN
1	C	211	GLN
1	C	248	ASN
1	C	250	ASN
1	C	295	GLN
1	C	296	ASN
1	C	311	GLN
2	D	27	GLN
2	D	34	GLN
2	D	47	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	60	ASN
2	D	65	GLN
2	D	78	GLN
1	E	53	ASN
1	E	183	HIS
1	E	211	GLN
1	E	248	ASN
1	E	250	ASN
1	E	295	GLN
2	F	34	GLN
2	F	47	GLN
2	F	65	GLN
2	F	78	GLN
2	F	116	ASN
2	F	125	GLN
2	F	169	ASN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

48 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
3	NAG	G	1	3,1	14,14,15	0.51	0	17,19,21	0.94	1 (5%)
3	NAG	G	2	3	14,14,15	0.62	0	17,19,21	1.37	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
4	NAG	H	1	4,1	14,14,15	0.57	0	17,19,21	0.88	1 (5%)
4	NAG	H	2	4	14,14,15	0.68	0	17,19,21	1.18	1 (5%)
4	BMA	H	3	4	11,11,12	0.46	0	15,15,17	0.91	1 (6%)
5	NAG	I	1	5,1	14,14,15	0.57	0	17,19,21	1.12	1 (5%)
5	NAG	I	2	5	14,14,15	0.52	0	17,19,21	1.27	2 (11%)
5	BMA	I	3	5	11,11,12	0.72	0	15,15,17	1.69	4 (26%)
5	MAN	I	4	5	11,11,12	0.61	0	15,15,17	1.59	2 (13%)
5	MAN	I	5	5	11,11,12	0.54	0	15,15,17	1.06	1 (6%)
4	NAG	J	1	4	14,14,15	0.55	0	17,19,21	1.71	3 (17%)
4	NAG	J	2	4	14,14,15	0.60	0	17,19,21	1.29	1 (5%)
4	BMA	J	3	4	11,11,12	0.46	0	15,15,17	1.35	2 (13%)
6	NAG	K	1	6	15,15,15	0.52	0	21,21,21	1.57	3 (14%)
6	GAL	K	2	6	11,11,12	0.59	0	15,15,17	0.86	0
6	SIA	K	3	6	20,20,21	0.58	0	21,28,31	1.07	3 (14%)
3	NAG	L	1	3,1	14,14,15	0.65	0	17,19,21	1.21	2 (11%)
3	NAG	L	2	3	14,14,15	0.62	0	17,19,21	1.08	2 (11%)
4	NAG	M	1	4,1	14,14,15	0.43	0	17,19,21	1.34	2 (11%)
4	NAG	M	2	4	14,14,15	0.60	0	17,19,21	1.28	2 (11%)
4	BMA	M	3	4	11,11,12	0.43	0	15,15,17	0.71	0
5	NAG	N	1	5,1	14,14,15	0.58	0	17,19,21	1.17	3 (17%)
5	NAG	N	2	5	14,14,15	0.58	0	17,19,21	0.66	0
5	BMA	N	3	5	11,11,12	0.42	0	15,15,17	1.32	1 (6%)
5	MAN	N	4	5	11,11,12	0.58	0	15,15,17	1.25	2 (13%)
5	MAN	N	5	5	11,11,12	0.64	0	15,15,17	0.78	0
7	NAG	O	1	7	14,14,15	0.61	0	17,19,21	1.56	3 (17%)
7	NAG	O	2	7	14,14,15	0.52	0	17,19,21	1.04	0
7	BMA	O	3	7	11,11,12	0.48	0	15,15,17	1.12	2 (13%)
7	MAN	O	4	7	11,11,12	0.56	0	15,15,17	0.82	1 (6%)
7	NAG	O	5	7	14,14,15	0.47	0	17,19,21	0.92	0
6	NAG	P	1	6	15,15,15	0.53	0	21,21,21	1.18	1 (4%)
6	GAL	P	2	6	11,11,12	0.63	0	15,15,17	1.12	1 (6%)
6	SIA	P	3	6	20,20,21	0.60	0	21,28,31	1.07	1 (4%)
3	NAG	Q	1	3,1	14,14,15	0.57	0	17,19,21	0.89	1 (5%)
3	NAG	Q	2	3	14,14,15	0.46	0	17,19,21	0.99	1 (5%)
3	NAG	R	1	3,1	14,14,15	0.57	0	17,19,21	0.96	0
3	NAG	R	2	3	14,14,15	0.67	0	17,19,21	1.19	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
5	NAG	S	1	5,1	14,14,15	0.58	0	17,19,21	1.09	2 (11%)
5	NAG	S	2	5	14,14,15	0.48	0	17,19,21	0.92	1 (5%)
5	BMA	S	3	5	11,11,12	0.49	0	15,15,17	2.13	1 (6%)
5	MAN	S	4	5	11,11,12	0.69	0	15,15,17	1.40	2 (13%)
5	MAN	S	5	5	11,11,12	0.66	0	15,15,17	0.75	0
3	NAG	T	1	3	14,14,15	0.54	0	17,19,21	1.11	3 (17%)
3	NAG	T	2	3	14,14,15	0.58	0	17,19,21	1.24	2 (11%)
6	NAG	U	1	6	15,15,15	0.49	0	21,21,21	1.03	2 (9%)
6	GAL	U	2	6	11,11,12	0.66	0	15,15,17	0.79	0
6	SIA	U	3	6	20,20,21	0.65	0	21,28,31	1.20	2 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	G	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	G	2	3	-	2/6/23/26	0/1/1/1
4	NAG	H	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	H	2	4	-	2/6/23/26	0/1/1/1
4	BMA	H	3	4	-	2/2/19/22	0/1/1/1
5	NAG	I	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	I	2	5	-	2/6/23/26	0/1/1/1
5	BMA	I	3	5	-	2/2/19/22	1/1/1/1
5	MAN	I	4	5	-	0/2/19/22	0/1/1/1
5	MAN	I	5	5	-	0/2/19/22	1/1/1/1
4	NAG	J	1	4	-	2/6/23/26	0/1/1/1
4	NAG	J	2	4	-	0/6/23/26	0/1/1/1
4	BMA	J	3	4	-	0/2/19/22	0/1/1/1
6	NAG	K	1	6	-	0/6/26/26	0/1/1/1
6	GAL	K	2	6	-	2/2/19/22	0/1/1/1
6	SIA	K	3	6	-	0/18/34/38	0/1/1/1
3	NAG	L	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	L	2	3	-	2/6/23/26	0/1/1/1
4	NAG	M	1	4,1	1/1/5/7	0/6/23/26	0/1/1/1
4	NAG	M	2	4	-	4/6/23/26	0/1/1/1
4	BMA	M	3	4	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	N	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	N	2	5	-	1/6/23/26	0/1/1/1
5	BMA	N	3	5	-	0/2/19/22	0/1/1/1
5	MAN	N	4	5	-	2/2/19/22	0/1/1/1
5	MAN	N	5	5	-	0/2/19/22	0/1/1/1
7	NAG	O	1	7	-	0/6/23/26	0/1/1/1
7	NAG	O	2	7	-	2/6/23/26	0/1/1/1
7	BMA	O	3	7	-	2/2/19/22	0/1/1/1
7	MAN	O	4	7	-	1/2/19/22	0/1/1/1
7	NAG	O	5	7	-	2/6/23/26	0/1/1/1
6	NAG	P	1	6	-	0/6/26/26	0/1/1/1
6	GAL	P	2	6	-	2/2/19/22	0/1/1/1
6	SIA	P	3	6	-	0/18/34/38	0/1/1/1
3	NAG	Q	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	Q	2	3	-	0/6/23/26	0/1/1/1
3	NAG	R	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	R	2	3	-	2/6/23/26	0/1/1/1
5	NAG	S	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	S	2	5	-	2/6/23/26	0/1/1/1
5	BMA	S	3	5	-	2/2/19/22	0/1/1/1
5	MAN	S	4	5	-	0/2/19/22	0/1/1/1
5	MAN	S	5	5	-	2/2/19/22	0/1/1/1
3	NAG	T	1	3	-	0/6/23/26	0/1/1/1
3	NAG	T	2	3	-	2/6/23/26	0/1/1/1
6	NAG	U	1	6	-	2/6/26/26	0/1/1/1
6	GAL	U	2	6	-	2/2/19/22	0/1/1/1
6	SIA	U	3	6	-	2/18/34/38	0/1/1/1

There are no bond length outliers.

All (70) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
5	S	3	BMA	C1-O5-C5	7.55	122.30	112.19
5	I	4	MAN	C1-O5-C5	4.56	118.30	112.19
4	J	1	NAG	C3-C4-C5	4.46	118.31	110.23
4	M	1	NAG	C1-O5-C5	4.01	117.56	112.19
6	K	1	NAG	C4-C3-C2	3.89	116.07	110.40
7	O	1	NAG	C3-C4-C5	3.81	117.13	110.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
4	J	3	BMA	C1-O5-C5	3.79	117.26	112.19
4	J	2	NAG	C4-C3-C2	3.79	116.57	111.02
5	S	4	MAN	C1-C2-C3	3.64	114.95	109.64
5	N	4	MAN	C1-O5-C5	3.61	117.02	112.19
5	N	3	BMA	C3-C4-C5	3.57	116.70	110.23
6	K	1	NAG	C1-C2-C3	3.55	115.39	110.54
6	P	1	NAG	C4-C3-C2	3.53	115.55	110.40
7	O	1	NAG	O5-C1-C2	-3.46	105.94	111.29
5	I	5	MAN	C1-O5-C5	3.45	116.81	112.19
5	I	4	MAN	C1-C2-C3	3.43	114.64	109.64
4	H	2	NAG	C4-C3-C2	3.39	115.99	111.02
4	M	2	NAG	C4-C3-C2	3.31	115.88	111.02
3	G	2	NAG	C3-C4-C5	3.30	116.22	110.23
3	Q	2	NAG	C1-O5-C5	3.29	116.60	112.19
3	T	2	NAG	C1-O5-C5	3.27	116.57	112.19
5	I	3	BMA	C1-C2-C3	3.26	114.39	109.64
5	I	3	BMA	O2-C2-C3	3.21	116.80	110.15
6	P	2	GAL	C1-C2-C3	3.21	114.31	109.64
4	J	1	NAG	O5-C1-C2	-3.09	106.50	111.29
6	K	1	NAG	O5-C1-C2	3.08	112.61	109.52
6	U	3	SIA	O1B-C1-C2	3.07	120.70	112.71
3	G	2	NAG	C4-C3-C2	3.04	115.47	111.02
3	L	1	NAG	C4-C3-C2	3.04	115.47	111.02
4	J	3	BMA	C1-C2-C3	3.02	114.04	109.64
7	O	3	BMA	C1-O5-C5	2.89	116.06	112.19
5	I	2	NAG	O4-C4-C3	2.86	117.13	110.38
3	R	2	NAG	C4-C3-C2	2.82	115.15	111.02
4	H	3	BMA	C1-O5-C5	2.78	115.92	112.19
6	P	3	SIA	O1B-C1-C2	2.76	119.88	112.71
6	K	3	SIA	O1B-C1-C2	2.73	119.82	112.71
5	N	1	NAG	C8-C7-N2	2.72	120.63	116.12
3	L	1	NAG	C1-C2-N2	-2.70	106.18	110.43
7	O	4	MAN	C1-O5-C5	2.68	115.77	112.19
5	S	1	NAG	C8-C7-N2	2.65	120.52	116.12
5	S	4	MAN	C1-O5-C5	2.65	115.73	112.19
3	L	2	NAG	C1-O5-C5	2.64	115.72	112.19
3	Q	1	NAG	C4-C3-C2	2.59	114.81	111.02
5	I	1	NAG	C8-C7-N2	2.57	120.38	116.12
6	U	3	SIA	O6-C2-C1	2.56	112.56	107.72
5	I	2	NAG	C3-C4-C5	-2.55	105.60	110.23
6	U	1	NAG	C4-C3-C2	2.51	114.05	110.40
5	S	2	NAG	C1-O5-C5	2.38	115.38	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	T	2	NAG	C4-C3-C2	2.37	114.49	111.02
3	T	1	NAG	C4-C3-C2	2.36	114.47	111.02
5	N	1	NAG	C2-N2-C7	2.32	126.00	122.90
6	K	3	SIA	O6-C2-C1	2.30	112.06	107.72
3	L	2	NAG	C4-C3-C2	2.29	114.38	111.02
3	G	1	NAG	C1-O5-C5	2.29	115.26	112.19
7	O	1	NAG	C4-C3-C2	2.29	114.38	111.02
6	K	3	SIA	O1A-C1-C2	-2.26	117.98	122.85
5	I	3	BMA	C3-C4-C5	-2.23	106.19	110.23
4	J	1	NAG	C1-O5-C5	2.23	115.17	112.19
4	H	1	NAG	O5-C1-C2	-2.22	107.85	111.29
7	O	3	BMA	C1-C2-C3	2.22	112.88	109.64
3	G	2	NAG	O5-C1-C2	-2.21	107.86	111.29
5	N	4	MAN	C1-C2-C3	2.18	112.82	109.64
3	T	1	NAG	C3-C4-C5	2.17	114.17	110.23
5	N	1	NAG	O7-C7-C8	-2.15	118.22	122.05
4	M	1	NAG	O5-C1-C2	2.10	114.54	111.29
4	M	2	NAG	C8-C7-N2	2.07	119.55	116.12
5	I	3	BMA	C2-C3-C4	-2.04	107.27	110.86
5	S	1	NAG	O7-C7-C8	-2.04	118.42	122.05
6	U	1	NAG	C1-C2-N2	-2.02	108.39	110.73
3	T	1	NAG	O5-C1-C2	-2.02	108.17	111.29

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	M	1	NAG	C1

All (61) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	U	1	NAG	C1-C2-N2-C7
3	T	2	NAG	O5-C5-C6-O6
3	R	2	NAG	C4-C5-C6-O6
5	S	5	MAN	O5-C5-C6-O6
7	O	2	NAG	O5-C5-C6-O6
4	J	1	NAG	O5-C5-C6-O6
3	T	2	NAG	C4-C5-C6-O6
4	M	2	NAG	O5-C5-C6-O6
6	K	2	GAL	C4-C5-C6-O6
6	P	2	GAL	C4-C5-C6-O6
6	K	2	GAL	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	I	3	BMA	O5-C5-C6-O6
6	P	2	GAL	O5-C5-C6-O6
5	S	3	BMA	O5-C5-C6-O6
6	U	2	GAL	O5-C5-C6-O6
7	O	2	NAG	C4-C5-C6-O6
5	I	3	BMA	C4-C5-C6-O6
5	S	5	MAN	C4-C5-C6-O6
6	U	2	GAL	C4-C5-C6-O6
5	S	2	NAG	O5-C5-C6-O6
5	S	3	BMA	C4-C5-C6-O6
3	Q	1	NAG	O5-C5-C6-O6
3	R	2	NAG	O5-C5-C6-O6
4	M	2	NAG	C4-C5-C6-O6
3	Q	1	NAG	C4-C5-C6-O6
4	M	2	NAG	C8-C7-N2-C2
4	M	2	NAG	O7-C7-N2-C2
5	I	1	NAG	C8-C7-N2-C2
5	I	1	NAG	O7-C7-N2-C2
5	N	1	NAG	C8-C7-N2-C2
5	N	1	NAG	O7-C7-N2-C2
5	S	1	NAG	C8-C7-N2-C2
5	S	1	NAG	O7-C7-N2-C2
7	O	5	NAG	C8-C7-N2-C2
7	O	5	NAG	O7-C7-N2-C2
4	H	3	BMA	C4-C5-C6-O6
3	L	2	NAG	C4-C5-C6-O6
7	O	3	BMA	O5-C5-C6-O6
5	N	4	MAN	O5-C5-C6-O6
3	G	2	NAG	C4-C5-C6-O6
3	L	2	NAG	O5-C5-C6-O6
4	H	3	BMA	O5-C5-C6-O6
5	I	2	NAG	C4-C5-C6-O6
5	S	2	NAG	C4-C5-C6-O6
3	G	1	NAG	C4-C5-C6-O6
3	G	1	NAG	O5-C5-C6-O6
5	I	2	NAG	O5-C5-C6-O6
4	H	2	NAG	C4-C5-C6-O6
3	L	1	NAG	C4-C5-C6-O6
4	J	1	NAG	C4-C5-C6-O6
3	L	1	NAG	O5-C5-C6-O6
4	H	2	NAG	O5-C5-C6-O6
3	G	2	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	O	3	BMA	C4-C5-C6-O6
7	O	4	MAN	C4-C5-C6-O6
6	U	3	SIA	O8-C8-C9-O9
4	H	1	NAG	C1-C2-N2-C7
5	N	2	NAG	C1-C2-N2-C7
6	U	3	SIA	O6-C6-C7-O7
5	N	4	MAN	C4-C5-C6-O6
6	U	1	NAG	C3-C2-N2-C7

All (2) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	I	3	BMA	C1-C2-C3-C4-C5-O5
5	I	5	MAN	C1-C2-C3-C4-C5-O5

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	I	3	BMA	3	0
5	I	4	MAN	1	0
5	I	5	MAN	1	0
7	O	1	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

Oligosaccharide Chain G



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain L



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain Q



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain R



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain T



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain H



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain J



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain M



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain I



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain N



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain S



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain K



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain P



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain U



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain O



Bond lengths



Bond angles



Torsions



Rings

5.6 Ligand geometry (i)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
9	SO4	F	1176	-	4,4,4	0.44	0	6,6,6	0.08	0
8	NAG	A	601	1	14,14,15	0.65	0	17,19,21	1.57	4 (23%)
9	SO4	D	1176	-	4,4,4	0.45	0	6,6,6	0.14	0
9	SO4	B	1176	-	4,4,4	0.45	0	6,6,6	0.07	0
8	NAG	C	601	1	14,14,15	0.68	1 (7%)	17,19,21	3.03	6 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	C	601	1	-	5/6/23/26	0/1/1/1
8	NAG	A	601	1	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	C	601	NAG	C1-C2	2.01	1.55	1.52

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
8	C	601	NAG	C1-O5-C5	8.30	123.30	112.19
8	C	601	NAG	C2-N2-C7	6.58	131.71	122.90
8	C	601	NAG	O5-C1-C2	4.21	117.81	111.29
8	A	601	NAG	C1-O5-C5	4.07	117.64	112.19
8	C	601	NAG	C8-C7-N2	3.47	121.87	116.12
8	A	601	NAG	C2-N2-C7	2.56	126.33	122.90
8	C	601	NAG	O7-C7-C8	-2.52	117.56	122.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
8	A	601	NAG	C8-C7-N2	2.51	120.28	116.12
8	C	601	NAG	C1-C2-N2	2.09	113.73	110.43
8	A	601	NAG	O7-C7-C8	-2.03	118.44	122.05

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	A	601	NAG	C8-C7-N2-C2
8	A	601	NAG	O7-C7-N2-C2
8	C	601	NAG	C8-C7-N2-C2
8	C	601	NAG	O7-C7-N2-C2
8	C	601	NAG	C4-C5-C6-O6
8	C	601	NAG	O5-C5-C6-O6
8	C	601	NAG	C3-C2-N2-C7

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	C	601	NAG	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	319/328 (97%)	-0.03	4 (1%)	75	73	46, 66, 93, 130	0
1	C	319/328 (97%)	-0.02	5 (1%)	70	68	45, 64, 96, 132	0
1	E	319/328 (97%)	-0.08	6 (1%)	66	63	46, 64, 95, 127	0
2	B	175/175 (100%)	0.03	6 (3%)	48	44	44, 75, 97, 152	0
2	D	175/175 (100%)	0.04	4 (2%)	61	58	43, 73, 98, 137	0
2	F	175/175 (100%)	0.02	4 (2%)	61	58	42, 71, 95, 128	0
All	All	1482/1509 (98%)	-0.02	29 (1%)	65	62	42, 68, 96, 152	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	174	GLY	6.8
2	D	173	SER	5.3
2	D	174	GLY	5.0
1	A	54	LYS	3.6
1	E	291	ASP	3.5
1	C	163	THR	3.4
2	B	173	SER	3.4
1	E	8	ASN	3.3
1	A	291	ASP	3.1
2	D	175	ARG	3.0
2	F	175	ARG	3.0
2	F	174	GLY	2.9
2	D	135	ASP	2.9
1	C	262	THR	2.9
1	C	14	CYS	2.6
1	C	9	ASN	2.6
2	B	135	ASP	2.6
2	B	38	LEU	2.6
2	F	60	ASN	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	8	ASN	2.5
1	C	8	ASN	2.5
1	E	10	THR	2.4
1	E	326	LYS	2.3
2	B	175	ARG	2.3
1	E	12	THR	2.3
1	E	142	GLY	2.2
2	F	57	GLU	2.2
1	A	290	ASN	2.1
2	B	1	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
5	MAN	I	5	11/12	0.30	0.17	154,157,160,161	0
3	NAG	T	2	14/15	0.31	0.18	125,138,144,146	0
5	MAN	I	4	11/12	0.38	0.16	146,150,154,156	0
4	BMA	M	3	11/12	0.45	0.14	149,158,160,160	0
4	BMA	H	3	11/12	0.48	0.14	147,153,155,155	0
4	NAG	H	2	14/15	0.52	0.19	135,148,153,154	0
4	NAG	M	2	14/15	0.54	0.19	141,148,155,156	0
3	NAG	L	2	14/15	0.55	0.14	120,124,134,136	0
6	NAG	P	1	15/15	0.58	0.13	111,120,135,136	0
5	MAN	S	5	11/12	0.60	0.16	142,148,153,154	0
7	NAG	O	5	14/15	0.62	0.22	130,150,156,158	0
5	BMA	N	3	11/12	0.66	0.14	115,125,132,137	0
4	BMA	J	3	11/12	0.66	0.14	137,143,146,146	0
7	MAN	O	4	11/12	0.67	0.14	144,147,149,149	0
5	MAN	N	5	11/12	0.67	0.15	135,141,150,152	0
7	NAG	O	2	14/15	0.68	0.19	127,134,141,143	0
5	BMA	I	3	11/12	0.69	0.14	124,139,146,155	0
6	NAG	U	1	15/15	0.70	0.14	102,110,121,123	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
3	NAG	R	2	14/15	0.70	0.19	130,135,138,139	0
7	BMA	O	3	11/12	0.71	0.12	136,143,147,147	0
3	NAG	Q	2	14/15	0.71	0.15	119,125,129,132	0
5	MAN	S	4	11/12	0.71	0.13	145,150,157,160	0
5	BMA	S	3	11/12	0.73	0.13	120,131,141,142	0
7	NAG	O	1	14/15	0.73	0.17	111,124,129,132	0
3	NAG	L	1	14/15	0.73	0.13	91,98,106,115	0
5	MAN	N	4	11/12	0.75	0.17	132,135,141,141	0
4	NAG	J	1	14/15	0.77	0.18	103,107,114,116	0
3	NAG	G	2	14/15	0.77	0.14	116,122,128,129	0
4	NAG	J	2	14/15	0.78	0.14	116,124,132,138	0
4	NAG	H	1	14/15	0.79	0.19	104,113,122,133	0
6	NAG	K	1	15/15	0.79	0.12	100,107,118,118	0
3	NAG	T	1	14/15	0.79	0.17	109,125,128,131	0
3	NAG	R	1	14/15	0.81	0.15	99,108,113,122	0
3	NAG	Q	1	14/15	0.82	0.12	92,98,106,113	0
4	NAG	M	1	14/15	0.85	0.15	101,108,119,132	0
5	NAG	I	1	14/15	0.88	0.11	78,82,85,86	0
6	GAL	U	2	11/12	0.89	0.09	87,93,97,97	0
6	GAL	P	2	11/12	0.89	0.08	92,99,105,105	0
3	NAG	G	1	14/15	0.90	0.08	84,89,98,109	0
5	NAG	S	1	14/15	0.90	0.09	82,86,92,93	0
5	NAG	N	2	14/15	0.90	0.13	76,89,98,106	0
6	GAL	K	2	11/12	0.91	0.08	84,90,95,95	0
5	NAG	N	1	14/15	0.91	0.09	75,79,81,82	0
5	NAG	S	2	14/15	0.92	0.10	77,93,100,109	0
5	NAG	I	2	14/15	0.93	0.10	87,95,107,114	0
6	SIA	K	3	20/21	0.94	0.09	70,75,81,82	0
6	SIA	U	3	20/21	0.95	0.09	71,73,82,85	0
6	SIA	P	3	20/21	0.95	0.08	72,79,86,86	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain G:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)





Electron density around Chain L:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around Chain Q:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain R:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain T:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)





Electron density around Chain H:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain J:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain M:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain I:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain N:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)





Electron density around Chain S:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain K:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain P:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain U:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)









6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
8	NAG	A	601	14/15	0.50	0.20	114,121,125,126	0
8	NAG	C	601	14/15	0.64	0.20	107,113,124,126	0
9	SO4	B	1176	5/5	0.91	0.13	93,99,99,104	0
9	SO4	D	1176	5/5	0.91	0.09	92,94,96,96	0
9	SO4	F	1176	5/5	0.93	0.12	91,91,93,94	0

6.5 Other polymers

There are no such residues in this entry.