



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:04 AM UTC

PDB ID : 5UQK / pdb_00005uqk
Title : Clostridium difficile toxin A (TcdA) glucosyltransferase domain in complex with U2F
Authors : Alvin, J.W.; Lacy, D.B.
Deposited on : 2017-02-08
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3428 (1.86-1.86)
Clashscore	190562	3579 (1.86-1.86)
Ramachandran outliers	187476	3553 (1.86-1.86)
Sidechain outliers	187428	3553 (1.86-1.86)
RSRZ outliers	180081	3429 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	558	13% 70% 23% . .

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 9669 atoms, of which 4611 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Toxin A.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	537	Total	C	H	N	O	S	0	31	0
			9143	2921	4590	741	882	9			

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	545	PRO	-	expression tag	UNP P16154
A	546	HIS	-	expression tag	UNP P16154
A	547	ALA	-	expression tag	UNP P16154
A	548	GLY	-	expression tag	UNP P16154
A	549	LEU	-	expression tag	UNP P16154
A	550	ARG	-	expression tag	UNP P16154
A	551	GLY	-	expression tag	UNP P16154
A	552	SER	-	expression tag	UNP P16154
A	553	HIS	-	expression tag	UNP P16154
A	554	HIS	-	expression tag	UNP P16154
A	555	HIS	-	expression tag	UNP P16154
A	556	HIS	-	expression tag	UNP P16154
A	557	HIS	-	expression tag	UNP P16154
A	558	HIS	-	expression tag	UNP P16154

- Molecule 2 is URIDINE-5'-DIPHOSPHATE-2-DEOXY-2-FLUORO-ALPHA-D-GLUCOSE (CCD ID: U2F) (formula: C₁₅H₂₃FN₂O₁₆P₂).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	F	H	N	O		
2	A	1	57	15	1	21	2	16	0	0

- Molecule 3 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mn	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	468	Total	O	0	0
			468	468		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Toxin A



4 Data and refinement statistics

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, α , β , γ	142.81Å 142.81Å 66.07Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	31.40 – 1.85 31.40 – 1.85	Depositor EDS
% Data completeness (in resolution range)	99.8 (31.40-1.85) 99.8 (31.40-1.85)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.48 (at 1.85Å)	Xtriage
Refinement program	PHENIX (1.11.1_2575)	Depositor
R, R_{free}	0.182 , 0.207 0.183 , 0.208	Depositor DCC
R_{free} test set	1995 reflections (3.04%)	wwPDB-VP
Wilson B-factor (Å ²)	32.3	Xtriage
Anisotropy	0.142	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 47.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.033 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	9669	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MN, U2F

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.42	92/4715 (2.0%)	1.06	32/6365 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	8

All (92) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	168[A]	MET	CA-C	9.49	1.65	1.52
1	A	168[B]	MET	CA-C	9.49	1.65	1.52
1	A	127[A]	LYS	CA-C	8.28	1.64	1.53
1	A	127[B]	LYS	CA-C	8.28	1.64	1.53
1	A	131	ASP	C-O	-7.83	1.14	1.24
1	A	267	ALA	C-O	-7.05	1.15	1.24
1	A	274	LEU	C-O	-6.92	1.15	1.24
1	A	302	ARG	CZ-NH2	6.84	1.42	1.33
1	A	310	ARG	CZ-NH2	6.83	1.42	1.33
1	A	302	ARG	CZ-NH1	6.73	1.42	1.32
1	A	419[A]	SER	N-CA	6.68	1.54	1.45
1	A	419[B]	SER	N-CA	6.68	1.54	1.45
1	A	252	ASN	C-O	-6.64	1.16	1.24
1	A	467	LEU	C-O	-6.58	1.15	1.23
1	A	266	ALA	C-O	-6.44	1.16	1.24
1	A	146	GLU	C-O	-6.39	1.16	1.24
1	A	255	SER	C-O	-6.33	1.16	1.24
1	A	232	ASN	C-O	-6.32	1.16	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	472	ALA	C-O	-6.30	1.16	1.24
1	A	141	LYS	C-O	-6.25	1.16	1.24
1	A	254	TYR	C-O	-6.23	1.17	1.24
1	A	75	LYS	C-O	-6.15	1.17	1.24
1	A	43	ASN	C-O	-6.14	1.17	1.24
1	A	47	GLN	C-O	-6.14	1.16	1.24
1	A	310	ARG	CZ-NH1	6.01	1.41	1.32
1	A	269	ASP	C-O	-5.95	1.17	1.24
1	A	77	ASP	C-O	-5.91	1.17	1.24
1	A	149	THR	C-O	-5.90	1.17	1.24
1	A	258	LEU	C-O	-5.88	1.17	1.24
1	A	421	ASN	C-O	-5.87	1.16	1.23
1	A	394	LEU	C-O	-5.86	1.17	1.24
1	A	54	SER	C-O	-5.85	1.17	1.24
1	A	27	LEU	C-O	-5.83	1.17	1.24
1	A	140	LEU	C-O	-5.82	1.17	1.24
1	A	74	LEU	C-O	-5.78	1.17	1.24
1	A	50	LYS	C-O	-5.78	1.17	1.24
1	A	398	VAL	C-O	-5.76	1.17	1.24
1	A	32	GLU	C-O	-5.75	1.17	1.24
1	A	153	LEU	C-O	-5.75	1.17	1.24
1	A	113	TYR	C-O	-5.74	1.17	1.24
1	A	139	THR	C-O	-5.74	1.17	1.24
1	A	304	SER	CA-C	5.74	1.60	1.52
1	A	138	ASN	C-O	-5.72	1.17	1.24
1	A	42	GLU	C-O	-5.71	1.17	1.24
1	A	465	ILE	C-O	-5.69	1.17	1.24
1	A	133[A]	GLU	CA-C	5.69	1.60	1.52
1	A	133[B]	GLU	CA-C	5.69	1.60	1.52
1	A	148	SER	C-O	-5.66	1.17	1.24
1	A	152	ALA	C-O	-5.66	1.17	1.24
1	A	229	ARG	C-O	-5.65	1.17	1.24
1	A	10	ILE	C-O	-5.62	1.17	1.24
1	A	259[A]	LEU	N-CA	5.62	1.53	1.46
1	A	259[B]	LEU	N-CA	5.62	1.53	1.46
1	A	399	ILE	C-O	-5.58	1.17	1.24
1	A	223	TYR	C-O	-5.56	1.17	1.24
1	A	145	VAL	C-O	-5.55	1.17	1.24
1	A	264	LEU	C-O	-5.55	1.17	1.24
1	A	400	GLU	C-O	-5.55	1.17	1.24
1	A	6	LYS	C-O	-5.54	1.17	1.24
1	A	464	THR	C-O	-5.54	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	163	PRO	C-O	-5.54	1.16	1.24
1	A	49	LYS	C-O	-5.53	1.17	1.24
1	A	25	THR	C-O	-5.50	1.17	1.24
1	A	73	ASN	C-O	-5.48	1.17	1.24
1	A	265	ALA	C-O	-5.47	1.17	1.24
1	A	29	ASN	C-O	-5.45	1.17	1.24
1	A	270	ILE	C-O	-5.45	1.18	1.24
1	A	31	ASP	C-O	-5.44	1.17	1.24
1	A	11	LYS	C-O	-5.44	1.17	1.24
1	A	273	LEU	C-O	-5.35	1.17	1.24
1	A	28	THR	C-O	-5.34	1.18	1.24
1	A	158	GLU	C-O	-5.29	1.18	1.24
1	A	21	ASN	C-O	-5.28	1.18	1.24
1	A	137	VAL	C-O	-5.26	1.18	1.24
1	A	272	ARG	C-O	-5.25	1.18	1.24
1	A	5	SER	C-O	-5.24	1.16	1.23
1	A	257	GLU	C-O	-5.23	1.18	1.24
1	A	52	ASN	C-O	-5.22	1.18	1.24
1	A	236	GLY	C-O	-5.22	1.18	1.23
1	A	8	GLU	C-O	-5.21	1.18	1.24
1	A	401	GLN	C-O	-5.21	1.18	1.24
1	A	56	ASP	C-O	-5.21	1.18	1.24
1	A	529	GLN	C-O	-5.20	1.18	1.24
1	A	53	GLU	C-O	-5.18	1.18	1.24
1	A	143	ALA	C-O	-5.13	1.18	1.24
1	A	474	ALA	C-O	-5.13	1.18	1.24
1	A	144	ILE	C-O	-5.12	1.18	1.24
1	A	12	LEU	C-O	-5.10	1.18	1.24
1	A	7	GLU	C-O	-5.10	1.18	1.24
1	A	471	GLY	C-O	-5.07	1.17	1.23
1	A	251	LEU	C-O	-5.07	1.18	1.24
1	A	236	GLY	CA-C	-5.05	1.46	1.52

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	88	SER	CA-C-O	-18.12	100.13	120.24
1	A	419[A]	SER	CA-C-O	-16.62	102.59	121.87
1	A	419[B]	SER	CA-C-O	-16.62	102.59	121.87
1	A	127[A]	LYS	CA-C-O	-13.45	104.56	121.11
1	A	127[B]	LYS	CA-C-O	-13.45	104.56	121.11
1	A	419[A]	SER	N-CA-C	10.69	124.64	110.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	419[B]	SER	N-CA-C	10.69	124.64	110.53
1	A	133[A]	GLU	N-CA-C	10.22	125.56	113.20
1	A	133[B]	GLU	N-CA-C	10.22	125.56	113.20
1	A	88	SER	N-CA-C	9.57	123.46	111.69
1	A	340	GLN	N-CA-C	-8.11	102.38	111.14
1	A	419[A]	SER	O-C-N	7.21	131.19	122.75
1	A	419[B]	SER	O-C-N	7.21	131.19	122.75
1	A	168[A]	MET	N-CA-C	6.98	125.66	110.80
1	A	168[B]	MET	N-CA-C	6.98	125.66	110.80
1	A	340	GLN	CA-C-N	-6.79	111.36	120.79
1	A	340	GLN	C-N-CA	-6.79	111.36	120.79
1	A	168[A]	MET	CA-C-O	-6.60	111.07	120.51
1	A	168[B]	MET	CA-C-O	-6.60	111.07	120.51
1	A	339	GLN	CA-C-N	-6.34	111.82	120.44
1	A	339	GLN	C-N-CA	-6.34	111.82	120.44
1	A	61	LYS	N-CA-C	5.83	117.71	111.36
1	A	159	GLU	N-CA-C	5.74	120.42	112.90
1	A	133[A]	GLU	N-CA-CB	-5.67	101.24	110.42
1	A	133[B]	GLU	N-CA-CB	-5.67	101.24	110.42
1	A	127[A]	LYS	N-CA-C	5.64	118.80	107.41
1	A	127[B]	LYS	N-CA-C	5.64	118.80	107.41
1	A	519	TRP	N-CA-C	-5.45	99.19	110.80
1	A	259[A]	LEU	N-CA-C	5.38	119.85	113.12
1	A	259[B]	LEU	N-CA-C	5.38	119.85	113.12
1	A	303	PRO	CA-C-O	-5.33	115.53	121.23
1	A	460	GLU	N-CA-C	5.11	119.09	112.86

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	127[A]	LYS	Mainchain
1	A	127[B]	LYS	Mainchain
1	A	168[A]	MET	Mainchain
1	A	168[B]	MET	Mainchain
1	A	259[A]	LEU	Mainchain
1	A	259[B]	LEU	Mainchain
1	A	298	LYS	Mainchain
1	A	88	SER	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4553	4590	4610	66	3
2	A	36	21	21	0	0
3	A	1	0	0	0	0
4	A	468	0	0	15	0
All	All	5058	4611	4631	66	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (66) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:334:PHE:O	1:A:337:LEU:HD12	1.37	1.22
1:A:322:TYR:CE1	1:A:346:LYS:HB2	1.83	1.12
1:A:511:THR:O	1:A:515:ILE:HD12	1.50	1.11
1:A:334:PHE:O	1:A:337:LEU:CD1	2.01	1.07
1:A:17:ARG:NH1	4:A:703:HOH:O	1.90	1.03
1:A:41:ASN:ND2	4:A:704:HOH:O	1.91	1.02
1:A:296:LEU:O	1:A:348:ILE:CD1	2.08	1.01
1:A:296:LEU:O	1:A:348:ILE:HD11	1.67	0.95
1:A:308:LEU:O	4:A:702:HOH:O	1.85	0.94
1:A:43:ASN:OD1	4:A:701:HOH:O	1.84	0.94
1:A:334:PHE:HA	1:A:337:LEU:HD11	1.52	0.90
1:A:296:LEU:O	1:A:348:ILE:HD13	1.76	0.83
1:A:334:PHE:C	1:A:337:LEU:HD12	2.05	0.81
1:A:511:THR:O	1:A:515:ILE:CD1	2.29	0.80
1:A:322:TYR:CZ	1:A:346:LYS:HB2	2.15	0.79
1:A:441:GLU:CD	4:A:708:HOH:O	2.29	0.75
1:A:322:TYR:HE1	1:A:346:LYS:HD2	1.51	0.73
1:A:322:TYR:CE1	1:A:346:LYS:CB	2.66	0.73
1:A:323:LYS:HE2	1:A:349:ILE:CG2	2.19	0.73
1:A:334:PHE:HA	1:A:337:LEU:CD1	2.20	0.71
1:A:306:ILE:HD13	1:A:314:ILE:CD1	2.19	0.71
1:A:43:ASN:CG	4:A:701:HOH:O	2.32	0.70
1:A:404[B]:ASN:OD1	4:A:706:HOH:O	2.12	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:441:GLU:OE1	4:A:708:HOH:O	2.12	0.67
1:A:310:ARG:HB2	1:A:310:ARG:HH11	1.58	0.67
1:A:338:ASP:HB2	1:A:341:LEU:HD12	1.75	0.67
1:A:334:PHE:C	1:A:337:LEU:CD1	2.66	0.65
1:A:319:ILE:HD13	1:A:358:ILE:CG2	2.30	0.61
1:A:334:PHE:O	1:A:337:LEU:HD13	2.00	0.60
1:A:340:GLN:O	1:A:341:LEU:C	2.37	0.60
1:A:312:GLU:OE2	1:A:315:LYS:NZ	2.32	0.59
1:A:250:LEU:HD13	1:A:274:LEU:HD21	1.84	0.59
1:A:229:ARG:HG3	4:A:894:HOH:O	2.03	0.58
1:A:322:TYR:CE1	1:A:346:LYS:HD2	2.37	0.58
1:A:323:LYS:HE2	1:A:349:ILE:HG22	1.84	0.58
1:A:146:GLU:OE1	4:A:709:HOH:O	2.17	0.57
1:A:532:LYS:O	1:A:532:LYS:HD2	2.04	0.56
1:A:322:TYR:HB2	1:A:349:ILE:HG21	1.88	0.56
1:A:340:GLN:NE2	1:A:340:GLN:HA	2.20	0.56
1:A:334:PHE:CA	1:A:337:LEU:CD1	2.84	0.56
1:A:300:ILE:HG12	1:A:344:ASN:OD1	2.07	0.55
1:A:322:TYR:HE1	1:A:346:LYS:HB2	1.61	0.54
1:A:109:ILE:H	1:A:109:ILE:HD12	1.75	0.52
1:A:126:ILE:HD13	1:A:126:ILE:N	2.24	0.52
1:A:306:ILE:HG23	1:A:310:ARG:HB3	1.92	0.51
1:A:235:HIS:HE1	4:A:1073:HOH:O	1.94	0.51
1:A:320:MET:HG3	1:A:329:TYR:CG	2.45	0.51
1:A:323:LYS:HE2	1:A:349:ILE:HG23	1.94	0.47
1:A:372[A]:ILE:HG22	1:A:394:LEU:HB3	1.95	0.47
1:A:447[B]:THR:HG21	4:A:827:HOH:O	2.15	0.46
1:A:498[A]:ILE:HD11	4:A:1034:HOH:O	2.15	0.46
1:A:310:ARG:HB2	1:A:310:ARG:NH1	2.28	0.45
1:A:133[B]:GLU:HG3	1:A:200:THR:HB	1.98	0.45
1:A:120:ILE:O	1:A:361[B]:LYS:HD2	2.17	0.45
1:A:58:PHE:CD1	1:A:58:PHE:C	2.97	0.43
1:A:7:GLU:HG2	4:A:961:HOH:O	2.18	0.43
1:A:310:ARG:O	1:A:311:TRP:C	2.59	0.43
1:A:97:LEU:HD23	1:A:282:VAL:HB	2.00	0.42
1:A:302:ARG:HA	1:A:303:PRO:HD2	1.90	0.42
1:A:86:LYS:O	1:A:368:SER:HB2	2.20	0.42
1:A:161:GLN:O	1:A:162:ASN:C	2.61	0.41
1:A:318:ALA:O	1:A:322:TYR:HD2	2.03	0.41
1:A:215:ARG:NH2	4:A:711:HOH:O	2.28	0.41
1:A:306:ILE:HD13	1:A:314:ILE:HD13	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:372[B]:ILE:CG2	1:A:395:THR:OG1	2.69	0.41

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:14:TYR:OH	1:A:248:GLN:OE1[3_664]	2.11	0.09
1:A:8:GLU:OE1	1:A:38:THR:OG1[2_654]	2.12	0.08
1:A:14:TYR:HH	1:A:248:GLN:OE1[3_664]	1.57	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	566/558 (101%)	545 (96%)	21 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	526/512 (103%)	523 (99%)	3 (1%)	78	73

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	231	ILE
1	A	310	ARG
1	A	394	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	235	HIS
1	A	248	GLN
1	A	390	GLN
1	A	513	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	U2F	A	601	3	37,38,38	2.87	19 (51%)	53,58,58	1.83	14 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	U2F	A	601	3	-	3/22/59/59	0/3/3/3

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	U2F	C3'-C2'	-7.24	1.33	1.53
2	A	601	U2F	C2-C3	-5.19	1.47	1.52
2	A	601	U2F	C6'-N1	5.05	1.46	1.38
2	A	601	U2F	O6'-C6'	-4.74	1.14	1.23
2	A	601	U2F	C6'-N3	4.63	1.46	1.38
2	A	601	U2F	C9'-C8'	4.59	1.45	1.35
2	A	601	U2F	O4'-C1'	-4.29	1.32	1.42
2	A	601	U2F	O7'-C7'	-4.25	1.16	1.24
2	A	601	U2F	F1-C2	-3.68	1.33	1.40
2	A	601	U2F	C5'-C4'	-3.34	1.41	1.51
2	A	601	U2F	O3'-C3'	2.85	1.50	1.43
2	A	601	U2F	O4'-C4'	2.83	1.51	1.45
2	A	601	U2F	C7'-N3	2.53	1.42	1.38
2	A	601	U2F	C2'-C1'	2.31	1.60	1.53
2	A	601	U2F	O5-C1	2.25	1.47	1.41
2	A	601	U2F	PB-O2B	-2.21	1.45	1.55
2	A	601	U2F	PA-O3A	2.21	1.61	1.59
2	A	601	U2F	PB-O1B	-2.19	1.43	1.50
2	A	601	U2F	C1'-N1	-2.15	1.41	1.47

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	U2F	C7'-N3-C6'	-4.91	120.52	126.61
2	A	601	U2F	N3-C6'-N1	4.47	120.71	114.89
2	A	601	U2F	O4-C4-C5	-3.34	101.11	109.32
2	A	601	U2F	O5-C1-O1	-3.33	107.02	111.36
2	A	601	U2F	C3'-C2'-C1'	2.95	107.04	101.46
2	A	601	U2F	O5-C5-C6	2.71	113.15	106.44
2	A	601	U2F	C8'-C7'-N3	2.60	118.44	114.80
2	A	601	U2F	F1-C2-C3	2.60	111.06	108.81
2	A	601	U2F	O7'-C7'-C8'	-2.51	120.83	125.16
2	A	601	U2F	O2'-C2'-C1'	-2.37	101.93	110.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	U2F	C1'-N1-C6'	2.35	121.81	117.59
2	A	601	U2F	O5'-C5'-C4'	2.30	116.81	108.99
2	A	601	U2F	O6'-C6'-N3	-2.21	117.42	121.49
2	A	601	U2F	O4'-C1'-N1	2.09	113.08	108.36

There are no chirality outliers.


All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	U2F	PB-O3A-PA-O1A
2	A	601	U2F	O5-C1-O1-PB
2	A	601	U2F	PB-O3A-PA-O2A

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	537/558 (96%)	0.30	73 (13%) 7 6	14, 42, 148, 225	29 (5%)

All (73) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	322	TYR	6.4
1	A	351	SER	5.7
1	A	306	ILE	5.6
1	A	347	LEU	5.4
1	A	519	TRP	5.3
1	A	161	GLN	5.2
1	A	345	PHE	5.1
1	A	38	THR	5.1
1	A	349	ILE	4.9
1	A	300	ILE	4.6
1	A	341	LEU	4.4
1	A	538	THR	4.4
1	A	37	THR	4.3
1	A	334	PHE	4.1
1	A	318	ALA	4.0
1	A	81	GLU	4.0
1	A	125	ASN	4.0
1	A	358	ILE	3.9
1	A	344	ASN	3.9
1	A	420	ASP	3.9
1	A	343[A]	ASP	3.8
1	A	353	SER	3.7
1	A	339	GLN	3.6
1	A	356[A]	SER	3.6
1	A	335	ASP	3.5
1	A	162	ASN	3.5
1	A	296	LEU	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	520[A]	SER	3.4
1	A	346	LYS	3.3
1	A	521	PHE	3.3
1	A	352	LYS	3.1
1	A	314	ILE	3.1
1	A	307	GLY	3.1
1	A	348	ILE	3.0
1	A	89	ASN	2.9
1	A	292[A]	ILE	2.9
1	A	304	SER	2.9
1	A	229	ARG	2.9
1	A	325	TYR	2.9
1	A	321	LYS	2.9
1	A	324	LYS	2.8
1	A	337	LEU	2.7
1	A	120	ILE	2.7
1	A	342	LYS	2.7
1	A	518	LEU	2.7
1	A	535	ARG	2.6
1	A	537	TYR	2.6
1	A	299	THR	2.6
1	A	303	PRO	2.6
1	A	323	LYS	2.5
1	A	308	LEU	2.5
1	A	505[A]	ASN	2.4
1	A	297	PHE	2.4
1	A	336	LYS	2.4
1	A	355	LYS	2.4
1	A	498[A]	ILE	2.3
1	A	115	LYS	2.3
1	A	363[A]	GLU	2.3
1	A	354	GLU	2.2
1	A	350	GLU	2.2
1	A	329	TYR	2.2
1	A	361[A]	LYS	2.2
1	A	88	SER	2.2
1	A	83	ILE	2.2
1	A	340	GLN	2.2
1	A	516	ASN	2.1
1	A	301	SER	2.1
1	A	293	HIS	2.1
1	A	305	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	338	ASP	2.1
1	A	357	GLU	2.1
1	A	158	GLU	2.0
1	A	517	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	U2F	A	601	36/36	0.94	0.08	27,40,50,52	16
3	MN	A	602	1/1	0.97	0.05	41,41,41,41	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around U2F A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.