



wwPDB EM Validation Summary Report ⓘ

Mar 8, 2026 – 01:46 PM UTC

PDB ID : 6UQO / pdb_00006uqo
EMDB ID : EMD-20851
Title : ClpA/ClpP Engaged State bound to RepA-GFP
Authors : Lopez, K.L.; Rizo, A.N.; Southworth, D.R.
Deposited on : 2019-10-21
Resolution : 3.10 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14724 (2.60 - 3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	578	26% 79% 19% .
1	B	578	8% 80% 16% .
1	C	578	5% 84% 14% .
1	D	578	9% 87% 12% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	578	
1	F	578	
2	G	192	
2	H	192	
2	I	192	
2	J	192	
2	K	192	
2	L	192	
2	M	192	
2	N	192	
2	O	192	
2	P	192	
2	Q	192	
2	R	192	
2	S	192	
2	T	192	
3	X	9	
3	Y	9	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	ADP	A	801	X	-	-	-
4	ADP	A	802	X	-	-	-
4	ADP	E	801	X	-	X	-
4	ADP	F	801	X	-	X	-
4	ADP	F	802	X	-	-	-
5	AGS	B	801	X	-	-	-
5	AGS	B	802	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	AGS	C	801	X	-	-	-
5	AGS	C	802	X	-	-	-
5	AGS	D	801	X	-	-	-
5	AGS	D	802	X	-	-	-
5	AGS	E	802	X	-	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 48522 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-dependent Clp protease ATP-binding subunit ClpA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	578	Total	C	N	O	S	0	0
			4511	2841	805	851	14		
1	B	578	Total	C	N	O	S	0	0
			4511	2841	805	851	14		
1	C	578	Total	C	N	O	S	0	0
			4511	2841	805	851	14		
1	D	578	Total	C	N	O	S	0	0
			4511	2841	805	851	14		
1	E	578	Total	C	N	O	S	0	0
			4511	2841	805	851	14		
1	F	578	Total	C	N	O	S	0	0
			4511	2841	805	851	14		

- Molecule 2 is a protein called ATP-dependent Clp endopeptidase proteolytic subunit ClpP.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	G	192	Total	C	N	O	S	0	0
			1501	946	260	283	12		
2	H	192	Total	C	N	O	S	0	0
			1501	946	260	283	12		
2	I	192	Total	C	N	O	S	0	0
			1501	946	260	283	12		
2	J	192	Total	C	N	O	S	0	0
			1501	946	260	283	12		
2	K	192	Total	C	N	O	S	0	0
			1501	946	260	283	12		
2	L	192	Total	C	N	O	S	0	0
			1501	946	260	283	12		
2	M	192	Total	C	N	O	S	0	0
			1501	946	260	283	12		
2	N	192	Total	C	N	O	S	0	0
			1501	946	260	283	12		
2	O	192	Total	C	N	O	S	0	0
			1501	946	260	283	12		

Continued on next page...

Mol	Chain	Residues	Atoms					AltConf	Trace
2	P	192	Total 1501	C 946	N 260	O 283	S 12	0	0
2	Q	192	Total 1501	C 946	N 260	O 283	S 12	0	0
2	R	192	Total 1501	C 946	N 260	O 283	S 12	0	0
2	S	192	Total 1501	C 946	N 260	O 283	S 12	0	0
2	T	192	Total 1501	C 946	N 260	O 283	S 12	0	0

- | Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------------|---------|--------|--------|---------|-------|
| 3 | X | 9 | Total
45 | C
27 | N
9 | O
9 | 0 | 0 |
| 3 | Y | 9 | Total
45 | C
27 | N
9 | O
9 | 0 | 0 |

- # ADP


Mol	Chain	Residues	Atoms					AltConf
4	A	1	Total 27	C 10	N 5	O 10	P 2	0
4	A	1	Total 27	C 10	N 5	O 10	P 2	0




Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
4	E	1	Total	C	N	O	P	0
			27	10	5	10	2	
4	F	1	Total	C	N	O	P	0
			27	10	5	10	2	
4	F	1	Total	C	N	O	P	0
			27	10	5	10	2	



- Molecule 5 is PHOSPHOTHIOPHOSPHORIC ACID-ADENYLATE ESTER (CCD ID: AGS) (formula: $C_{10}H_{16}N_5O_{12}P_3S$).





Mol	Chain	Residues	Atoms						AltConf
5	B	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
5	B	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
5	C	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
5	C	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
5	D	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
5	D	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
5	E	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	





• Molecule 1: ATP-dependent Clp protease ATP-binding subunit ClpA




• Molecule 1: ATP-dependent Clp protease ATP-binding subunit ClpA





• Molecule 1: ATP-dependent Clp protease ATP-binding subunit ClpA





• Molecule 1: ATP-dependent Clp protease ATP-binding subunit ClpA







- Molecule 2: ATP-dependent Clp endopeptidase proteolytic subunit ClpP




- Molecule 2: ATP-dependent Clp endopeptidase proteolytic subunit ClpP




- Molecule 2: ATP-dependent Clp endopeptidase proteolytic subunit ClpP




- Molecule 2: ATP-dependent Clp endopeptidase proteolytic subunit ClpP




- Molecule 2: ATP-dependent Clp endopeptidase proteolytic subunit ClpP




- Molecule 2: ATP-dependent Clp endopeptidase proteolytic subunit ClpP




- Molecule 2: ATP-dependent Clp endopeptidase proteolytic subunit ClpP




- Molecule 2: ATP-dependent Clp endopeptidase proteolytic subunit ClpP




- Molecule 2: ATP-dependent Clp endopeptidase proteolytic subunit ClpP




- Molecule 2: ATP-dependent Clp endopeptidase proteolytic subunit ClpP



- Molecule 2: ATP-dependent Clp endopeptidase proteolytic subunit ClpP




- Molecule 2: ATP-dependent Clp endopeptidase proteolytic subunit ClpP




- Molecule 2: ATP-dependent Clp endopeptidase proteolytic subunit ClpP

Chain S:  84% 15% .




- Molecule 2: ATP-dependent Clp endopeptidase proteolytic subunit ClpP

Chain T:  5% 85% 13% .




- Molecule 3: RepA-GFP

Chain X:  33% 33% 67%



- Molecule 3: RepA-GFP

Chain Y:  11% 89%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	97000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	69	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	58616	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	3.563	Depositor
Minimum map value	-1.554	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.077	Depositor
Recommended contour level	0.65	Depositor
Map size (Å)	511.8, 511.8, 511.8	wwPDB
Map dimensions	600, 600, 600	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.853, 0.853, 0.853	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AGS, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.13	4/4577 (0.1%)	1.25	39/6175 (0.6%)
1	B	1.23	6/4577 (0.1%)	1.23	39/6175 (0.6%)
1	C	1.30	4/4577 (0.1%)	1.25	30/6175 (0.5%)
1	D	1.27	3/4577 (0.1%)	1.26	37/6175 (0.6%)
1	E	1.08	1/4577 (0.0%)	1.24	34/6175 (0.6%)
1	F	1.04	3/4577 (0.1%)	1.25	26/6175 (0.4%)
2	G	1.50	0/1525	1.29	16/2054 (0.8%)
2	H	1.39	0/1525	1.25	16/2054 (0.8%)
2	I	1.41	1/1525 (0.1%)	1.27	15/2054 (0.7%)
2	J	1.40	1/1525 (0.1%)	1.28	16/2054 (0.8%)
2	K	1.45	1/1525 (0.1%)	1.26	15/2054 (0.7%)
2	L	1.46	1/1525 (0.1%)	1.28	16/2054 (0.8%)
2	M	1.46	1/1525 (0.1%)	1.31	16/2054 (0.8%)
2	N	1.40	2/1525 (0.1%)	1.26	12/2054 (0.6%)
2	O	1.40	1/1525 (0.1%)	1.23	13/2054 (0.6%)
2	P	1.43	2/1525 (0.1%)	1.26	13/2054 (0.6%)
2	Q	1.45	1/1525 (0.1%)	1.23	12/2054 (0.6%)
2	R	1.42	1/1525 (0.1%)	1.26	14/2054 (0.7%)
2	S	1.39	0/1525	1.26	14/2054 (0.7%)
2	T	1.41	3/1525 (0.2%)	1.26	12/2054 (0.6%)
All	All	1.29	36/48812 (0.1%)	1.26	405/65806 (0.6%)

The worst 5 of 36 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	393	HIS	CB-CG	-6.49	1.41	1.50
2	K	136	HIS	CB-CG	-6.47	1.41	1.50
1	B	556	HIS	CB-CG	-6.38	1.41	1.50
1	A	485	HIS	CB-CG	-6.32	1.41	1.50
2	L	136	HIS	CB-CG	-6.20	1.41	1.50

The worst 5 of 405 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	414	VAL	N-CA-C	-12.36	101.41	113.53
1	D	414	VAL	N-CA-C	-11.00	100.55	113.42
2	M	27	GLY	N-CA-C	-10.86	95.86	110.74
2	J	55	ASN	N-CA-C	-10.09	102.03	114.75
1	E	495	GLY	CA-C-N	9.79	129.72	120.03

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4511	0	4609	170	0
1	B	4511	0	4608	243	0
1	C	4511	0	4609	149	0
1	D	4511	0	4609	59	0
1	E	4511	0	4608	69	0
1	F	4511	0	4608	85	0
2	G	1501	0	1512	25	0
2	H	1501	0	1512	40	0
2	I	1501	0	1512	37	0
2	J	1501	0	1512	35	0
2	K	1501	0	1512	31	0
2	L	1501	0	1512	57	0
2	M	1501	0	1512	62	0
2	N	1501	0	1512	33	0
2	O	1501	0	1512	32	0
2	P	1501	0	1512	35	0
2	Q	1501	0	1512	28	0
2	R	1501	0	1512	35	0
2	S	1501	0	1512	38	0
2	T	1501	0	1512	39	0
3	X	45	0	14	17	0
3	Y	45	0	17	25	0
4	A	54	0	23	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	E	27	0	11	27	0
4	F	54	0	22	17	0
5	B	62	0	23	0	0
5	C	62	0	23	2	0
5	D	62	0	22	0	0
5	E	31	0	12	0	0
All	All	48522	0	48986	1198	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 1198 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:328:SER:CA	1:C:332:GLU:CG	1.76	1.64
1:A:291:ILE:CG2	1:A:330:ILE:CG2	1.78	1.61
1:A:291:ILE:HD11	1:A:331:PHE:CE1	1.35	1.57
1:A:291:ILE:HG21	1:A:330:ILE:CG2	1.17	1.57
1:B:293:ALA:CB	1:B:303:ALA:HB3	1.27	1.57

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	576/578 (100%)	554 (96%)	17 (3%)	5 (1%)	14	44
1	B	576/578 (100%)	554 (96%)	13 (2%)	9 (2%)	7	30
1	C	576/578 (100%)	550 (96%)	20 (4%)	6 (1%)	12	41
1	D	576/578 (100%)	559 (97%)	14 (2%)	3 (0%)	24	57
1	E	576/578 (100%)	564 (98%)	10 (2%)	2 (0%)	36	67

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	F	576/578 (100%)	552 (96%)	19 (3%)	5 (1%)	14	44
2	G	190/192 (99%)	181 (95%)	8 (4%)	1 (0%)	24	57
2	H	190/192 (99%)	180 (95%)	8 (4%)	2 (1%)	11	39
2	I	190/192 (99%)	184 (97%)	6 (3%)	0	100	100
2	J	190/192 (99%)	180 (95%)	10 (5%)	0	100	100
2	K	190/192 (99%)	183 (96%)	7 (4%)	0	100	100
2	L	190/192 (99%)	179 (94%)	8 (4%)	3 (2%)	7	30
2	M	190/192 (99%)	178 (94%)	9 (5%)	3 (2%)	7	30
2	N	190/192 (99%)	183 (96%)	7 (4%)	0	100	100
2	O	190/192 (99%)	182 (96%)	8 (4%)	0	100	100
2	P	190/192 (99%)	182 (96%)	8 (4%)	0	100	100
2	Q	190/192 (99%)	181 (95%)	9 (5%)	0	100	100
2	R	190/192 (99%)	183 (96%)	7 (4%)	0	100	100
2	S	190/192 (99%)	183 (96%)	7 (4%)	0	100	100
2	T	190/192 (99%)	184 (97%)	6 (3%)	0	100	100
All	All	6116/6156 (99%)	5876 (96%)	201 (3%)	39 (1%)	23	52

5 of 39 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	628	ALA
1	A	702	ARG
1	A	704	MET
1	B	297	SER
1	B	303	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	485/485 (100%)	480 (99%)	5 (1%)	68	79

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	485/485 (100%)	480 (99%)	5 (1%)	68	79
1	C	485/485 (100%)	482 (99%)	3 (1%)	78	83
1	D	485/485 (100%)	484 (100%)	1 (0%)	87	89
1	E	485/485 (100%)	485 (100%)	0	100	100
1	F	485/485 (100%)	484 (100%)	1 (0%)	87	89
2	G	162/162 (100%)	162 (100%)	0	100	100
2	H	162/162 (100%)	162 (100%)	0	100	100
2	I	162/162 (100%)	161 (99%)	1 (1%)	78	83
2	J	162/162 (100%)	162 (100%)	0	100	100
2	K	162/162 (100%)	161 (99%)	1 (1%)	78	83
2	L	162/162 (100%)	160 (99%)	2 (1%)	63	78
2	M	162/162 (100%)	160 (99%)	2 (1%)	63	78
2	N	162/162 (100%)	161 (99%)	1 (1%)	78	83
2	O	162/162 (100%)	162 (100%)	0	100	100
2	P	162/162 (100%)	162 (100%)	0	100	100
2	Q	162/162 (100%)	161 (99%)	1 (1%)	78	83
2	R	162/162 (100%)	162 (100%)	0	100	100
2	S	162/162 (100%)	161 (99%)	1 (1%)	78	83
2	T	162/162 (100%)	161 (99%)	1 (1%)	78	83
All	All	5178/5178 (100%)	5153 (100%)	25 (0%)	78	85

5 of 25 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	444	SER
2	L	33	ILE
2	T	126	PHE
2	K	126	PHE
2	L	126	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 32 such sidechains are listed below:

Mol	Chain	Res	Type
2	O	55	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	Q	55	ASN
1	B	672	GLN
1	B	660	GLN
2	R	55	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ADP	A	801	-	28,29,29	2.98	11 (39%)	43,45,45	2.17	10 (23%)
5	AGS	B	802	-	32,33,33	2.87	16 (50%)	45,52,52	2.06	14 (31%)
5	AGS	B	801	-	32,33,33	2.79	15 (46%)	45,52,52	2.34	17 (37%)
4	ADP	A	802	-	28,29,29	2.91	13 (46%)	43,45,45	2.25	10 (23%)
5	AGS	D	802	-	32,33,33	2.85	17 (53%)	45,52,52	2.17	11 (24%)
4	ADP	E	801	-	28,29,29	3.27	7 (25%)	43,45,45	2.19	11 (25%)
4	ADP	F	801	-	28,29,29	3.06	7 (25%)	43,45,45	2.15	9 (20%)
5	AGS	C	802	-	32,33,33	3.00	13 (40%)	45,52,52	2.09	13 (28%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	AGS	E	802	-	32,33,33	2.92	18 (56%)	45,52,52	2.12	10 (22%)
4	ADP	F	802	-	28,29,29	2.89	13 (46%)	43,45,45	2.33	12 (27%)
5	AGS	C	801	-	32,33,33	2.89	15 (46%)	45,52,52	2.21	17 (37%)
5	AGS	D	801	-	32,33,33	2.89	16 (50%)	45,52,52	2.18	13 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ADP	A	801	-	2/2/6/6	6/16/32/32	0/3/3/3
5	AGS	B	802	-	3/3/7/7	3/21/38/38	0/3/3/3
5	AGS	B	801	-	2/2/7/7	3/21/38/38	0/3/3/3
4	ADP	A	802	-	2/2/6/6	3/16/32/32	0/3/3/3
5	AGS	D	802	-	2/2/7/7	2/21/38/38	0/3/3/3
4	ADP	E	801	-	2/2/6/6	7/16/32/32	0/3/3/3
4	ADP	F	801	-	1/1/6/6	3/16/32/32	0/3/3/3
5	AGS	C	802	-	3/3/7/7	0/21/38/38	0/3/3/3
5	AGS	E	802	-	3/3/7/7	0/21/38/38	0/3/3/3
4	ADP	F	802	-	2/2/6/6	0/16/32/32	0/3/3/3
5	AGS	C	801	-	2/2/7/7	5/21/38/38	0/3/3/3
5	AGS	D	801	-	3/3/7/7	4/21/38/38	0/3/3/3

The worst 5 of 161 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	801	ADP	O4'-C1'	9.75	1.64	1.42
4	F	802	ADP	O4'-C1'	9.44	1.63	1.42
4	A	802	ADP	O4'-C1'	9.24	1.63	1.42
4	E	801	ADP	PA-O3A	9.21	1.69	1.59
4	F	801	ADP	O4'-C1'	8.77	1.62	1.42

The worst 5 of 147 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	802	ADP	C2'-C1'-N9	6.81	130.22	113.30
4	F	801	ADP	C5-C4-N3	-6.50	117.77	126.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	802	ADP	C2'-C1'-N9	6.29	128.94	113.30
5	E	802	AGS	C5-C4-N3	-6.21	118.17	126.72
4	E	801	ADP	C5-C4-N3	-5.99	118.47	126.72

5 of 27 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	A	801	ADP	C1'
4	A	801	ADP	C3'
4	A	802	ADP	C1'
4	A	802	ADP	C3'
4	E	801	ADP	C3'

5 of 36 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	801	ADP	C5'-O5'-PA-O1A
4	A	801	ADP	C5'-O5'-PA-O3A
4	A	802	ADP	C4'-C5'-O5'-PA
4	E	801	ADP	C5'-O5'-PA-O2A
4	E	801	ADP	C5'-O5'-PA-O3A


There are no ring outliers.


7 monomers are involved in 54 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	801	ADP	1	0
4	A	802	ADP	7	0
4	E	801	ADP	27	0
4	F	801	ADP	15	0
5	C	802	AGS	1	0
4	F	802	ADP	2	0
5	C	801	AGS	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.










Ligand AGS B 801




Ligand ADP A 802










Ligand AGS E 802



Ligand ADP F 802







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20851. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 300



Y Index: 300




Z Index: 300


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 276



Y Index: 319




Z Index: 361


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.65. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 251 nm^3 ; this corresponds to an approximate mass of 227 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-20851 and PDB model 6UQO. Per-residue inclusion information can be found in [section 3](#) on [page 8](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.65 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.65).

9.4 Atom inclusion [i](#)



At the recommended contour level, 79% of all backbone atoms, 70% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.65) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6990	 0.4690
A	 0.5780	 0.4130
B	 0.7450	 0.4810
C	 0.7900	 0.4980
D	 0.7260	 0.4700
E	 0.3840	 0.3490
F	 0.1640	 0.2470
G	 0.8910	 0.5490
H	 0.8740	 0.5490
I	 0.8760	 0.5490
J	 0.8750	 0.5480
K	 0.8910	 0.5500
L	 0.8930	 0.5540
M	 0.8920	 0.5480
N	 0.8630	 0.5400
O	 0.8610	 0.5430
P	 0.8660	 0.5400
Q	 0.8640	 0.5450
R	 0.8670	 0.5450
S	 0.8690	 0.5420
T	 0.8590	 0.5430
X	 0.5560	 0.4270
Y	 0.9110	 0.5220

