



wwPDB EM Validation Summary Report ⓘ

Mar 20, 2026 – 04:32 AM UTC

PDB ID : 7UQJ / pdb_00007uqj
EMDB ID : EMD-26696
Title : Cryo-EM structure of the *S. cerevisiae* chromatin remodeler Yta7 hexamer bound to ATPgS and histone H3 tail in state II
Authors : Wang, F.; Feng, X.; Li, H.
Deposited on : 2022-04-19
Resolution : 3.00 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14081 (2.50 - 3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1416	 32% 9% 59%
1	B	1416	 33% 8% 59%
1	C	1416	 33% 8% 59%
1	D	1416	 35% 6% 59%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	1416	34%7%59%
1	F	1416	33%7%59%
2	G	25	28%48%8%•40%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 27983 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATPase histone chaperone YTA7.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	585	Total	C	N	O	S	0	0
			4646	2978	785	866	17		
1	B	574	Total	C	N	O	S	0	0
			4573	2933	775	848	17		
1	C	581	Total	C	N	O	S	0	0
			4622	2965	782	858	17		
1	D	581	Total	C	N	O	S	0	0
			4622	2965	782	858	17		
1	E	578	Total	C	N	O	S	0	0
			4598	2949	779	853	17		
1	F	581	Total	C	N	O	S	0	0
			4628	2965	785	861	17		

There are 222 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-36	HIS	-	expression tag	UNP P40340
A	-35	HIS	-	expression tag	UNP P40340
A	-34	HIS	-	expression tag	UNP P40340
A	-33	HIS	-	expression tag	UNP P40340
A	-32	HIS	-	expression tag	UNP P40340
A	-31	HIS	-	expression tag	UNP P40340
A	-30	HIS	-	expression tag	UNP P40340
A	-29	HIS	-	expression tag	UNP P40340
A	-28	HIS	-	expression tag	UNP P40340
A	-27	HIS	-	expression tag	UNP P40340
A	-26	THR	-	expression tag	UNP P40340
A	-25	SER	-	expression tag	UNP P40340
A	-24	GLY	-	expression tag	UNP P40340
A	-23	SER	-	expression tag	UNP P40340
A	-22	MET	-	expression tag	UNP P40340
A	-21	ASP	-	expression tag	UNP P40340
A	-20	TYR	-	expression tag	UNP P40340
A	-19	LYS	-	expression tag	UNP P40340

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	ASP	-	expression tag	UNP P40340
A	-17	HIS	-	expression tag	UNP P40340
A	-16	ASP	-	expression tag	UNP P40340
A	-15	GLY	-	expression tag	UNP P40340
A	-14	ASP	-	expression tag	UNP P40340
A	-13	TYR	-	expression tag	UNP P40340
A	-12	LYS	-	expression tag	UNP P40340
A	-11	ASP	-	expression tag	UNP P40340
A	-10	HIS	-	expression tag	UNP P40340
A	-9	ASP	-	expression tag	UNP P40340
A	-8	ILE	-	expression tag	UNP P40340
A	-7	ASP	-	expression tag	UNP P40340
A	-6	TYR	-	expression tag	UNP P40340
A	-5	LYS	-	expression tag	UNP P40340
A	-4	ASP	-	expression tag	UNP P40340
A	-3	ASP	-	expression tag	UNP P40340
A	-2	ASP	-	expression tag	UNP P40340
A	-1	ASP	-	expression tag	UNP P40340
A	0	LYS	-	expression tag	UNP P40340
B	-36	HIS	-	expression tag	UNP P40340
B	-35	HIS	-	expression tag	UNP P40340
B	-34	HIS	-	expression tag	UNP P40340
B	-33	HIS	-	expression tag	UNP P40340
B	-32	HIS	-	expression tag	UNP P40340
B	-31	HIS	-	expression tag	UNP P40340
B	-30	HIS	-	expression tag	UNP P40340
B	-29	HIS	-	expression tag	UNP P40340
B	-28	HIS	-	expression tag	UNP P40340
B	-27	HIS	-	expression tag	UNP P40340
B	-26	THR	-	expression tag	UNP P40340
B	-25	SER	-	expression tag	UNP P40340
B	-24	GLY	-	expression tag	UNP P40340
B	-23	SER	-	expression tag	UNP P40340
B	-22	MET	-	expression tag	UNP P40340
B	-21	ASP	-	expression tag	UNP P40340
B	-20	TYR	-	expression tag	UNP P40340
B	-19	LYS	-	expression tag	UNP P40340
B	-18	ASP	-	expression tag	UNP P40340
B	-17	HIS	-	expression tag	UNP P40340
B	-16	ASP	-	expression tag	UNP P40340
B	-15	GLY	-	expression tag	UNP P40340
B	-14	ASP	-	expression tag	UNP P40340

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-13	TYR	-	expression tag	UNP P40340
B	-12	LYS	-	expression tag	UNP P40340
B	-11	ASP	-	expression tag	UNP P40340
B	-10	HIS	-	expression tag	UNP P40340
B	-9	ASP	-	expression tag	UNP P40340
B	-8	ILE	-	expression tag	UNP P40340
B	-7	ASP	-	expression tag	UNP P40340
B	-6	TYR	-	expression tag	UNP P40340
B	-5	LYS	-	expression tag	UNP P40340
B	-4	ASP	-	expression tag	UNP P40340
B	-3	ASP	-	expression tag	UNP P40340
B	-2	ASP	-	expression tag	UNP P40340
B	-1	ASP	-	expression tag	UNP P40340
B	0	LYS	-	expression tag	UNP P40340
C	-36	HIS	-	expression tag	UNP P40340
C	-35	HIS	-	expression tag	UNP P40340
C	-34	HIS	-	expression tag	UNP P40340
C	-33	HIS	-	expression tag	UNP P40340
C	-32	HIS	-	expression tag	UNP P40340
C	-31	HIS	-	expression tag	UNP P40340
C	-30	HIS	-	expression tag	UNP P40340
C	-29	HIS	-	expression tag	UNP P40340
C	-28	HIS	-	expression tag	UNP P40340
C	-27	HIS	-	expression tag	UNP P40340
C	-26	THR	-	expression tag	UNP P40340
C	-25	SER	-	expression tag	UNP P40340
C	-24	GLY	-	expression tag	UNP P40340
C	-23	SER	-	expression tag	UNP P40340
C	-22	MET	-	expression tag	UNP P40340
C	-21	ASP	-	expression tag	UNP P40340
C	-20	TYR	-	expression tag	UNP P40340
C	-19	LYS	-	expression tag	UNP P40340
C	-18	ASP	-	expression tag	UNP P40340
C	-17	HIS	-	expression tag	UNP P40340
C	-16	ASP	-	expression tag	UNP P40340
C	-15	GLY	-	expression tag	UNP P40340
C	-14	ASP	-	expression tag	UNP P40340
C	-13	TYR	-	expression tag	UNP P40340
C	-12	LYS	-	expression tag	UNP P40340
C	-11	ASP	-	expression tag	UNP P40340
C	-10	HIS	-	expression tag	UNP P40340
C	-9	ASP	-	expression tag	UNP P40340

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-8	ILE	-	expression tag	UNP P40340
C	-7	ASP	-	expression tag	UNP P40340
C	-6	TYR	-	expression tag	UNP P40340
C	-5	LYS	-	expression tag	UNP P40340
C	-4	ASP	-	expression tag	UNP P40340
C	-3	ASP	-	expression tag	UNP P40340
C	-2	ASP	-	expression tag	UNP P40340
C	-1	ASP	-	expression tag	UNP P40340
C	0	LYS	-	expression tag	UNP P40340
D	-36	HIS	-	expression tag	UNP P40340
D	-35	HIS	-	expression tag	UNP P40340
D	-34	HIS	-	expression tag	UNP P40340
D	-33	HIS	-	expression tag	UNP P40340
D	-32	HIS	-	expression tag	UNP P40340
D	-31	HIS	-	expression tag	UNP P40340
D	-30	HIS	-	expression tag	UNP P40340
D	-29	HIS	-	expression tag	UNP P40340
D	-28	HIS	-	expression tag	UNP P40340
D	-27	HIS	-	expression tag	UNP P40340
D	-26	THR	-	expression tag	UNP P40340
D	-25	SER	-	expression tag	UNP P40340
D	-24	GLY	-	expression tag	UNP P40340
D	-23	SER	-	expression tag	UNP P40340
D	-22	MET	-	expression tag	UNP P40340
D	-21	ASP	-	expression tag	UNP P40340
D	-20	TYR	-	expression tag	UNP P40340
D	-19	LYS	-	expression tag	UNP P40340
D	-18	ASP	-	expression tag	UNP P40340
D	-17	HIS	-	expression tag	UNP P40340
D	-16	ASP	-	expression tag	UNP P40340
D	-15	GLY	-	expression tag	UNP P40340
D	-14	ASP	-	expression tag	UNP P40340
D	-13	TYR	-	expression tag	UNP P40340
D	-12	LYS	-	expression tag	UNP P40340
D	-11	ASP	-	expression tag	UNP P40340
D	-10	HIS	-	expression tag	UNP P40340
D	-9	ASP	-	expression tag	UNP P40340
D	-8	ILE	-	expression tag	UNP P40340
D	-7	ASP	-	expression tag	UNP P40340
D	-6	TYR	-	expression tag	UNP P40340
D	-5	LYS	-	expression tag	UNP P40340
D	-4	ASP	-	expression tag	UNP P40340

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-3	ASP	-	expression tag	UNP P40340
D	-2	ASP	-	expression tag	UNP P40340
D	-1	ASP	-	expression tag	UNP P40340
D	0	LYS	-	expression tag	UNP P40340
E	-36	HIS	-	expression tag	UNP P40340
E	-35	HIS	-	expression tag	UNP P40340
E	-34	HIS	-	expression tag	UNP P40340
E	-33	HIS	-	expression tag	UNP P40340
E	-32	HIS	-	expression tag	UNP P40340
E	-31	HIS	-	expression tag	UNP P40340
E	-30	HIS	-	expression tag	UNP P40340
E	-29	HIS	-	expression tag	UNP P40340
E	-28	HIS	-	expression tag	UNP P40340
E	-27	HIS	-	expression tag	UNP P40340
E	-26	THR	-	expression tag	UNP P40340
E	-25	SER	-	expression tag	UNP P40340
E	-24	GLY	-	expression tag	UNP P40340
E	-23	SER	-	expression tag	UNP P40340
E	-22	MET	-	expression tag	UNP P40340
E	-21	ASP	-	expression tag	UNP P40340
E	-20	TYR	-	expression tag	UNP P40340
E	-19	LYS	-	expression tag	UNP P40340
E	-18	ASP	-	expression tag	UNP P40340
E	-17	HIS	-	expression tag	UNP P40340
E	-16	ASP	-	expression tag	UNP P40340
E	-15	GLY	-	expression tag	UNP P40340
E	-14	ASP	-	expression tag	UNP P40340
E	-13	TYR	-	expression tag	UNP P40340
E	-12	LYS	-	expression tag	UNP P40340
E	-11	ASP	-	expression tag	UNP P40340
E	-10	HIS	-	expression tag	UNP P40340
E	-9	ASP	-	expression tag	UNP P40340
E	-8	ILE	-	expression tag	UNP P40340
E	-7	ASP	-	expression tag	UNP P40340
E	-6	TYR	-	expression tag	UNP P40340
E	-5	LYS	-	expression tag	UNP P40340
E	-4	ASP	-	expression tag	UNP P40340
E	-3	ASP	-	expression tag	UNP P40340
E	-2	ASP	-	expression tag	UNP P40340
E	-1	ASP	-	expression tag	UNP P40340
E	0	LYS	-	expression tag	UNP P40340
F	-36	HIS	-	expression tag	UNP P40340

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	-35	HIS	-	expression tag	UNP P40340
F	-34	HIS	-	expression tag	UNP P40340
F	-33	HIS	-	expression tag	UNP P40340
F	-32	HIS	-	expression tag	UNP P40340
F	-31	HIS	-	expression tag	UNP P40340
F	-30	HIS	-	expression tag	UNP P40340
F	-29	HIS	-	expression tag	UNP P40340
F	-28	HIS	-	expression tag	UNP P40340
F	-27	HIS	-	expression tag	UNP P40340
F	-26	THR	-	expression tag	UNP P40340
F	-25	SER	-	expression tag	UNP P40340
F	-24	GLY	-	expression tag	UNP P40340
F	-23	SER	-	expression tag	UNP P40340
F	-22	MET	-	expression tag	UNP P40340
F	-21	ASP	-	expression tag	UNP P40340
F	-20	TYR	-	expression tag	UNP P40340
F	-19	LYS	-	expression tag	UNP P40340
F	-18	ASP	-	expression tag	UNP P40340
F	-17	HIS	-	expression tag	UNP P40340
F	-16	ASP	-	expression tag	UNP P40340
F	-15	GLY	-	expression tag	UNP P40340
F	-14	ASP	-	expression tag	UNP P40340
F	-13	TYR	-	expression tag	UNP P40340
F	-12	LYS	-	expression tag	UNP P40340
F	-11	ASP	-	expression tag	UNP P40340
F	-10	HIS	-	expression tag	UNP P40340
F	-9	ASP	-	expression tag	UNP P40340
F	-8	ILE	-	expression tag	UNP P40340
F	-7	ASP	-	expression tag	UNP P40340
F	-6	TYR	-	expression tag	UNP P40340
F	-5	LYS	-	expression tag	UNP P40340
F	-4	ASP	-	expression tag	UNP P40340
F	-3	ASP	-	expression tag	UNP P40340
F	-2	ASP	-	expression tag	UNP P40340
F	-1	ASP	-	expression tag	UNP P40340
F	0	LYS	-	expression tag	UNP P40340

- Molecule 2 is a protein called Histone H3.


Mol	Chain	Residues	Atoms				AltConf	Trace
2	G	15	Total	C	N	O	0	0
			108	66	23	19		

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
3	A	1	Total	C	N	O	P	0
			27	10	5	10	2	

- Molecule 4 is PHOSPHOTHIOPHOSPHORIC ACID-ADENYLATE ESTER (CCD ID: AGS) (formula: $C_{10}H_{16}N_5O_{12}P_3S$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						AltConf
4	B	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms						AltConf
4	C	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
4	D	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
4	E	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	
4	F	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
5	C	1	Total	Mg	0
			1	1	
5	D	1	Total	Mg	0
			1	1	
5	E	1	Total	Mg	0
			1	1	
5	F	1	Total	Mg	0
			1	1	

[illegible]

- Molecule 1: ATPase histone chaperone YTA7



I845	L696	F481	LYS	ARG	LYS	THR	GLU	ASP	HIS
V849	A697	D487	LYS	LEU	PHE	ARG	GLU	ASP	HIS
S854	L700	K491	ASN	PRO	ARG	LEU	TYR	GLU	GLN
L856	L703	W492	GLN	THR	THR	GLU	ASP	ASP	HIS
F857	Q719	W493	LYS	GLY	GLY	ARG	ASP	VAL	GLU
R858	Q719	E497	LYS	PRO	PRO	THR	ASP	ASP	ASN
S859	R720	K509	LYS	PHE	LYS	THR	LEU	VAL	GLY
L860	N721	H510	LYS	GLY	VAL	ASN	ASP	ASP	THR
I866	T722	Q511	LYS	GLY	ASN	TYR	ASN	PRO	HIS
L867	Y734	S513	PRO	ASP	ASP	LYS	ASN	HIS	GLY
S735	Y734	S513	GLU	VAL	VAL	ARG	ARG	GLU	THR
GLY	GLY	R527	ALA	THR	THR	ALA	ARG	ALA	THR
GLU	ASP	R527	ASP	ILE	ILE	PRO	ARG	ARG	LEU
GLU	LEU	L543	LEU	PHE	PHE	PRO	ARG	ALA	LYS
GLU	ASP	L543	ASP	GLY	GLY	PRO	SER	THR	LYS
L875	GLU	M546	PRO	LYS	LYS	LEU	THR	ARG	GLY
E879	GLU	D547	LEU	THR	THR	ALA	ARG	GLY	ILE
V880	ASP	D547	GLY	ASN	ASN	SER	LYS	LEU	GLY
G883	LYS	D550	VAL	PHE	PHE	ALA	THR	ALA	TYR
I884	TYR	D550	LYS	THR	TYR	GLU	ARG	VAL	ALA
D887	GLY	I566	D407	ASN	ASN	GLU	VAL	GLU	LYS
D891	GLY	V557	M408	GLN	GLN	GLU	PRO	PRO	ILE
I894	ASN	R576	M411	VAL	VAL	ILE	ASN	LEU	ASN
S901	GLU	F577	D414	PRO	PRO	ASP	GLU	ASP	LYS
N904	ASP	D578	Q424	SER	SER	LYS	GLU	ARG	LYS
E914	THR	R579	Q424	ALA	PHE	ASN	ASN	ARG	ASP
K917	SER	R600	E427	ASP	ASP	ASN	ASN	PRO	ASP
K919	PHE	T608	M428	SER	SER	LEU	LEU	ASP	ASP
P920	ARG	I611	M429	ASN	ASN	SER	ASP	ASP	ASP
M925	Y756	E632	A430	ASN	ASN	PHE	GLU	PRO	LYS
R929	M762	T918	L431	LYS	LYS	ASN	ASN	GLN	GLN
L933	S765	Q644	L438	LEU	LEU	SER	GLU	GLY	LYS
L936	R771	D655	Y439	ILE	ILE	PRO	ALA	ASP	LEU
W939	I774	P856	N441	ASP	ASP	ALA	THR	PHE	ARG
THR	I789	S657	I444	SER	SER	ARG	LEU	ILE	ASN
ASN	S657	I673	T445	ASP	ASP	ARG	THR	GLU	THR
ALA	L801	S676	P446	SER	SER	GLY	ALA	GLU	VAL
PRO	S810	R679	G449	ASP	ASP	GLY	GLU	VAL	GLY
THR	I814	L888	K460	ILE	ILE	TRP	ALA	ARG	ASP
ASN	E815	P689	T461	ASN	ASN	ALA	LEU	LYS	ASP
ALA	F822	E690	L462	PRO	PRO	GLN	GLN	GLU	GLU
PRO	M823	I691	M463	LEU	LEU	ASN	GLU	LYS	GLU
THR	K826	I692	A466	VAL	VAL	GLY	ARG	ALA	ALA
GLY		K693	S470	THR	THR	PRO	ILE	ASN	LYS
THR			C471	THR	THR	ARG	GLU	ARG	GLY


VAL	VAL	ARG	VAL	ASP	ASP	LEU	ASN
VAL	GLU	LYS	PRO	GLU	ILE	VAL	PHE
PRO	GLU	GLU	GLN	GLU	GLU	HIS	ASP
GLU	GLU	PRO	PRO	LYS	LEU	LEU	GLU
GLN	GLU	LYS	ILE	ARG	ILE	PHE	GLY
GLY	ASN	GLU	THR	ALA	ARG	GLU	GLU
LYS	GLU	ASN	ASN	MET	ASP	GLU	PRO
LYS	ASP	GLU	LEU	GLU	ALA	THR	GLU
SER	SER	SER	THR	LEU	ALA	SER	LEU
ASP	LEU	LEU	LYS	GLU	THR	ASN	GLU
K1318	GLN	GLN	LYS	ALA	ILE	ASP	LYS
E1319	THR	THR	GLU	LYS	GLY	PRO	VAL
L1320	GLN	ILE	PRO	ASP	ASP	ASN	VAL
T1323	THR	VAL	PRO	GLN	ARG	TRP	VAL
P1324	GLU	ALA	ALA	SER	GLU	GLN	ARG
F1325	GLU	ILE	ILE	GLN	ARG	PRO	ARG
Q1326	ASN	PRO	PRO	ASN	VAL	ALA	LYS
K1355	PHE	SER	SER	ILE	ILE	THR	LEU
K1361	SER	SER	VAL	LEU	ALA	ILE	LYS
S1362	ASP	ILE	ASP	GLN	GLU	ASP	PHE
V1370	ALA	ASN	LYS	PRO	MET	ASN	HIS
S1378	ASN	ASN	ILE	ASN	GLN	VAL	GLN
GLU	ILE	ASN	PRO	LYS	MET	SER	LYS
	ASN	ASN	GLU	ALA	GLY	THR	ASN
	HIS	HIS	ASP	ASN	ILE	GLY	VAL
	VAL	VAL	SER	GLU	GLU	ARG	LEU
	LYS	LYS	GLY	PHE	GLY	LYS	LYS
	GLU	GLU	ALA	GLY	ILE	PHE	ILE
	ILE	ILE	ASN	VAL	SER	PHE	LYS
	GLN	GLN	GLU	ALA	THR	ASN	LEU
	SER	SER	GLU	ALA	PRO	MET	LEU
	THR	THR	TYR	GLY	ASP	GLY	GLY
	ASN	ASN	THR	ASN	PHE	LEU	LEU
	LYS	LYS	THR	GLN	ILE	ASP	MET
	PRO	PRO	GLU	LEU	GLN	ILE	ASP
	ASN	ASN	ILE	GLN	VAL	LEU	LEU
	SER	SER	ILE	ALA	CYS	GLU	PHE
	LEU	HIS	GLN	GLN	LYS	GLU	LYS
	GLU	GLU	THR	GLN	ALA	ARG	ASN
	THR	THR	CYS	THR	ARG	TRP	TYR
	VAL	VAL	THR	THR	GLN	ASN	LYS
	GLU	GLU	SER	ILE	ARG	GLY	ARG
	ARG	ARG	ILE	THR	LEU	TYR	PHE
	GLU	GLU	THR	ALA	GLU	SER	LYS
	ARG	ARG	THR	SER	ARG	GLU	PRO
	SER	SER	ASP	ILE	GLN	PRO	PRO
	PRO	PRO	ASP	VAL	GLU	ILE	PRO
	ILE	ILE	THR	ASN	LEU	GLN	ASN
	PRO	PRO	GLU	ASN	PHE	PHE	ASP
	LYS	LYS	ALA	SER	LEU	ALA	ASP
	GLU	GLU	THR	GLU	GLU	LYS	THR

- Molecule 1: ATPase histone chaperone YTA7



K660	H510	LYS	ARG	LYS	THR	GLU	ASP	GLU	ASP	THR	GLU	ASP	THR	HIS
I673	Q511	GLU	PHE	ASN	THR	GLU	PHE	ASN	GLN	SER	GLU	GLU	THR	HIS
A678	I520	ASN	PRO	THR	THR	THR	PRO	ARG	LEU	SER	TYR	ASP	ILE	HIS
B679	S528	GLN	GLY	GLY	ARG	GLU	GLU	HIS	ASP	ASP	ASP	ASP	ASP	HIS
S680	Q531	LYS	PRO	GLY	THR	THR	THR	PRO	ASP	ASP	GLU	VAL	GLU	HIS
T681	E532	LYS	PHE	GLY	PRO	PRO	PRO	PRO	SER	SER	LYS	VAL	ILE	HIS
S682	Q533	LYS	GLY	GLY	VAL	ASN	ASN	PRO	ASP	ASP	ASN	SER	ILE	THR
S684	L542	LYS	ASN	ASN	TYR	VAL	VAL	PRO	GLU	GLU	ASN	PRO	HIS	SER
P689	L543	PRO	ASP	ASP	THR	THR	THR	ARG	GLU	GLU	ASN	HIS	THR	GLY
I692	M546	ILE	THR	THR	LEU	LEU	ARG	ARG	ARG	ARG	GLU	GLU	THR	SER
L696	G547	ALA	THR	THR	PRO	PRO	ALA	ALA	ARG	ALA	ASP	ASP	ASP	ASP
M549	M549	ASP	ILE	PHE	PRO	PRO	ARG	ARG	ARG	ALA	THR	THR	LEU	LYS
D560	D560	GLY	GLY	GLY	LEU	LEU	SER	SER	ALA	ALA	LEU	LEU	ARG	ASP
I556	I556	ASN	THR	THR	LYS	THR	THR	ARG	ARG	ASP	GLU	GLU	LYS	HIS
V557	N411	ASN	THR	THR	ALA	ALA	ASN	HIS	PHE	THR	TYR	LEU	ASN	GLY
T561	D414	THR	PHE	THR	GLU	GLU	GLU	SER	VAL	VAL	ALA	ALA	ALA	TYR
M562	E427	ASN	ASN	GLN	THR	THR	THR	SER	THR	PRO	GLU	GLU	ILE	LYS
Q719	M428	GLN	GLN	PHE	PHE	PHE	PHE	ASP	ASP	ASP	ASP	GLU	GLU	HIS
R720	V429	VAL	VAL	ILE	ILE	ILE	ILE	ASP	GLU	LEU	ASP	VAL	VAL	ILE
M721	E437	SER	SER	SER	GLU	GLU	GLU	LYS	GLU	ASP	ASP	PHE	PHE	ASP
R576	F577	PHE	PHE	ALA	ASN	ASN	ASN	ASN	ASN	ASP	ASP	LYS	ASP	ASP
D578	D578	ALA	ALA	PHE	THR	THR	THR	THR	ASN	ASN	TYR	TYR	TYR	LYS
R579	Q440	SER	SER	SER	ASP	ASP	ASP	ALA	GLU	GLU	TYR	HIS	GLU	ASP
E580	G449	ASN	ASN	ASN	ASN	ASN	ASN	LEU	ASP	ASP	ASP	ASP	ASP	ASP
F583	P455	ASN	ASN	ASN	SER	SER	SER	ASN	GLU	GLU	GLU	PRO	ASP	LYS
R600	P456	ASN	ASN	ASN	PHE	PHE	PHE	ASN	ASN	ASN	GLN	GLU	GLN	LYS
G613	G457	ASN	ASN	ASN	HIS	HIS	HIS	SER	ASN	ASN	VAL	VAL	VAL	MET
HIS	T458	GLY	GLY	ASN	ARG	ARG	ARG	ARG	GLU	GLU	ASP	ASP	MET	ALA
ASP	G459	LEU	LEU	PRO	ASN	ASN	ASN	ASN	GLY	GLY	ASP	ASP	ASP	ARG
LYS	C471	ILE	ILE	SER	GLU	GLU	GLU	ALA	ASP	ASP	LYS	LYS	ASP	ASN
L617	C471	LEU	LEU	PRO	ALA	ALA	ALA	THR	ARG	ARG	ASP	ASP	ASP	LEU
R627	D474	ASP	SER	ALA	THR	THR	THR	THR	ILE	ILE	PHE	PHE	GLU	ASN
E632	E475	ASP	SER	ARG	ARG	ARG	ARG	LEU	SER	SER	THR	THR	PRO	ARG
A633	R476	ASP	ASP	GLY	GLY	GLY	GLY	ALA	GLY	GLY	GLU	VAL	VAL	ARG
A634	R477	SER	SER	ARG	ARG	ARG	ARG	ASP	SER	SER	ASP	ASP	ASP	GLY
I635	I478	ASP	ASP	GLY	GLY	GLY	GLY	ILE	ALA	ALA	VAL	VAL	VAL	SER
I636	I478	ASP	ASP	GLY	GLY	GLY	GLY	ILE	ASP	ASP	ASP	THR	THR	ASP
Q639	M482	ILE	ILE	TRP	TRP	TRP	TRP	ARG	SER	SER	SER	ASP	ASP	VAL
R640	R483	LEU	LEU	ALA	ALA	ALA	ALA	GLU	LYS	LYS	GLU	GLU	GLU	ASP
D650	K484	PRO	PRO	SER	SER	SER	SER	GLN	LEU	LEU	GLU	HIS	HIS	SER
Y756	D487	LEU	LEU	GLN	GLN	GLN	GLN	GLU	ASN	ASN	ASN	ASN	ASN	ASN
	L488	VAL	VAL	ASN	ASN	ASN	ASN	ASP	ALA	ALA	GLU	GLU	GLU	ASP
	L489	THR	THR	SER	SER	SER	SER	PRO	GLY	GLY	ALA	ALA	ALA	LYS
	S490	PRO	PRO	PRO	PRO	PRO	PRO	ILE	SER	SER	ASP	ASP	GLN	LYS
	P654	THR	THR	THR	THR	THR	THR	THR	ARG	ARG	GLU	GLU	GLN	GLY
	P655	LYS	LYS	LYS	LYS	LYS	LYS	THR	THR	THR	THR	THR	THR	THR
	P656	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	431065	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	65	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	105000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.228	Depositor
Minimum map value	-0.002	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.031	Depositor
Recommended contour level	0.015	Depositor
Map size ($\text{\AA}$)	331.2, 331.2, 331.2	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.828, 0.828, 0.828	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, AGS, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	1/4735 (0.0%)	0.66	0/6401
1	B	0.47	0/4661	0.65	1/6298 (0.0%)
1	C	0.52	2/4711 (0.0%)	0.69	3/6368 (0.0%)
1	D	0.47	0/4711	0.63	2/6368 (0.0%)
1	E	0.46	0/4686	0.67	0/6332
1	F	0.45	0/4717	0.67	0/6373
2	G	0.65	0/108	1.04	0/140
All	All	0.48	3/28329 (0.0%)	0.66	6/38280 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	860	LEU	C-O	-6.28	1.15	1.23
1	A	912	LEU	C-O	-5.63	1.17	1.24
1	C	861	GLN	C-O	-5.17	1.17	1.23

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	831	SER	CA-C-N	-7.70	112.28	122.99
1	D	831	SER	C-N-CA	-7.70	112.28	122.99
1	C	861	GLN	CA-C-O	-7.09	112.77	120.92
1	C	510	HIS	N-CA-C	-6.43	100.37	109.96
1	B	512	PRO	N-CA-C	-5.84	101.04	110.74

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4646	0	4756	115	0
1	B	4573	0	4690	95	0
1	C	4622	0	4741	110	0
1	D	4622	0	4741	78	0
1	E	4598	0	4717	92	0
1	F	4628	0	4737	114	0
2	G	108	0	123	13	0
3	A	27	0	12	1	0
4	B	31	0	12	2	0
4	C	31	0	12	7	0
4	D	31	0	12	1	0
4	E	31	0	12	1	0
4	F	31	0	12	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	1	0	0	0	0
All	All	27983	0	28577	552	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 552 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:412:PHE:CD1	1:F:422:ILE:HD13	1.76	1.20
1:B:546:MET:HB2	1:B:576:ARG:HD2	1.23	1.19
1:E:493:VAL:HG23	2:G:18:ARG:HB3	1.25	1.13
1:C:456:PRO:HB3	4:C:1401:AGS:S1G	1.90	1.11
1:A:823:MET:HA	1:A:823:MET:HE2	1.27	1.10

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	579/1416 (41%)	540 (93%)	39 (7%)	0	100	100
1	B	568/1416 (40%)	545 (96%)	23 (4%)	0	100	100
1	C	575/1416 (41%)	543 (94%)	31 (5%)	1 (0%)	43	76
1	D	575/1416 (41%)	551 (96%)	23 (4%)	1 (0%)	43	76
1	E	572/1416 (40%)	540 (94%)	32 (6%)	0	100	100
1	F	575/1416 (41%)	543 (94%)	30 (5%)	2 (0%)	36	70
2	G	13/25 (52%)	12 (92%)	1 (8%)	0	100	100
All	All	3457/8521 (41%)	3274 (95%)	179 (5%)	4 (0%)	49	80

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	511	GLN
1	D	827	LYS
1	C	509	LYS
1	F	488	ILE

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	524/1281 (41%)	512 (98%)	12 (2%)	44	74
1	B	516/1281 (40%)	513 (99%)	3 (1%)	78	88

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	522/1281 (41%)	517 (99%)	5 (1%)	68	84
1	D	522/1281 (41%)	518 (99%)	4 (1%)	73	86
1	E	519/1281 (40%)	516 (99%)	3 (1%)	78	88
1	F	523/1281 (41%)	517 (99%)	6 (1%)	65	83
2	G	11/18 (61%)	10 (91%)	1 (9%)	9	33
All	All	3137/7704 (41%)	3103 (99%)	34 (1%)	63	83

5 of 34 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	450	VAL
1	F	509	LYS
1	F	863	ASN
1	B	509	LYS
1	A	1321	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 84 such sidechains are listed below:

Mol	Chain	Res	Type
1	E	721	ASN
1	F	644	GLN
1	E	727	ASN
1	E	1340	ASN
1	F	800	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 10 ligands modelled in this entry, 4 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	AGS	B	1401	-	32,33,33	0.74	2 (6%)	45,52,52	0.72	1 (2%)
4	AGS	D	1401	5	32,33,33	0.89	4 (12%)	45,52,52	0.58	1 (2%)
4	AGS	E	1401	5	32,33,33	0.96	3 (9%)	45,52,52	0.67	2 (4%)
4	AGS	F	1401	5	32,33,33	0.92	2 (6%)	45,52,52	0.64	1 (2%)
3	ADP	A	1401	-	28,29,29	1.40	5 (17%)	43,45,45	1.86	11 (25%)
4	AGS	C	1401	5	32,33,33	1.02	3 (9%)	45,52,52	0.72	2 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	AGS	B	1401	-	-	8/21/38/38	0/3/3/3
4	AGS	D	1401	5	-	3/21/38/38	0/3/3/3
4	AGS	E	1401	5	-	2/21/38/38	0/3/3/3
4	AGS	F	1401	5	-	0/21/38/38	0/3/3/3
3	ADP	A	1401	-	-	2/16/32/32	0/3/3/3
4	AGS	C	1401	5	-	4/21/38/38	0/3/3/3

The worst 5 of 19 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1401	ADP	C5-C4	4.32	1.46	1.39
4	C	1401	AGS	PB-O3B	-3.29	1.55	1.59
4	E	1401	AGS	PB-O3B	-3.22	1.56	1.59
4	F	1401	AGS	PA-O3A	-3.08	1.56	1.59
4	C	1401	AGS	PA-O3A	-2.84	1.56	1.59

The worst 5 of 18 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1401	ADP	C5-C4-N3	-5.84	118.67	126.72
3	A	1401	ADP	N3-C4-N9	4.69	135.14	127.17
3	A	1401	ADP	C2-N3-C4	3.74	120.95	111.83
3	A	1401	ADP	C4-C5-N7	-3.58	106.49	110.58
4	B	1401	AGS	PB-O3B-PG	-3.50	120.36	133.17

There are no chirality outliers.

5 of 19 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	1401	ADP	C5'-O5'-PA-O2A
3	A	1401	ADP	C5'-O5'-PA-O3A
4	B	1401	AGS	C5'-O5'-PA-O1A
4	B	1401	AGS	C5'-O5'-PA-O3A
4	C	1401	AGS	PB-O3B-PG-O2G


There are no ring outliers.


5 monomers are involved in 12 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	1401	AGS	2	0
4	D	1401	AGS	1	0
4	E	1401	AGS	1	0
3	A	1401	ADP	1	0
4	C	1401	AGS	7	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-26696. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200



Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 183




Y Index: 170




Z Index: 176


6.3.2 Raw map



X Index: 183



Y Index: 170




Z Index: 176


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.015. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1555 nm³; this corresponds to an approximate mass of 1405 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.333 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of $0.333 \text{ \AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.00	-	-
Author-provided FSC curve	2.99	3.35	3.02
Unmasked-calculated*	3.33	3.84	3.40

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.33 differs from the reported value 3.0 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-26696 and PDB model 7UQJ. Per-residue inclusion information can be found in section 3 on page 12.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.015 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.015).

9.4 Atom inclusion ⓘ



At the recommended contour level, 94% of all backbone atoms, 88% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.015) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8780	0.3620
A	0.8720	0.3920
B	0.9160	0.4480
C	0.9120	0.4320
D	0.8860	0.3390
E	0.8570	0.2710
F	0.8390	0.2940
G	0.3680	0.1090

1.0

0.0

<0.0