



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:59 PM UTC

PDB ID : 4URT / pdb_00004urt
Title : The crystal structure of a fragment of netrin-1 in complex with FN5- FN6 of DCC
Authors : Finci, L.I.; Krueger, N.; Sun, X.; Zhang, J.; Chegkazi, M.; Wu, Y.; Schenk, G.; Mertens, H.D.T.; Svergun, D.I.; Zhang, Y.; Wang, J.-h.; Meijers, R.
Deposited on : 2014-07-02
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1456 (3.10-3.10)
Clashscore	190562	1539 (3.10-3.10)
RSRZ outliers	180081	1456 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	420	
2	B	206	
3	C	2	
3	D	2	
3	E	2	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NAG	D	1	-	-	X	-
5	CL	A	1466	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 5129 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NETRIN-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	420	3318	2026	637	615	40	0	1	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	454	GLU	-	expression tag	UNP O95631
A	455	LEU	-	expression tag	UNP O95631
A	456	HIS	-	expression tag	UNP O95631
A	457	HIS	-	expression tag	UNP O95631
A	458	HIS	-	expression tag	UNP O95631

- Molecule 2 is a protein called NETRIN RECEPTOR DCC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	206	1634	1042	278	307	7	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	1045	LEU	-	expression tag	UNP P43146
B	1046	GLU	-	expression tag	UNP P43146
B	1047	VAL	-	expression tag	UNP P43146
B	1048	LEU	-	expression tag	UNP P43146
B	1049	PHE	-	expression tag	UNP P43146
B	1050	ALA	-	expression tag	UNP P43146

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	D	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	E	2	Total	C	N	O	0	0	0
			28	16	2	10			


- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Ca	0	0
			1	1		

- Molecule 5 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Cl	0	0
			1	1		

- Molecule 6 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total O S 5 4 1	0	0
6	A	1	Total O S 5 4 1	0	0
6	A	1	Total O S 5 4 1	0	0
6	A	1	Total O S 5 4 1	0	0
6	A	1	Total O S 5 4 1	0	0
6	A	1	Total O S 5 4 1	0	0
6	A	1	Total O S 5 4 1	0	0
6	A	1	Total O S 5 4 1	0	0
6	A	1	Total O S 5 4 1	0	0
6	A	1	Total O S 5 4 1	0	0
6	A	1	Total O S 5 4 1	0	0
6	A	1	Total O S 5 4 1	0	0
6	A	1	Total O S 5 4 1	0	0
6	A	1	Total O S 5 4 1	0	0
6	A	1	Total O S 5 4 1	0	0
6	A	1	Total O S 5 4 1	0	0
6	B	1	Total O S 5 4 1	0	0

- Molecule 7 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			6	3	3		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: NETRIN-1



• Molecule 2: NETRIN RECEPTOR DCC



• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 

MAG1
MAG2

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	84.65Å 87.41Å 155.32Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	77.66 – 3.10 77.66 – 3.10	Depositor EDS
% Data completeness (in resolution range)	99.2 (77.66-3.10) 99.2 (77.66-3.10)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.92 (at 3.13Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.230 , 0.265 0.241 , 0.281	Depositor DCC
R_{free} test set	1099 reflections (5.14%)	wwPDB-VP
Wilson B-factor (Å ²)	79.1	Xtriage
Anisotropy	0.305	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 33.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.038 for k,h,-l	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	5129	wwPDB-VP
Average B, all atoms (Å ²)	86.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, NAG, SO4, GOL, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.28	0/3402	0.72	4/4602 (0.1%)
2	B	0.27	0/1673	0.70	0/2280
All	All	0.28	0/5075	0.71	4/6882 (0.1%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	226	ARG	CA-C-N	6.92	128.48	119.84
1	A	226	ARG	C-N-CA	6.92	128.48	119.84
1	A	407	HIS	CA-C-N	5.23	125.28	119.32
1	A	407	HIS	C-N-CA	5.23	125.28	119.32

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3318	0	3113	64	0
2	B	1634	0	1644	32	0
3	C	28	0	25	2	0
3	D	28	0	25	13	0
3	E	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	1	0	0	0	0
5	A	1	0	0	4	0
6	A	80	0	0	2	0
6	B	5	0	0	0	0
7	B	6	0	8	1	0
All	All	5129	0	4840	100	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:116:ASN:HD21	3:D:1:NAG:C1	1.29	1.46
1:A:116:ASN:ND2	3:D:1:NAG:C1	1.86	1.37
1:A:116:ASN:HD21	3:D:1:NAG:C2	1.74	1.01
1:A:323:TYR:OH	5:A:1466:CL:CL	2.40	0.74
1:A:116:ASN:HD22	3:D:1:NAG:C1	1.95	0.74
1:A:221:SER:HB3	1:A:224:ASP:HB2	1.68	0.74
1:A:450:PRO:O	1:A:452:ILE:N	2.19	0.71
3:D:2:NAG:H83	3:D:2:NAG:C1	2.21	0.71
1:A:324:ASP:HB3	1:A:339:VAL:HG23	1.73	0.70
1:A:288:ASN:ND2	1:A:314:GLU:O	2.27	0.68
1:A:342:ASN:HB3	1:A:379:HIS:HD2	1.62	0.65
2:B:938:THR:H	7:B:2052:GOL:H2	1.62	0.64
2:B:845:LEU:HD12	2:B:846:PRO:HD2	1.81	0.63
2:B:886:ARG:NE	2:B:917:GLU:OE1	2.34	0.60
2:B:874:LYS:HG3	2:B:875:THR:HG22	1.83	0.60
1:A:443:GLN:HA	1:A:451:CYS:HA	1.84	0.59
3:D:1:NAG:H83	3:D:1:NAG:C3	2.34	0.58
1:A:53:PRO:O	1:A:284:ARG:NH1	2.38	0.56
3:D:1:NAG:H83	3:D:1:NAG:O3	2.05	0.56
1:A:116:ASN:HD21	3:D:1:NAG:C3	2.17	0.56
2:B:1021:ARG:HD3	2:B:1036:PRO:HG3	1.88	0.56
1:A:78:CYS:N	1:A:270:ASP:O	2.36	0.55
1:A:322:HIS:HA	1:A:340:ALA:HA	1.88	0.55
1:A:443:GLN:HA	1:A:451:CYS:H	1.72	0.54
1:A:76:ARG:NH2	1:A:266:GLU:O	2.41	0.54
3:D:2:NAG:C1	3:D:2:NAG:C8	2.86	0.54
1:A:320:PRO:HD3	5:A:1466:CL:CL	2.46	0.53
1:A:192:PRO:O	1:A:197:ASN:ND2	2.41	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:156:PRO:HB3	1:A:274:TYR:HE1	1.73	0.52
2:B:886:ARG:HB2	2:B:893:ALA:HB1	1.92	0.52
2:B:1023:GLN:HB3	2:B:1033:LEU:HD23	1.93	0.51
1:A:320:PRO:CD	5:A:1466:CL:CL	2.97	0.50
1:A:78:CYS:HB2	1:A:271:SER:HB3	1.93	0.50
2:B:960:PRO:HB3	2:B:1048:LEU:HD21	1.93	0.49
1:A:199:GLN:NE2	1:A:240:ASP:OD2	2.45	0.49
1:A:450:PRO:C	1:A:452:ILE:H	2.16	0.49
2:B:1021:ARG:HH11	2:B:1036:PRO:HD3	1.78	0.49
1:A:95:ASN:OD1	1:A:98:ASP:N	2.46	0.48
1:A:74:PRO:HG3	1:A:95:ASN:HB2	1.94	0.48
1:A:263:ASP:O	1:A:265:SER:N	2.47	0.48
1:A:450:PRO:O	1:A:452:ILE:HG23	2.14	0.48
1:A:349:ARG:NH1	2:B:909:GLY:O	2.41	0.48
1:A:103:HIS:HB3	1:A:120:TRP:HA	1.96	0.47
2:B:872:ASN:HB3	2:B:873:GLN:HG3	1.96	0.47
1:A:95:ASN:OD1	1:A:95:ASN:C	2.57	0.47
1:A:45:ASN:N	1:A:46:GLY:HA2	2.30	0.46
1:A:207:HIS:HB3	1:A:218:ILE:HD13	1.97	0.46
1:A:325:ARG:HG2	1:A:339:VAL:HG22	1.98	0.46
2:B:1015:ASP:OD1	2:B:1040:ARG:NH1	2.41	0.46
2:B:894:LYS:HE2	2:B:894:LYS:O	2.16	0.45
1:A:123:GLU:HA	1:A:124:ASN:HA	1.61	0.45
1:A:98:ASP:HA	1:A:99:PRO:HD3	1.83	0.45
1:A:126:LEU:HD12	1:A:130:HIS:HB3	1.98	0.45
2:B:919:SER:HB3	2:B:934:THR:HG22	1.99	0.45
1:A:92:HIS:HE1	1:A:101:LYS:HE2	1.83	0.44
2:B:890:SER:OG	2:B:891:ALA:N	2.44	0.44
2:B:925:ASN:HA	2:B:926:ARG:HA	1.56	0.44
1:A:74:PRO:HG2	3:C:1:NAG:H82	1.99	0.44
1:A:443:GLN:HA	1:A:451:CYS:N	2.31	0.44
1:A:71:GLY:HA3	1:A:96:ALA:HB2	1.98	0.44
1:A:436:ARG:NH1	6:A:1478:SO4:O2	2.44	0.44
1:A:444:SER:OG	1:A:445:ARG:N	2.51	0.44
5:A:1466:CL:CL	2:B:858:ASP:OD1	2.72	0.44
1:A:100:LYS:HD3	1:A:100:LYS:HA	1.86	0.43
1:A:211:ARG:HB2	1:A:212:PRO:HD3	1.99	0.43
2:B:875:THR:HG23	2:B:876:SER:H	1.82	0.43
1:A:444:SER:HB2	1:A:453:LYS:HG3	2.00	0.43
2:B:951:LEU:HD22	2:B:1022:ILE:HG22	1.99	0.43
1:A:138:LEU:HB2	1:A:245:THR:O	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:77:TYR:CE1	1:A:94:CYS:HB2	2.54	0.43
1:A:169:ARG:HG3	1:A:170:THR:HG23	2.01	0.43
1:A:194:THR:OG1	1:A:195:LYS:N	2.42	0.43
1:A:252:SER:O	1:A:274:TYR:OH	2.34	0.43
1:A:370:ASN:ND2	6:A:1471:SO4:O4	2.52	0.43
2:B:882:THR:HB	2:B:921:MET:HG2	2.00	0.43
2:B:1043:LYS:HB2	2:B:1047:VAL:HG23	2.00	0.43
1:A:328:GLN:HG3	1:A:336:ASN:HB3	2.00	0.42
3:D:1:NAG:H83	3:D:1:NAG:H3	2.00	0.42
1:A:95:ASN:OD1	1:A:97:SER:N	2.52	0.42
2:B:1035:ASP:OD1	2:B:1035:ASP:N	2.51	0.42
1:A:50:ARG:NH1	1:A:233:ASP:OD2	2.52	0.42
1:A:72:ARG:HA	1:A:73:PRO:HA	1.89	0.42
1:A:351:ARG:NH2	2:B:908:THR:O	2.53	0.42
2:B:981:ILE:HD11	2:B:1025:ARG:HD2	2.02	0.42
2:B:957:GLU:HA	2:B:958:GLY:HA2	1.57	0.41
1:A:254:LEU:HG	1:A:274:TYR:CZ	2.55	0.41
2:B:872:ASN:CB	2:B:873:GLN:HA	2.50	0.41
3:D:1:NAG:O4	3:D:2:NAG:H83	2.20	0.41
1:A:98:ASP:HB2	3:C:1:NAG:H61	2.01	0.41
2:B:856:THR:OG1	2:B:858:ASP:OD1	2.38	0.41
1:A:116:ASN:ND2	3:D:1:NAG:H3	2.36	0.41
1:A:226:ARG:HA	1:A:227:PRO:HD2	1.67	0.41
1:A:410:GLY:HA3	1:A:434:CYS:O	2.21	0.41
2:B:855:LEU:HD11	2:B:861:ARG:HB2	2.03	0.41
2:B:960:PRO:C	2:B:962:ALA:H	2.29	0.41
2:B:956:ARG:HD2	2:B:964:ILE:HD11	2.02	0.40
1:A:70:CYS:HA	1:A:123:GLU:CD	2.47	0.40
2:B:951:LEU:HB3	2:B:1037:ILE:HD12	2.02	0.40
2:B:987:ASP:OD1	2:B:987:ASP:N	2.55	0.40
1:A:116:ASN:ND2	3:D:1:NAG:C5	2.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

There are no protein backbone outliers to report in this entry.

5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	NAG	C	1	1,3	14,14,15	1.44	2 (14%)	17,19,21	1.24	1 (5%)
3	NAG	C	2	3	14,14,15	0.71	0	17,19,21	0.75	1 (5%)
3	NAG	D	1	3	14,14,15	0.39	0	17,19,21	0.89	0
3	NAG	D	2	3	14,14,15	0.29	0	17,19,21	0.75	0
3	NAG	E	1	1,3	14,14,15	0.64	1 (7%)	17,19,21	0.83	0
3	NAG	E	2	3	14,14,15	0.24	0	17,19,21	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	C	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	C	2	3	-	0/6/23/26	0/1/1/1
3	NAG	D	1	3	-	3/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	D	2	3	-	5/6/23/26	0/1/1/1
3	NAG	E	1	1,3	-	4/6/23/26	0/1/1/1
3	NAG	E	2	3	-	2/6/23/26	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1	NAG	O5-C1	4.21	1.50	1.43
3	C	1	NAG	C1-C2	3.14	1.56	1.52
3	E	1	NAG	O5-C1	-2.29	1.39	1.43

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1	NAG	C1-O5-C5	4.41	118.10	112.19
3	C	2	NAG	C1-O5-C5	2.83	115.97	112.19

There are no chirality outliers.

All (16) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	D	1	NAG	C3-C2-N2-C7
3	D	1	NAG	C8-C7-N2-C2
3	D	1	NAG	O7-C7-N2-C2
3	D	2	NAG	C1-C2-N2-C7
3	D	2	NAG	C8-C7-N2-C2
3	D	2	NAG	O7-C7-N2-C2
3	D	2	NAG	C4-C5-C6-O6
3	E	2	NAG	C4-C5-C6-O6
3	D	2	NAG	O5-C5-C6-O6
3	E	2	NAG	O5-C5-C6-O6
3	C	1	NAG	O5-C5-C6-O6
3	C	1	NAG	C4-C5-C6-O6
3	E	1	NAG	C8-C7-N2-C2
3	E	1	NAG	O7-C7-N2-C2
3	E	1	NAG	C4-C5-C6-O6
3	E	1	NAG	O5-C5-C6-O6


There are no ring outliers.


3 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	1	NAG	11	0
3	C	1	NAG	2	0
3	D	2	NAG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 2 are monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	SO4	A	1472	-	4,4,4	0.23	0	6,6,6	0.07	0
6	SO4	A	1479	-	4,4,4	0.23	0	6,6,6	0.07	0
6	SO4	A	1480	-	4,4,4	0.23	0	6,6,6	0.07	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	SO4	A	1467	-	4,4,4	0.23	0	6,6,6	0.07	0
6	SO4	A	1468	-	4,4,4	0.24	0	6,6,6	0.08	0
6	SO4	A	1476	-	4,4,4	0.24	0	6,6,6	0.07	0
6	SO4	A	1471	-	4,4,4	0.24	0	6,6,6	0.07	0
6	SO4	A	1474	-	4,4,4	0.23	0	6,6,6	0.07	0
6	SO4	A	1475	-	4,4,4	0.24	0	6,6,6	0.07	0
6	SO4	B	2051	-	4,4,4	0.22	0	6,6,6	0.10	0
6	SO4	A	1483	-	4,4,4	0.24	0	6,6,6	0.07	0
6	SO4	A	1473	-	4,4,4	0.23	0	6,6,6	0.06	0
6	SO4	A	1470	-	4,4,4	0.23	0	6,6,6	0.08	0
7	GOL	B	2052	-	5,5,5	0.37	0	5,5,5	0.29	0
6	SO4	A	1469	-	4,4,4	0.24	0	6,6,6	0.07	0
6	SO4	A	1478	-	4,4,4	0.22	0	6,6,6	0.08	0
6	SO4	A	1477	-	4,4,4	0.24	0	6,6,6	0.07	0
6	SO4	A	1481	-	4,4,4	0.23	0	6,6,6	0.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	GOL	B	2052	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	B	2052	GOL	C1-C2-C3-O3
7	B	2052	GOL	O2-C2-C3-O3

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1471	SO4	1	0
7	B	2052	GOL	1	0
6	A	1478	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	420/420 (100%)	0.29	13 (3%)	51	30	40, 79, 139, 172	1 (0%)
2	B	206/206 (100%)	0.20	4 (1%)	66	45	48, 79, 131, 182	0
All	All	626/626 (100%)	0.26	17 (2%)	56	35	40, 79, 139, 182	1 (0%)

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	457	HIS	4.1
1	A	452	ILE	3.5
1	A	458	HIS	3.3
1	A	278	ASP	3.1
1	A	117	LEU	3.1
1	A	58	ALA	2.6
1	A	455	LEU	2.5
1	A	333[A]	ARG	2.5
1	A	456	HIS	2.5
2	B	876	SER	2.3
2	B	891	ALA	2.2
1	A	385	GLU	2.2
2	B	992	ILE	2.1
1	A	115	HIS	2.1
1	A	268	ALA	2.1
1	A	390	ASP	2.0
2	B	1050	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	D	2	14/15	0.18	0.15	150,161,175,175	0
3	NAG	D	1	14/15	0.45	0.14	134,160,164,174	0
3	NAG	E	2	14/15	0.54	0.12	114,129,138,139	0
3	NAG	C	2	14/15	0.67	0.11	118,137,142,147	0
3	NAG	E	1	14/15	0.68	0.13	109,119,132,134	0
3	NAG	C	1	14/15	0.79	0.10	129,137,149,156	0


The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around Chain D:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	SO4	A	1480	5/5	0.71	0.10	116,116,131,158	0
6	SO4	A	1483	5/5	0.73	0.08	107,121,129,173	0
7	GOL	B	2052	6/6	0.75	0.17	75,75,75,82	0
6	SO4	A	1475	5/5	0.77	0.14	103,105,122,163	0
6	SO4	A	1468	5/5	0.77	0.25	88,98,112,150	0
6	SO4	A	1479	5/5	0.78	0.12	100,115,129,131	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	CL	A	1466	1/1	0.81	0.22	95,95,95,95	0
6	SO4	A	1467	5/5	0.85	0.06	83,89,119,125	0
6	SO4	A	1476	5/5	0.86	0.13	80,85,108,118	0
6	SO4	A	1469	5/5	0.87	0.13	87,89,108,113	0
6	SO4	A	1477	5/5	0.88	0.12	81,94,138,142	0
6	SO4	A	1481	5/5	0.88	0.20	68,77,84,106	0
6	SO4	B	2051	5/5	0.90	0.12	78,78,89,119	0
6	SO4	A	1474	5/5	0.90	0.18	108,109,130,143	0
6	SO4	A	1470	5/5	0.91	0.07	92,92,102,105	0
6	SO4	A	1472	5/5	0.93	0.12	87,97,98,101	0
6	SO4	A	1478	5/5	0.93	0.09	89,94,97,114	0
6	SO4	A	1473	5/5	0.94	0.08	77,77,77,82	0
6	SO4	A	1471	5/5	0.97	0.06	70,70,70,91	0
4	CA	A	1465	1/1	0.99	0.03	103,103,103,103	0

6.5 Other polymers [i](#)

There are no such residues in this entry.